



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 27, 2014 – 01:08 PM GMT

PDB ID : 1V0Z
Title : STRUCTURE OF NEURAMINIDASE FROM ENGLISH DUCK SUBTYPE N6
Authors : Rudino-Pinera, E.; Tunnah, P.; Crennell, S.J.; Webster, R.G.; Laver, W.G.; Garman, E.F.
Deposited on : 2004-04-02
Resolution : 1.84 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1857 (1.86-1.82)
Clashscore	79885	2149 (1.86-1.82)
Ramachandran outliers	78287	2124 (1.86-1.82)
Sidechain outliers	78261	2125 (1.86-1.82)
RSRZ outliers	66119	1857 (1.86-1.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	389	
1	B	389	
1	C	389	
1	D	389	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
10	PEG	C	1478	-	X
2	CA	B	1477	-	X
2	CA	C	1477	-	X
2	CA	D	1477	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Geometry	Electron density
3	GOL	A	1478	-	X
3	GOL	B	1478	-	X
3	GOL	C	1479	-	X
3	GOL	D	1478	-	X
5	NAG	B	1479	-	X
5	NAG	B	1480	-	X
5	NAG	C	1480	-	X
5	NAG	C	1481	-	X
5	NAG	D	1479	-	X
5	NAG	D	1480	-	X
5	NAG	D	1481	-	X
7	MAN	A	1484	-	X
7	MAN	A	1485	-	X
7	MAN	A	1494	-	X
7	MAN	B	1484	-	X
7	MAN	B	1485	-	X
7	MAN	C	1485	-	X
7	MAN	D	1483	-	X

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 14347 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NEURAMINIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	389	Total	C	N	O	S	0	0	0
			3009	1875	535	572	27			
1	B	389	Total	C	N	O	S	0	0	0
			3009	1875	535	572	27			
1	C	389	Total	C	N	O	S	0	0	0
			3009	1875	535	572	27			
1	D	389	Total	C	N	O	S	0	0	0
			3009	1875	535	572	27			

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Ca	0	0
			1	1		
2	A	1	Total	Ca	0	0
			1	1		
2	D	1	Total	Ca	0	0
			1	1		
2	C	1	Total	Ca	0	0
			1	1		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	2	Total	C	N	O	0	0
			28	16	2	10		
4	C	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 5 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is a polymer of unknown type called SUGAR (4-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	4	Total	C	N	O	0	0
			47	26	1	20		

- Molecule 7 is SUGAR (ALPHA-D-MANNOSE) (three-letter code: MAN) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	O		0	0
			11	6	5			
7	A	1	Total	C	O		0	0
			11	6	5			
7	A	1	Total	C	O		0	0
			11	6	5			
7	B	1	Total	C	O		0	0
			11	6	5			
7	B	1	Total	C	O		0	0
			11	6	5			
7	C	1	Total	C	O		0	0
			11	6	5			
7	D	1	Total	C	O		0	0
			11	6	5			


- Molecule 8 is a polymer of unknown type called SUGAR (6-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	6	Total	C	N	O	0	0
			72	40	2	30		

- Molecule 9 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	B	3	Total	C	N	O	0	0
			36	20	1	15		

- Molecule 10 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	C	1	Total	C	O	0	0
			7	4	3		

- Molecule 11 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	C	2	Total	C	O	0	0
			22	12	10		

- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	453	Total	O	0	0
			453	453		
12	B	434	Total	O	0	0
			434	434		
12	C	450	Total	O	0	0
			450	450		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	D	461	Total 461	O 461	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: NEURAMINIDASE




• Molecule 1: NEURAMINIDASE



• Molecule 1: NEURAMINIDASE



• Molecule 1: NEURAMINIDASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	106.48Å 73.75Å 106.81Å 90.00° 90.37° 90.00°	Depositor
Resolution (Å)	19.96 – 1.84 19.98 – 1.84	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.96-1.84) 93.2 (19.98-1.84)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.28 (at 1.84Å)	Xtriage
Refinement program	REFMAC 5.0	Depositor
R, R_{free}	0.149 , 0.190 0.150 , 0.187	Depositor DCC
R_{free} test set	6696 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	12.7	Xtriage
Anisotropy	1.044	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 48.3	EDS
Estimated twinning fraction	0.006 for l,k,-h 0.016 for h,-k,-l 0.012 for l,-k,h	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 133791 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14347	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, BMA, NAG, CA, PEG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	0/3084	0.67	1/4185 (0.0%)
1	B	0.65	1/3084 (0.0%)	0.67	1/4185 (0.0%)
1	C	0.66	0/3084	0.66	1/4185 (0.0%)
1	D	0.65	0/3084	0.69	1/4185 (0.0%)
All	All	0.65	1/12336 (0.0%)	0.67	4/16740 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	464	TRP	CB-CG	-5.11	1.41	1.50

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	128	LEU	CA-CB-CG	7.07	131.57	115.30
1	D	128	LEU	CA-CB-CG	6.70	130.71	115.30
1	B	128	LEU	CA-CB-CG	6.39	129.99	115.30
1	A	128	LEU	CA-CB-CG	6.12	129.38	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3009	0	2885	26	0
1	B	3009	0	2888	30	0
1	C	3009	0	2888	51	0
1	D	3009	0	2888	48	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	6	0	8	2	0
3	B	6	0	8	1	0
3	C	6	0	8	1	0
3	D	6	0	8	0	0
4	A	28	0	25	0	0
4	C	28	0	25	6	0
5	A	28	0	26	0	0
5	B	56	0	52	11	0
5	C	42	0	39	5	0
5	D	42	0	39	13	0
6	A	47	0	40	4	0
7	A	33	0	30	4	0
7	B	22	0	20	0	0
7	C	11	0	10	1	0
7	D	11	0	10	2	0
8	A	72	0	61	6	0
9	B	36	0	31	5	0
10	C	7	0	10	16	0
11	C	22	0	19	5	0
12	A	453	0	0	5	0
12	B	434	0	0	1	0
12	C	450	0	0	6	0
12	D	461	0	0	1	0
All	All	14347	0	12018	163	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 7.

All (163) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:207:ASN:HD21	5:D:1481:NAG:C1	1.03	1.63
1:D:152:ASN:HD21	5:D:1480:NAG:C1	1.01	1.55
1:B:152:ASN:HD21	5:B:1480:NAG:C1	0.97	1.54
1:C:152:ASN:HD21	5:C:1481:NAG:C1	0.92	1.53
1:C:207:ASN:HD21	4:C:1483:NAG:C1	0.94	1.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:460:ARG:NH1	12:C:2412:HOH:O	1.60	1.27
1:D:88:ARG:HB2	1:D:88:ARG:HH11	0.98	1.08
1:D:88:ARG:HH11	1:D:88:ARG:CB	1.73	1.02
1:C:423:LYS:NZ	10:C:1478:PEG:H32	1.76	1.00
1:C:423:LYS:NZ	10:C:1478:PEG:C3	2.27	0.98
1:B:93:LEU:H	1:B:240:HIS:HD2	1.12	0.98
1:D:88:ARG:HB2	1:D:88:ARG:NH1	1.78	0.97
1:C:93:LEU:H	1:C:240:HIS:HD2	1.13	0.95
9:B:1487:NAG:C1	5:D:1481:NAG:O4	2.15	0.93
6:A:1495:NAG:C1	5:B:1482:NAG:HO4	1.78	0.92
1:C:423:LYS:NZ	10:C:1478:PEG:H42	1.83	0.92
1:C:150:HIS:HE1	1:D:471:GLU:H	1.13	0.92
1:B:471:GLU:H	1:D:150:HIS:HE1	1.15	0.90
1:D:93:LEU:H	1:D:240:HIS:HD2	1.17	0.90
1:A:150:HIS:HE1	1:C:471:GLU:H	1.17	0.88
1:B:423:LYS:HE2	12:D:2188:HOH:O	1.75	0.86
4:C:1484:NAG:O4	11:C:1486:BMA:C1	2.24	0.84
1:B:207:ASN:HD21	5:B:1482:NAG:C1	1.90	0.84
1:B:93:LEU:H	1:B:240:HIS:CD2	1.98	0.82
1:B:468:ASP:O	12:B:2402:HOH:O	1.97	0.82
9:B:1487:NAG:C1	5:D:1481:NAG:C4	2.59	0.81
1:C:423:LYS:NZ	10:C:1478:PEG:C4	2.44	0.80
1:A:93:LEU:H	1:A:240:HIS:HD2	1.27	0.80
1:C:423:LYS:HZ1	10:C:1478:PEG:C4	1.96	0.78
1:C:423:LYS:HZ1	10:C:1478:PEG:C3	1.95	0.78
1:D:386:VAL:HG22	1:D:389:ALA:HB2	1.66	0.77
1:C:423:LYS:HZ1	10:C:1478:PEG:H42	1.49	0.76
1:C:233:GLN:HE21	1:C:247:VAL:H	1.30	0.76
4:C:1484:NAG:HO4	11:C:1486:BMA:C1	2.00	0.74
8:A:1493:MAN:C3	7:A:1494:MAN:C1	2.66	0.73
1:C:207:ASN:HD21	4:C:1483:NAG:C2	1.97	0.72
1:D:471:GLU:HG3	1:D:473:ILE:HG22	1.72	0.71
1:A:93:LEU:H	1:A:240:HIS:CD2	2.09	0.71
1:C:423:LYS:HZ3	10:C:1478:PEG:H42	1.54	0.71
1:D:207:ASN:HD21	5:D:1481:NAG:C2	2.00	0.69
1:C:423:LYS:HZ3	10:C:1478:PEG:H32	1.57	0.68
1:B:233:GLN:HE21	1:B:247:VAL:H	1.42	0.67
9:B:1487:NAG:C1	5:D:1481:NAG:H4	2.24	0.67
1:D:471:GLU:CG	1:D:473:ILE:HG22	2.24	0.67
8:A:1488:NAG:H61	1:C:461:LEU:O	1.95	0.67
1:D:233:GLN:HE21	1:D:247:VAL:H	1.42	0.66
1:B:207:ASN:HD21	5:B:1482:NAG:C2	2.09	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:233:GLN:HE21	1:A:247:VAL:H	1.42	0.66
6:A:1483:MAN:C3	7:A:1485:MAN:C1	2.74	0.65
1:D:93:LEU:H	1:D:240:HIS:CD2	2.07	0.65
1:D:342:ASN:HD22	1:D:344:ASP:H	1.44	0.65
1:C:152:ASN:ND2	5:C:1481:NAG:C2	2.60	0.64
1:C:93:LEU:H	1:C:240:HIS:CD2	2.04	0.64
1:B:405:ASN:HD22	1:B:405:ASN:C	2.02	0.63
1:C:150:HIS:CE1	1:D:471:GLU:H	2.06	0.62
11:C:1487:MAN:H2	1:D:400:ASN:HB3	1.81	0.62
1:B:247:VAL:HG22	1:B:261:ILE:HD12	1.81	0.62
1:D:342:ASN:ND2	1:D:344:ASP:H	1.98	0.61
1:B:207:ASN:HD21	5:B:1482:NAG:H2	1.65	0.61
1:C:465:SER:OG	1:C:467:HIS:HD2	1.84	0.60
1:C:423:LYS:HZ2	10:C:1478:PEG:H32	1.64	0.60
1:D:152:ASN:ND2	5:D:1480:NAG:C2	2.64	0.60
1:B:207:ASN:ND2	5:B:1482:NAG:H2	2.17	0.59
1:C:458:LYS:HE3	12:C:2011:HOH:O	2.03	0.59
1:C:152:ASN:ND2	5:C:1481:NAG:O5	2.26	0.59
8:A:1493:MAN:HO3	7:A:1494:MAN:C1	2.12	0.59
1:C:427:ASN:OD1	10:C:1478:PEG:H22	2.03	0.59
1:A:473:ILE:HG12	12:A:2421:HOH:O	2.03	0.58
1:D:88:ARG:HH11	1:D:88:ARG:CG	2.15	0.58
1:B:400:ASN:O	9:B:1487:NAG:O7	2.21	0.58
1:C:207:ASN:ND2	4:C:1483:NAG:C2	2.62	0.58
8:A:1488:NAG:O5	1:C:462:GLY:HA2	2.05	0.57
1:A:324:LEU:HD21	1:A:362:LEU:HD21	1.85	0.57
6:A:1483:MAN:HO6	7:A:1484:MAN:C1	2.12	0.57
1:B:207:ASN:ND2	5:B:1482:NAG:C1	2.65	0.56
1:C:152:ASN:CG	5:C:1481:NAG:C1	2.68	0.56
3:A:1478:GOL:H32	1:C:113:ARG:NH2	2.22	0.55
1:C:423:LYS:HZ3	10:C:1478:PEG:C4	2.17	0.54
1:B:471:GLU:H	1:D:150:HIS:CE1	2.07	0.54
1:A:342:ASN:HD22	1:A:344:ASP:H	1.54	0.54
1:A:150:HIS:CE1	1:C:471:GLU:H	2.09	0.54
1:A:465:SER:OG	1:A:467:HIS:HD2	1.91	0.54
1:B:240:HIS:HE1	1:B:315:GLU:OE2	1.90	0.54
1:A:353:ASP:OD2	12:A:2301:HOH:O	0.53	0.53
1:D:373:ILE:HD13	7:D:1483:MAN:H61	1.89	0.53
1:B:127:TYR:CG	1:B:235:SER:HA	2.43	0.53
10:C:1478:PEG:H12	12:C:2382:HOH:O	2.08	0.53
1:C:233:GLN:NE2	1:C:247:VAL:H	2.04	0.53
1:A:302:TRP:O	1:A:303:LYS:HE2	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:342:ASN:HD22	1:B:344:ASP:H	1.56	0.53
1:A:124:ARG:HA	1:A:449:ASN:ND2	2.24	0.53
1:D:92:ASN:HD21	5:D:1479:NAG:C1	2.22	0.52
1:C:240:HIS:HE1	1:C:315:GLU:OE1	1.92	0.52
1:C:102:SER:HB2	1:C:459:LYS:O	2.09	0.52
1:B:152:ASN:ND2	5:B:1480:NAG:C2	2.68	0.52
1:A:467:HIS:H	1:A:467:HIS:CD2	2.28	0.52
1:C:295:LYS:HE3	12:C:2249:HOH:O	2.09	0.52
3:A:1478:GOL:H32	1:C:113:ARG:HH22	1.75	0.51
1:A:93:LEU:N	1:A:240:HIS:HD2	2.02	0.51
11:C:1487:MAN:H2	1:D:400:ASN:CB	2.39	0.51
1:B:207:ASN:ND2	5:B:1482:NAG:C2	2.74	0.51
1:D:94:THR:HG21	5:D:1479:NAG:H81	1.93	0.51
1:D:281:HIS:HD2	1:D:301:ASN:H	1.59	0.51
1:D:240:HIS:HE1	1:D:315:GLU:OE1	1.94	0.50
1:D:88:ARG:CB	1:D:88:ARG:NH1	2.54	0.50
1:B:342:ASN:ND2	1:B:344:ASP:H	2.09	0.50
1:D:340:ASN:ND2	1:D:394:GLN:HE21	2.08	0.50
6:A:1495:NAG:C1	5:B:1482:NAG:C4	2.89	0.50
1:C:127:TYR:CG	1:C:235:SER:HA	2.47	0.49
1:A:423:LYS:HE3	12:A:2381:HOH:O	2.12	0.49
4:C:1484:NAG:C4	11:C:1486:BMA:C1	2.91	0.49
5:C:1482:NAG:H62	1:D:473:ILE:HD13	1.95	0.49
1:A:240:HIS:HE1	1:A:315:GLU:OE2	1.96	0.49
1:B:152:ASN:CG	5:B:1480:NAG:C1	2.72	0.48
1:A:88:ARG:HH11	1:A:194:MET:HA	1.77	0.48
1:A:218:PRO:HG2	10:C:1478:PEG:H11	1.94	0.48
1:D:92:ASN:ND2	5:D:1479:NAG:C1	2.77	0.48
1:A:131:ASP:HB2	1:A:132:PRO:CD	2.44	0.47
1:D:127:TYR:CG	1:D:235:SER:HA	2.49	0.47
1:B:124:ARG:HA	1:B:449:ASN:ND2	2.30	0.47
1:A:407:GLN:NE2	12:A:2363:HOH:O	2.43	0.47
1:D:340:ASN:HD21	1:D:394:GLN:HE21	1.62	0.47
1:A:127:TYR:CG	1:A:235:SER:HA	2.50	0.47
1:C:340:ASN:ND2	12:C:2292:HOH:O	2.47	0.46
1:C:281:HIS:HD2	1:C:301:ASN:H	1.63	0.46
1:C:423:LYS:HZ1	10:C:1478:PEG:H31	1.78	0.46
1:C:247:VAL:HG22	1:C:261:ILE:HD12	1.97	0.46
8:A:1488:NAG:H81	12:A:2148:HOH:O	2.15	0.46
1:D:322:LYS:HB2	1:D:343:CYS:O	2.16	0.45
1:B:324:LEU:HD21	1:B:362:LEU:HD21	1.98	0.45
1:D:373:ILE:HG21	7:D:1483:MAN:H61	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:467:HIS:HE1	12:C:2421:HOH:O	2.00	0.44
1:A:99:GLU:HB3	1:A:458:LYS:HD3	2.00	0.43
1:A:342:ASN:ND2	1:A:344:ASP:H	2.15	0.43
1:A:113:ARG:NH2	3:B:1478:GOL:H32	2.33	0.43
1:B:465:SER:OG	1:B:467:HIS:HD2	2.01	0.43
1:C:417:ILE:HB	1:C:419:TYR:CZ	2.54	0.42
1:C:228:ASN:HB3	1:C:251:GLY:HA2	2.01	0.42
1:A:195:SER:HB2	1:A:214:TYR:CZ	2.54	0.42
9:B:1487:NAG:O7	5:D:1481:NAG:H61	2.19	0.42
1:C:427:ASN:OD1	10:C:1478:PEG:C2	2.68	0.42
1:D:131:ASP:HB2	1:D:132:PRO:CD	2.49	0.42
1:D:341:GLY:HA2	1:D:347:ILE:HD11	2.01	0.42
1:C:150:HIS:HE1	1:D:471:GLU:N	1.97	0.42
1:C:285:CYS:HB3	1:C:296:CYS:HB3	2.01	0.42
1:D:369:LEU:HG	1:D:386:VAL:HG13	2.02	0.41
1:D:424:GLU:HG2	1:D:424:GLU:O	2.20	0.41
1:C:305:ALA:HB2	1:C:349:GLY:HA2	2.01	0.41
1:D:195:SER:HB2	1:D:214:TYR:CZ	2.55	0.41
1:D:152:ASN:CG	5:D:1480:NAG:C1	2.77	0.41
1:D:342:ASN:HD22	1:D:342:ASN:C	2.24	0.41
1:B:471:GLU:HB2	1:B:474:TYR:CD1	2.56	0.41
1:D:417:ILE:HB	1:D:419:TYR:CZ	2.56	0.41
1:D:471:GLU:OE2	1:D:473:ILE:HG22	2.21	0.41
1:A:150:HIS:HE1	1:C:471:GLU:N	1.99	0.41
3:C:1479:GOL:H32	1:D:113:ARG:NH2	2.35	0.41
1:D:124:ARG:HA	1:D:449:ASN:ND2	2.35	0.41
8:A:1493:MAN:HO6	7:C:1485:MAN:C1	2.23	0.40
1:B:342:ASN:C	1:B:342:ASN:HD22	2.24	0.40
1:B:417:ILE:HG21	1:B:426:PHE:HB3	2.03	0.40
1:D:207:ASN:ND2	5:D:1481:NAG:C2	2.70	0.40
1:B:467:HIS:CD2	1:B:467:HIS:H	2.38	0.40
1:C:325:CYS:O	1:C:393:ILE:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	387/389 (100%)	375 (97%)	12 (3%)	0	100	100
1	B	387/389 (100%)	375 (97%)	12 (3%)	0	100	100
1	C	387/389 (100%)	374 (97%)	13 (3%)	0	100	100
1	D	387/389 (100%)	373 (96%)	14 (4%)	0	100	100
All	All	1548/1556 (100%)	1497 (97%)	51 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	331/331 (100%)	327 (99%)	4 (1%)	82	74
1	B	331/331 (100%)	325 (98%)	6 (2%)	71	57
1	C	331/331 (100%)	327 (99%)	4 (1%)	82	74
1	D	331/331 (100%)	323 (98%)	8 (2%)	61	44
All	All	1324/1324 (100%)	1302 (98%)	22 (2%)	73	59

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	128	LEU
1	A	342	ASN
1	A	445	LEU
1	A	464	TRP
1	B	88	ARG
1	B	128	LEU
1	B	142	GLN
1	B	342	ASN
1	B	405	ASN
1	B	464	TRP
1	C	128	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	324	LEU
1	C	445	LEU
1	C	464	TRP
1	D	88	ARG
1	D	128	LEU
1	D	342	ASN
1	D	386	VAL
1	D	424	GLU
1	D	445	LEU
1	D	460	ARG
1	D	464	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (52) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	150	HIS
1	A	233	GLN
1	A	240	HIS
1	A	340	ASN
1	A	342	ASN
1	A	400	ASN
1	A	406	ASN
1	A	407	GLN
1	A	408	ASN
1	A	422	ASN
1	A	427	ASN
1	A	449	ASN
1	A	467	HIS
1	B	142	GLN
1	B	152	ASN
1	B	207	ASN
1	B	233	GLN
1	B	240	HIS
1	B	340	ASN
1	B	342	ASN
1	B	405	ASN
1	B	406	ASN
1	B	408	ASN
1	B	422	ASN
1	B	427	ASN
1	B	449	ASN
1	B	467	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	150	HIS
1	C	152	ASN
1	C	207	ASN
1	C	233	GLN
1	C	240	HIS
1	C	281	HIS
1	C	340	ASN
1	C	394	GLN
1	C	406	ASN
1	C	408	ASN
1	C	422	ASN
1	C	449	ASN
1	C	467	HIS
1	D	150	HIS
1	D	152	ASN
1	D	207	ASN
1	D	233	GLN
1	D	240	HIS
1	D	281	HIS
1	D	340	ASN
1	D	342	ASN
1	D	406	ASN
1	D	422	ASN
1	D	427	ASN
1	D	449	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

19 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	1479	1,4	12,14,15	0.73	0	15,19,21	1.07	1 (6%)
4	NAG	A	1480	4	12,14,15	0.66	0	15,19,21	0.50	0
6	MAN	A	1483	7,6	10,11,12	0.46	0	11,15,17	1.53	1 (9%)
6	BMA	A	1486	6	10,11,12	0.49	0	11,15,17	0.70	0
6	MAN	A	1487	6	10,11,12	0.51	0	11,15,17	1.04	0
8	NAG	A	1488	1,8	12,14,15	0.71	0	15,19,21	2.92	4 (26%)
8	NAG	A	1489	8	12,14,15	0.68	0	15,19,21	1.07	1 (6%)
8	BMA	A	1490	8	10,11,12	0.49	0	11,15,17	0.69	0
8	MAN	A	1491	8	10,11,12	0.39	0	11,15,17	0.96	1 (9%)
8	MAN	A	1492	8	10,11,12	0.46	0	11,15,17	0.98	0
8	MAN	A	1493	8,7	10,11,12	0.42	0	11,15,17	1.44	2 (18%)
6	NAG	A	1495	5,6	12,14,15	0.83	1 (8%)	15,19,21	0.72	0
9	MAN	B	1483	9,7	10,11,12	0.47	0	11,15,17	1.33	2 (18%)
9	BMA	B	1486	9	10,11,12	0.61	0	11,15,17	0.90	0
9	NAG	B	1487	9	12,14,15	0.83	0	15,19,21	2.43	5 (33%)
4	NAG	C	1483	1,4	12,14,15	0.76	0	15,19,21	1.33	3 (20%)
4	NAG	C	1484	4	12,14,15	0.82	1 (8%)	15,19,21	1.06	1 (6%)
11	BMA	C	1486	11	10,11,12	0.58	0	11,15,17	1.32	1 (9%)
11	MAN	C	1487	11	10,11,12	0.39	0	11,15,17	1.76	2 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	1479	1,4	-	0/6/23/26	0/1/1/1
4	NAG	A	1480	4	-	0/6/23/26	0/1/1/1
6	MAN	A	1483	7,6	-	0/2/19/22	0/1/1/1
6	BMA	A	1486	6	-	0/2/19/22	0/1/1/1
6	MAN	A	1487	6	-	0/2/19/22	0/1/1/1
8	NAG	A	1488	1,8	-	0/6/23/26	0/1/1/1
8	NAG	A	1489	8	-	0/6/23/26	0/1/1/1
8	BMA	A	1490	8	-	0/2/19/22	0/1/1/1
8	MAN	A	1491	8	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	MAN	A	1492	8	-	0/2/19/22	0/1/1/1
8	MAN	A	1493	8,7	-	0/2/19/22	0/1/1/1
6	NAG	A	1495	5,6	-	0/6/23/26	0/1/1/1
9	MAN	B	1483	9,7	-	0/2/19/22	0/1/1/1
9	BMA	B	1486	9	-	0/2/19/22	0/1/1/1
9	NAG	B	1487	9	-	0/6/23/26	0/1/1/1
4	NAG	C	1483	1,4	-	0/6/23/26	0/1/1/1
4	NAG	C	1484	4	-	0/6/23/26	0/1/1/1
11	BMA	C	1486	11	-	0/2/19/22	0/1/1/1
11	MAN	C	1487	11	-	0/2/19/22	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1495	NAG	O5-C5	-2.21	1.41	1.45
4	C	1484	NAG	O5-C5	-2.12	1.41	1.45

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	1488	NAG	O5-C5-C6	7.94	115.32	106.98
9	B	1487	NAG	C3-C2-N2	6.30	121.36	111.76
8	A	1488	NAG	C3-C4-C5	-6.00	99.49	110.20
11	C	1487	MAN	C4-C3-C2	-4.05	105.07	110.50
9	B	1487	NAG	C2-N2-C7	3.69	129.29	123.09
9	B	1487	NAG	C4-C3-C2	-3.42	102.94	111.32
11	C	1486	BMA	O5-C5-C6	3.33	110.47	106.98
4	C	1483	NAG	O5-C5-C6	3.01	110.14	106.98
6	A	1483	MAN	O6-C6-C5	-2.96	101.18	111.36
4	C	1484	NAG	O5-C5-C4	-2.95	106.90	110.65
8	A	1488	NAG	O4-C4-C3	2.76	116.53	110.35
4	A	1479	NAG	O5-C5-C6	2.70	109.82	106.98
8	A	1493	MAN	O6-C6-C5	-2.68	102.14	111.36
8	A	1491	MAN	O5-C5-C6	2.66	109.78	106.98
8	A	1493	MAN	O5-C5-C4	-2.62	107.32	110.65
8	A	1488	NAG	O6-C6-C5	-2.39	103.13	111.36
9	B	1483	MAN	O6-C6-C5	-2.33	103.33	111.36
9	B	1483	MAN	O5-C5-C4	-2.32	107.71	110.65
4	C	1483	NAG	C3-C4-C5	2.29	114.29	110.20
8	A	1489	NAG	O4-C4-C5	-2.26	103.33	109.28
11	C	1487	MAN	O5-C5-C6	2.24	109.33	106.98
9	B	1487	NAG	O5-C5-C4	2.16	113.40	110.65

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	1483	NAG	C2-N2-C7	-2.11	119.55	123.09
9	B	1487	NAG	O4-C4-C5	-2.08	103.79	109.28

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.6 Ligand geometry

Of 28 ligands modelled in this entry, 4 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	A	1478	-	5,5,5	1.11	0	5,5,5	1.86	1 (20%)
5	NAG	A	1481	1	12,14,15	0.59	0	15,19,21	1.07	2 (13%)
5	NAG	A	1482	-	12,14,15	0.59	0	15,19,21	1.22	2 (13%)
7	MAN	A	1484	6	10,11,12	0.42	0	11,15,17	0.98	0
7	MAN	A	1485	6	10,11,12	0.53	0	11,15,17	0.86	0
7	MAN	A	1494	8	10,11,12	0.63	0	11,15,17	0.70	0
3	GOL	B	1478	-	5,5,5	1.62	1 (20%)	5,5,5	2.13	2 (40%)
5	NAG	B	1479	-	12,14,15	0.53	0	15,19,21	1.20	2 (13%)
5	NAG	B	1480	1	12,14,15	0.75	0	15,19,21	1.24	1 (6%)
5	NAG	B	1481	-	12,14,15	0.60	0	15,19,21	1.04	0
5	NAG	B	1482	6	12,14,15	0.76	0	15,19,21	1.70	1 (6%)
7	MAN	B	1484	9	10,11,12	0.48	0	11,15,17	0.65	0
7	MAN	B	1485	-	10,11,12	0.45	0	11,15,17	0.92	1 (9%)
10	PEG	C	1478	-	6,6,6	0.27	0	5,5,5	5.75	4 (80%)
3	GOL	C	1479	-	5,5,5	1.52	1 (20%)	5,5,5	2.14	2 (40%)
5	NAG	C	1480	-	12,14,15	0.60	0	15,19,21	1.57	2 (13%)
5	NAG	C	1481	1	12,14,15	0.74	0	15,19,21	0.93	0
5	NAG	C	1482	-	12,14,15	0.60	0	15,19,21	0.83	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	MAN	C	1485	8	10,11,12	0.43	0	11,15,17	0.60	0
3	GOL	D	1478	-	5,5,5	1.28	0	5,5,5	1.93	1 (20%)
5	NAG	D	1479	-	12,14,15	0.55	0	15,19,21	1.05	1 (6%)
5	NAG	D	1480	1	12,14,15	0.58	0	15,19,21	1.26	2 (13%)
5	NAG	D	1481	1	12,14,15	0.82	1 (8%)	15,19,21	1.39	2 (13%)
7	MAN	D	1483	-	10,11,12	0.67	0	11,15,17	1.17	2 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	1478	-	-	0/4/4/4	0/0/0/0
5	NAG	A	1481	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1482	-	-	0/6/23/26	0/1/1/1
7	MAN	A	1484	6	-	0/2/19/22	0/1/1/1
7	MAN	A	1485	6	-	0/2/19/22	0/1/1/1
7	MAN	A	1494	8	-	0/2/19/22	0/1/1/1
3	GOL	B	1478	-	-	0/4/4/4	0/0/0/0
5	NAG	B	1479	-	-	0/6/23/26	0/1/1/1
5	NAG	B	1480	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1481	-	-	0/6/23/26	0/1/1/1
5	NAG	B	1482	6	-	0/6/23/26	0/1/1/1
7	MAN	B	1484	9	-	0/2/19/22	0/1/1/1
7	MAN	B	1485	-	-	0/2/19/22	0/1/1/1
10	PEG	C	1478	-	-	0/4/4/4	0/0/0/0
3	GOL	C	1479	-	-	0/4/4/4	0/0/0/0
5	NAG	C	1480	-	-	0/6/23/26	0/1/1/1
5	NAG	C	1481	1	-	0/6/23/26	0/1/1/1
5	NAG	C	1482	-	-	0/6/23/26	0/1/1/1
7	MAN	C	1485	8	-	0/2/19/22	0/1/1/1
3	GOL	D	1478	-	-	0/4/4/4	0/0/0/0
5	NAG	D	1479	-	-	0/6/23/26	0/1/1/1
5	NAG	D	1480	1	-	0/6/23/26	0/1/1/1
5	NAG	D	1481	1	-	0/6/23/26	0/1/1/1
7	MAN	D	1483	-	-	0/2/19/22	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1478	GOL	O3-C3	2.63	1.53	1.42
5	D	1481	NAG	O5-C5	-2.40	1.41	1.45
3	C	1479	GOL	O3-C3	2.27	1.52	1.42

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	C	1478	PEG	O1-C1-C2	8.15	164.65	111.80
10	C	1478	PEG	O2-C2-C1	7.05	144.49	110.61
10	C	1478	PEG	C3-O2-C2	-6.08	86.66	113.38
5	B	1482	NAG	O5-C5-C6	5.30	112.55	106.98
5	C	1480	NAG	O5-C5-C4	4.28	116.08	110.65
5	D	1480	NAG	O5-C5-C6	3.86	111.03	106.98
5	D	1481	NAG	C3-C4-C5	3.80	116.99	110.20
3	B	1478	GOL	O3-C3-C2	3.71	127.82	109.71
3	D	1478	GOL	O3-C3-C2	3.67	127.62	109.71
3	C	1479	GOL	O3-C3-C2	3.46	126.59	109.71
3	A	1478	GOL	O3-C3-C2	3.35	126.05	109.71
5	B	1480	NAG	O5-C5-C6	3.26	110.40	106.98
5	B	1479	NAG	O5-C5-C4	3.04	114.51	110.65
10	C	1478	PEG	O2-C3-C4	2.99	125.01	110.61
5	A	1482	NAG	C3-C4-C5	2.74	115.10	110.20
7	B	1485	MAN	O5-C5-C6	2.69	109.80	106.98
5	C	1480	NAG	C3-C4-C5	2.58	114.82	110.20
3	C	1479	GOL	O1-C1-C2	2.55	122.13	109.71
5	B	1479	NAG	C3-C4-C5	2.44	114.57	110.20
5	A	1481	NAG	O5-C5-C6	2.43	109.53	106.98
5	A	1482	NAG	O5-C5-C4	2.36	113.64	110.65
7	D	1483	MAN	C4-C3-C2	2.34	113.64	110.50
7	D	1483	MAN	C3-C4-C5	2.33	114.36	110.20
5	D	1480	NAG	C3-C2-N2	2.31	115.28	111.76
5	D	1479	NAG	C3-C2-N2	2.25	115.19	111.76
5	A	1481	NAG	C3-C2-N2	-2.23	108.36	111.76
5	D	1481	NAG	O5-C5-C6	2.21	109.30	106.98
3	B	1478	GOL	O1-C1-C2	2.11	120.01	109.71

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	389/389 (100%)	-0.53	2 (0%) 88 89	7, 12, 20, 31	0
1	B	389/389 (100%)	-0.55	1 (0%) 91 92	7, 12, 18, 37	0
1	C	389/389 (100%)	-0.58	4 (1%) 79 78	7, 11, 19, 33	0
1	D	389/389 (100%)	-0.54	2 (0%) 88 89	7, 12, 18, 33	0
All	All	1556/1556 (100%)	-0.55	9 (0%) 84 87	7, 12, 19, 37	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	350	GLY	3.7
1	B	88	ARG	3.6
1	C	349	GLY	3.0
1	A	88	ARG	2.9
1	D	88	ARG	2.6
1	A	460	ARG	2.4
1	D	424	GLU	2.4
1	C	256	ARG	2.3
1	C	88	ARG	2.3

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
11	MAN	C	1487	11/12	0.38	57.77	45,49,51,51	0
11	BMA	C	1486	11/12	0.25	21.97	32,35,36,40	0
6	MAN	A	1487	11/12	0.40	21.68	45,48,49,50	0
9	BMA	B	1486	11/12	0.23	13.98	35,36,37,38	0
9	MAN	B	1483	11/12	0.26	12.69	35,37,37,37	0
9	NAG	B	1487	14/15	0.24	11.84	26,35,39,43	0
6	BMA	A	1486	11/12	0.18	10.37	21,25,26,31	0
4	NAG	C	1483	14/15	0.22	9.84	25,29,32,34	0
6	MAN	A	1483	11/12	0.19	7.53	22,24,24,27	0
8	MAN	A	1493	11/12	0.13	5.77	14,15,16,19	0
8	BMA	A	1490	11/12	0.10	5.21	16,19,19,21	0
8	NAG	A	1488	14/15	0.29	3.63	26,31,35,38	0
6	NAG	A	1495	14/15	0.26	2.20	20,24,27,30	0
8	MAN	A	1491	11/12	0.12	1.66	24,25,27,27	0
4	NAG	C	1484	14/15	0.19	1.58	18,24,29,33	0
4	NAG	A	1479	14/15	0.14	0.81	20,22,26,32	0
8	NAG	A	1489	14/15	0.13	0.79	14,20,24,25	0
8	MAN	A	1492	11/12	0.39	-	38,42,44,44	0
4	NAG	A	1480	14/15	0.43	-	39,43,45,45	0

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
7	MAN	B	1485	11/12	0.32	16.56	44,47,48,49	0
7	MAN	A	1484	11/12	0.21	16.26	26,30,35,38	0
7	MAN	B	1484	11/12	0.26	14.57	32,33,36,38	0
7	MAN	D	1483	11/12	0.39	12.51	67,68,68,68	0
3	GOL	B	1478	6/6	0.28	10.55	12,25,26,28	0
5	NAG	D	1479	14/15	0.43	10.41	105,105,106,106	0
3	GOL	D	1478	6/6	0.30	9.39	17,29,30,30	0
5	NAG	D	1480	14/15	0.14	7.61	17,22,26,26	0
3	GOL	A	1478	6/6	0.25	7.23	19,29,30,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	GOL	C	1479	6/6	0.25	6.91	13,26,28,29	0
5	NAG	C	1480	14/15	0.33	6.47	62,63,64,64	0
10	PEG	C	1478	7/7	0.25	6.46	20,24,28,29	0
5	NAG	D	1481	14/15	0.21	5.99	23,26,27,27	0
7	MAN	A	1485	11/12	0.17	5.98	24,27,28,29	0
5	NAG	B	1480	14/15	0.13	5.93	16,22,26,29	0
2	CA	C	1477	1/1	0.16	5.90	19,19,19,19	0
2	CA	D	1477	1/1	0.14	5.23	19,19,19,19	0
7	MAN	A	1494	11/12	0.14	3.93	19,20,21,21	0
5	NAG	C	1481	14/15	0.12	3.12	15,18,25,26	0
7	MAN	C	1485	11/12	0.18	2.59	30,33,36,38	0
2	CA	B	1477	1/1	0.10	2.32	19,19,19,19	0
5	NAG	B	1479	14/15	0.40	2.03	98,99,99,99	0
5	NAG	B	1482	14/15	0.29	1.99	42,44,45,45	0
2	CA	A	1477	1/1	0.13	1.38	20,20,20,20	0
5	NAG	A	1481	14/15	0.14	0.92	19,22,27,28	0
5	NAG	C	1482	14/15	0.34	-	74,77,77,77	0
5	NAG	A	1482	14/15	0.45	-	64,67,68,68	0
5	NAG	B	1481	14/15	0.47	-	95,96,97,97	0

6.5 Other polymers ⓘ

There are no such residues in this entry.