



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 06:31 PM GMT

PDB ID : 2V1O
Title : CRYSTAL STRUCTURE OF N-TERMINAL DOMAIN OF ACYL-COA
THIOESTERASE 7
Authors : Forwood, J.K.; Thakur, A.S.; Guncar, G.; Marfori, M.; Mouradov, D.; Meng,
W.N.; Robinson, J.; Huber, T.; Kellie, S.; Martin, J.L.; Hume, D.A.; Kobe, B.
Deposited on : 2007-05-28
Resolution : 1.78 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	4987 (1.80-1.76)
Clashscore	79885	6152 (1.80-1.76)
Ramachandran outliers	78287	6074 (1.80-1.76)
Sidechain outliers	78261	6073 (1.80-1.76)
RSRZ outliers	66119	4990 (1.80-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	151	
1	B	151	
1	C	151	
1	D	151	
1	E	151	
1	F	151	

2 Entry composition i


There are 3 unique types of molecules in this entry. The entry contains 7986 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYTOSOLIC ACYL COENZYME A THIOESTER HYDROLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	149	Total	C	N	O	S	0	0	0
			1164	722	211	222	9			
1	B	148	Total	C	N	O	S	0	0	0
			1160	720	210	221	9			
1	C	149	Total	C	N	O	S	0	0	0
			1164	722	211	222	9			
1	D	148	Total	C	N	O	S	0	0	0
			1160	720	210	221	9			
1	E	148	Total	C	N	O	S	0	0	0
			1160	720	210	221	9			
1	F	148	Total	C	N	O	S	0	0	0
			1160	720	210	221	9			

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: $C_{21}H_{36}N_7O_{16}P_3S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	B	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	C	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	D	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	E	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	F	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	146	Total	O	0	0
			146	146		
3	B	95	Total	O	0	0
			95	95		
3	C	149	Total	O	0	0
			149	149		
3	D	131	Total	O	0	0
			131	131		
3	E	117	Total	O	0	0
			117	117		
3	F	92	Total	O	0	0
			92	92		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: CYTOSOLIC ACYL COENZYME A THIOESTER HYDROLASE

Chain A: 




- Molecule 1: CYTOSOLIC ACYL COENZYME A THIOESTER HYDROLASE

Chain B: 




- Molecule 1: CYTOSOLIC ACYL COENZYME A THIOESTER HYDROLASE

Chain C: 




- Molecule 1: CYTOSOLIC ACYL COENZYME A THIOESTER HYDROLASE


Chain D: 



- Molecule 1: CYTOSOLIC ACYL COENZYME A THIOESTER HYDROLASE



Chain E: 





● Molecule 1: CYTOSOLIC ACYL COENZYME A THIOESTER HYDROLASE

Chain F:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	55.74Å 125.53Å 81.78Å 90.00° 95.39° 90.00°	Depositor
Resolution (Å)	29.29 – 1.78 29.28 – 1.78	Depositor EDS
% Data completeness (in resolution range)	95.5 (29.29-1.78) 95.5 (29.28-1.78)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.94 (at 1.78Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.210 , 0.244 0.209 , 0.242	Depositor DCC
R_{free} test set	5091 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	28.0	Xtriage
Anisotropy	0.031	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 30.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	0 of 101343 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7986	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: COA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/1180	0.56	0/1592
1	B	0.41	0/1176	0.54	0/1587
1	C	0.42	0/1180	0.55	0/1592
1	D	0.40	0/1176	0.53	0/1587
1	E	0.38	0/1176	0.53	0/1587
1	F	0.38	0/1176	0.54	0/1587
All	All	0.40	0/7064	0.54	0/9532

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1164	0	1179	18	0
1	B	1160	0	1176	17	0
1	C	1164	0	1179	18	0
1	D	1160	0	1176	27	0
1	E	1160	0	1176	17	0
1	F	1160	0	1176	20	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	48	0	32	2	0
2	B	48	0	32	2	0
2	C	48	0	32	2	0
2	D	48	0	32	2	0
2	E	48	0	32	2	0
2	F	48	0	32	1	0
3	A	146	0	0	5	0
3	B	95	0	0	2	0
3	C	149	0	0	2	0
3	D	131	0	0	3	0
3	E	117	0	0	5	0
3	F	92	0	0	4	0
All	All	7986	0	7254	110	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 8.

All (110) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:101:MET:HG2	3:A:2085:HOH:O	1.75	0.87
1:F:34:ILE:HD13	1:F:37:MET:HE3	1.59	0.85
1:A:67:ARG:HD2	1:D:64:ARG:NH2	1.93	0.84
1:D:15:MET:HG2	1:D:79:VAL:CG1	2.15	0.77
1:B:155:GLN:HE22	1:B:159:ARG:HH21	1.41	0.68
1:E:101:MET:HG2	3:E:2072:HOH:O	1.96	0.66
1:F:149:ARG:O	1:F:153:GLU:HG2	1.96	0.65
1:E:155:GLN:HE22	1:E:159:ARG:HH21	1.45	0.64
1:D:34:ILE:HD13	1:D:37:MET:HE1	1.80	0.64
1:F:64:ARG:NH1	1:F:155:GLN:HB2	2.13	0.64
1:C:34:ILE:HD13	1:C:37:MET:HE1	1.81	0.63
1:C:68:THR:OG1	1:C:114:ASN:ND2	2.32	0.62
1:D:58:CYS:HB3	1:D:132:LEU:HD12	1.82	0.62
1:D:57:ARG:NH1	3:D:2050:HOH:O	2.32	0.62
1:B:34:ILE:HG13	2:C:1162:COA:S1P	2.40	0.61
1:B:34:ILE:HD13	1:B:37:MET:CE	2.29	0.61
1:A:155:GLN:HE22	1:A:159:ARG:HH11	1.47	0.61
1:F:40:GLU:HG3	3:F:2029:HOH:O	2.00	0.61
1:B:153:GLU:O	1:B:157:LEU:HD13	2.01	0.61
1:D:160:MET:O	1:D:161:GLU:HB2	2.00	0.59
1:B:67:ARG:C	1:B:67:ARG:HD2	2.22	0.59
1:A:153:GLU:O	1:A:157:LEU:HD13	2.03	0.59
2:A:1162:COA:S1P	1:D:34:ILE:HG13	2.44	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:155:GLN:NE2	1:D:159:ARG:HH21	2.03	0.57
1:E:34:ILE:HD13	1:E:37:MET:HE1	1.86	0.57
1:D:155:GLN:HE22	1:D:159:ARG:HH21	1.51	0.57
1:E:34:ILE:HD13	1:E:37:MET:CE	2.34	0.57
1:C:155:GLN:HE22	1:C:159:ARG:HH21	1.53	0.57
1:E:146:GLU:HG2	1:E:149:ARG:HH22	1.70	0.57
1:B:57:ARG:NH1	3:B:2043:HOH:O	2.39	0.56
1:B:49:HIS:HE1	1:B:135:PRO:O	1.88	0.56
1:C:34:ILE:HD13	1:C:37:MET:CE	2.37	0.55
1:F:34:ILE:HD13	1:F:37:MET:CE	2.35	0.55
1:A:101:MET:CG	3:A:2085:HOH:O	2.41	0.55
1:A:58:CYS:HB3	1:A:132:LEU:HD12	1.88	0.55
1:B:58:CYS:HB3	1:B:132:LEU:HD12	1.89	0.55
1:F:66:GLU:OE2	1:F:119:TRP:NE1	2.40	0.55
1:F:38:ILE:HG22	1:F:118:LEU:HD11	1.89	0.54
1:E:67:ARG:HG2	1:F:66:GLU:HB2	1.90	0.54
2:E:1162:COA:S1P	1:F:34:ILE:HG13	2.48	0.54
1:D:33:THR:HG22	1:D:37:MET:HE2	1.90	0.53
1:C:160:MET:O	1:C:160:MET:HG3	2.08	0.53
1:A:49:HIS:HE1	1:A:135:PRO:O	1.92	0.53
1:C:99:HIS:CE1	1:C:115:LYS:HE2	2.44	0.52
1:D:49:HIS:HD2	3:D:2011:HOH:O	1.91	0.52
1:A:101:MET:CE	3:A:2085:HOH:O	2.57	0.52
1:D:64:ARG:NH1	1:D:155:GLN:HB2	2.24	0.52
1:F:149:ARG:HD3	3:F:2084:HOH:O	2.09	0.52
1:D:14:ALA:N	3:D:2001:HOH:O	2.42	0.51
1:C:58:CYS:HB3	1:C:132:LEU:HD12	1.92	0.51
1:D:49:HIS:HE1	1:D:135:PRO:O	1.94	0.51
1:A:49:HIS:HD2	3:A:2021:HOH:O	1.92	0.51
1:E:67:ARG:CG	1:F:66:GLU:HB2	2.41	0.50
1:E:49:HIS:HE1	1:E:135:PRO:O	1.95	0.50
1:B:92:HIS:HD2	2:B:1162:COA:O8A	1.94	0.49
1:D:59:VAL:HG23	1:D:125:LEU:HD21	1.95	0.49
1:A:92:HIS:HD2	2:A:1162:COA:O8A	1.95	0.49
2:B:1162:COA:S1P	1:C:34:ILE:HG13	2.52	0.49
1:C:81:HIS:HE1	1:C:103:GLU:OE1	1.96	0.49
1:A:101:MET:HE2	3:A:2085:HOH:O	2.13	0.49
1:D:34:ILE:HD13	1:D:37:MET:CE	2.42	0.49
1:A:49:HIS:CE1	1:A:135:PRO:O	2.66	0.48
1:A:67:ARG:HD2	1:D:64:ARG:HH21	1.71	0.48
1:B:67:ARG:HG3	1:C:64:ARG:NH2	2.28	0.48
1:E:67:ARG:HG2	1:F:66:GLU:CB	2.44	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:F:92:HIS:HD2	2:F:1162:COA:O8A	1.96	0.48
1:E:49:HIS:HD2	3:E:2020:HOH:O	1.95	0.48
1:F:24:ASN:ND2	3:F:2016:HOH:O	2.46	0.48
1:B:49:HIS:CE1	1:B:135:PRO:O	2.68	0.47
2:E:1162:COA:H8A	2:E:1162:COA:H122	1.96	0.47
1:A:15:MET:HA	1:A:80:ALA:O	2.15	0.47
1:D:15:MET:CG	1:D:79:VAL:CG1	2.90	0.47
1:D:15:MET:SD	1:D:81:HIS:NE2	2.88	0.47
1:A:81:HIS:HE1	1:A:103:GLU:OE1	1.97	0.47
1:D:81:HIS:HE1	1:D:103:GLU:OE1	1.98	0.46
1:D:92:HIS:HD2	2:D:1162:COA:O8A	1.99	0.46
1:F:81:HIS:HE1	1:F:103:GLU:OE1	1.98	0.46
1:B:34:ILE:HD13	1:B:37:MET:HE2	1.96	0.45
1:B:155:GLN:NE2	1:B:159:ARG:HE	2.16	0.44
1:E:25:VAL:HG22	3:E:2012:HOH:O	2.17	0.44
1:B:149:ARG:O	1:B:153:GLU:HG3	2.17	0.44
1:C:15:MET:HA	1:C:80:ALA:O	2.18	0.43
1:B:40:GLU:HG3	3:B:2027:HOH:O	2.17	0.43
1:D:33:THR:HG22	1:D:37:MET:CE	2.49	0.43
1:E:49:HIS:CE1	1:E:135:PRO:O	2.71	0.43
1:C:92:HIS:HE1	3:C:2113:HOH:O	2.02	0.43
1:E:15:MET:HG2	1:E:79:VAL:CG1	2.49	0.43
1:C:49:HIS:HD2	3:C:2024:HOH:O	2.02	0.43
1:E:40:GLU:HG3	3:E:2027:HOH:O	2.19	0.42
1:B:34:ILE:CG1	2:C:1162:COA:S1P	3.08	0.42
1:C:24:ASN:HB3	1:C:30:HIS:CE1	2.54	0.42
1:D:15:MET:HG2	1:D:79:VAL:HG11	1.94	0.42
1:C:155:GLN:HE21	1:C:155:GLN:C	2.23	0.42
1:F:139:TYR:CE1	1:F:145:GLU:HG3	2.55	0.42
1:F:81:HIS:CE1	1:F:103:GLU:OE1	2.73	0.42
1:C:60:ALA:HB1	1:C:120:TYR:HB3	2.01	0.42
1:D:15:MET:HA	1:D:80:ALA:O	2.20	0.41
1:A:155:GLN:NE2	1:A:159:ARG:HE	2.17	0.41
1:F:67:ARG:HH22	1:F:151:ARG:HD2	1.85	0.41
1:E:58:CYS:HB3	1:E:132:LEU:HD12	2.03	0.41
1:C:49:HIS:HE1	1:C:135:PRO:O	2.04	0.41
1:C:21:ASP:HB2	1:D:21:ASP:OD2	2.21	0.41
1:A:67:ARG:HD2	1:D:64:ARG:CZ	2.48	0.40
1:B:159:ARG:C	1:B:161:GLU:H	2.23	0.40
1:F:21:ASP:HB3	3:F:2011:HOH:O	2.20	0.40
1:E:92:HIS:HE1	3:E:2091:HOH:O	2.03	0.40
1:A:34:ILE:HG13	2:D:1162:COA:S1P	2.61	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:49:HIS:CE1	1:D:135:PRO:O	2.74	0.40
1:F:58:CYS:HB3	1:F:132:LEU:HD12	2.04	0.40
1:E:81:HIS:HE1	1:E:103:GLU:OE1	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	147/151 (97%)	144 (98%)	3 (2%)	0	100	100
1	B	146/151 (97%)	143 (98%)	3 (2%)	0	100	100
1	C	147/151 (97%)	145 (99%)	2 (1%)	0	100	100
1	D	146/151 (97%)	145 (99%)	1 (1%)	0	100	100
1	E	146/151 (97%)	143 (98%)	2 (1%)	1 (1%)	30	12
1	F	146/151 (97%)	144 (99%)	2 (1%)	0	100	100
All	All	878/906 (97%)	864 (98%)	13 (2%)	1 (0%)	59	39

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	128	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	128/130 (98%)	124 (97%)	4 (3%)	52 30

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	128/130 (98%)	127 (99%)	1 (1%)	89	84
1	C	128/130 (98%)	124 (97%)	4 (3%)	52	30
1	D	128/130 (98%)	127 (99%)	1 (1%)	89	84
1	E	128/130 (98%)	125 (98%)	3 (2%)	63	43
1	F	128/130 (98%)	124 (97%)	4 (3%)	52	30
All	All	768/780 (98%)	751 (98%)	17 (2%)	64	46

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	67	ARG
1	A	128	VAL
1	A	155	GLN
1	A	161	GLU
1	B	155	GLN
1	C	67	ARG
1	C	126	LYS
1	C	149	ARG
1	C	155	GLN
1	D	155	GLN
1	E	21	ASP
1	E	138	VAL
1	E	155	GLN
1	F	25	VAL
1	F	143	GLU
1	F	155	GLN
1	F	161	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	HIS
1	A	81	HIS
1	A	92	HIS
1	A	155	GLN
1	B	28	ASN
1	B	49	HIS
1	B	81	HIS
1	B	92	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	97	GLN
1	B	155	GLN
1	C	28	ASN
1	C	49	HIS
1	C	81	HIS
1	C	92	HIS
1	C	99	HIS
1	C	155	GLN
1	D	28	ASN
1	D	49	HIS
1	D	54	ASN
1	D	92	HIS
1	D	99	HIS
1	D	114	ASN
1	D	155	GLN
1	E	49	HIS
1	E	81	HIS
1	E	92	HIS
1	E	155	GLN
1	F	28	ASN
1	F	81	HIS
1	F	92	HIS
1	F	155	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	COA	A	1162	-	50,50,50	1.42	3 (6%)	75,75,75	1.64	7 (9%)
2	COA	B	1162	-	50,50,50	1.46	3 (6%)	75,75,75	1.65	8 (10%)
2	COA	C	1162	-	50,50,50	1.48	3 (6%)	75,75,75	1.68	6 (8%)
2	COA	D	1162	-	50,50,50	1.45	3 (6%)	75,75,75	1.60	7 (9%)
2	COA	E	1162	-	50,50,50	1.44	3 (6%)	75,75,75	1.77	9 (12%)
2	COA	F	1162	-	50,50,50	1.51	3 (6%)	75,75,75	1.67	6 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COA	A	1162	-	-	0/48/64/64	0/1/3/3
2	COA	B	1162	-	-	0/48/64/64	0/1/3/3
2	COA	C	1162	-	-	0/48/64/64	0/1/3/3
2	COA	D	1162	-	-	0/48/64/64	0/1/3/3
2	COA	E	1162	-	-	0/48/64/64	0/1/3/3
2	COA	F	1162	-	-	0/48/64/64	0/1/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	1162	COA	O9P-C9P	8.95	1.41	1.23
2	B	1162	COA	O9P-C9P	8.63	1.40	1.23
2	C	1162	COA	O9P-C9P	8.63	1.40	1.23
2	E	1162	COA	O9P-C9P	8.58	1.40	1.23
2	A	1162	COA	O9P-C9P	8.41	1.40	1.23
2	D	1162	COA	O9P-C9P	8.36	1.40	1.23
2	D	1162	COA	C2A-N3A	3.29	1.38	1.32
2	F	1162	COA	C2A-N3A	3.18	1.38	1.32
2	B	1162	COA	C2A-N3A	3.15	1.38	1.32
2	E	1162	COA	C2A-N3A	3.02	1.38	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1162	COA	C2A-N3A	2.96	1.38	1.32
2	C	1162	COA	C2A-N3A	2.90	1.37	1.32
2	D	1162	COA	C2A-N1A	2.37	1.38	1.33
2	B	1162	COA	C2A-N1A	2.32	1.38	1.33
2	F	1162	COA	C2A-N1A	2.26	1.38	1.33
2	C	1162	COA	C2A-N1A	2.16	1.38	1.33
2	E	1162	COA	C2A-N1A	2.09	1.38	1.33
2	A	1162	COA	C2A-N1A	2.08	1.38	1.33

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1162	COA	N3A-C2A-N1A	-11.69	118.93	128.71
2	F	1162	COA	N3A-C2A-N1A	-11.30	119.27	128.71
2	E	1162	COA	N3A-C2A-N1A	-11.20	119.35	128.71
2	A	1162	COA	N3A-C2A-N1A	-11.00	119.51	128.71
2	B	1162	COA	N3A-C2A-N1A	-10.97	119.54	128.71
2	D	1162	COA	N3A-C2A-N1A	-10.74	119.73	128.71
2	E	1162	COA	N3A-C4A-N9A	3.88	132.45	125.43
2	E	1162	COA	O4B-C1B-N9A	3.72	111.90	108.44
2	D	1162	COA	N3A-C4A-N9A	3.67	132.06	125.43
2	C	1162	COA	N3A-C4A-N9A	3.49	131.73	125.43
2	F	1162	COA	N3A-C4A-N9A	3.47	131.71	125.43
2	A	1162	COA	N3A-C4A-N9A	3.26	131.31	125.43
2	B	1162	COA	N3A-C4A-N9A	3.22	131.25	125.43
2	E	1162	COA	C7P-C6P-C5P	-2.97	107.19	112.25
2	E	1162	COA	P2A-O3A-P1A	-2.95	123.03	131.68
2	F	1162	COA	P2A-O3A-P1A	-2.91	123.16	131.68
2	D	1162	COA	O4B-C1B-N9A	2.89	111.13	108.44
2	C	1162	COA	C7P-C6P-C5P	-2.70	107.64	112.25
2	B	1162	COA	P2A-O3A-P1A	-2.63	123.96	131.68
2	A	1162	COA	C3P-C2P-S1P	-2.54	106.83	113.50
2	F	1162	COA	CBP-CAP-C9P	2.50	115.15	112.73
2	D	1162	COA	P2A-O3A-P1A	-2.42	124.58	131.68
2	E	1162	COA	C5A-C4A-N3A	-2.38	120.52	125.70
2	E	1162	COA	C2A-N3A-C4A	2.36	120.72	114.01
2	B	1162	COA	C4A-C5A-N7A	-2.29	107.56	109.52
2	F	1162	COA	N7A-C8A-N9A	-2.26	107.97	114.36
2	A	1162	COA	O4B-C1B-N9A	2.25	110.53	108.44
2	A	1162	COA	P2A-O3A-P1A	-2.25	125.10	131.68
2	D	1162	COA	C2A-N3A-C4A	2.22	120.33	114.01
2	E	1162	COA	C4A-C5A-N7A	-2.21	107.63	109.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1162	COA	C5A-C4A-N3A	-2.19	120.94	125.70
2	B	1162	COA	C3P-C2P-S1P	-2.18	107.78	113.50
2	F	1162	COA	C2A-N3A-C4A	2.18	120.22	114.01
2	E	1162	COA	N7A-C8A-N9A	-2.17	108.22	114.36
2	C	1162	COA	O4B-C1B-N9A	2.17	110.46	108.44
2	C	1162	COA	C2A-N3A-C4A	2.14	120.10	114.01
2	B	1162	COA	O4B-C1B-C2B	-2.12	103.52	106.77
2	B	1162	COA	C7P-C6P-C5P	-2.11	108.65	112.25
2	A	1162	COA	N7A-C8A-N9A	-2.09	108.43	114.36
2	C	1162	COA	N7A-C8A-N9A	-2.08	108.48	114.36
2	B	1162	COA	N7A-C8A-N9A	-2.07	108.51	114.36
2	A	1162	COA	C1B-N9A-C4A	-2.04	123.11	126.64
2	D	1162	COA	N7A-C8A-N9A	-2.00	108.69	114.36

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	149/151 (98%)	0.65	13 (8%) 10 9	9, 14, 24, 36	0
1	B	148/151 (98%)	0.63	14 (9%) 8 7	8, 15, 24, 33	0
1	C	149/151 (98%)	0.75	17 (11%) 6 5	9, 14, 25, 34	0
1	D	148/151 (98%)	0.92	19 (12%) 4 4	10, 15, 33, 40	0
1	E	148/151 (98%)	1.03	23 (15%) 3 2	11, 18, 28, 30	0
1	F	148/151 (98%)	1.30	31 (20%) 1 1	9, 18, 38, 49	0
All	All	890/906 (98%)	0.88	117 (13%) 4 4	8, 16, 29, 49	0

All (117) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	140	LEU	10.3
1	D	140	LEU	9.5
1	F	160	MET	8.3
1	F	141	ARG	7.5
1	F	161	GLU	7.3
1	A	161	GLU	6.6
1	E	140	LEU	6.5
1	D	160	MET	6.5
1	D	157	LEU	6.3
1	D	161	GLU	6.3
1	D	142	GLN	6.3
1	A	160	MET	6.2
1	C	140	LEU	6.1
1	B	140	LEU	6.0
1	C	161	GLU	6.0
1	F	142	GLN	5.6
1	D	141	ARG	5.3
1	F	157	LEU	5.3
1	B	160	MET	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	161	GLU	4.6
1	F	139	TYR	4.6
1	F	143	GLU	4.4
1	C	160	MET	4.4
1	E	142	GLN	4.2
1	B	138	VAL	4.2
1	E	138	VAL	4.2
1	C	35	LEU	4.0
1	D	67	ARG	3.8
1	F	138	VAL	3.8
1	B	157	LEU	3.7
1	E	126	LYS	3.6
1	F	26	ALA	3.6
1	C	143	GLU	3.6
1	D	62	LEU	3.6
1	C	26	ALA	3.5
1	F	67	ARG	3.5
1	E	128	VAL	3.5
1	E	65	VAL	3.4
1	E	141	ARG	3.4
1	F	150	LYS	3.2
1	F	144	GLN	3.2
1	A	13	GLY	3.2
1	C	138	VAL	3.1
1	D	143	GLU	3.1
1	E	161	GLU	3.1
1	F	118	LEU	3.0
1	C	67	ARG	3.0
1	F	55	GLY	3.0
1	A	157	LEU	2.9
1	F	149	ARG	2.9
1	E	101	MET	2.9
1	F	101	MET	2.9
1	D	150	LYS	2.9
1	D	54	ASN	2.9
1	C	118	LEU	2.9
1	F	128	VAL	2.8
1	E	67	ARG	2.8
1	E	160	MET	2.8
1	E	53	GLN	2.7
1	F	129	ASP	2.7
1	D	120	TYR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	62	LEU	2.7
1	E	54	ASN	2.7
1	F	54	ASN	2.7
1	C	157	LEU	2.7
1	E	35	LEU	2.7
1	F	65	VAL	2.7
1	F	146	GLU	2.7
1	F	126	LYS	2.6
1	C	62	LEU	2.6
1	D	15	MET	2.6
1	A	143	GLU	2.6
1	B	34	ILE	2.6
1	B	108	GLY	2.6
1	F	53	GLN	2.6
1	E	118	LEU	2.6
1	F	25	VAL	2.5
1	A	141	ARG	2.5
1	C	13	GLY	2.5
1	C	120	TYR	2.5
1	B	128	VAL	2.5
1	C	141	ARG	2.5
1	E	143	GLU	2.5
1	A	140	LEU	2.5
1	E	62	LEU	2.4
1	D	158	GLU	2.4
1	B	141	ARG	2.4
1	A	101	MET	2.4
1	B	31	GLY	2.3
1	B	35	LEU	2.3
1	B	118	LEU	2.3
1	E	68	THR	2.3
1	F	40	GLU	2.3
1	C	126	LYS	2.3
1	C	128	VAL	2.3
1	E	139	TYR	2.2
1	F	88	TYR	2.2
1	E	38	ILE	2.2
1	D	154	ALA	2.2
1	A	96	VAL	2.2
1	A	129	ASP	2.2
1	C	43	ALA	2.2
1	D	70	PHE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	159	ARG	2.1
1	A	26	ALA	2.1
1	E	70	PHE	2.1
1	B	120	TYR	2.1
1	A	126	LYS	2.1
1	B	146	GLU	2.1
1	E	99	HIS	2.1
1	F	145	GLU	2.1
1	D	138	VAL	2.1
1	F	137	ILE	2.1
1	A	118	LEU	2.1
1	D	146	GLU	2.0
1	E	37	MET	2.0
1	D	63	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	COA	A	1162	48/48	0.13	0.34	19,22,27,33	0
2	COA	B	1162	48/48	0.12	0.24	18,21,28,30	0
2	COA	C	1162	48/48	0.14	0.19	18,22,28,30	0
2	COA	E	1162	48/48	0.13	-0.01	21,24,33,36	0
2	COA	D	1162	48/48	0.13	-0.10	21,25,29,30	0
2	COA	F	1162	48/48	0.13	-0.33	28,34,38,40	0

6.5 Other polymers ⓘ

There are no such residues in this entry.