



Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 03:06 PM GMT

PDB ID : 3V15
Title : Crystal structure of the Fe(II)/alpha-ketoglutaratedependent taurine dioxygenase from Pseudomonas putida KT2440
Authors : Knauer, S.H.; Dobbek, H.
Deposited on : 2011-12-09
Resolution : 2.60 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1718 (2.60-2.60)
Clashscore	79885	2154 (2.60-2.60)
Ramachandran outliers	78287	2113 (2.60-2.60)
Sidechain outliers	78261	2113 (2.60-2.60)
RSRZ outliers	66119	1718 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	277	
1	B	277	
1	C	277	
1	D	277	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 9048 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-ketoglutarate-dependent taurine dioxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	275	Total	C	N	O	S	0	0	0
			2188	1388	395	403	2			
1	C	276	Total	C	N	O	S	0	0	0
			2194	1391	396	405	2			
1	B	275	Total	C	N	O	S	0	0	0
			2188	1388	395	403	2			
1	D	276	Total	C	N	O	S	0	0	0
			2194	1391	396	405	2			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	51	Total	O	0	0
			51	51		
2	C	97	Total	O	0	0
			97	97		
2	B	81	Total	O	0	0
			81	81		
2	D	55	Total	O	0	0
			55	55		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Alpha-ketoglutarate-dependent taurine dioxygenase




- Molecule 1: Alpha-ketoglutarate-dependent taurine dioxygenase



- Molecule 1: Alpha-ketoglutarate-dependent taurine dioxygenase



- Molecule 1: Alpha-ketoglutarate-dependent taurine dioxygenase



D217	R221	R229	E240 N241	W246	H253	Y259 R260 P261 N262 R263 R264	R268	I271 L272	F277
------	------	------	--------------	------	------	--	------	--------------	------

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.89Å 101.85Å 162.77Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.78 – 2.60 29.39 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.7 (28.78-2.60) 99.8 (29.39-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.04 (at 2.61Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.1_357)	Depositor
R, R_{free}	0.183 , 0.254 0.176 , 0.247	Depositor DCC
R_{free} test set	2200 reflections (5.00%)	DCC
Wilson B-factor (Å ²)	36.9	Xtriage
Anisotropy	0.488	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 36.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 44029 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9048	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.38	0/2248	0.59	0/3074
1	B	0.40	0/2248	0.58	0/3074
1	C	0.40	0/2254	0.56	0/3082
1	D	0.40	0/2254	0.58	0/3082
All	All	0.40	0/9004	0.58	0/12312

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	D	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	68	HIS	Peptide
1	D	97	HIS	Peptide

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the

chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2188	0	0	21	0
1	B	2188	0	0	16	0
1	C	2194	0	0	10	0
1	D	2194	0	2141	86	0
2	A	51	0	0	4	0
2	B	81	0	0	3	1
2	C	97	0	0	3	0
2	D	55	0	0	7	1
All	All	9048	0	2141	130	1

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 12.

All (130) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:68:HIS:CE1	1:D:81:LEU:HD11	1.92	1.03
1:A:274:ASP:OD1	2:A:289:HOH:O	1.87	0.92
1:D:167:GLN:O	2:D:321:HOH:O	1.89	0.89
1:A:61:ARG:NH2	2:A:327:HOH:O	2.07	0.88
1:D:53:GLU:O	1:D:57:ARG:HG3	1.75	0.87
1:C:189:THR:O	2:C:278:HOH:O	2.01	0.79
1:D:157:PHE:CE2	1:D:159:LEU:HB2	2.18	0.79
1:D:68:HIS:HE1	1:D:81:LEU:HD11	1.46	0.77
1:D:79:GLN:O	2:D:286:HOH:O	2.06	0.73
1:B:3:LEU:N	2:B:318:HOH:O	2.23	0.70
1:D:55:GLN:OE1	2:D:283:HOH:O	2.09	0.70
1:A:119:ALA:N	2:A:300:HOH:O	2.24	0.70
1:D:89:ASP:OD2	1:D:164:THR:HG21	1.93	0.69
1:D:68:HIS:ND1	1:D:68:HIS:N	2.41	0.68
1:D:24:ASP:CG	1:D:57:ARG:HH22	1.96	0.68
1:D:74:VAL:HG22	1:D:77:THR:O	1.95	0.67
1:D:66:HIS:ND1	1:D:272:LEU:HD21	2.10	0.67
1:D:81:LEU:N	1:D:81:LEU:HD12	2.11	0.66
1:D:214:LEU:O	2:D:281:HOH:O	2.15	0.65
1:C:252:GLN:OE1	2:C:318:HOH:O	2.14	0.65
1:D:88:THR:HG22	1:D:89:ASP:H	1.62	0.64
1:B:179:ASN:O	2:B:329:HOH:O	2.15	0.64
1:A:50:ILE:O	1:A:115:LYS:NZ	2.31	0.63
1:D:157:PHE:CZ	1:D:159:LEU:HB2	2.35	0.62
1:D:104:PRO:CA	1:D:182:LEU:HD11	2.30	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:168:ASP:O	1:D:168:ASP:CG	2.39	0.61
1:D:104:PRO:HA	1:D:182:LEU:HD11	1.83	0.60
1:D:89:ASP:CG	1:D:164:THR:HG21	2.23	0.59
1:D:152:ASP:OD1	1:D:181:PRO:HG3	2.03	0.59
1:D:72:PRO:HG2	1:D:82:VAL:O	2.02	0.59
1:D:85:THR:HB	1:D:264:ARG:H	1.68	0.58
1:D:138:ALA:HB3	1:D:139:PRO:HD3	1.84	0.58
1:B:92:ASP:C	1:B:94:ALA:N	2.57	0.57
1:D:30:ARG:NH2	1:D:34:GLU:OE2	2.33	0.57
1:D:260:ARG:HG3	1:D:261:PRO:HA	1.86	0.57
1:A:154:THR:O	1:A:158:PRO:CD	2.52	0.57
1:A:70:ILE:CG2	1:A:70:ILE:O	2.53	0.57
1:D:87:VAL:HG12	1:D:88:THR:N	2.22	0.55
1:D:34:GLU:HG2	2:D:320:HOH:O	2.06	0.55
1:C:99:ASP:OD2	2:C:292:HOH:O	2.18	0.55
1:A:4:THR:N	1:A:17:SER:O	2.40	0.54
1:D:86:ALA:HB2	1:D:263:ARG:HD2	1.90	0.54
1:D:53:GLU:H	1:D:53:GLU:CD	2.11	0.53
1:D:70:ILE:O	1:D:71:TYR:HB2	2.09	0.53
1:D:77:THR:HG23	1:D:79:GLN:HG2	1.89	0.53
1:A:16:ILE:O	1:A:45:LEU:CD2	2.57	0.51
1:D:16:ILE:HB	1:D:45:LEU:HD11	1.93	0.51
1:A:168:ASP:OD1	1:A:168:ASP:N	2.45	0.50
1:D:166:PRO:O	1:D:169:LEU:HD23	2.10	0.50
1:D:173:GLU:HB3	1:D:177:ARG:HH12	1.76	0.50
1:D:259:TYR:O	1:D:262:ASN:HB2	2.12	0.49
1:C:26:SER:O	1:C:27:ALA:C	2.51	0.49
1:B:68:HIS:CB	1:B:69:PRO:CD	2.90	0.49
1:D:21:ILE:HG12	1:D:48:GLN:HG2	1.93	0.49
1:D:165:THR:HG21	1:D:169:LEU:HB3	1.94	0.48
1:D:217:ASP:O	1:D:221:ARG:HG3	2.13	0.48
1:D:16:ILE:HB	1:D:45:LEU:CD1	2.43	0.48
1:D:88:THR:HG22	1:D:89:ASP:N	2.28	0.48
1:D:72:PRO:O	1:D:81:LEU:HA	2.14	0.48
1:D:4:THR:O	1:D:16:ILE:HA	2.14	0.48
1:B:231:GLU:OE1	1:B:231:GLU:N	2.47	0.48
1:D:24:ASP:OD1	1:D:57:ARG:NH2	2.39	0.48
1:D:77:THR:HG23	1:D:79:GLN:CG	2.44	0.47
1:A:68:HIS:CB	1:A:69:PRO:CA	2.93	0.47
1:D:42:VAL:HG23	1:D:246:TRP:HB3	1.97	0.47
1:A:259:TYR:CD2	1:A:259:TYR:N	2.82	0.47
1:D:108:LEU:HD23	1:D:108:LEU:C	2.35	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:3:LEU:C	1:C:3:LEU:CD2	2.83	0.47
1:D:113:SER:OG	1:D:115:LYS:HE2	2.15	0.47
1:A:25:ILE:O	1:A:61:ARG:NH1	2.48	0.46
1:D:147:LEU:HD22	1:D:210:GLU:HB2	1.97	0.46
1:D:68:HIS:NE2	1:D:81:LEU:HD21	2.30	0.46
1:B:68:HIS:ND1	1:B:69:PRO:N	2.63	0.46
1:D:51:ASN:HB2	1:D:52:PRO:HD2	1.96	0.46
1:D:91:ARG:HD2	1:D:91:ARG:HA	1.75	0.46
1:B:210:GLU:N	1:B:210:GLU:OE1	2.49	0.46
1:D:79:GLN:H	1:D:79:GLN:HG2	1.56	0.46
1:D:104:PRO:HG2	1:D:105:THR:HG22	1.98	0.46
1:A:160:GLU:CG	1:A:160:GLU:O	2.63	0.46
1:A:164:THR:O	1:A:165:THR:C	2.53	0.45
1:A:213:GLU:N	1:D:161:ARG:HH22	2.14	0.45
1:D:81:LEU:N	1:D:81:LEU:CD1	2.78	0.45
1:D:157:PHE:CZ	1:D:159:LEU:HG	2.51	0.45
1:B:247:ASP:OD2	2:B:328:HOH:O	2.21	0.45
1:D:81:LEU:H	1:D:81:LEU:HD12	1.82	0.45
1:D:71:TYR:HD2	1:D:81:LEU:HD23	1.81	0.45
1:D:3:LEU:HD23	1:D:3:LEU:C	2.37	0.45
1:D:50:ILE:O	1:D:115:LYS:NZ	2.50	0.45
1:B:120:TYR:N	1:B:120:TYR:CD2	2.86	0.44
1:A:252:GLN:NE2	2:A:285:HOH:O	2.50	0.44
1:D:33:ILE:O	1:D:36:ALA:HB3	2.18	0.43
1:D:66:HIS:HB2	1:D:272:LEU:HG	2.00	0.43
1:D:68:HIS:CB	1:D:69:PRO:HD2	2.48	0.43
1:D:81:LEU:HD22	1:D:268:ARG:HH11	1.83	0.43
1:D:157:PHE:HB2	1:D:172:TRP:CZ2	2.54	0.43
1:D:166:PRO:C	1:D:168:ASP:N	2.71	0.43
1:B:215:GLU:OE1	1:D:137:SER:OG	2.31	0.43
1:C:207:ARG:NH2	1:C:211:LEU:O	2.52	0.43
1:B:84:ASP:OD2	1:B:263:ARG:NH2	2.52	0.42
1:B:160:GLU:N	1:B:160:GLU:CD	2.73	0.42
1:C:108:LEU:O	1:C:248:ASN:N	2.52	0.42
1:B:174:ALA:O	1:B:178:ASN:N	2.52	0.42
1:B:138:ALA:N	1:B:139:PRO:CD	2.82	0.42
1:A:157:PHE:C	1:A:159:LEU:N	2.73	0.42
1:D:72:PRO:HB2	1:D:82:VAL:HB	2.01	0.42
1:D:72:PRO:CG	1:D:82:VAL:O	2.67	0.42
1:D:63:GLY:HA3	1:D:271:ILE:CG2	2.49	0.42
1:D:70:ILE:HG13	1:D:71:TYR:CD1	2.55	0.42
1:A:43:LEU:N	1:A:245:PHE:O	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:168:ASP:C	1:D:170:ALA:H	2.23	0.41
1:D:67:ILE:HD12	1:D:67:ILE:H	1.86	0.41
1:C:165:THR:CG2	1:C:168:ASP:OD2	2.69	0.41
1:D:104:PRO:N	1:D:182:LEU:HD11	2.36	0.41
1:A:162:PHE:CE2	1:A:168:ASP:OD2	2.73	0.41
1:D:4:THR:HG22	2:D:299:HOH:O	2.19	0.41
1:D:157:PHE:CZ	1:D:159:LEU:CG	3.03	0.41
1:D:13:GLY:HA2	1:D:42:VAL:O	2.20	0.41
1:D:129:GLY:O	1:D:197:ALA:HA	2.21	0.41
1:D:21:ILE:HG12	1:D:48:GLN:CG	2.50	0.41
1:C:162:PHE:CD2	1:C:172:TRP:CD1	3.09	0.41
1:A:41:GLN:OE1	1:A:128:SER:OG	2.38	0.41
1:D:99:ASP:OD2	1:D:253:HIS:HE1	2.04	0.41
1:D:70:ILE:HG13	1:D:71:TYR:N	2.35	0.41
1:D:240:GLU:O	1:D:241:ASN:HB2	2.21	0.41
1:B:51:ASN:C	1:B:51:ASN:OD1	2.60	0.41
1:A:213:GLU:N	1:D:161:ARG:NH2	2.69	0.40
1:B:46:ARG:CD	1:B:242:ASP:OD1	2.69	0.40
1:D:21:ILE:HD13	1:D:45:LEU:HD22	2.02	0.40
1:D:229:ARG:NH1	2:D:328:HOH:O	2.53	0.40
1:C:84:ASP:OD2	1:C:263:ARG:NH2	2.55	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:300:HOH:O	2:D:311:HOH:O[2_454]	2.13	0.07

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	273/277 (99%)	253 (93%)	15 (6%)	5 (2%)	13 25
1	B	273/277 (99%)	261 (96%)	10 (4%)	2 (1%)	30 58

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	274/277 (99%)	255 (93%)	18 (7%)	1 (0%)	43	72
1	D	274/277 (99%)	255 (93%)	17 (6%)	2 (1%)	30	58
All	All	1094/1108 (99%)	1024 (94%)	60 (6%)	10 (1%)	25	49

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	68	HIS
1	A	158	PRO
1	B	68	HIS
1	D	88	THR
1	A	166	PRO
1	A	70	ILE
1	A	157	PHE
1	D	158	PRO
1	C	115	LYS
1	B	92	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/235 (99%)	219 (94%)	14 (6%)	27	51
1	B	233/235 (99%)	216 (93%)	17 (7%)	20	38
1	C	234/235 (100%)	224 (96%)	10 (4%)	40	69
1	D	234/235 (100%)	216 (92%)	18 (8%)	18	35
All	All	934/940 (99%)	875 (94%)	59 (6%)	25	49

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	ARG
1	A	34	GLU
1	A	50	ILE
1	A	67	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	76	ASP
1	A	83	LEU
1	A	85	THR
1	A	88	THR
1	A	92	ASP
1	A	156	SER
1	A	159	LEU
1	A	171	ARG
1	A	182	LEU
1	A	259	TYR
1	C	9	SER
1	C	50	ILE
1	C	65	LEU
1	C	74	VAL
1	C	116	GLN
1	C	142	GLU
1	C	147	LEU
1	C	153	PHE
1	C	165	THR
1	C	245	PHE
1	B	30	ARG
1	B	67	ILE
1	B	70	ILE
1	B	73	ASN
1	B	74	VAL
1	B	76	ASP
1	B	77	THR
1	B	90	VAL
1	B	92	ASP
1	B	93	ASN
1	B	120	TYR
1	B	140	LEU
1	B	147	LEU
1	B	153	PHE
1	B	165	THR
1	B	167	GLN
1	B	214	LEU
1	D	17	SER
1	D	30	ARG
1	D	34	GLU
1	D	67	ILE
1	D	68	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	70	ILE
1	D	73	ASN
1	D	76	ASP
1	D	92	ASP
1	D	134	GLU
1	D	159	LEU
1	D	160	GLU
1	D	162	PHE
1	D	164	THR
1	D	167	GLN
1	D	168	ASP
1	D	169	LEU
1	D	173	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	41	GLN
1	D	201	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	275/277 (99%)	0.20	24 (8%) 10 8	18, 47, 144, 231	0
1	B	275/277 (99%)	-0.20	18 (6%) 18 15	16, 34, 113, 223	0
1	C	276/277 (99%)	-0.26	11 (3%) 36 32	15, 34, 97, 186	0
1	D	276/277 (99%)	0.12	24 (8%) 10 8	19, 41, 146, 225	0
All	All	1102/1108 (99%)	-0.04	77 (6%) 16 13	15, 38, 127, 231	0

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	69	PRO	12.1
1	A	163	GLY	10.9
1	A	69	PRO	10.8
1	D	74	VAL	10.6
1	B	75	PRO	10.6
1	D	75	PRO	10.2
1	A	162	PHE	9.9
1	A	70	ILE	8.3
1	D	162	PHE	7.9
1	D	68	HIS	7.6
1	A	166	PRO	7.4
1	D	72	PRO	7.4
1	D	93	ASN	7.3
1	A	161	ARG	7.2
1	D	76	ASP	7.2
1	A	164	THR	6.9
1	B	76	ASP	6.7
1	B	74	VAL	6.6
1	D	71	TYR	6.6
1	B	70	ILE	6.3
1	B	72	PRO	6.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	159	LEU	6.0
1	D	70	ILE	5.9
1	A	71	TYR	5.9
1	A	165	THR	5.8
1	D	73	ASN	5.7
1	B	71	TYR	5.7
1	A	68	HIS	5.5
1	A	160	GLU	5.3
1	C	92	ASP	5.1
1	B	159	LEU	4.9
1	C	71	TYR	4.8
1	A	92	ASP	4.8
1	A	167	GLN	4.6
1	D	77	THR	4.5
1	D	161	ARG	4.4
1	D	92	ASP	4.3
1	B	69	PRO	4.2
1	D	91	ARG	4.1
1	A	169	LEU	4.0
1	D	164	THR	4.0
1	D	163	GLY	3.9
1	D	160	GLU	3.8
1	C	69	PRO	3.8
1	C	162	PHE	3.7
1	A	76	ASP	3.7
1	C	164	THR	3.7
1	A	170	ALA	3.5
1	C	163	GLY	3.4
1	B	90	VAL	3.3
1	B	73	ASN	3.3
1	D	67	ILE	3.2
1	D	90	VAL	3.2
1	D	78	PRO	3.2
1	A	88	THR	3.1
1	A	159	LEU	3.1
1	B	93	ASN	3.1
1	A	72	PRO	3.0
1	A	89	ASP	3.0
1	C	91	ARG	2.8
1	B	162	PHE	2.8
1	D	86	ALA	2.7
1	D	165	THR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	23	ARG	2.6
1	B	163	GLY	2.6
1	B	164	THR	2.6
1	C	70	ILE	2.3
1	A	94	ALA	2.2
1	A	168	ASP	2.2
1	B	88	THR	2.2
1	C	90	VAL	2.2
1	C	93	ASN	2.1
1	B	89	ASP	2.1
1	B	94	ALA	2.1
1	B	92	ASP	2.1
1	A	27	ALA	2.1
1	C	76	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.