



Full wwPDB X-ray Structure Validation Report

Sep 2, 2014 – 11:10 PM EDT

PDB ID : 3V4N
Title : The Biochemical and Structural Basis for Inhibition of Enterococcus faecalis HMG-CoA Synthetase, mvaS, by Hymeglusin
Authors : Skaff, D.A.; Ramyar, K.X.; McWhorter, W.J.; Geisbrecht, B.V.; Mizioro, H.M.
Deposited on : 2011-12-15
Resolution : 1.60 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.16 November 2013
Xtriage (Phenix) : dev-1439
EDS : stable23489
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable23489

1 Overall quality at a glance

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1872 (1.60-1.60)
Clashscore	79885	2199 (1.60-1.60)
Ramachandran outliers	78287	2126 (1.60-1.60)
Sidechain outliers	78261	2125 (1.60-1.60)
RSRZ outliers	66119	1872 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	388	
1	B	388	
1	C	388	
1	D	388	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	BTB	B	401	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 13483 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HMG-CoA synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	387	Total	C	N	O	S	0	7	0
			3031	1928	498	593	12			
1	B	384	Total	C	N	O	S	0	3	0
			2990	1897	493	589	11			
1	C	383	Total	C	N	O	S	0	2	0
			2979	1892	492	584	11			
1	D	383	Total	C	N	O	S	0	1	0
			2975	1888	492	584	11			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	EXPRESSION TAG	UNP Q9FD71
A	-3	SER	-	EXPRESSION TAG	UNP Q9FD71
A	-2	THR	-	EXPRESSION TAG	UNP Q9FD71
A	-1	GLY	-	EXPRESSION TAG	UNP Q9FD71
A	0	SER	-	EXPRESSION TAG	UNP Q9FD71
A	163	SER	ALA	ENGINEERED MUTATION	UNP Q9FD71
B	-4	GLY	-	EXPRESSION TAG	UNP Q9FD71
B	-3	SER	-	EXPRESSION TAG	UNP Q9FD71
B	-2	THR	-	EXPRESSION TAG	UNP Q9FD71
B	-1	GLY	-	EXPRESSION TAG	UNP Q9FD71
B	0	SER	-	EXPRESSION TAG	UNP Q9FD71
B	163	SER	ALA	ENGINEERED MUTATION	UNP Q9FD71
C	-4	GLY	-	EXPRESSION TAG	UNP Q9FD71
C	-3	SER	-	EXPRESSION TAG	UNP Q9FD71
C	-2	THR	-	EXPRESSION TAG	UNP Q9FD71
C	-1	GLY	-	EXPRESSION TAG	UNP Q9FD71
C	0	SER	-	EXPRESSION TAG	UNP Q9FD71
C	163	SER	ALA	ENGINEERED MUTATION	UNP Q9FD71
D	-4	GLY	-	EXPRESSION TAG	UNP Q9FD71
D	-3	SER	-	EXPRESSION TAG	UNP Q9FD71
D	-2	THR	-	EXPRESSION TAG	UNP Q9FD71

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-1	GLY	-	EXPRESSION TAG	UNP Q9FD71
D	0	SER	-	EXPRESSION TAG	UNP Q9FD71
D	163	SER	ALA	ENGINEERED MUTATION	UNP Q9FD71

- Molecule 2 is 2-[BIS-(2-HYDROXY-ETHYL)-AMINO]-2-HYDROXYMETHYL-PROPAN E-1,3-DIOL (three-letter code: BTB) (formula: C₈H₁₉NO₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	536	Total	O	0	0
			536	536		
3	B	483	Total	O	0	0
			483	483		
3	C	222	Total	O	0	0
			222	222		
3	D	253	Total	O	0	0
			253	253		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HMG-CoA synthase




- Molecule 1: HMG-CoA synthase



- Molecule 1: HMG-CoA synthase



- Molecule 1: HMG-CoA synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	109.53Å 56.28Å 123.89Å 90.00° 100.02° 90.00°	Depositor
Resolution (Å)	26.96 – 1.60 40.24 – 1.60	Depositor EDS
% Data completeness (in resolution range)	98.3 (26.96-1.60) 94.7 (40.24-1.60)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.50 (at 1.60Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.2_869)	Depositor
R, R_{free}	0.141 , 0.194 0.144 , 0.195	Depositor DCC
R_{free} test set	18621 reflections (10.00%)	DCC
Wilson B-factor (Å ²)	17.1	Xtriage
Anisotropy	0.598	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 37.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 193869 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	13483	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SNC, BTB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.23	0/3103	0.43	0/4204
1	B	0.24	0/3047	0.43	0/4131
1	C	0.22	0/3033	0.41	0/4112
1	D	0.23	0/3026	0.42	0/4102
All	All	0.23	0/12209	0.42	0/16549

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3031	0	3019	29	0
1	B	2990	0	2948	24	0
1	C	2979	0	2942	17	0
1	D	2975	0	2933	25	0
2	B	14	0	19	3	0
3	A	536	0	0	7	1
3	B	483	0	0	6	0
3	C	222	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	253	0	0	8	0
All	All	13483	0	11861	95	1

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

All (95) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:324:GLN:O	3:D:571:HOH:O	1.99	0.79
1:B:341:GLU:OE2	3:B:974:HOH:O	2.03	0.77
1:A:9[A]:SER:OG	3:A:899:HOH:O	2.07	0.73
1:B:0:SER:N	3:B:949:HOH:O	2.19	0.71
1:A:116:ALA:O	1:A:120:LEU:HG	1.93	0.67
1:A:120:LEU:HD13	1:B:120:LEU:HD22	1.75	0.67
1:D:381:TYR:O	3:D:583:HOH:O	2.13	0.67
1:D:63:LEU:O	3:D:509:HOH:O	2.14	0.66
1:D:328:GLN:OE1	3:D:623:HOH:O	2.13	0.65
1:A:24:GLU:OE1	3:A:685:HOH:O	2.14	0.65
1:A:207:GLN:OE1	3:A:903:HOH:O	2.15	0.64
1:A:238:LYS:NZ	3:A:614:HOH:O	2.31	0.62
1:C:116:ALA:O	1:C:120:LEU:HG	1.99	0.62
1:C:309:GLY:N	1:C:310:ALA:HA	2.13	0.62
1:C:9[B]:SER:OG	3:C:468:HOH:O	2.00	0.62
1:C:376:ASN:O	1:C:377:THR:OG1	2.14	0.61
1:B:75:ILE:HD11	1:B:120:LEU:HD11	1.83	0.61
1:D:37:ILE:HG22	1:D:39:GLN:HG2	1.82	0.61
1:C:3:ILE:HD12	1:C:125[B]:VAL:HG23	1.83	0.60
1:C:37:ILE:HG22	1:C:39:GLN:HG2	1.83	0.58
1:A:17[B]:ILE:HD13	1:A:342:LEU:O	2.03	0.58
1:D:309:GLY:N	1:D:310:ALA:HA	2.18	0.57
1:B:18:ASP:OD1	3:B:706:HOH:O	2.17	0.56
1:B:309:GLY:N	1:B:310:ALA:HA	2.20	0.56
1:A:268:ILE:HD11	3:A:717:HOH:O	2.06	0.56
1:A:309:GLY:N	1:A:310:ALA:HA	2.20	0.56
1:D:207:GLN:OE1	3:D:599:HOH:O	2.18	0.55
1:D:75:ILE:CD1	1:D:120:LEU:HD11	2.37	0.54
1:A:120:LEU:HD22	1:B:120:LEU:HD13	1.90	0.53
1:D:380:SER:HA	3:D:424:HOH:O	2.08	0.53
1:A:17[B]:ILE:HD11	1:A:347:TYR:HB2	1.89	0.53
2:B:401:BTB:H31	2:B:401:BTB:C6	2.38	0.53
1:B:368:LYS:HG3	1:B:383:ASN:CB	2.39	0.52
1:C:3:ILE:HG23	1:C:125[B]:VAL:CG2	2.40	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:75:ILE:HD11	1:D:120:LEU:HD11	1.91	0.52
1:A:235:PRO:HG3	1:A:239[B]:MET:SD	2.49	0.52
1:C:150:GLU:N	1:C:151:PRO:CD	2.72	0.52
1:B:368:LYS:HE3	1:B:383:ASN:HB3	1.93	0.51
1:D:120:LEU:HD12	1:D:120:LEU:C	2.31	0.51
1:B:268:ILE:HD12	1:B:291:ASN:HB3	1.92	0.50
1:D:184:ASP:HB2	1:D:201:SER:HA	1.93	0.50
1:B:42:MET:HE1	1:B:150:GLU:O	2.12	0.50
1:B:184:ASP:HB2	1:B:201:SER:HA	1.94	0.49
1:A:224:PHE:CZ	1:A:248:ILE:HG22	2.48	0.49
1:A:42:MET:SD	1:A:153:GLN:HB2	2.53	0.49
1:D:47:ILE:HG23	1:D:353:GLU:HG3	1.94	0.48
1:A:128:HIS:HE1	3:B:783:HOH:O	1.96	0.48
1:A:235:PRO:O	3:A:902:HOH:O	2.20	0.47
1:C:47:ILE:HG23	1:C:353:GLU:HG3	1.96	0.47
1:B:329:LYS:HE3	3:B:884:HOH:O	2.15	0.47
1:B:29:ASP:OD1	1:D:262:ARG:NH2	2.47	0.47
1:A:150:GLU:N	1:A:151:PRO:HD2	2.31	0.46
1:A:18:ASP:OD2	1:A:20:THR:HB	2.16	0.46
1:B:75:ILE:CD1	1:B:120:LEU:HD11	2.45	0.46
1:C:18:ASP:OD2	1:C:20:THR:HB	2.15	0.46
1:D:381:TYR:C	3:D:583:HOH:O	2.52	0.46
2:B:401:BTB:H61	2:B:401:BTB:H12	1.98	0.46
1:D:39:GLN:HB3	3:D:435:HOH:O	2.16	0.46
1:A:17[B]:ILE:HD11	1:A:347:TYR:CB	2.45	0.45
1:A:184:ASP:HB2	1:A:201:SER:HA	1.97	0.45
1:B:382:ARG:O	1:B:383:ASN:HB2	2.15	0.45
1:B:150:GLU:N	1:B:151:PRO:HD2	2.31	0.45
1:D:185:PHE:C	1:D:185:PHE:CD2	2.90	0.45
1:A:205:TYR:HB3	1:A:239[B]:MET:HE3	1.99	0.45
1:A:185:PHE:HB3	1:A:308:SER:HB3	1.99	0.45
1:B:185:PHE:C	1:B:185:PHE:CD2	2.90	0.45
1:A:207:GLN:HG2	3:A:794:HOH:O	2.16	0.45
1:B:368:LYS:HG3	1:B:383:ASN:HB2	2.00	0.44
1:A:224:PHE:CE1	1:A:248:ILE:HG22	2.54	0.43
1:B:120:LEU:C	1:B:120:LEU:HD12	2.39	0.43
1:B:9[B]:SER:OG	3:B:607:HOH:O	2.04	0.43
1:D:150:GLU:N	1:D:151:PRO:HD2	2.32	0.43
1:D:268:ILE:HD12	1:D:291:ASN:HB3	2.00	0.43
1:D:309:GLY:N	1:D:310:ALA:CA	2.81	0.43
1:A:235:PRO:CG	1:A:239[B]:MET:SD	3.07	0.43
1:A:309:GLY:N	1:A:310:ALA:CA	2.82	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:167:ARG:HD2	1:B:326:HIS:CE1	2.54	0.42
1:C:19:MET:HE3	1:C:33:PHE:CD1	2.54	0.42
1:A:185:PHE:C	1:A:185:PHE:CD2	2.92	0.42
1:C:237:THR:O	1:C:263:TYR:OH	2.25	0.42
1:C:309:GLY:N	1:C:310:ALA:CA	2.79	0.42
1:C:167:ARG:HD2	1:C:326:HIS:CE1	2.55	0.42
1:C:328:GLN:HB2	1:C:332:HIS:CE1	2.54	0.41
1:B:309:GLY:N	1:B:310:ALA:CA	2.82	0.41
1:D:368:LYS:O	1:D:369:TYR:HB2	2.20	0.41
1:A:185:PHE:HB3	1:A:308:SER:CB	2.50	0.41
1:D:328:GLN:HB2	1:D:332:HIS:CE1	2.55	0.41
1:D:47:ILE:CG2	1:D:353:GLU:HG3	2.50	0.41
1:C:165:GLU:N	1:C:166:PRO:CD	2.83	0.41
1:C:185:PHE:C	1:C:185:PHE:CD2	2.93	0.41
2:B:401:BTB:H61	2:B:401:BTB:H31	2.02	0.41
1:D:333:LEU:HD23	1:D:333:LEU:HA	1.93	0.41
1:D:185:PHE:HB3	1:D:308:SER:CB	2.51	0.40
1:A:19:MET:HE2	1:A:33:PHE:HB3	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:A:855:HOH:O	3:A:856:HOH:O[2_645]	2.14	0.06

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	392/388 (101%)	381 (97%)	11 (3%)	0	100	100
1	B	384/388 (99%)	376 (98%)	8 (2%)	0	100	100
1	C	382/388 (98%)	368 (96%)	14 (4%)	0	100	100
1	D	381/388 (98%)	374 (98%)	7 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1539/1552 (99%)	1499 (97%)	40 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	323/315 (102%)	320 (99%)	3 (1%)	87	74
1	B	316/315 (100%)	314 (99%)	2 (1%)	92	84
1	C	314/315 (100%)	309 (98%)	5 (2%)	75	50
1	D	313/315 (99%)	310 (99%)	3 (1%)	85	70
All	All	1266/1260 (100%)	1253 (99%)	13 (1%)	85	70

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	109	GLU
1	A	185	PHE
1	A	328	GLN
1	B	185	PHE
1	B	333	LEU
1	C	28	VAL
1	C	109	GLU
1	C	177	MET
1	C	257	GLU
1	C	276	LEU
1	D	109	GLU
1	D	276	LEU
1	D	383	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	128	HIS
1	A	180	GLN
1	A	207	GLN
1	A	211	GLN
1	B	326	HIS
1	C	326	HIS
1	D	180	GLN
1	D	191	HIS
1	D	326	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	SNC	A	111	1	7,7,8	8.23	4 (57%)	5,7,9	1.53	1 (20%)
1	SNC	B	111	1	7,7,8	8.05	3 (42%)	5,7,9	1.63	1 (20%)
1	SNC	C	111	1	7,7,8	8.33	3 (42%)	5,7,9	1.60	1 (20%)
1	SNC	D	111	1	7,7,8	8.36	3 (42%)	5,7,9	1.43	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SNC	A	111	1	-	0/2/6/8	0/0/0/0
1	SNC	B	111	1	-	0/2/6/8	0/0/0/0
1	SNC	C	111	1	-	0/2/6/8	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SNC	D	111	1	-	0/2/6/8	0/0/0/0

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	111	SNC	O-C	21.37	1.26	1.11
1	C	111	SNC	O-C	21.30	1.26	1.11
1	A	111	SNC	O-C	20.99	1.25	1.11
1	B	111	SNC	O-C	20.62	1.25	1.11
1	D	111	SNC	SG-ND	-4.51	1.63	1.77
1	C	111	SNC	SG-ND	-4.42	1.63	1.77
1	A	111	SNC	SG-ND	-4.40	1.63	1.77
1	B	111	SNC	SG-ND	-4.26	1.64	1.77
1	A	111	SNC	CB-CA	-2.96	1.50	1.53
1	D	111	SNC	CB-CA	-2.79	1.50	1.53
1	C	111	SNC	CB-CA	-2.77	1.50	1.53
1	B	111	SNC	CB-CA	-2.46	1.50	1.53
1	A	111	SNC	CB-SG	-2.04	1.75	1.81

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	111	SNC	OE-ND-SG	2.94	120.77	113.73
1	A	111	SNC	OE-ND-SG	2.75	120.32	113.73
1	C	111	SNC	OE-ND-SG	2.69	120.18	113.73
1	D	111	SNC	OE-ND-SG	2.25	119.11	113.73

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	BTB	B	401	-	13,13,13	1.55	3 (23%)	16,16,16	2.21	6 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BTB	B	401	-	-	0/21/21/21	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	BTB	C4-C2	-3.04	1.49	1.53
2	B	401	BTB	C1-C2	-2.91	1.49	1.53
2	B	401	BTB	C3-C2	-2.01	1.50	1.53

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	BTB	C7-N-C5	-5.95	106.61	111.22
2	B	401	BTB	O3-C3-C2	3.11	118.76	111.08
2	B	401	BTB	C4-C2-C1	-2.95	104.96	110.39
2	B	401	BTB	O1-C1-C2	2.61	117.51	111.08
2	B	401	BTB	O4-C4-C2	2.19	116.49	111.08
2	B	401	BTB	C6-C5-N	2.18	120.56	111.55

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	387/388 (99%)	-0.46	2 (0%) 88 90	8, 17, 36, 63	0
1	B	384/388 (98%)	-0.52	0 100 100	9, 18, 31, 52	0
1	C	383/388 (98%)	0.14	10 (2%) 53 52	21, 36, 53, 63	0
1	D	383/388 (98%)	0.04	11 (2%) 49 48	18, 33, 51, 69	0
All	All	1537/1552 (99%)	-0.20	23 (1%) 70 71	8, 26, 48, 69	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	383	ASN	4.9
1	D	354	THR	4.7
1	D	1	MET	4.1
1	C	27	ASN	3.2
1	C	354	THR	3.2
1	D	359	ILE	3.1
1	D	374	ILE	3.1
1	A	-3	SER	2.9
1	D	355	LEU	2.9
1	C	107	ILE	2.7
1	C	383	ASN	2.6
1	D	98	ILE	2.6
1	D	360	ASP	2.5
1	C	25	ALA	2.4
1	D	107	ILE	2.4
1	C	29	ASP	2.2
1	D	76	VAL	2.2
1	C	22	LEU	2.1
1	C	199	PRO	2.1
1	C	75	ILE	2.1
1	C	105	PHE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	253	GLU	2.1
1	D	145	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	SNC	D	111	8/9	0.12	1.01	19,25,31,46	0
1	SNC	B	111	8/9	0.09	0.10	10,13,34,47	0
1	SNC	A	111	8/9	0.09	0.05	7,12,29,42	0
1	SNC	C	111	8/9	0.08	-0.91	22,29,40,41	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	BTB	B	401	14/14	0.17	9.86	31,41,63,72	0

6.5 Other polymers ⓘ

There are no such residues in this entry.