



Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 06:39 PM GMT

PDB ID : 3VBP
Title : Crystal Structure of the D94N mutant of AntD, an N-acyltransferase from Bacillus cereus in complex with dTDP and Coenzyme A
Authors : Kubiak, R.L.; Holden, H.M.
Deposited on : 2012-01-02
Resolution : 2.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2929 (2.30-2.30)
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)
RSRZ outliers	66119	2930 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	205	
1	C	205	
1	E	205	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4664 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Galactoside O-acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	185	Total	C	N	O	S	0	3	0
			1443	934	241	262	6			
1	C	187	Total	C	N	O	S	0	0	0
			1444	932	241	265	6			
1	E	185	Total	C	N	O	S	0	0	0
			1429	925	238	260	6			

There are 54 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-16	MET	-	EXPRESSION TAG	UNP D7WGJ0
A	-15	GLY	-	EXPRESSION TAG	UNP D7WGJ0
A	-14	SER	-	EXPRESSION TAG	UNP D7WGJ0
A	-13	HIS	-	EXPRESSION TAG	UNP D7WGJ0
A	-12	HIS	-	EXPRESSION TAG	UNP D7WGJ0
A	-11	HIS	-	EXPRESSION TAG	UNP D7WGJ0
A	-10	HIS	-	EXPRESSION TAG	UNP D7WGJ0
A	-9	HIS	-	EXPRESSION TAG	UNP D7WGJ0
A	-8	HIS	-	EXPRESSION TAG	UNP D7WGJ0
A	-7	GLU	-	EXPRESSION TAG	UNP D7WGJ0
A	-6	ASN	-	EXPRESSION TAG	UNP D7WGJ0
A	-5	LEU	-	EXPRESSION TAG	UNP D7WGJ0
A	-4	TYR	-	EXPRESSION TAG	UNP D7WGJ0
A	-3	PHE	-	EXPRESSION TAG	UNP D7WGJ0
A	-2	GLN	-	EXPRESSION TAG	UNP D7WGJ0
A	-1	GLY	-	EXPRESSION TAG	UNP D7WGJ0
A	0	HIS	-	EXPRESSION TAG	UNP D7WGJ0
A	94	ASN	ASP	ENGINEERED MUTATION	UNP D7WGJ0
C	-16	MET	-	EXPRESSION TAG	UNP D7WGJ0
C	-15	GLY	-	EXPRESSION TAG	UNP D7WGJ0
C	-14	SER	-	EXPRESSION TAG	UNP D7WGJ0
C	-13	HIS	-	EXPRESSION TAG	UNP D7WGJ0
C	-12	HIS	-	EXPRESSION TAG	UNP D7WGJ0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-11	HIS	-	EXPRESSION TAG	UNP D7WGJ0
C	-10	HIS	-	EXPRESSION TAG	UNP D7WGJ0
C	-9	HIS	-	EXPRESSION TAG	UNP D7WGJ0
C	-8	HIS	-	EXPRESSION TAG	UNP D7WGJ0
C	-7	GLU	-	EXPRESSION TAG	UNP D7WGJ0
C	-6	ASN	-	EXPRESSION TAG	UNP D7WGJ0
C	-5	LEU	-	EXPRESSION TAG	UNP D7WGJ0
C	-4	TYR	-	EXPRESSION TAG	UNP D7WGJ0
C	-3	PHE	-	EXPRESSION TAG	UNP D7WGJ0
C	-2	GLN	-	EXPRESSION TAG	UNP D7WGJ0
C	-1	GLY	-	EXPRESSION TAG	UNP D7WGJ0
C	0	HIS	-	EXPRESSION TAG	UNP D7WGJ0
C	94	ASN	ASP	ENGINEERED MUTATION	UNP D7WGJ0
E	-16	MET	-	EXPRESSION TAG	UNP D7WGJ0
E	-15	GLY	-	EXPRESSION TAG	UNP D7WGJ0
E	-14	SER	-	EXPRESSION TAG	UNP D7WGJ0
E	-13	HIS	-	EXPRESSION TAG	UNP D7WGJ0
E	-12	HIS	-	EXPRESSION TAG	UNP D7WGJ0
E	-11	HIS	-	EXPRESSION TAG	UNP D7WGJ0
E	-10	HIS	-	EXPRESSION TAG	UNP D7WGJ0
E	-9	HIS	-	EXPRESSION TAG	UNP D7WGJ0
E	-8	HIS	-	EXPRESSION TAG	UNP D7WGJ0
E	-7	GLU	-	EXPRESSION TAG	UNP D7WGJ0
E	-6	ASN	-	EXPRESSION TAG	UNP D7WGJ0
E	-5	LEU	-	EXPRESSION TAG	UNP D7WGJ0
E	-4	TYR	-	EXPRESSION TAG	UNP D7WGJ0
E	-3	PHE	-	EXPRESSION TAG	UNP D7WGJ0
E	-2	GLN	-	EXPRESSION TAG	UNP D7WGJ0
E	-1	GLY	-	EXPRESSION TAG	UNP D7WGJ0
E	0	HIS	-	EXPRESSION TAG	UNP D7WGJ0
E	94	ASN	ASP	ENGINEERED MUTATION	UNP D7WGJ0

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: $C_{21}H_{36}N_7O_{16}P_3S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	C	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	E	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0

- Molecule 3 is THYMIDINE-5'-DIPHOSPHATE (three-letter code: TYD) (formula: C₁₀H₁₆N₂O₁₁P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
3	C	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
3	E	1	Total	C	N	O	P	0	0
			25	10	2	11	2		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	1	Total	Cl	0	0
			1	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	56	Total	O	0	0
			56	56		
5	C	35	Total	O	0	0
			35	35		
5	E	37	Total	O	0	0
			37	37		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Galactoside O-acetyltransferase

Chain A: 




• Molecule 1: Galactoside O-acetyltransferase

Chain C: 



• Molecule 1: Galactoside O-acetyltransferase

Chain E: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α , β , γ	71.34Å 71.34Å 138.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.74 – 2.30 40.74 – 2.30	Depositor EDS
% Data completeness (in resolution range)	97.6 (40.74-2.30) 97.7 (40.74-2.30)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.29 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.189 , 0.259 0.186 , 0.254	Depositor DCC
R_{free} test set	1498 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	30.3	Xtriage
Anisotropy	0.164	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 22.7	EDS
Estimated twinning fraction	0.042 for h,-k,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	0 of 29956 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4664	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: COA, TYD, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.56	0/1478	1.11	4/1992 (0.2%)
1	C	0.56	0/1470	1.06	3/1981 (0.2%)
1	E	0.52	0/1455	1.06	3/1962 (0.2%)
All	All	0.54	0/4403	1.08	10/5935 (0.2%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	95	ASP	CB-CG-OD1	-8.69	110.48	118.30
1	E	147	MET	CG-SD-CE	-6.50	89.80	100.20
1	A	156	ASP	CB-CG-OD1	6.30	123.97	118.30
1	C	86	ARG	NE-CZ-NH2	-6.27	117.16	120.30
1	A	185	SER	CB-CA-C	6.26	121.99	110.10
1	E	152	GLU	CA-CB-CG	5.67	125.87	113.40
1	E	171	ARG	NE-CZ-NH1	-5.63	117.49	120.30
1	C	86	ARG	NE-CZ-NH1	5.60	123.10	120.30
1	C	95	ASP	CB-CG-OD1	-5.49	113.36	118.30
1	A	95	ASP	CB-CG-OD2	5.39	123.16	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the

chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1443	0	1503	28	0
1	C	1444	0	1491	25	0
1	E	1429	0	1480	26	0
2	A	48	0	32	1	0
2	C	48	0	32	1	0
2	E	48	0	32	1	0
3	A	25	0	13	1	0
3	C	25	0	13	1	0
3	E	25	0	13	0	0
4	C	1	0	0	0	0
5	A	56	0	0	1	0
5	C	35	0	0	0	0
5	E	37	0	0	0	0
All	All	4664	0	4609	69	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 8.

All (69) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:102:MET:HE1	1:E:125:ILE:HD13	1.36	1.02
1:A:102:MET:CE	1:E:125:ILE:HD13	1.97	0.94
1:A:102:MET:HE1	1:E:125:ILE:CD1	2.05	0.85
1:C:94:ASN:HD22	1:C:95:ASP:H	1.31	0.79
1:A:98:GLY:O	1:E:175:ILE:HG23	1.85	0.77
1:A:93:ILE:HG22	2:A:189:COA:H22	1.71	0.71
1:E:53:LYS:O	1:E:74:GLY:HA2	1.95	0.67
1:A:15:PHE:HA	1:A:33:PRO:O	1.97	0.65
1:E:175:ILE:HA	1:E:178:LEU:HD12	1.78	0.65
1:A:53:LYS:HB3	1:A:74:GLY:HA2	1.80	0.63
1:E:108:ASN:HA	1:E:111:LYS:HD2	1.82	0.60
1:E:133:PHE:HB3	1:E:134:PRO:CD	2.32	0.60
1:E:93:ILE:HG12	1:E:134:PRO:HG2	1.84	0.59
1:A:160:TYR:HB3	1:A:165:VAL:HB	1.86	0.56
1:A:144:VAL:HG13	1:A:148[A]:SER:OG	2.06	0.55
1:A:121:LYS:HB2	1:A:140:GLU:HA	1.88	0.55
1:A:106:ILE:O	1:A:111:LYS:HE2	2.08	0.54
1:E:141:GLY:O	1:E:171:ARG:HD3	2.08	0.54
1:A:121:LYS:NZ	5:A:245:HOH:O	2.27	0.53
1:C:10:LEU:HA	1:C:13:ILE:HD12	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:160:TYR:HB3	1:C:165:VAL:HB	1.91	0.53
1:A:3:SER:HB2	1:C:31:TYR:OH	2.10	0.52
1:C:184:LYS:O	1:C:187:ASN:HB2	2.09	0.51
1:A:2:ASN:HB3	3:A:301:TYD:H2'1	1.93	0.51
1:A:86:ARG:NH2	1:C:65:TYR:O	2.38	0.50
1:C:7:GLN:O	1:C:11:LYS:HG2	2.12	0.49
1:C:133:PHE:CZ	2:C:189:COA:H61	2.48	0.49
1:A:38:ILE:HG23	1:A:42:VAL:HG21	1.95	0.48
1:A:89:VAL:HG22	1:A:132:ILE:HG13	1.94	0.48
1:C:161:VAL:O	1:C:165:VAL:HA	2.13	0.48
1:C:86:ARG:HD3	1:E:86:ARG:HG2	1.96	0.48
1:A:181:GLU:HG2	1:C:110:TYR:HE1	1.79	0.47
3:C:301:TYD:O5'	3:C:301:TYD:H6	2.15	0.47
1:A:102:MET:HE2	1:E:125:ILE:HD13	1.90	0.47
1:A:40:ASN:O	1:A:41:ASN:HB2	2.14	0.46
1:A:148[A]:SER:HB2	1:A:165:VAL:HG12	1.98	0.46
1:E:160:TYR:HB3	1:E:165:VAL:HB	1.97	0.45
1:C:16:LEU:HB2	1:C:34:GLY:O	2.16	0.45
1:E:18:VAL:HG13	1:E:18:VAL:O	2.16	0.45
1:C:126:ILE:HD12	1:C:132:ILE:HD11	1.99	0.45
1:E:42:VAL:HA	1:E:60:SER:O	2.17	0.45
1:C:125:ILE:HD13	1:E:102:MET:HE2	2.00	0.44
1:E:15:PHE:C	1:E:17:SER:N	2.71	0.44
1:A:156:ASP:HB3	1:A:157:TRP:CD1	2.52	0.44
1:E:100:ALA:HB1	1:E:111:LYS:HA	2.00	0.44
1:A:106:ILE:HA	1:A:107:PRO:HD2	1.77	0.44
1:C:10:LEU:HD22	1:C:18:VAL:HG21	2.00	0.43
1:C:53:LYS:O	1:C:74:GLY:HA2	2.18	0.43
1:A:148[B]:SER:HB3	1:A:165:VAL:HG12	1.98	0.43
1:C:93:ILE:HG12	1:C:134:PRO:HG2	2.01	0.43
1:E:7:GLN:HA	1:E:10:LEU:HD12	2.00	0.43
1:C:3:SER:O	1:C:26:LYS:HG3	2.18	0.43
1:C:143:ALA:HB3	1:C:159:ILE:HG12	2.00	0.42
1:C:79:ASP:O	1:C:80:PHE:HB2	2.19	0.42
1:A:102:MET:HE3	1:A:102:MET:HB3	1.50	0.42
1:E:133:PHE:HB3	1:E:134:PRO:HD2	2.00	0.42
1:E:23:LEU:O	1:E:43:ARG:HA	2.20	0.42
1:C:129:HIS:CG	1:E:131:ILE:HD11	2.55	0.42
1:A:36:ILE:HA	1:A:54:VAL:O	2.20	0.42
1:E:15:PHE:C	1:E:17:SER:H	2.23	0.42
1:E:93:ILE:HG22	2:E:189:COA:H22	2.00	0.41
1:C:16:LEU:HG	1:C:16:LEU:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:173:ARG:O	1:C:174:LYS:C	2.59	0.41
1:A:79:ASP:O	1:A:80:PHE:HB2	2.20	0.40
1:A:100:ALA:HB1	1:A:111:LYS:HA	2.03	0.40
1:E:148:SER:HB3	1:E:165:VAL:HG12	2.03	0.40
1:E:25:SER:C	1:E:27:LYS:N	2.74	0.40
1:C:40:ASN:O	1:C:58:SER:HB3	2.21	0.40
1:C:44:ILE:HG12	1:C:62:ILE:HG13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	186/205 (91%)	175 (94%)	11 (6%)	0	100	100
1	C	185/205 (90%)	168 (91%)	17 (9%)	0	100	100
1	E	183/205 (89%)	165 (90%)	14 (8%)	4 (2%)	10	7
All	All	554/615 (90%)	508 (92%)	42 (8%)	4 (1%)	30	34

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	156	ASP
1	E	16	LEU
1	E	17	SER
1	E	39	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	159/174 (91%)	148 (93%)	11 (7%)	22	27
1	C	158/174 (91%)	146 (92%)	12 (8%)	19	22
1	E	156/174 (90%)	153 (98%)	3 (2%)	69	85
All	All	473/522 (91%)	447 (94%)	26 (6%)	30	39

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	GLN
1	A	26	LYS
1	A	32	ASN
1	A	53	LYS
1	A	107	PRO
1	A	109	GLN
1	A	121	LYS
1	A	144	VAL
1	A	169	LYS
1	A	175	ILE
1	A	184	LYS
1	C	3	SER
1	C	10	LEU
1	C	12	LYS
1	C	32	ASN
1	C	37	SER
1	C	51	SER
1	C	58	SER
1	C	72	GLU
1	C	84	SER
1	C	94	ASN
1	C	109	GLN
1	C	186	MET
1	E	32	ASN
1	E	138	ILE
1	E	152	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	GLN
1	A	32	ASN
1	A	108	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	32	ASN
1	C	94	ASN
1	C	109	GLN
1	E	32	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	COA	A	189	-	50,50,50	0.84	1 (2%)	75,75,75	2.10	20 (26%)
3	TYD	A	301	-	26,26,26	0.91	1 (3%)	35,40,40	2.94	3 (8%)
2	COA	C	189	-	50,50,50	0.76	1 (2%)	75,75,75	2.23	17 (22%)
3	TYD	C	301	-	26,26,26	0.88	1 (3%)	35,40,40	4.00	5 (14%)
2	COA	E	189	-	50,50,50	0.76	1 (2%)	75,75,75	2.00	17 (22%)
3	TYD	E	301	-	26,26,26	0.83	1 (3%)	35,40,40	2.79	5 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COA	A	189	-	-	0/48/64/64	0/1/3/3
3	TYD	A	301	-	-	0/13/28/28	0/2/2/2
2	COA	C	189	-	-	0/48/64/64	0/1/3/3
3	TYD	C	301	-	-	0/13/28/28	0/2/2/2
2	COA	E	189	-	-	0/48/64/64	0/1/3/3
3	TYD	E	301	-	-	0/13/28/28	0/2/2/2

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	189	COA	C4A-N9A	-3.03	1.33	1.37
3	C	301	TYD	C2-N1	-2.94	1.35	1.38
3	E	301	TYD	C2-N1	-2.70	1.35	1.38
3	A	301	TYD	C2-N1	-2.29	1.35	1.38
2	E	189	COA	P1A-O3A	2.17	1.63	1.59
2	C	189	COA	C4A-N9A	-2.01	1.34	1.37

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	301	TYD	C6-N1-C2	-21.49	116.31	122.41
3	A	301	TYD	C6-N1-C2	-14.95	118.16	122.41
3	E	301	TYD	C6-N1-C2	-13.97	118.44	122.41
2	C	189	COA	N3A-C2A-N1A	-8.89	121.27	128.71
2	E	189	COA	N3A-C2A-N1A	-8.05	121.98	128.71
3	C	301	TYD	N3-C2-N1	7.43	122.17	115.97
2	A	189	COA	N3A-C2A-N1A	-7.21	122.68	128.71
2	C	189	COA	O4B-C1B-N9A	-7.17	101.77	108.44
3	A	301	TYD	N3-C2-N1	6.42	121.33	115.97
2	E	189	COA	CDP-CBP-CCP	-6.29	99.70	108.76
2	A	189	COA	CCP-CBP-CAP	6.07	117.57	108.70
3	E	301	TYD	N3-C2-N1	5.55	120.61	115.97
2	E	189	COA	C3P-N4P-C5P	5.30	133.63	122.84
2	C	189	COA	C3P-N4P-C5P	5.12	133.26	122.84
2	A	189	COA	C8A-N9A-C4A	4.89	110.63	106.90
2	A	189	COA	C3P-N4P-C5P	4.70	132.42	122.84
2	C	189	COA	N3A-C4A-N9A	4.70	133.91	125.43
2	E	189	COA	CCP-CBP-CAP	4.62	115.44	108.70
2	C	189	COA	CDP-CBP-CCP	-4.49	102.29	108.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	189	COA	CDP-CBP-CCP	-4.45	102.34	108.76
2	C	189	COA	C8A-N9A-C4A	4.21	110.11	106.90
2	C	189	COA	C4A-C5A-N7A	-4.03	106.07	109.52
2	C	189	COA	CCP-CBP-CAP	4.02	114.57	108.70
2	A	189	COA	O4B-C1B-N9A	-3.95	104.76	108.44
2	E	189	COA	N3A-C4A-N9A	3.89	132.46	125.43
2	E	189	COA	CEP-CBP-CDP	3.59	114.19	109.08
2	A	189	COA	N3A-C4A-N9A	3.53	131.80	125.43
3	A	301	TYD	O4'-C1'-N1	3.49	114.24	107.68
2	A	189	COA	O9P-C9P-CAP	3.43	126.73	120.48
2	A	189	COA	C1B-N9A-C4A	-3.21	121.09	126.64
3	C	301	TYD	O4'-C1'-N1	3.19	113.68	107.68
2	A	189	COA	O9A-P3B-O3B	-3.19	97.90	107.09
2	C	189	COA	C5A-C4A-N3A	-3.16	118.82	125.70
2	A	189	COA	C4A-C5A-N7A	-3.14	106.83	109.52
2	E	189	COA	C4A-C5A-N7A	-3.11	106.86	109.52
3	E	301	TYD	O4'-C1'-N1	3.08	113.48	107.68
2	A	189	COA	C6P-C5P-N4P	-2.77	111.46	116.50
3	E	301	TYD	C5M-C5-C4	2.76	123.86	121.04
2	C	189	COA	O9A-P3B-O3B	-2.75	99.18	107.09
2	A	189	COA	N7A-C8A-N9A	-2.69	106.74	114.36
2	E	189	COA	O9A-P3B-O3B	-2.68	99.37	107.09
2	A	189	COA	CEP-CBP-CDP	-2.67	105.28	109.08
2	E	189	COA	C5A-C4A-N3A	-2.65	119.94	125.70
2	E	189	COA	C1B-N9A-C4A	-2.63	122.09	126.64
2	C	189	COA	N7A-C8A-N9A	-2.57	107.09	114.36
2	C	189	COA	C2A-N3A-C4A	2.57	121.31	114.01
2	A	189	COA	O9A-P3B-O7A	2.50	118.62	110.44
3	C	301	TYD	C5-C6-N1	2.46	123.98	121.59
2	C	189	COA	C1B-N9A-C4A	-2.44	122.42	126.64
2	C	189	COA	O8A-P3B-O7A	2.40	118.27	110.44
3	C	301	TYD	O3B-PB-O2B	2.39	116.91	107.61
2	E	189	COA	C2P-C3P-N4P	-2.35	107.18	112.45
2	A	189	COA	O9P-C9P-N8P	-2.27	118.44	123.05
2	C	189	COA	C7P-C6P-C5P	2.25	116.09	112.25
2	E	189	COA	C2A-N3A-C4A	2.24	120.39	114.01
2	A	189	COA	O9A-P3B-O8A	2.23	116.31	107.61
2	C	189	COA	O2A-P1A-O1A	2.22	124.61	112.21
2	A	189	COA	O6A-CCP-CBP	2.22	114.28	110.57
3	E	301	TYD	C2'-C1'-N1	-2.20	108.38	114.08
2	E	189	COA	O9A-P3B-O7A	2.16	117.50	110.44
2	A	189	COA	O3B-C3B-C2B	-2.16	103.09	111.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	189	COA	P3B-O3B-C3B	2.12	126.42	121.96
2	A	189	COA	P3B-O3B-C3B	2.11	126.41	121.96
2	E	189	COA	C8A-N9A-C4A	2.11	108.51	106.90
2	E	189	COA	O9P-C9P-N8P	-2.09	118.80	123.05
2	E	189	COA	O5A-P2A-O6A	-2.03	98.26	108.51
2	E	189	COA	O8A-P3B-O7A	2.02	117.05	110.44

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	185/205 (90%)	0.06	5 (2%)	52 62	13, 28, 59, 81	0
1	C	187/205 (91%)	-0.07	2 (1%)	77 85	14, 33, 65, 95	0
1	E	185/205 (90%)	0.04	6 (3%)	45 55	15, 34, 63, 78	0
All	All	557/615 (90%)	0.01	13 (2%)	57 67	13, 32, 64, 95	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	188	SER	5.2
1	A	7	GLN	3.7
1	C	187	ASN	3.3
1	E	11	LYS	3.0
1	E	185	SER	2.8
1	E	8	GLU	2.7
1	A	183	LEU	2.7
1	E	18	VAL	2.4
1	A	184	LYS	2.4
1	E	183	LEU	2.3
1	E	7	GLN	2.1
1	A	8	GLU	2.1
1	A	87	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	TYD	C	301	25/25	0.14	0.27	61,68,82,85	0
3	TYD	A	301	25/25	0.14	-0.28	62,69,92,93	0
3	TYD	E	301	25/25	0.11	-0.65	54,65,81,82	0
2	COA	E	189	48/48	0.09	-0.79	20,40,52,56	0
2	COA	A	189	48/48	0.10	-0.87	22,35,52,54	0
2	COA	C	189	48/48	0.08	-1.68	18,31,50,54	0
4	CL	C	190	1/1	0.15	-3.92	27,27,27,27	0

6.5 Other polymers

There are no such residues in this entry.