



Full wwPDB X-ray Structure Validation Report

Mar 1, 2014 – 04:24 AM GMT

PDB ID : 3VDX
Title : Structure of a 16 nm protein cage designed by fusing symmetric oligomeric domains
Authors : Lai, Y.-T.; Cascio, D.; Yeates, T.O.
Deposited on : 2012-01-06
Resolution : 3.00 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1216 (3.00-3.00)
Clashscore	79885	1594 (3.00-3.00)
Ramachandran outliers	78287	1537 (3.00-3.00)
Sidechain outliers	78261	1540 (3.00-3.00)
RSRZ outliers	66119	1217 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	456	
1	B	456	
1	C	456	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 10149 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Designed 16nm tetrahedral protein cage containing Non-haem bromoperoxidase BPO-A2 and Matrix protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	438	Total	C	N	O	S	0	0	0
			3383	2161	569	645	8			
1	B	438	Total	C	N	O	S	0	0	0
			3383	2161	569	645	8			
1	C	438	Total	C	N	O	S	0	0	0
			3383	2161	569	645	8			

There are 54 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	24	VAL	GLN	CONFLICT	UNP P29715
A	118	ALA	LYS	CONFLICT	UNP P29715
A	278	ALA	-	LINKER	UNP P29715
A	279	LEU	-	LINKER	UNP P29715
A	280	GLU	-	LINKER	UNP P29715
A	281	ALA	-	LINKER	UNP P29715
A	282	GLN	-	LINKER	UNP P29715
A	283	LYS	-	LINKER	UNP P29715
A	284	GLN	-	LINKER	UNP P29715
A	285	LYS	-	LINKER	UNP P29715
A	448	LEU	-	EXPRESSION TAG	UNP P03485
A	449	GLU	-	EXPRESSION TAG	UNP P03485
A	450	HIS	-	EXPRESSION TAG	UNP P03485
A	451	HIS	-	EXPRESSION TAG	UNP P03485
A	452	HIS	-	EXPRESSION TAG	UNP P03485
A	453	HIS	-	EXPRESSION TAG	UNP P03485
A	454	HIS	-	EXPRESSION TAG	UNP P03485
A	455	HIS	-	EXPRESSION TAG	UNP P03485
B	24	VAL	GLN	CONFLICT	UNP P29715
B	118	ALA	LYS	CONFLICT	UNP P29715
B	278	ALA	-	LINKER	UNP P29715
B	279	LEU	-	LINKER	UNP P29715

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	280	GLU	-	LINKER	UNP P29715
B	281	ALA	-	LINKER	UNP P29715
B	282	GLN	-	LINKER	UNP P29715
B	283	LYS	-	LINKER	UNP P29715
B	284	GLN	-	LINKER	UNP P29715
B	285	LYS	-	LINKER	UNP P29715
B	448	LEU	-	EXPRESSION TAG	UNP P03485
B	449	GLU	-	EXPRESSION TAG	UNP P03485
B	450	HIS	-	EXPRESSION TAG	UNP P03485
B	451	HIS	-	EXPRESSION TAG	UNP P03485
B	452	HIS	-	EXPRESSION TAG	UNP P03485
B	453	HIS	-	EXPRESSION TAG	UNP P03485
B	454	HIS	-	EXPRESSION TAG	UNP P03485
B	455	HIS	-	EXPRESSION TAG	UNP P03485
C	24	VAL	GLN	CONFLICT	UNP P29715
C	118	ALA	LYS	CONFLICT	UNP P29715
C	278	ALA	-	LINKER	UNP P29715
C	279	LEU	-	LINKER	UNP P29715
C	280	GLU	-	LINKER	UNP P29715
C	281	ALA	-	LINKER	UNP P29715
C	282	GLN	-	LINKER	UNP P29715
C	283	LYS	-	LINKER	UNP P29715
C	284	GLN	-	LINKER	UNP P29715
C	285	LYS	-	LINKER	UNP P29715
C	448	LEU	-	EXPRESSION TAG	UNP P03485
C	449	GLU	-	EXPRESSION TAG	UNP P03485
C	450	HIS	-	EXPRESSION TAG	UNP P03485
C	451	HIS	-	EXPRESSION TAG	UNP P03485
C	452	HIS	-	EXPRESSION TAG	UNP P03485
C	453	HIS	-	EXPRESSION TAG	UNP P03485
C	454	HIS	-	EXPRESSION TAG	UNP P03485
C	455	HIS	-	EXPRESSION TAG	UNP P03485

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Designed 16nm tetrahedral protein cage containing Non-haem bromoperoxidase BPO-A2 and Matrix protein 1

Chain A: 




- Molecule 1: Designed 16nm tetrahedral protein cage containing Non-haem bromoperoxidase BPO-A2 and Matrix protein 1

Chain B: 



- Molecule 1: Designed 16nm tetrahedral protein cage containing Non-haem bromoperoxidase BPO-A2 and Matrix protein 1

Chain C: 



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	122.59Å 127.71Å 204.22Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.73 – 3.00 19.73 – 3.00	Depositor EDS
% Data completeness (in resolution range)	68.6 (19.73-3.00) 68.6 (19.73-3.00)	Depositor EDS
R_{merge}	0.21	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.29 (at 2.98Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.229 , 0.281 0.221 , 0.277	Depositor DCC
R_{free} test set	1133 reflections (5.12%)	DCC
Wilson B-factor (Å ²)	41.4	Xtriage
Anisotropy	0.107	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , -1.0	EDS
Estimated twinning fraction	0.029 for k,h,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Outliers	0 of 22135 reflections	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	10149	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.21	0/3460	0.38	0/4709
1	B	0.22	0/3460	0.39	0/4709
1	C	0.21	0/3460	0.37	0/4709
All	All	0.21	0/10380	0.38	0/14127

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3383	0	3322	34	0
1	B	3383	0	3322	30	0
1	C	3383	0	3322	19	0
All	All	10149	0	9966	82	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

All (82) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:354:GLU:HG3	1:B:356:GLY:H	1.57	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:328:TRP:O	1:B:332:ARG:NH1	2.29	0.65
1:B:322:LEU:HD13	1:B:351:VAL:HG11	1.79	0.65
1:C:130:LEU:HB2	1:C:206:TYR:HB2	1.80	0.63
1:A:297:ILE:HD11	1:A:437:ILE:HB	1.80	0.62
1:C:168:TYR:O	1:C:173:ASN:ND2	2.31	0.61
1:A:130:LEU:HB2	1:A:206:TYR:HB2	1.84	0.59
1:A:353:SER:O	1:A:355:ARG:NH2	2.30	0.59
1:C:332:ARG:HG2	1:C:335:LEU:HD12	1.84	0.58
1:A:354:GLU:OE1	1:A:359:ARG:NH2	2.37	0.58
1:A:173:ASN:HB3	1:A:177:ARG:HB2	1.86	0.57
1:A:328:TRP:O	1:A:332:ARG:NH1	2.37	0.56
1:B:344:GLY:O	1:B:348:THR:OG1	2.22	0.56
1:C:138:GLY:O	1:C:235:ASN:ND2	2.39	0.55
1:B:329:LEU:HD11	1:B:343:LEU:HD12	1.88	0.55
1:B:297:ILE:HD12	1:B:437:ILE:HD12	1.87	0.55
1:B:321:ASP:N	1:B:321:ASP:OD1	2.41	0.54
1:B:130:LEU:HB2	1:B:206:TYR:HB2	1.88	0.54
1:A:372:ASP:HB3	1:A:375:ASN:HB3	1.90	0.53
1:A:412:GLY:O	1:A:416:ASN:ND2	2.35	0.53
1:B:303:LEU:HD12	1:B:334:ILE:HD12	1.90	0.53
1:B:293:TYR:HD2	1:B:431:CYS:HB3	1.74	0.53
1:A:291:GLU:HB2	1:A:315:PHE:HE2	1.75	0.52
1:C:327:GLU:OE1	1:C:360:ARG:NH2	2.43	0.52
1:C:293:TYR:OH	1:C:396:LYS:NZ	2.36	0.51
1:B:359:ARG:NH2	1:B:415:TYR:O	2.44	0.51
1:A:121:PHE:HB3	1:A:124:SER:HB3	1.93	0.50
1:C:54:ILE:HD13	1:C:87:LEU:HD23	1.94	0.49
1:B:168:TYR:O	1:B:173:ASN:ND2	2.45	0.49
1:A:419:GLY:HA2	1:A:420:ALA:HB3	1.94	0.48
1:C:315:PHE:CE1	1:C:350:THR:HG21	2.48	0.48
1:A:367:LEU:HD23	1:A:412:GLY:HA2	1.95	0.47
1:A:233:ILE:HG13	1:A:237:ALA:HB3	1.96	0.47
1:A:372:ASP:CB	1:A:375:ASN:HB3	2.45	0.47
1:B:298:ILE:HD11	1:B:343:LEU:HD11	1.96	0.47
1:B:41:ARG:NH1	1:B:261:TRP:O	2.48	0.47
1:A:154:ALA:O	1:B:41:ARG:NH2	2.34	0.47
1:B:108:VAL:HG11	1:B:216:ILE:HG12	1.97	0.47
1:A:93:VAL:HG11	1:A:275:LEU:HD21	1.97	0.46
1:A:283:LYS:NZ	1:A:424:GLU:OE1	2.32	0.46
1:C:233:ILE:HG12	1:C:238:ARG:HG2	1.97	0.46
1:B:173:ASN:HB3	1:B:177:ARG:HB2	1.98	0.46
1:C:32:PHE:HA	1:C:33:PRO:HA	1.75	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:234:GLU:HA	1:B:238:ARG:HG3	1.97	0.46
1:A:32:PHE:HB2	1:A:99:MET:SD	2.56	0.46
1:C:364:GLN:NE2	1:C:416:ASN:OD1	2.42	0.45
1:A:58:ARG:NE	1:A:103:GLU:OE2	2.41	0.45
1:A:368:ASN:N	1:A:368:ASN:OD1	2.49	0.45
1:B:382:LEU:HD22	1:B:386:LEU:HG	1.98	0.45
1:C:173:ASN:HB3	1:C:177:ARG:HB2	1.99	0.45
1:B:156:ARG:NH2	1:B:157:TYR:OH	2.50	0.45
1:B:361:ARG:HD2	1:B:362:PHE:N	2.32	0.45
1:A:25:PRO:HA	1:A:52:ARG:HB3	1.99	0.44
1:A:95:VAL:HG22	1:A:120:ALA:HB3	1.99	0.44
1:A:32:PHE:HA	1:A:33:PRO:HA	1.76	0.44
1:B:351:VAL:HG22	1:B:353:SER:H	1.81	0.44
1:B:84:LEU:HD23	1:B:89:LEU:HD12	1.98	0.44
1:B:58:ARG:NE	1:B:103:GLU:OE2	2.45	0.44
1:B:332:ARG:HB3	1:B:340:LYS:NZ	2.33	0.43
1:B:129:LEU:O	1:B:139:ALA:N	2.43	0.43
1:C:28:LEU:HB2	1:C:55:THR:HG22	2.00	0.43
1:A:372:ASP:OD1	1:A:373:PRO:HD2	2.19	0.43
1:A:54:ILE:HD13	1:A:87:LEU:HD23	2.01	0.42
1:B:357:LEU:HA	1:B:357:LEU:HD23	1.87	0.42
1:C:166:ASP:HA	1:C:229:ARG:HD2	2.02	0.42
1:C:106:ARG:NE	1:C:212:ASP:OD2	2.52	0.42
1:C:321:ASP:HB2	1:C:355:ARG:NH2	2.34	0.42
1:B:32:PHE:HA	1:B:33:PRO:HA	1.75	0.42
1:A:420:ALA:HA	1:A:421:VAL:HA	1.70	0.42
1:B:28:LEU:HB2	1:B:55:THR:HG22	2.02	0.41
1:A:156:ARG:NH2	1:A:157:TYR:OH	2.53	0.41
1:A:332:ARG:HG3	1:A:333:PRO:HD2	2.01	0.41
1:A:164:PHE:HA	1:A:167:PHE:HB3	2.02	0.41
1:C:297:ILE:HD12	1:C:437:ILE:HB	2.02	0.41
1:A:321:ASP:OD1	1:A:321:ASP:N	2.54	0.41
1:A:31:GLY:HA3	1:A:98:SER:HB3	2.03	0.41
1:A:234:GLU:HA	1:A:238:ARG:HG3	2.03	0.41
1:A:113:THR:O	1:A:113:THR:OG1	2.27	0.41
1:C:315:PHE:HE1	1:C:350:THR:HG21	1.84	0.40
1:A:24:VAL:HA	1:A:25:PRO:HD3	1.93	0.40
1:C:234:GLU:HA	1:C:238:ARG:HG3	2.02	0.40
1:B:143:GLU:N	1:B:143:GLU:OE1	2.49	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	436/456 (96%)	412 (94%)	22 (5%)	2 (0%)	38	84
1	B	436/456 (96%)	396 (91%)	37 (8%)	3 (1%)	30	78
1	C	436/456 (96%)	411 (94%)	23 (5%)	2 (0%)	38	84
All	All	1308/1368 (96%)	1219 (93%)	82 (6%)	7 (0%)	38	84

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	369	GLY
1	B	416	ASN
1	A	256	PRO
1	B	34	LEU
1	B	360	ARG
1	C	256	PRO
1	C	33	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	352/370 (95%)	333 (95%)	19 (5%)	31	74
1	B	352/370 (95%)	337 (96%)	15 (4%)	40	82
1	C	352/370 (95%)	335 (95%)	17 (5%)	35	79
All	All	1056/1110 (95%)	1005 (95%)	51 (5%)	35	79

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	113	THR
1	A	128	PHE
1	A	134	ASP
1	A	239	VAL
1	A	287	LEU
1	A	329	LEU
1	A	331	THR
1	A	332	ARG
1	A	338	LEU
1	A	339	THR
1	A	355	ARG
1	A	359	ARG
1	A	361	ARG
1	A	367	LEU
1	A	372	ASP
1	A	382	LEU
1	A	391	THR
1	A	421	VAL
1	A	429	LEU
1	B	108	VAL
1	B	128	PHE
1	B	234	GLU
1	B	321	ASP
1	B	329	LEU
1	B	332	ARG
1	B	338	LEU
1	B	359	ARG
1	B	360	ARG
1	B	361	ARG
1	B	363	VAL
1	B	382	LEU
1	B	390	ILE
1	B	413	LEU
1	B	423	THR
1	C	128	PHE
1	C	129	LEU
1	C	223	LEU
1	C	228	ASP
1	C	312	GLU
1	C	325	LEU
1	C	329	LEU
1	C	331	THR
1	C	332	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	334	ILE
1	C	354	GLU
1	C	361	ARG
1	C	363	VAL
1	C	382	LEU
1	C	388	ARG
1	C	417	ARG
1	C	429	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	438/456 (96%)	-0.22	4 (0%) 81 24	25, 48, 96, 136	0
1	B	438/456 (96%)	-0.21	2 (0%) 88 36	29, 53, 98, 143	0
1	C	438/456 (96%)	-0.33	0 100 100	24, 43, 76, 127	0
All	All	1314/1368 (96%)	-0.26	6 (0%) 88 36	24, 47, 95, 143	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	373	PRO	3.2
1	A	352	PRO	2.7
1	A	417	ARG	2.6
1	A	356	GLY	2.5
1	B	357	LEU	2.4
1	B	356	GLY	2.2

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.