



# Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 05:48 PM GMT

PDB ID : 1VFW  
Title : Crystal Structure of the Kif1A Motor Domain Complexed With Mg-AMPPNP  
Authors : Nitta, R.; Kikkawa, M.; Okada, Y.; Hirokawa, N.  
Deposited on : 2004-04-19  
Resolution : 2.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	2929 (2.30-2.30)
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)
RSRZ outliers	66119	2930 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	366	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2819 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (Fusion protein consisting of Kinesin-like protein KIF1A, Kinesin heavy chain isoform 5C and A HIS TAG.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	329	Total	C	N	O	S	0	0	0
			2585	1604	456	511	14			

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	362	HIS	-	EXPRESSION TAG	UNP P28738
A	363	HIS	-	EXPRESSION TAG	UNP P28738
A	364	HIS	-	EXPRESSION TAG	UNP P28738
A	365	HIS	-	EXPRESSION TAG	UNP P28738
A	366	HIS	-	EXPRESSION TAG	UNP P28738

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is PHOSPHOAMINOPHOSPHONICACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>6</sub>O<sub>12</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	31	10	6	12	3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	202	Total	O	0	0
			202	202		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: PROTEIN (Fusion protein consisting of Kinesin-like protein KIF1A, Kinesin heavy chain isoform 5C and A HIS TAG)



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	42.64Å 55.48Å 156.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.30 38.03 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.0 (20.00-2.30) 98.5 (38.03-2.20)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.31 (at 2.20Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.216 , 0.244 0.216 , 0.244	Depositor DCC
$R_{free}$ test set	1665 reflections (10.82%)	DCC
Wilson B-factor (Å <sup>2</sup> )	12.6	Xtriage
Anisotropy	0.241	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 53.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.28$ , $\langle L^2 \rangle = 0.12$	Xtriage
Outliers	0 of 19341 reflections	Xtriage
$F_o, F_c$ correlation	0.85	EDS
Total number of atoms	2819	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	12.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.48% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.46	0/2625	0.73	2/3545 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	205	VAL	N-CA-C	-5.74	95.49	111.00
1	A	202	PRO	N-CA-CB	5.14	109.47	103.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	303	PHE	CA

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	252	SER	Peptide

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2585	0	2542	156	0
2	A	1	0	0	0	0
3	A	31	0	13	2	0
4	A	202	0	0	24	0
All	All	2819	0	2555	156	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 30.

All (156) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:148:GLU:OE1	1:A:155:ARG:NH1	1.71	1.21
1:A:216:ARG:HH11	1:A:216:ARG:CG	1.53	1.18
1:A:204:THR:HG21	4:A:683:HOH:O	1.45	1.14
1:A:240:LYS:HG3	1:A:362:HIS:HD2	1.17	1.09
1:A:240:LYS:HG3	1:A:362:HIS:CD2	1.91	1.05
1:A:216:ARG:HH11	1:A:216:ARG:HG2	1.26	0.99
1:A:216:ARG:NH1	1:A:216:ARG:HG3	1.79	0.95
1:A:311:LEU:HB2	4:A:585:HOH:O	1.69	0.90
1:A:216:ARG:HH11	1:A:216:ARG:HG3	1.33	0.89
1:A:99:THR:OG1	1:A:253:GLU:HB2	1.74	0.88
1:A:171:HIS:HD2	1:A:173:LEU:H	1.23	0.86
1:A:271:ILE:H	1:A:271:ILE:HD13	1.41	0.85
1:A:240:LYS:CG	1:A:362:HIS:CD2	2.58	0.84
1:A:240:LYS:CG	1:A:362:HIS:HD2	1.90	0.84
1:A:229:ARG:HB3	1:A:229:ARG:HH11	1.43	0.83
1:A:216:ARG:NH1	1:A:216:ARG:CG	2.23	0.83
1:A:253:GLU:O	1:A:254:ARG:HB2	1.80	0.81
1:A:18:ARG:HG3	1:A:18:ARG:HH11	1.45	0.80
1:A:141:SER:OG	1:A:226:THR:HB	1.81	0.80
1:A:204:THR:CG2	4:A:683:HOH:O	2.15	0.78
1:A:151:CYS:SG	1:A:271:ILE:HG22	2.27	0.75
1:A:171:HIS:CD2	1:A:174:LEU:H	2.05	0.74
1:A:236:ILE:HD13	1:A:236:ILE:H	1.52	0.73

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:171:HIS:CD2	1:A:173:LEU:H	2.06	0.72
1:A:208:THR:HG23	1:A:208:THR:O	1.89	0.72
1:A:216:ARG:NH2	1:A:253:GLU:OE2	2.23	0.71
1:A:251:GLY:O	1:A:253:GLU:HB3	1.92	0.69
1:A:44:LYS:HE3	4:A:551:HOH:O	1.92	0.69
1:A:155:ARG:NH2	1:A:202:PRO:O	2.25	0.68
1:A:320:GLY:HA2	1:A:356:ASN:OD1	1.94	0.68
1:A:27:ILE:HD13	1:A:335:ASP:HA	1.75	0.67
1:A:278:LEU:O	1:A:282:ILE:HG13	1.94	0.67
1:A:164:GLY:HA2	4:A:542:HOH:O	1.96	0.66
1:A:129:ARG:HD2	4:A:592:HOH:O	1.95	0.66
1:A:148:GLU:CD	1:A:155:ARG:HH12	1.96	0.65
1:A:168:VAL:HG21	1:A:310:VAL:HG13	1.79	0.65
1:A:162:ASN:ND2	1:A:164:GLY:H	1.94	0.64
1:A:286:ALA:HB2	4:A:514:HOH:O	1.98	0.64
1:A:99:THR:HA	3:A:500:ANP:O3G	1.97	0.63
1:A:155:ARG:NH2	1:A:204:THR:HG23	2.14	0.62
1:A:130:ILE:HG23	1:A:140:TYR:CD2	2.33	0.62
1:A:99:THR:OG1	1:A:253:GLU:CB	2.47	0.62
1:A:208:THR:CG2	1:A:208:THR:O	2.47	0.62
1:A:216:ARG:NH2	1:A:253:GLU:CD	2.53	0.62
1:A:253:GLU:O	1:A:254:ARG:CB	2.47	0.62
1:A:156:ASP:HB2	1:A:166:LEU:HD11	1.80	0.62
1:A:308:ASP:HB3	4:A:587:HOH:O	1.98	0.62
1:A:234:THR:OG1	1:A:236:ILE:HD12	2.01	0.61
1:A:249:LEU:HD22	1:A:311:LEU:HD21	1.82	0.61
1:A:360:VAL:HG12	4:A:698:HOH:O	2.00	0.60
1:A:149:ILE:HG21	4:A:585:HOH:O	2.00	0.60
1:A:171:HIS:HD2	1:A:174:LEU:H	1.49	0.60
1:A:216:ARG:NH2	1:A:253:GLU:OE1	2.34	0.59
1:A:335:ASP:OD1	1:A:336:ILE:N	2.35	0.59
1:A:271:ILE:HD13	1:A:271:ILE:N	2.14	0.59
1:A:236:ILE:CD1	1:A:236:ILE:H	2.15	0.59
1:A:18:ARG:HG3	1:A:18:ARG:NH1	2.17	0.59
1:A:112:GLU:CD	1:A:115:GLN:HG3	2.23	0.59
1:A:240:LYS:HE3	1:A:362:HIS:CD2	2.37	0.58
1:A:102:GLY:HA2	3:A:500:ANP:O2A	2.03	0.58
1:A:347:TYR:HA	1:A:350:ARG:HH11	1.69	0.58
1:A:75:ARG:HA	1:A:79:GLU:HG3	1.84	0.58
1:A:228:LYS:HD2	4:A:553:HOH:O	2.04	0.58
1:A:117:GLY:O	1:A:120:PRO:HD2	2.05	0.57
1:A:150:TYR:HB3	4:A:527:HOH:O	2.03	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:119:ILE:HG12	1:A:246:LEU:HD13	1.87	0.56
1:A:254:ARG:HB3	1:A:340:GLU:CG	2.34	0.56
1:A:112:GLU:OE1	1:A:112:GLU:C	2.44	0.56
1:A:168:VAL:HG22	4:A:642:HOH:O	2.04	0.56
1:A:77:ILE:O	1:A:81:MET:HG2	2.06	0.56
1:A:138:MET:SD	1:A:229:ARG:HG3	2.47	0.55
1:A:303:PHE:C	1:A:304:ILE:HG12	2.26	0.55
1:A:110:LYS:HB2	1:A:115:GLN:HB2	1.88	0.55
1:A:229:ARG:NH2	4:A:666:HOH:O	2.40	0.55
1:A:189:TYR:OH	1:A:193:GLN:NE2	2.36	0.54
1:A:151:CYS:SG	1:A:271:ILE:CG2	2.96	0.54
1:A:178:VAL:HG13	4:A:642:HOH:O	2.08	0.53
1:A:347:TYR:HA	1:A:350:ARG:NH1	2.24	0.52
1:A:77:ILE:HD11	1:A:326:ALA:HB1	1.90	0.52
1:A:158:LEU:HD13	1:A:184:LEU:HD12	1.91	0.52
1:A:216:ARG:HH21	1:A:253:GLU:CD	2.11	0.52
1:A:119:ILE:HG22	1:A:196:MET:CE	2.39	0.52
1:A:39:ASN:HB2	4:A:621:HOH:O	2.10	0.52
1:A:236:ILE:HD13	1:A:236:ILE:N	2.22	0.52
1:A:189:TYR:O	1:A:192:ILE:HG22	2.09	0.52
1:A:176:PRO:HD3	1:A:316:ARG:NH2	2.25	0.52
1:A:178:VAL:HG22	4:A:642:HOH:O	2.08	0.52
1:A:8:VAL:HG22	1:A:327:MET:HB3	1.92	0.51
1:A:271:ILE:H	1:A:271:ILE:CD1	2.09	0.51
1:A:144:VAL:HG22	1:A:145:SER:N	2.26	0.51
1:A:112:GLU:OE1	1:A:115:GLN:CG	2.59	0.50
1:A:84:HIS:HA	1:A:87:GLU:OE1	2.11	0.49
1:A:161:LYS:C	1:A:161:LYS:HD2	2.32	0.49
1:A:253:GLU:HG2	1:A:253:GLU:O	2.12	0.49
1:A:39:ASN:OD1	1:A:41:LYS:HB2	2.13	0.49
1:A:106:THR:HG21	1:A:328:VAL:HG11	1.95	0.49
1:A:357:THR:O	1:A:357:THR:HG23	2.13	0.48
1:A:322:ASN:OD1	1:A:358:VAL:HA	2.12	0.48
1:A:346:ARG:O	1:A:350:ARG:HG3	2.14	0.48
1:A:98:GLN:NE2	1:A:340:GLU:HG2	2.29	0.48
1:A:229:ARG:HB3	1:A:229:ARG:NH1	2.22	0.47
1:A:152:GLU:OE2	1:A:309:SER:HA	2.14	0.47
1:A:33:SER:HB2	1:A:52:PHE:O	2.15	0.47
1:A:83:GLN:O	1:A:87:GLU:HG3	2.14	0.47
1:A:89:TYR:O	1:A:242:SER:HB2	2.14	0.47
1:A:94:PHE:CB	1:A:247:VAL:HB	2.43	0.47
1:A:42:GLN:HB3	1:A:45:GLU:OE1	2.13	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:240:LYS:CB	1:A:362:HIS:CD2	2.98	0.47
1:A:229:ARG:CB	1:A:229:ARG:HH11	2.22	0.47
1:A:335:ASP:OD1	1:A:336:ILE:HG23	2.14	0.47
1:A:168:VAL:CG2	4:A:642:HOH:O	2.62	0.47
1:A:92:CYS:HB2	1:A:318:ASN:ND2	2.30	0.46
1:A:171:HIS:HD2	1:A:173:LEU:N	2.03	0.46
1:A:152:GLU:OE1	1:A:274:SER:OG	2.34	0.46
1:A:303:PHE:N	4:A:555:HOH:O	2.49	0.46
1:A:110:LYS:C	1:A:112:GLU:H	2.19	0.46
1:A:232:ALA:O	1:A:233:GLU:HB2	2.16	0.46
1:A:240:LYS:HE3	1:A:362:HIS:NE2	2.31	0.45
1:A:54:TYR:HE1	4:A:703:HOH:O	1.99	0.45
1:A:125:ASP:O	1:A:129:ARG:HG3	2.16	0.45
1:A:9:ALA:CB	1:A:54:TYR:HB2	2.46	0.45
1:A:161:LYS:O	1:A:161:LYS:HD2	2.17	0.45
1:A:155:ARG:CG	1:A:155:ARG:HH11	2.30	0.45
1:A:254:ARG:HB3	1:A:340:GLU:HG2	2.00	0.44
1:A:18:ARG:CG	1:A:18:ARG:HH11	2.22	0.44
1:A:143:GLU:HA	1:A:184:LEU:O	2.18	0.44
1:A:79:GLU:HB3	4:A:504:HOH:O	2.18	0.43
1:A:240:LYS:CD	1:A:362:HIS:CD2	3.01	0.43
1:A:240:LYS:CB	1:A:362:HIS:HD2	2.31	0.43
1:A:305:PRO:HB2	1:A:308:ASP:OD2	2.18	0.43
1:A:113:LYS:HG3	1:A:113:LYS:O	2.18	0.43
1:A:39:ASN:HA	1:A:338:TYR:CE2	2.54	0.43
1:A:144:VAL:HG11	1:A:195:LEU:HD13	2.01	0.43
1:A:99:THR:H	1:A:253:GLU:HA	1.82	0.43
1:A:99:THR:OG1	1:A:253:GLU:HA	2.19	0.43
1:A:81:MET:HG3	1:A:93:ILE:HD11	2.01	0.43
1:A:315:LEU:O	1:A:319:LEU:HD22	2.18	0.43
1:A:84:HIS:ND1	1:A:87:GLU:OE1	2.40	0.42
1:A:340:GLU:O	1:A:343:SER:HB3	2.20	0.42
1:A:148:GLU:HG2	4:A:527:HOH:O	2.19	0.42
1:A:252:SER:HA	1:A:275:LEU:HD21	2.01	0.42
1:A:159:ASN:N	1:A:160:PRO:HD3	2.35	0.42
1:A:227:GLN:HB2	1:A:240:LYS:HB3	2.02	0.41
1:A:274:SER:HB3	1:A:311:LEU:HB3	2.02	0.41
1:A:46:THR:HA	1:A:47:PRO:HD3	1.91	0.41
1:A:305:PRO:O	1:A:308:ASP:HB2	2.21	0.41
1:A:10:VAL:HB	1:A:331:LEU:HD11	2.03	0.41
1:A:146:TYR:CG	1:A:157:LEU:HD12	2.55	0.41
1:A:222:ASN:HA	1:A:222:ASN:HD22	1.74	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:282:ILE:HD12	4:A:578:HOH:O	2.20	0.40
1:A:222:ASN:HD22	1:A:245:SER:HA	1.86	0.40
1:A:64:ASP:HB2	4:A:699:HOH:O	2.21	0.40
1:A:92:CYS:HA	1:A:245:SER:O	2.20	0.40
1:A:171:HIS:CD2	1:A:174:LEU:N	2.84	0.40
1:A:117:GLY:C	1:A:120:PRO:HD2	2.42	0.40
1:A:161:LYS:HE3	1:A:161:LYS:HB3	1.86	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	321/366 (88%)	302 (94%)	17 (5%)	2 (1%)	33 39

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	233	GLU
1	A	161	LYS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	289/322 (90%)	263 (91%)	26 (9%)	14 15

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	VAL
1	A	41	LYS
1	A	45	GLU
1	A	46	THR
1	A	51	SER
1	A	63	GLU
1	A	111	GLN
1	A	112	GLU
1	A	114	ASP
1	A	155	ARG
1	A	159	ASN
1	A	161	LYS
1	A	165	ASN
1	A	205	VAL
1	A	208	THR
1	A	215	SER
1	A	216	ARG
1	A	229	ARG
1	A	231	ASP
1	A	236	ILE
1	A	253	GLU
1	A	254	ARG
1	A	271	ILE
1	A	304	ILE
1	A	319	LEU
1	A	362	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	29	GLN
1	A	137	ASN
1	A	159	ASN
1	A	162	ASN
1	A	171	HIS
1	A	193	GLN
1	A	222	ASN
1	A	272	ASN
1	A	362	HIS

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	ANP	A	500	2	33,33,33	1.71	8 (24%)	51,52,52	2.73	16 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ANP	A	500	2	-	0/18/38/38	0/1/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	500	ANP	PB-O3A	4.05	1.64	1.59
3	A	500	ANP	PG-O1G	3.65	1.50	1.46
3	A	500	ANP	PB-O2B	-3.50	1.44	1.55
3	A	500	ANP	C2-N1	2.78	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	500	ANP	C6-N6	-2.50	1.27	1.35
3	A	500	ANP	C5'-C4'	2.40	1.59	1.51
3	A	500	ANP	PB-N3B	-2.29	1.62	1.64
3	A	500	ANP	PG-O2G	-2.04	1.49	1.55

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	500	ANP	O5'-PA-O1A	-8.24	77.08	109.37
3	A	500	ANP	O2B-PB-O1B	7.75	127.79	109.89
3	A	500	ANP	N3-C2-N1	-6.75	123.07	128.71
3	A	500	ANP	O3A-PB-N3B	-6.39	88.85	106.59
3	A	500	ANP	O2A-PA-O5'	-5.75	79.51	108.51
3	A	500	ANP	O2B-PB-O3A	-5.43	79.39	105.14
3	A	500	ANP	C4'-O4'-C1'	3.64	113.71	109.75
3	A	500	ANP	C5-C6-N6	3.23	128.02	120.72
3	A	500	ANP	O2B-PB-N3B	3.18	115.24	106.61
3	A	500	ANP	C2-N1-C6	3.14	124.44	118.77
3	A	500	ANP	C8-N9-C4	-2.74	104.81	106.90
3	A	500	ANP	O1G-PG-N3B	-2.52	108.02	111.83
3	A	500	ANP	O4'-C4'-C3'	-2.30	100.50	105.17
3	A	500	ANP	O2A-PA-O1A	2.21	124.55	112.21
3	A	500	ANP	O2A-PA-O3A	2.20	115.56	105.14
3	A	500	ANP	C5-C6-N1	-2.03	112.45	119.27

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	329/366 (89%)	-0.09	8 (2%) 56 66	4, 8, 30, 36	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	234	THR	4.1
1	A	362	HIS	3.0
1	A	208	THR	3.0
1	A	43	PRO	2.6
1	A	269	ALA	2.4
1	A	233	GLU	2.1
1	A	270	ASN	2.0
1	A	232	ALA	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	MG	A	501	1/1	0.17	0.84	20,20,20,20	0
3	ANP	A	500	31/31	0.11	-0.43	4,5,14,15	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.