



Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 04:55 PM GMT

PDB ID : 1VHJ
Title : Crystal structure of purine nucleoside phosphorylase
Authors : Structural GenomiX
Deposited on : 2003-12-01
Resolution : 2.23 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.23 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1112 (2.26-2.22)
Clashscore	79885	1317 (2.26-2.22)
Ramachandran outliers	78287	1282 (2.26-2.22)
Sidechain outliers	78261	1282 (2.26-2.22)
RSRZ outliers	66119	1112 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	253	
1	B	253	
1	C	253	
1	D	253	
1	E	253	
1	F	253	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 10930 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called purine nucleoside phosphorylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	234	Total	C	N	O	S	0	0	0
			1752	1107	296	333	16			
1	B	237	Total	C	N	O	S	0	1	0
			1778	1123	303	336	16			
1	C	232	Total	C	N	O	S	0	0	0
			1731	1094	292	329	16			
1	D	232	Total	C	N	O	S	0	0	0
			1727	1092	292	327	16			
1	E	232	Total	C	N	O	S	0	0	0
			1733	1097	292	328	16			
1	F	237	Total	C	N	O	S	0	0	0
			1774	1121	302	335	16			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	cloning artifact	UNP Q9KPM0
A	0	SER	-	cloning artifact	UNP Q9KPM0
A	1	LEU	-	cloning artifact	UNP Q9KPM0
A	57	ARG	LYS	variant	UNP Q9KPM0
A	242	GLU	-	cloning artifact	UNP Q9KPM0
A	243	GLY	-	cloning artifact	UNP Q9KPM0
A	244	GLY	-	cloning artifact	UNP Q9KPM0
A	245	SER	-	cloning artifact	UNP Q9KPM0
A	246	HIS	-	cloning artifact	UNP Q9KPM0
A	247	HIS	-	cloning artifact	UNP Q9KPM0
A	248	HIS	-	cloning artifact	UNP Q9KPM0
A	249	HIS	-	cloning artifact	UNP Q9KPM0
A	250	HIS	-	cloning artifact	UNP Q9KPM0
A	251	HIS	-	cloning artifact	UNP Q9KPM0
B	-1	MET	-	cloning artifact	UNP Q9KPM0
B	0	SER	-	cloning artifact	UNP Q9KPM0
B	1	LEU	-	cloning artifact	UNP Q9KPM0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	57	ARG	LYS	variant	UNP Q9KPM0
B	242	GLU	-	cloning artifact	UNP Q9KPM0
B	243	GLY	-	cloning artifact	UNP Q9KPM0
B	244	GLY	-	cloning artifact	UNP Q9KPM0
B	245	SER	-	cloning artifact	UNP Q9KPM0
B	246	HIS	-	cloning artifact	UNP Q9KPM0
B	247	HIS	-	cloning artifact	UNP Q9KPM0
B	248	HIS	-	cloning artifact	UNP Q9KPM0
B	249	HIS	-	cloning artifact	UNP Q9KPM0
B	250	HIS	-	cloning artifact	UNP Q9KPM0
B	251	HIS	-	cloning artifact	UNP Q9KPM0
C	-1	MET	-	cloning artifact	UNP Q9KPM0
C	0	SER	-	cloning artifact	UNP Q9KPM0
C	1	LEU	-	cloning artifact	UNP Q9KPM0
C	57	ARG	LYS	variant	UNP Q9KPM0
C	242	GLU	-	cloning artifact	UNP Q9KPM0
C	243	GLY	-	cloning artifact	UNP Q9KPM0
C	244	GLY	-	cloning artifact	UNP Q9KPM0
C	245	SER	-	cloning artifact	UNP Q9KPM0
C	246	HIS	-	cloning artifact	UNP Q9KPM0
C	247	HIS	-	cloning artifact	UNP Q9KPM0
C	248	HIS	-	cloning artifact	UNP Q9KPM0
C	249	HIS	-	cloning artifact	UNP Q9KPM0
C	250	HIS	-	cloning artifact	UNP Q9KPM0
C	251	HIS	-	cloning artifact	UNP Q9KPM0
D	-1	MET	-	cloning artifact	UNP Q9KPM0
D	0	SER	-	cloning artifact	UNP Q9KPM0
D	1	LEU	-	cloning artifact	UNP Q9KPM0
D	57	ARG	LYS	variant	UNP Q9KPM0
D	242	GLU	-	cloning artifact	UNP Q9KPM0
D	243	GLY	-	cloning artifact	UNP Q9KPM0
D	244	GLY	-	cloning artifact	UNP Q9KPM0
D	245	SER	-	cloning artifact	UNP Q9KPM0
D	246	HIS	-	cloning artifact	UNP Q9KPM0
D	247	HIS	-	cloning artifact	UNP Q9KPM0
D	248	HIS	-	cloning artifact	UNP Q9KPM0
D	249	HIS	-	cloning artifact	UNP Q9KPM0
D	250	HIS	-	cloning artifact	UNP Q9KPM0
D	251	HIS	-	cloning artifact	UNP Q9KPM0
E	-1	MET	-	cloning artifact	UNP Q9KPM0
E	0	SER	-	cloning artifact	UNP Q9KPM0
E	1	LEU	-	cloning artifact	UNP Q9KPM0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	57	ARG	LYS	variant	UNP Q9KPM0
E	242	GLU	-	cloning artifact	UNP Q9KPM0
E	243	GLY	-	cloning artifact	UNP Q9KPM0
E	244	GLY	-	cloning artifact	UNP Q9KPM0
E	245	SER	-	cloning artifact	UNP Q9KPM0
E	246	HIS	-	cloning artifact	UNP Q9KPM0
E	247	HIS	-	cloning artifact	UNP Q9KPM0
E	248	HIS	-	cloning artifact	UNP Q9KPM0
E	249	HIS	-	cloning artifact	UNP Q9KPM0
E	250	HIS	-	cloning artifact	UNP Q9KPM0
E	251	HIS	-	cloning artifact	UNP Q9KPM0
F	-1	MET	-	cloning artifact	UNP Q9KPM0
F	0	SER	-	cloning artifact	UNP Q9KPM0
F	1	LEU	-	cloning artifact	UNP Q9KPM0
F	57	ARG	LYS	variant	UNP Q9KPM0
F	242	GLU	-	cloning artifact	UNP Q9KPM0
F	243	GLY	-	cloning artifact	UNP Q9KPM0
F	244	GLY	-	cloning artifact	UNP Q9KPM0
F	245	SER	-	cloning artifact	UNP Q9KPM0
F	246	HIS	-	cloning artifact	UNP Q9KPM0
F	247	HIS	-	cloning artifact	UNP Q9KPM0
F	248	HIS	-	cloning artifact	UNP Q9KPM0
F	249	HIS	-	cloning artifact	UNP Q9KPM0
F	250	HIS	-	cloning artifact	UNP Q9KPM0
F	251	HIS	-	cloning artifact	UNP Q9KPM0

- Molecule 2 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	84	Total O 84 84	0	0
2	B	55	Total O 55 55	0	0
2	C	76	Total O 76 76	0	0
2	D	77	Total O 77 77	0	0
2	E	85	Total O 85 85	0	0
2	F	58	Total O 58 58	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: purine nucleoside phosphorylase

Chain A:




- Molecule 1: purine nucleoside phosphorylase

Chain B:




- Molecule 1: purine nucleoside phosphorylase

Chain C:




- Molecule 1: purine nucleoside phosphorylase

Chain D:




- Molecule 1: purine nucleoside phosphorylase

Chain E:



- Molecule 1: purine nucleoside phosphorylase

Chain F:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	46.70Å 153.25Å 96.76Å 90.00° 103.91° 90.00°	Depositor
Resolution (Å)	31.31 – 2.23 31.31 – 2.23	Depositor EDS
% Data completeness (in resolution range)	(Not available) (31.31-2.23) 96.9 (31.31-2.23)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.88 (at 2.22Å)	Xtriage
Refinement program	REFMAC 4	Depositor
R, R_{free}	0.196 , 0.249 0.181 , 0.200	Depositor DCC
R_{free} test set	3165 reflections (5.34%)	DCC
Wilson B-factor (Å ²)	22.6	Xtriage
Anisotropy	0.599	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 30.7	EDS
Estimated twinning fraction	0.478 for h,-k,-h-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 62484 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10930	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.55	0/1779	0.94	2/2400 (0.1%)
1	B	0.56	0/1812	1.08	5/2444 (0.2%)
1	C	0.55	0/1758	0.96	3/2374 (0.1%)
1	D	0.56	0/1754	1.04	3/2369 (0.1%)
1	E	0.56	0/1760	0.94	3/2375 (0.1%)
1	F	0.53	0/1802	0.87	0/2432
All	All	0.55	0/10665	0.97	16/14394 (0.1%)

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	218	ARG	CD-NE-CZ	20.64	152.50	123.60
1	D	25	ARG	CD-NE-CZ	19.65	151.11	123.60
1	B	218	ARG	NE-CZ-NH2	18.63	129.61	120.30
1	C	25	ARG	CD-NE-CZ	10.56	138.39	123.60
1	D	25	ARG	NE-CZ-NH2	9.58	125.09	120.30
1	B	218	ARG	NE-CZ-NH1	-8.48	116.06	120.30
1	B	118	ARG	NE-CZ-NH2	6.82	123.71	120.30
1	C	25	ARG	CG-CD-NE	6.82	126.11	111.80
1	C	25	ARG	NE-CZ-NH1	6.43	123.51	120.30
1	A	57	ARG	NE-CZ-NH2	6.22	123.41	120.30
1	D	57	ARG	NE-CZ-NH2	-5.53	117.53	120.30
1	B	218	ARG	CA-CB-CG	-5.50	101.29	113.40
1	E	145	ARG	NE-CZ-NH2	-5.50	117.55	120.30
1	E	145	ARG	NE-CZ-NH1	5.13	122.86	120.30
1	A	80	ASP	CB-CG-OD1	5.06	122.85	118.30
1	E	192	GLU	OE1-CD-OE2	-5.00	117.30	123.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1752	0	1726	25	0
1	B	1778	0	1765	21	0
1	C	1731	0	1698	26	0
1	D	1727	0	1694	22	0
1	E	1733	0	1707	25	0
1	F	1774	0	1751	19	0
2	A	84	0	0	3	0
2	B	55	0	0	2	0
2	C	76	0	0	3	0
2	D	77	0	0	0	0
2	E	85	0	0	2	0
2	F	58	0	0	0	0
All	All	10930	0	10341	132	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 6.

All (132) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:213:THR:OG1	1:B:218:ARG:HD3	1.80	0.81
1:A:35:ASP:HB2	1:A:52:THR:HG22	1.61	0.80
1:B:213:THR:O	1:B:218:ARG:NH2	2.16	0.78
1:B:214:THR:O	1:B:218:ARG:HG3	1.84	0.77
1:B:52:THR:HG23	2:B:304:HOH:O	1.89	0.73
1:C:102:ARG:HG2	1:C:221:THR:HG21	1.72	0.71
1:A:52:THR:HG23	2:A:254:HOH:O	1.90	0.70
1:B:35:ASP:HB2	1:B:52:THR:HG22	1.75	0.69
1:C:136:LYS:O	1:C:140:GLU:HG2	1.93	0.69
1:B:43:VAL:HG12	1:B:44:ARG:HG3	1.75	0.68
1:E:3:THR:HB	1:E:4:PRO:HD2	1.78	0.66
1:F:136:LYS:O	1:F:140:GLU:HG2	1.97	0.64
1:E:70:CYS:O	1:E:74:VAL:HG13	1.99	0.63
1:E:75:THR:HG22	1:E:79:LYS:HZ2	1.64	0.63
1:B:136:LYS:O	1:B:140:GLU:HG2	1.99	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:136:LYS:O	1:D:140:GLU:HG2	1.99	0.63
1:C:223:ASN:O	1:C:227:GLU:HG3	1.99	0.62
1:E:136:LYS:O	1:E:140:GLU:HG2	1.99	0.62
1:A:136:LYS:O	1:A:140:GLU:HG2	2.00	0.61
1:C:35:ASP:HB2	1:C:52:THR:HG22	1.83	0.61
1:D:206:HIS:CG	1:D:209:THR:HG22	2.36	0.61
1:B:99:ILE:HD13	1:B:150:LYS:HG3	1.83	0.60
1:A:122:LYS:HD3	1:E:167:MET:SD	2.41	0.60
1:D:223:ASN:O	1:D:227:GLU:HG3	2.02	0.59
1:A:54:LYS:HD2	1:A:234:LEU:HD11	1.84	0.59
1:A:63:HIS:CE1	1:A:182:GLU:HG3	2.38	0.58
1:F:35:ASP:HB2	1:F:52:THR:HG22	1.84	0.58
1:B:218:ARG:HA	1:B:221:THR:HG22	1.84	0.58
1:A:3:THR:HB	1:A:4:PRO:HD2	1.85	0.57
1:B:63:HIS:CE1	1:B:182:GLU:HG3	2.39	0.56
1:F:74:VAL:HG23	1:F:189:VAL:HG11	1.87	0.56
1:F:75:THR:O	1:F:79:LYS:HG2	2.07	0.55
1:F:147:ILE:HD12	1:F:228:ILE:HD11	1.87	0.54
1:E:70:CYS:SG	1:E:186:ILE:HG12	2.47	0.54
1:A:70:CYS:O	1:A:74:VAL:HG13	2.07	0.54
1:A:84:LYS:HE3	2:A:332:HOH:O	2.09	0.53
1:E:106:ILE:HG23	1:E:198:LEU:HD11	1.91	0.53
1:F:70:CYS:SG	1:F:182:GLU:HB2	2.49	0.53
1:E:147:ILE:HD13	1:E:228:ILE:HD11	1.91	0.53
1:C:101:VAL:O	1:C:102:ARG:HB2	2.09	0.53
1:B:147:ILE:HD13	1:B:228:ILE:HD11	1.91	0.53
1:F:44:ARG:O	1:F:45:ASN:HB2	2.07	0.52
1:F:63:HIS:CE1	1:F:182:GLU:HG3	2.44	0.52
1:E:52:THR:CG2	2:E:259:HOH:O	2.56	0.52
1:A:102:ARG:NE	1:A:217:GLU:HB3	2.24	0.52
1:D:74:VAL:HG22	1:D:189:VAL:HG11	1.90	0.52
1:A:106:ILE:HG23	1:A:198:LEU:HD11	1.91	0.52
1:C:52:THR:HG23	2:C:265:HOH:O	2.10	0.52
1:C:129:ILE:HD12	1:F:108:MET:HE3	1.92	0.52
1:C:3:THR:HB	1:C:4:PRO:HD2	1.90	0.52
1:E:74:VAL:HG22	1:E:189:VAL:HG11	1.92	0.52
1:C:102:ARG:NH1	1:C:221:THR:HB	2.26	0.50
1:C:206:HIS:CE1	1:C:209:THR:HG23	2.47	0.50
1:B:67:ILE:HB	1:B:68:PRO:HD3	1.94	0.50
1:D:70:CYS:SG	1:D:186:ILE:HD11	2.52	0.49
1:C:74:VAL:HG22	1:C:189:VAL:HG11	1.93	0.49
1:B:44:ARG:O	1:B:45:ASN:HB2	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:20:PRO:HA	1:E:89:VAL:O	2.12	0.49
1:D:206:HIS:HB3	1:D:209:THR:HG22	1.94	0.49
1:B:145:ARG:HD2	1:B:231:ASP:OD2	2.11	0.49
1:D:27:LYS:NZ	1:D:31:GLU:OE1	2.46	0.48
1:E:63:HIS:CE1	1:E:182:GLU:HG3	2.48	0.48
1:E:220:ASN:O	1:E:224:GLU:HG3	2.14	0.48
1:C:70:CYS:O	1:C:74:VAL:HG13	2.14	0.47
1:C:52:THR:CG2	2:C:265:HOH:O	2.62	0.47
1:E:102:ARG:CZ	1:E:217:GLU:HG2	2.44	0.47
1:B:70:CYS:O	1:B:74:VAL:HG13	2.15	0.47
1:D:70:CYS:O	1:D:74:VAL:HG13	2.14	0.47
1:E:3:THR:HG21	1:E:80:ASP:OD2	2.15	0.47
1:C:20:PRO:HA	1:C:89:VAL:O	2.15	0.46
1:D:7:ASN:CG	1:D:43:VAL:HG23	2.36	0.46
1:A:43:VAL:HG12	1:A:44:ARG:HG3	1.96	0.46
1:D:70:CYS:SG	1:D:186:ILE:CG1	3.04	0.46
1:E:101:VAL:O	1:E:102:ARG:HB2	2.17	0.45
1:F:101:VAL:O	1:F:102:ARG:HB2	2.15	0.45
1:A:25:ARG:NH1	2:A:317:HOH:O	2.48	0.45
1:D:209:THR:HG23	1:D:211:GLU:H	1.81	0.45
1:B:147:ILE:CD1	1:B:228:ILE:HD11	2.47	0.45
1:F:53:TYR:HB3	1:F:58:ILE:HD12	1.99	0.45
1:D:20:PRO:HA	1:D:89:VAL:O	2.17	0.45
1:F:147:ILE:CD1	1:F:228:ILE:HD11	2.46	0.44
1:A:101:VAL:O	1:A:102:ARG:HB2	2.17	0.44
1:A:164:ASP:OD1	1:E:122:LYS:HE2	2.17	0.44
1:C:101:VAL:HG21	1:C:211:GLU:HB3	1.98	0.44
1:A:132:TYR:OH	1:A:136:LYS:HD2	2.17	0.44
1:D:141:ALA:HB2	1:D:235:ILE:HD12	1.99	0.44
1:B:163:PRO:HD2	2:B:305:HOH:O	2.17	0.44
1:B:70:CYS:SG	1:B:182:GLU:HB2	2.57	0.43
1:A:7:ASN:CG	1:A:43:VAL:HG23	2.38	0.43
1:A:167:MET:SD	1:E:122:LYS:HD3	2.58	0.43
1:A:44:ARG:HA	1:D:22:ASP:OD1	2.18	0.43
1:C:165:PRO:HD2	2:C:312:HOH:O	2.18	0.43
1:C:25:ARG:HD2	1:C:222:PHE:CE1	2.53	0.43
1:D:102:ARG:HB2	1:D:102:ARG:CZ	2.48	0.43
1:C:133:LYS:HB3	1:C:133:LYS:HE2	1.78	0.43
1:D:162:THR:HA	1:D:163:PRO:HD3	1.95	0.43
1:C:206:HIS:ND1	1:C:209:THR:HG23	2.33	0.42
1:C:167:MET:SD	1:F:122:LYS:HD3	2.59	0.42
1:F:19:MET:HB3	1:F:63:HIS:HD2	1.84	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:52:THR:HG23	2:E:259:HOH:O	2.17	0.42
1:C:44:ARG:O	1:C:45:ASN:HB2	2.19	0.42
1:D:79:LYS:NZ	1:D:80:ASP:OD2	2.51	0.42
1:F:67:ILE:HB	1:F:68:PRO:HD3	2.01	0.42
1:F:185:GLY:O	1:F:189:VAL:HG23	2.19	0.42
1:E:70:CYS:SG	1:E:186:ILE:CG1	3.08	0.42
1:B:19:MET:HB3	1:B:63:HIS:HD2	1.85	0.42
1:C:70:CYS:SG	1:C:186:ILE:CG1	3.08	0.42
1:E:22:ASP:HA	1:E:23:PRO:HD2	1.90	0.42
1:A:54:LYS:HD2	1:A:234:LEU:CD1	2.48	0.41
1:D:58:ILE:HD11	1:D:233:VAL:HG11	2.02	0.41
1:B:35:ASP:HB2	1:B:52:THR:CG2	2.45	0.41
1:D:102:ARG:HG2	1:D:221:THR:HG21	2.02	0.41
1:B:185:GLY:O	1:B:189:VAL:HG23	2.20	0.41
1:F:27:LYS:O	1:F:31:GLU:HG3	2.20	0.41
1:F:43:VAL:HG12	1:F:44:ARG:HG3	2.02	0.41
1:E:25:ARG:HD3	1:E:222:PHE:CZ	2.55	0.41
1:A:3:THR:HB	1:A:4:PRO:CD	2.51	0.41
1:D:67:ILE:HB	1:D:68:PRO:HD3	2.01	0.41
1:C:218:ARG:HA	1:C:221:THR:HG22	2.02	0.41
1:D:206:HIS:CB	1:D:209:THR:HG22	2.50	0.41
1:A:206:HIS:ND1	1:A:209:THR:HG23	2.35	0.41
1:C:58:ILE:HD11	1:C:233:VAL:HG11	2.03	0.41
1:D:44:ARG:O	1:D:45:ASN:HB2	2.19	0.41
1:A:162:THR:HA	1:A:163:PRO:HD3	1.97	0.41
1:E:48:GLY:CA	1:E:61:MET:HG3	2.51	0.41
1:C:27:LYS:NZ	1:C:31:GLU:OE1	2.53	0.41
1:F:7:ASN:OD1	1:F:43:VAL:HG23	2.21	0.41
1:C:67:ILE:HB	1:C:68:PRO:HD3	2.03	0.41
1:A:20:PRO:HA	1:A:89:VAL:O	2.21	0.41
1:A:202:THR:OG1	1:A:221:THR:HG23	2.21	0.40
1:E:16:VAL:HG21	1:E:233:VAL:HG22	2.04	0.40
1:E:147:ILE:CD1	1:E:228:ILE:HD11	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	230/253 (91%)	225 (98%)	5 (2%)	0	100	100
1	B	236/253 (93%)	232 (98%)	4 (2%)	0	100	100
1	C	228/253 (90%)	222 (97%)	6 (3%)	0	100	100
1	D	228/253 (90%)	223 (98%)	5 (2%)	0	100	100
1	E	228/253 (90%)	221 (97%)	7 (3%)	0	100	100
1	F	235/253 (93%)	230 (98%)	5 (2%)	0	100	100
All	All	1385/1518 (91%)	1353 (98%)	32 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	180/201 (90%)	174 (97%)	6 (3%)	50	60
1	B	184/201 (92%)	170 (92%)	14 (8%)	19	16
1	C	177/201 (88%)	167 (94%)	10 (6%)	30	29
1	D	176/201 (88%)	168 (96%)	8 (4%)	38	42
1	E	177/201 (88%)	171 (97%)	6 (3%)	49	58
1	F	181/201 (90%)	170 (94%)	11 (6%)	26	25
All	All	1075/1206 (89%)	1020 (95%)	55 (5%)	33	34

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	THR
1	A	56	ARG
1	A	179	VAL
1	A	180	GLU
1	A	205	ASP
1	A	221	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	25	ARG
1	B	38	VAL
1	B	52	THR
1	B	57	ARG
1	B	61	MET
1	B	74	VAL
1	B	88	ARG
1	B	99	ILE
1	B	108	MET
1	B	118	ARG
1	B	179	VAL
1	B	180	GLU
1	B	215	SER
1	B	219	GLN
1	C	18	LEU
1	C	38	VAL
1	C	52	THR
1	C	56	ARG
1	C	88	ARG
1	C	108	MET
1	C	123	ASP
1	C	143	LYS
1	C	179	VAL
1	C	180	GLU
1	D	9	GLN
1	D	18	LEU
1	D	38	VAL
1	D	56	ARG
1	D	179	VAL
1	D	180	GLU
1	D	211	GLU
1	D	221	THR
1	E	25	ARG
1	E	52	THR
1	E	108	MET
1	E	115	LYS
1	E	179	VAL
1	E	180	GLU
1	F	16	VAL
1	F	25	ARG
1	F	52	THR
1	F	57	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	61	MET
1	F	88	ARG
1	F	108	MET
1	F	179	VAL
1	F	180	GLU
1	F	211	GLU
1	F	219	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	GLN
1	B	39	GLN
1	B	220	ASN
1	C	9	GLN
1	C	220	ASN
1	C	238	GLN
1	D	9	GLN
1	D	39	GLN
1	D	220	ASN
1	D	238	GLN
1	E	9	GLN
1	F	9	GLN
1	F	39	GLN
1	F	220	ASN
1	F	223	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	234/253 (92%)	-0.19	3 (1%) 74 78	15, 25, 48, 74	0
1	B	237/253 (93%)	-0.07	4 (1%) 67 71	17, 32, 53, 79	0
1	C	232/253 (91%)	-0.23	4 (1%) 67 71	17, 25, 48, 93	0
1	D	232/253 (91%)	-0.26	5 (2%) 59 63	16, 25, 49, 94	0
1	E	232/253 (91%)	-0.26	3 (1%) 74 78	16, 25, 47, 77	0
1	F	237/253 (93%)	-0.07	5 (2%) 60 64	18, 32, 56, 81	0
All	All	1404/1518 (92%)	-0.18	24 (1%) 67 71	15, 27, 53, 94	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	2	ALA	5.1
1	F	148	ASP	3.6
1	B	3	THR	3.5
1	F	2	ALA	3.4
1	D	2	ALA	3.4
1	D	209	THR	3.3
1	B	148	ASP	3.0
1	A	2	ALA	2.9
1	A	217	GLU	2.9
1	B	213	THR	2.7
1	C	2	ALA	2.6
1	E	211	GLU	2.6
1	E	2	ALA	2.5
1	D	207	ILE	2.4
1	D	211	GLU	2.4
1	F	3	THR	2.4
1	F	213	THR	2.4
1	D	210	GLY	2.3
1	C	207	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	97	GLU	2.1
1	C	209	THR	2.1
1	A	3	THR	2.1
1	E	217	GLU	2.1
1	C	211	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.