



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 01:53 PM GMT

PDB ID : 2W2X
Title : COMPLEX OF RAC2 AND PLCG2 SPPH DOMAIN
Authors : Opaleye, O.; Bunney, T.D.; Roe, S.M.; Pearl, L.H.
Deposited on : 2008-11-04
Resolution : 2.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2929 (2.30-2.30)
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)
RSRZ outliers	66119	2930 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	185	
1	B	185	
2	C	124	
3	D	124	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
5	MG	B	1179	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4380 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RAS-RELATED C3 BOTULINUM TOXIN SUBSTRATE 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	177	Total	C	N	O	S	0	0	0
			1333	859	216	252	6			
1	B	170	Total	C	N	O	S	0	0	0
			1250	806	200	239	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	12	VAL	GLY	ENGINEERED MUTATION	UNP P15153
B	12	VAL	GLY	ENGINEERED MUTATION	UNP P15153

- Molecule 2 is a protein called 1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHAT EPHOSPHODIESTERASE GAMMA-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	109	Total	C	N	O	S	0	0	0
			860	553	143	160	4			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	26	PHE	TYR	CONFLICT	UNP P16885
C	88	ASP	TYR	CONFLICT	UNP P16885


- Molecule 3 is a protein called 1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHAT EPHOSPHODIESTERASE GAMMA-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	105	Total	C	N	O	S	0	0	0
			834	536	136	158	4			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	26	PHE	TYR	CONFLICT	UNP P16885
D	88	ASP	TYR	CONFLICT	UNP P16885
D	97	LYS	ARG	CONFLICT	UNP P16885

- Molecule 4 is 5'-GUANOSINE-DIPHOSPHATE-MONOTHIOPHOSPHATE (three-letter code: GSP) (formula: C₁₀H₁₆N₅O₁₃P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	S	0	0
			32	10	5	13	3	1		
4	B	1	Total	C	N	O	P	S	0	0
			32	10	5	13	3	1		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Mg	0	0
			1	1		
5	A	1	Total	Mg	0	0
			1	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	12	Total	O	0	0
			12	12		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	11	Total 11	O 11	0	0
6	C	6	Total 6	O 6	0	0
6	D	8	Total 8	O 8	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: RAS-RELATED C3 BOTULINUM TOXIN SUBSTRATE 2

Chain A: 




• Molecule 1: RAS-RELATED C3 BOTULINUM TOXIN SUBSTRATE 2

Chain B: 




• Molecule 2: 1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATEPHOSPHODIESTERASE GAMMA-2

Chain C: 



• Molecule 3: 1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATEPHOSPHODIESTERASE GAMMA-2

Chain D: 



ASP
THR
LYS

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	131.57Å 84.46Å 74.20Å 90.00° 112.21° 90.00°	Depositor
Resolution (Å)	69.41 – 2.30 68.69 – 2.30	Depositor EDS
% Data completeness (in resolution range)	83.5 (69.41-2.30) 80.0 (68.69-2.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.24 (at 2.29Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.234 , 0.294 0.222 , 0.282	Depositor DCC
R_{free} test set	1354 reflections (5.06%)	DCC
Wilson B-factor (Å ²)	49.3	Xtriage
Anisotropy	0.818	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 55.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	2 of 26827 reflections (0.007%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4380	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GSP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	9.42	18/1358 (1.3%)	1.85	29/1856 (1.6%)
1	B	7.19	7/1276 (0.5%)	1.58	13/1753 (0.7%)
2	C	8.69	13/875 (1.5%)	1.64	19/1178 (1.6%)
3	D	6.68	8/851 (0.9%)	1.33	11/1150 (1.0%)
All	All	8.16	46/4360 (1.1%)	1.64	72/5937 (1.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
All	All	0	4

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	83	SER	CA-CB	159.79	3.92	1.52
1	B	44	VAL	C-O	159.16	4.25	1.23
1	B	51	VAL	C-O	134.19	3.78	1.23
1	A	48	SER	C-O	129.12	3.68	1.23
1	B	35	THR	C-O	113.69	3.39	1.23
2	C	41	GLU	C-O	112.56	3.37	1.23
1	A	124	ASP	C-O	110.91	3.34	1.23
3	D	55	ARG	C-O	109.74	3.31	1.23
1	A	86	SER	CA-CB	109.54	3.17	1.52
1	A	52	ASN	C-O	109.12	3.30	1.23
2	C	52	SER	CA-CB	108.32	3.15	1.52
2	C	55	ARG	C-O	105.26	3.23	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	46	VAL	C-O	83.52	2.82	1.23
3	D	74	GLN	C-O	83.18	2.81	1.23
2	C	74	GLN	C-O	78.28	2.72	1.23
1	A	130	LYS	CA-CB	75.80	3.20	1.53
3	D	97	LYS	CA-CB	75.19	3.19	1.53
1	A	83	SER	C-O	74.85	2.65	1.23
2	C	35	SER	C-O	74.72	2.65	1.23
2	C	103	GLU	CA-CB	74.27	3.17	1.53
1	A	32	TYR	C-O	72.32	2.60	1.23
1	B	25	THR	C-O	70.49	2.57	1.23
2	C	43	THR	C-O	67.38	2.51	1.23
3	D	31	ASP	C-O	66.81	2.50	1.23
1	A	86	SER	C-O	64.80	2.46	1.23
1	A	46	VAL	CA-CB	63.68	2.88	1.54
2	C	107	SER	C-O	62.20	2.41	1.23
1	A	147	LYS	C-O	61.58	2.40	1.23
3	D	107	SER	C-O	60.61	2.38	1.23
3	D	88	ASP	C-O	58.27	2.34	1.23
1	B	170	ASP	C-O	54.97	2.27	1.23
1	A	170	ASP	C-O	51.20	2.20	1.23
2	C	82	GLU	C-O	42.84	2.04	1.23
2	C	33	LYS	C-O	37.82	1.95	1.23
1	A	86	SER	C-N	31.95	1.95	1.34
3	D	88	ASP	C-N	29.43	1.90	1.34
1	B	35	THR	C-N	27.37	1.97	1.34
1	A	52	ASN	C-N	27.23	1.96	1.34
1	B	25	THR	C-N	26.98	1.96	1.34
3	D	31	ASP	C-N	26.84	1.95	1.34
1	A	147	LYS	C-N	26.46	1.94	1.34
1	A	130	LYS	C-N	24.82	1.91	1.34
1	A	83	SER	C-N	23.41	1.88	1.34
2	C	103	GLU	C-N	23.24	1.87	1.34
2	C	33	LYS	C-N	22.97	1.86	1.34
2	C	52	SER	C-N	21.70	1.83	1.34

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	83	SER	CA-CB-OG	-34.16	18.98	111.20
1	B	51	VAL	CA-C-O	-31.50	53.94	120.10
1	B	44	VAL	CA-C-O	-31.48	53.99	120.10
1	A	86	SER	N-CA-CB	29.93	155.40	110.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	86	SER	CA-CB-OG	-20.70	55.30	111.20
3	D	88	ASP	CA-C-O	20.30	162.72	120.10
2	C	52	SER	CB-CA-C	20.28	148.62	110.10
2	C	52	SER	CA-CB-OG	-20.27	56.47	111.20
1	A	83	SER	CA-C-O	19.43	160.91	120.10
2	C	33	LYS	O-C-N	-19.34	91.75	122.70
1	A	147	LYS	CA-C-O	19.15	160.31	120.10
1	B	25	THR	CA-C-O	-18.39	81.48	120.10
1	A	147	LYS	O-C-N	-17.49	94.71	122.70
2	C	103	GLU	CA-CB-CG	-17.20	75.57	113.40
1	B	35	THR	O-C-N	16.65	149.34	122.70
1	B	25	THR	O-C-N	-16.43	96.41	122.70
3	D	88	ASP	O-C-N	-16.32	90.09	121.10
1	A	83	SER	O-C-N	-14.84	98.95	122.70
3	D	97	LYS	N-CA-CB	-13.28	86.69	110.60
1	A	102	ARG	NE-CZ-NH2	13.11	126.86	120.30
1	A	102	ARG	NE-CZ-NH1	-12.74	113.93	120.30
2	C	24	ARG	NE-CZ-NH1	-12.67	113.97	120.30
2	C	24	ARG	NE-CZ-NH2	12.46	126.53	120.30
1	A	174	ARG	NE-CZ-NH1	-12.32	114.14	120.30
1	A	46	VAL	CA-CB-CG1	-12.23	92.55	110.90
1	B	174	ARG	NE-CZ-NH2	-12.12	114.24	120.30
3	D	55	ARG	NE-CZ-NH2	12.01	126.31	120.30
1	B	174	ARG	NE-CZ-NH1	11.94	126.27	120.30
3	D	55	ARG	NE-CZ-NH1	-11.62	114.49	120.30
1	B	102	ARG	NE-CZ-NH2	-11.46	114.57	120.30
1	A	174	ARG	NE-CZ-NH2	11.38	125.99	120.30
2	C	55	ARG	NE-CZ-NH1	11.20	125.90	120.30
1	B	102	ARG	NE-CZ-NH1	11.17	125.88	120.30
1	B	35	THR	CA-C-N	-10.78	93.50	117.20
2	C	55	ARG	NE-CZ-NH2	-10.27	115.17	120.30
1	A	86	SER	CB-CA-C	-10.14	90.83	110.10
1	A	52	ASN	CA-C-N	-9.90	95.41	117.20
3	D	24	ARG	NE-CZ-NH2	-9.80	115.40	120.30
2	C	41	GLU	CA-C-O	9.47	139.98	120.10
1	A	52	ASN	O-C-N	-9.35	107.73	122.70
1	A	130	LYS	CB-CA-C	-9.16	92.09	110.40
2	C	52	SER	N-CA-CB	-8.87	97.20	110.50
1	A	86	SER	CA-C-O	8.46	137.88	120.10
1	A	83	SER	CA-C-N	-7.92	99.78	117.20
2	C	103	GLU	CA-C-N	-7.84	99.95	117.20
1	A	83	SER	N-CA-CB	7.68	122.03	110.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	86	SER	O-C-N	-7.65	106.57	121.10
3	D	24	ARG	NE-CZ-NH1	7.62	124.11	120.30
1	A	147	LYS	CA-C-N	-7.40	100.93	117.20
2	C	74	GLN	CA-C-O	7.36	135.55	120.10
2	C	107	SER	CA-C-O	-7.23	104.92	120.10
3	D	74	GLN	CA-C-O	7.16	135.13	120.10
3	D	107	SER	CA-C-O	-7.04	105.33	120.10
1	A	48	SER	CA-C-O	6.78	134.34	120.10
1	A	170	ASP	CA-C-O	6.78	134.33	120.10
1	A	174	ARG	CD-NE-CZ	6.61	132.85	123.60
2	C	103	GLU	CB-CA-C	6.56	123.51	110.40
1	A	102	ARG	CD-NE-CZ	6.53	132.74	123.60
2	C	33	LYS	CA-C-N	-6.50	102.89	117.20
1	B	35	THR	C-N-CA	-6.38	105.75	121.70
2	C	24	ARG	CD-NE-CZ	6.27	132.38	123.60
1	A	52	ASN	C-N-CA	-6.25	106.07	121.70
2	C	103	GLU	N-CA-CB	-5.88	100.01	110.60
1	B	174	ARG	CD-NE-CZ	5.87	131.82	123.60
3	D	97	LYS	CA-CB-CG	-5.68	100.91	113.40
1	B	102	ARG	CD-NE-CZ	5.66	131.53	123.60
2	C	55	ARG	CD-NE-CZ	5.57	131.39	123.60
3	D	55	ARG	CD-NE-CZ	5.48	131.27	123.60
2	C	103	GLU	C-N-CA	-5.47	108.04	121.70
1	A	83	SER	CB-CA-C	-5.35	99.93	110.10
1	A	130	LYS	O-C-N	-5.31	114.20	122.70
1	A	86	SER	CA-C-N	-5.21	102.50	117.10

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	30	GLY	Peptide
1	A	31	GLU	Peptide
1	B	30	GLY	Peptide
1	B	31	GLU	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit,

and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1333	0	0	40	0
1	B	1250	0	0	20	0
2	C	860	0	0	35	0
3	D	834	0	0	21	0
4	A	32	0	0	1	0
4	B	32	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	12	0	0	1	0
6	B	11	0	0	0	0
6	C	6	0	0	0	0
6	D	8	0	0	0	0
All	All	4380	0	0	116	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 27.

All (116) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:C:52:SER:C	2:C:53:LEU:N	1.84	1.30
2:C:33:LYS:C	2:C:34:LEU:N	1.86	1.28
1:A:83:SER:C	1:A:84:LEU:N	1.87	1.27
2:C:103:GLU:C	2:C:104:TRP:N	1.87	1.27
1:A:130:LYS:C	1:A:131:GLU:N	1.91	1.23
3:D:88:ASP:C	3:D:89:PRO:N	1.90	1.23
1:A:86:SER:C	1:A:87:PRO:N	1.95	1.20
1:B:25:THR:C	1:B:26:ASN:N	1.96	1.19
1:A:52:ASN:C	1:A:53:LEU:N	1.96	1.19
1:A:147:LYS:C	1:A:148:GLU:N	1.94	1.19
3:D:31:ASP:C	3:D:32:ALA:N	1.95	1.19
1:B:35:THR:C	1:B:36:VAL:N	1.97	1.18
2:C:82:GLU:C	2:C:83:PRO:N	2.01	1.14
1:A:124:ASP:C	1:A:125:THR:N	2.00	1.14
1:A:32:TYR:C	1:A:33:ILE:N	2.01	1.12
2:C:35:SER:C	2:C:36:PHE:N	2.05	1.10
1:B:51:VAL:C	1:B:52:ASN:N	2.05	1.08
2:C:33:LYS:C	2:C:33:LYS:O	1.95	1.04
2:C:74:GLN:C	2:C:75:LYS:N	2.09	1.04
2:C:107:SER:C	2:C:108:ILE:N	2.15	0.99

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:D:74:GLN:C	3:D:75:LYS:N	2.18	0.97
2:C:82:GLU:O	2:C:82:GLU:C	2.04	0.95
3:D:107:SER:C	3:D:108:ILE:N	2.22	0.93
2:C:55:ARG:C	2:C:56:GLY:N	2.36	0.79
3:D:55:ARG:C	3:D:56:GLY:N	2.35	0.79
1:A:170:ASP:O	1:A:170:ASP:C	2.20	0.78
1:B:170:ASP:C	1:B:170:ASP:O	2.27	0.72
1:A:46:VAL:CA	1:A:47:ASP:N	2.56	0.69
1:A:170:ASP:O	1:A:174:ARG:N	2.27	0.68
1:B:35:THR:CA	1:B:36:VAL:N	2.57	0.67
3:D:88:ASP:C	3:D:88:ASP:O	2.34	0.66
1:A:32:TYR:CA	1:A:33:ILE:N	2.58	0.66
1:B:170:ASP:O	1:B:174:ARG:N	2.29	0.65
1:A:52:ASN:CA	1:A:53:LEU:N	2.60	0.65
2:C:35:SER:CA	2:C:36:PHE:N	2.60	0.65
1:A:83:SER:CA	1:A:84:LEU:N	2.62	0.63
2:C:103:GLU:CA	2:C:104:TRP:N	2.61	0.63
3:D:97:LYS:C	3:D:98:VAL:N	2.53	0.63
2:C:43:THR:N	2:C:44:MET:N	2.48	0.62
3:D:107:SER:C	3:D:107:SER:O	2.38	0.62
2:C:64:ASN:N	2:C:82:GLU:O	2.32	0.61
1:A:94:ARG:NE	1:A:148:GLU:OE2	2.34	0.61
3:D:106:GLN:OE1	3:D:109:ARG:NH1	2.33	0.61
1:B:124:ASP:N	1:B:124:ASP:OD1	2.33	0.60
1:A:147:LYS:O	1:A:147:LYS:C	2.40	0.60
2:C:103:GLU:C	2:C:104:TRP:CA	2.71	0.59
1:A:47:ASP:OD1	1:A:174:ARG:NH2	2.36	0.59
2:C:107:SER:O	2:C:107:SER:C	2.41	0.58
2:C:33:LYS:CA	2:C:34:LEU:N	2.64	0.58
1:B:2:GLN:O	1:B:51:VAL:O	2.21	0.58
3:D:55:ARG:C	3:D:56:GLY:CA	2.72	0.57
1:B:170:ASP:C	1:B:171:GLU:N	2.57	0.57
1:B:35:THR:C	1:B:36:VAL:CA	2.73	0.56
1:A:52:ASN:C	1:A:53:LEU:CA	2.74	0.56
2:C:63:TYR:CA	2:C:82:GLU:O	2.53	0.56
1:A:1:SER:O	1:A:50:PRO:O	2.23	0.56
2:C:106:GLN:OE1	2:C:109:ARG:NH1	2.39	0.56
1:A:147:LYS:CA	1:A:148:GLU:N	2.69	0.55
2:C:107:SER:CA	2:C:108:ILE:N	2.69	0.55
2:C:55:ARG:C	2:C:56:GLY:CA	2.75	0.55
1:A:86:SER:O	1:A:86:SER:C	2.46	0.54
3:D:107:SER:CA	3:D:108:ILE:N	2.69	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:D:48:ASN:OD1	3:D:48:ASN:N	2.42	0.53
1:A:86:SER:OG	1:A:86:SER:C	2.47	0.53
1:A:170:ASP:C	1:A:171:GLU:N	2.62	0.53
2:C:35:SER:C	2:C:36:PHE:CA	2.76	0.52
1:A:120:ARG:NH2	1:A:120:ARG:CG	2.72	0.52
3:D:107:SER:C	3:D:108:ILE:CA	2.78	0.52
1:B:120:ARG:CG	1:B:120:ARG:NH2	2.73	0.51
3:D:97:LYS:CA	3:D:98:VAL:N	2.73	0.51
1:A:46:VAL:CB	1:A:46:VAL:CA	2.88	0.51
1:A:86:SER:CA	1:A:87:PRO:N	2.71	0.51
3:D:31:ASP:C	3:D:31:ASP:O	2.50	0.50
2:C:40:ILE:O	2:C:42:GLN:N	2.45	0.49
1:A:46:VAL:C	1:A:47:ASP:N	2.66	0.49
2:C:43:THR:C	2:C:43:THR:O	2.51	0.49
1:A:26:ASN:ND2	6:A:2002:HOH:O	2.45	0.49
1:B:167:THR:O	1:B:171:GLU:N	2.46	0.48
1:A:16:LYS:NZ	4:A:1178:GSP:O1B	2.46	0.48
1:A:167:THR:O	1:A:171:GLU:N	2.47	0.48
2:C:107:SER:C	2:C:108:ILE:CA	2.81	0.48
2:C:113:TRP:O	2:C:114:LYS:CB	2.62	0.48
1:A:83:SER:CA	1:A:83:SER:OG	2.61	0.48
2:C:28:ALA:N	2:C:35:SER:O	2.47	0.47
3:D:31:ASP:C	3:D:32:ALA:CA	2.81	0.47
1:B:51:VAL:CA	1:B:52:ASN:N	2.77	0.47
3:D:97:LYS:O	3:D:98:VAL:N	2.48	0.47
1:A:86:SER:OG	1:A:86:SER:CA	2.63	0.46
1:A:48:SER:O	1:A:49:LYS:CB	2.63	0.46
2:C:11:GLU:OE1	2:C:24:ARG:CD	2.64	0.45
1:A:147:LYS:C	1:A:148:GLU:CA	2.82	0.45
2:C:39:ASP:C	2:C:39:ASP:OD1	2.54	0.45
1:B:110:ILE:CG2	1:B:111:ILE:N	2.79	0.45
3:D:88:ASP:CA	3:D:89:PRO:N	2.75	0.45
2:C:82:GLU:CA	2:C:83:PRO:N	2.77	0.45
2:C:52:SER:OG	2:C:52:SER:CA	2.64	0.45
2:C:41:GLU:C	2:C:42:GLN:N	2.70	0.45
1:B:98:PHE:N	1:B:99:PRO:CD	2.80	0.45
2:C:48:ASN:C	2:C:50:LEU:N	2.69	0.44
1:A:48:SER:C	1:A:49:LYS:N	2.71	0.44
3:D:45:GLU:O	3:D:46:GLU:C	2.56	0.44
1:A:110:ILE:CG2	1:A:111:ILE:N	2.80	0.44
1:B:44:VAL:N	1:B:44:VAL:O	2.51	0.43
1:B:25:THR:C	1:B:25:THR:O	2.57	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:C:38:ASP:OD2	2:C:52:SER:N	2.52	0.43
3:D:39:ASP:C	3:D:39:ASP:OD1	2.57	0.43
2:C:102:PHE:O	2:C:103:GLU:C	2.57	0.42
1:B:51:VAL:C	1:B:52:ASN:CA	2.85	0.42
1:B:18:CYS:O	1:B:22:SER:N	2.52	0.42
1:A:98:PHE:N	1:A:99:PRO:CD	2.83	0.42
1:B:120:ARG:NH1	1:B:156:GLU:OE2	2.53	0.41
1:A:130:LYS:C	1:A:131:GLU:CA	2.83	0.41
1:A:124:ASP:C	1:A:125:THR:CA	2.86	0.41
3:D:46:GLU:C	3:D:48:ASN:N	2.75	0.40
1:A:47:ASP:O	1:A:48:SER:C	2.58	0.40
1:A:42:ALA:O	1:A:53:LEU:N	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	165/185 (89%)	148 (90%)	14 (8%)	3 (2%)	13	10
1	B	163/185 (88%)	151 (93%)	11 (7%)	1 (1%)	33	39
2	C	93/124 (75%)	86 (92%)	4 (4%)	3 (3%)	6	3
3	D	93/124 (75%)	84 (90%)	3 (3%)	6 (6%)	2	0
All	All	514/618 (83%)	469 (91%)	32 (6%)	13 (2%)	9	6

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	31	GLU
2	C	47	ASP
2	C	114	LYS
3	D	50	LEU
1	B	26	ASN
3	D	49	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	D	46	GLU
1	A	26	ASN
3	D	89	PRO
1	A	2	GLN
2	C	89	PRO
3	D	31	ASP
3	D	48	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	141/159 (89%)	129 (92%)	12 (8%)	15	18
1	B	127/159 (80%)	119 (94%)	8 (6%)	25	32
2	C	87/109 (80%)	77 (88%)	10 (12%)	8	8
3	D	86/109 (79%)	78 (91%)	8 (9%)	13	14
All	All	441/536 (82%)	403 (91%)	38 (9%)	15	17

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	MET
1	A	46	VAL
1	A	51	VAL
1	A	67	LEU
1	A	83	SER
1	A	86	SER
1	A	108	THR
1	A	111	ILE
1	A	120	ARG
1	A	134	LEU
1	A	163	ARG
1	A	177	LEU
1	B	67	LEU
1	B	86	SER
1	B	108	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	111	ILE
1	B	117	LEU
1	B	120	ARG
1	B	124	ASP
1	B	134	LEU
2	C	9	GLN
2	C	31	ASP
2	C	33	LYS
2	C	46	GLU
2	C	47	ASP
2	C	52	SER
2	C	55	ARG
2	C	65	VAL
2	C	70	GLN
2	C	78	VAL
3	D	9	GLN
3	D	46	GLU
3	D	47	ASP
3	D	48	ASN
3	D	65	VAL
3	D	70	GLN
3	D	78	VAL
3	D	97	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GSP	A	1178	5	34,34,34	2.11	2 (5%)	51,54,54	2.73	12 (23%)
4	GSP	B	1178	5	34,34,34	2.18	2 (5%)	51,54,54	3.94	12 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GSP	A	1178	5	-	0/21/38/38	0/1/3/3
4	GSP	B	1178	5	-	0/21/38/38	0/1/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1178	GSP	PG-S1G	-11.04	1.70	1.90
4	A	1178	GSP	PG-S1G	-10.55	1.71	1.90
4	B	1178	GSP	C2-N3	4.14	1.38	1.33
4	A	1178	GSP	C2-N3	4.11	1.38	1.33

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1178	GSP	O3B-PG-S1G	-21.61	104.94	114.53
4	B	1178	GSP	C6-C5-N7	-14.08	132.24	134.14
4	A	1178	GSP	C6-C5-N7	-11.32	132.62	134.14
4	A	1178	GSP	O3B-PG-S1G	-10.88	109.70	114.53
4	A	1178	GSP	PA-O3A-PB	-4.42	118.73	131.68
4	B	1178	GSP	N3-C4-N9	4.18	133.04	126.91
4	B	1178	GSP	C5-C4-N3	-3.86	120.34	125.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1178	GSP	C2-N3-C4	3.83	120.48	115.09
4	B	1178	GSP	C2-N3-C4	3.78	120.40	115.09
4	A	1178	GSP	N3-C4-N9	3.70	132.33	126.91
4	A	1178	GSP	C5-C4-N3	-3.43	120.97	125.94
4	A	1178	GSP	O4'-C1'-N9	3.41	111.61	108.44
4	B	1178	GSP	O3A-PB-O3B	-3.14	95.29	101.66
4	B	1178	GSP	PA-O3A-PB	-2.53	124.27	131.68
4	A	1178	GSP	PB-O3B-PG	-2.53	123.18	131.81
4	A	1178	GSP	C2'-C1'-N9	-2.51	106.83	113.27
4	B	1178	GSP	N2-C2-N1	2.35	120.45	117.86
4	B	1178	GSP	O3G-PG-S1G	-2.28	110.33	112.73
4	A	1178	GSP	C3'-C2'-C1'	2.26	104.45	100.91
4	B	1178	GSP	N7-C8-N9	-2.19	108.15	114.36
4	A	1178	GSP	N2-C2-N1	2.20	120.28	117.86
4	B	1178	GSP	C8-N9-C4	2.15	108.54	106.90
4	B	1178	GSP	O2B-PB-O3A	2.15	115.35	105.14
4	A	1178	GSP	N7-C8-N9	-2.04	108.59	114.36

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	177/185 (95%)	0.42	8 (4%)	32 42	34, 58, 102, 131	8 (4%)
1	B	170/185 (91%)	0.33	6 (3%)	42 52	41, 63, 105, 163	2 (1%)
2	C	109/124 (87%)	0.37	4 (3%)	39 50	44, 63, 96, 109	0
3	D	105/124 (84%)	0.27	3 (2%)	49 59	34, 60, 96, 131	0
All	All	561/618 (90%)	0.36	21 (3%)	39 50	34, 62, 104, 163	10 (1%)

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	51	VAL	8.8
2	C	43	THR	6.0
1	A	46	VAL	5.3
1	B	177	LEU	4.8
1	A	1	SER	4.4
2	C	113	TRP	4.0
3	D	85	GLN	3.7
1	A	129	LEU	3.5
2	C	115	ILE	3.2
1	A	83	SER	3.1
1	A	134	LEU	3.0
1	B	44	VAL	2.4
1	A	177	LEU	2.3
1	B	176	VAL	2.3
1	B	4	ILE	2.3
2	C	35	SER	2.2
3	D	49	PRO	2.2
1	B	121	ASP	2.1
3	D	51	GLY	2.1
1	A	29	PRO	2.0
1	A	105	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	MG	B	1179	1/1	0.20	2.45	46,46,46,46	0
5	MG	A	1179	1/1	0.15	0.08	47,47,47,47	0
4	GSP	A	1178	32/32	0.14	-0.56	33,58,91,107	0
4	GSP	B	1178	32/32	0.14	-0.69	32,60,83,120	4

6.5 Other polymers ⓘ

There are no such residues in this entry.