



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 03:11 PM GMT

PDB ID : 3W3Z
Title : Crystal structure of Kap121p bound to RanGTP
Authors : Kobayashi, J.; Matsuura, Y.
Deposited on : 2012-12-28
Resolution : 2.70 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1557 (2.70-2.70)
Clashscore	79885	1939 (2.70-2.70)
Ramachandran outliers	78287	1905 (2.70-2.70)
Sidechain outliers	78261	1905 (2.70-2.70)
RSRZ outliers	66119	1559 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	1089	
2	B	176	

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 9146 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Importin subunit beta-3.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	1013	Total	C	N	O	S	Se	0	0	0
			7713	4956	1250	1471	14	22			


- Molecule 2 is a protein called GTP-binding nuclear protein Ran.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	171	Total	C	N	O	S	0	0	0
			1396	905	245	242	4			

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		

- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	P	0	0
			32	10	5	14	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	4	Total	O	0	0
			4	4		

3 Residue-property plots



These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Importin subunit beta-3



• Molecule 2: GTP-binding nuclear protein Ran





4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	97.75Å 97.75Å 289.98Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.36 – 2.70 46.31 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.7 (46.36-2.70) 99.7 (46.31-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.97 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.261 , 0.298 0.261 , 0.294	Depositor DCC
R_{free} test set	2223 reflections (5.19%)	DCC
Wilson B-factor (Å ²)	76.1	Xtriage
Anisotropy	0.125	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 60.0	EDS
Estimated twinning fraction	0.032 for -h,-k,l	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 45027 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	9146	wwPDB-VP
Average B, all atoms (Å ²)	102.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.60	0/7823	0.78	4/10619 (0.0%)
2	B	0.74	0/1431	0.86	3/1931 (0.2%)
All	All	0.62	0/9254	0.79	7/12550 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	375	MSE	CA-CB-CG	-7.76	100.11	113.30
2	B	56	ARG	NE-CZ-NH2	-5.94	117.33	120.30
1	A	809	MSE	CB-CG-SE	-5.71	95.58	112.70
2	B	148	ASP	CB-CG-OD2	-5.34	113.50	118.30
1	A	1014	GLN	CB-CA-C	-5.31	99.78	110.40
2	B	77	ASP	CB-CG-OD1	-5.15	113.66	118.30
1	A	558	MSE	CB-CA-C	-5.05	100.31	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7713	0	0	71	1
2	B	1396	0	0	21	0
3	B	1	0	0	0	0
4	B	32	0	12	1	0
5	B	4	0	0	1	0
All	All	9146	0	12	89	1

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 10.

All (89) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:312:MSE:SE	1:A:371:TYR:CE1	2.55	1.10
1:A:544:LYS:NZ	1:A:579:GLU:OE2	1.88	1.07
1:A:24:ASN:OD1	1:A:27:ARG:NH2	1.97	0.96
2:B:69:GLN:OE1	2:B:71:LYS:CE	2.20	0.88
1:A:21:SER:OG	1:A:23:ASP:N	2.11	0.83
1:A:336:ASP:OD2	1:A:466:ARG:NE	2.13	0.82
1:A:21:SER:OG	1:A:23:ASP:CB	2.31	0.79
1:A:384:ARG:NH2	1:A:421:HIS:CD2	2.52	0.78
2:B:107:ASP:OD1	2:B:110:ARG:NH2	2.17	0.78
1:A:544:LYS:CE	1:A:579:GLU:OE2	2.32	0.76
1:A:384:ARG:NE	1:A:419:ASP:OD1	2.19	0.75
2:B:66:THR:O	5:B:302:HOH:O	2.04	0.75
1:A:648:ASN:OD1	1:A:648:ASN:C	2.25	0.75
2:B:71:LYS:CE	2:B:72:PHE:CE2	2.75	0.69
1:A:499:LEU:CD2	1:A:535:LEU:CD1	2.71	0.68
1:A:499:LEU:CD2	1:A:535:LEU:CG	2.71	0.68
2:B:114:ASN:ND2	2:B:114:ASN:C	2.46	0.68
1:A:31:GLU:OE1	2:B:79:TYR:OH	2.12	0.67
1:A:1029:ILE:CG2	1:A:1030:SER:N	2.58	0.66
1:A:312:MSE:SE	1:A:371:TYR:CZ	3.00	0.64
1:A:21:SER:OG	1:A:23:ASP:CA	2.46	0.63
2:B:114:ASN:ND2	2:B:115:ILE:N	2.47	0.63
1:A:20:ALA:O	1:A:21:SER:C	2.33	0.62
1:A:698:LYS:CE	1:A:742:GLU:OE1	2.49	0.61
2:B:114:ASN:C	2:B:115:ILE:CG2	2.69	0.61
1:A:742:GLU:CA	1:A:742:GLU:OE2	2.49	0.60
2:B:114:ASN:O	2:B:115:ILE:CG2	2.48	0.60
1:A:902:ILE:N	1:A:903:PRO:CD	2.64	0.60
1:A:558:MSE:SE	1:A:602:LEU:CD2	3.00	0.59
1:A:858:GLU:O	1:A:861:TRP:N	2.36	0.58
1:A:336:ASP:OD2	1:A:466:ARG:NH2	2.36	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:648:ASN:OD1	1:A:649:PHE:N	2.36	0.58
1:A:1028:ASN:O	1:A:1032:VAL:CG2	2.51	0.58
2:B:73:GLY:O	2:B:75:LEU:N	2.37	0.57
1:A:636:GLN:NE2	1:A:713:LEU:CB	2.67	0.57
1:A:117:SER:O	1:A:121:LYS:NZ	2.37	0.57
1:A:898:LYS:O	1:A:902:ILE:CG1	2.53	0.57
1:A:336:ASP:OD2	1:A:466:ARG:CZ	2.54	0.56
1:A:992:TRP:O	1:A:995:THR:OG1	2.24	0.55
1:A:479:SER:CB	1:A:519:PHE:CE2	2.90	0.55
1:A:892:GLU:OE1	1:A:933:SER:OG	2.25	0.54
1:A:863:MSE:CE	1:A:867:PHE:CE2	2.89	0.54
1:A:636:GLN:NE2	1:A:713:LEU:N	2.55	0.54
2:B:22:GLY:C	2:B:89:MET:CE	2.75	0.54
1:A:914:ALA:O	1:A:963:SER:OG	2.25	0.53
1:A:528:PHE:O	1:A:532:TYR:N	2.44	0.51
1:A:851:GLY:O	1:A:854:LEU:N	2.43	0.51
2:B:6:GLU:O	2:B:7:PRO:C	2.48	0.51
1:A:893:GLN:CG	1:A:893:GLN:O	2.58	0.50
1:A:25:GLN:NE2	1:A:25:GLN:CA	2.74	0.50
1:A:1047:GLU:C	1:A:1049:GLU:N	2.61	0.50
1:A:892:GLU:CG	1:A:934:THR:CG2	2.89	0.50
1:A:322:SER:O	1:A:382:ARG:NH2	2.45	0.49
1:A:496:THR:CG2	1:A:531:TYR:CE1	2.97	0.48
1:A:710:ASP:OD2	1:A:753:LYS:NZ	2.46	0.48
1:A:859:ASN:OD1	1:A:859:ASN:N	2.46	0.48
2:B:12:LYS:NZ	2:B:79:TYR:O	2.47	0.48
1:A:861:TRP:NE1	1:A:897:MSE:SE	2.97	0.47
1:A:856:ASN:O	1:A:857:LEU:C	2.52	0.47
1:A:27:ARG:NH1	2:B:45:VAL:CG1	2.77	0.47
1:A:550:ASN:O	1:A:553:LEU:N	2.48	0.47
1:A:894:THR:O	1:A:897:MSE:N	2.48	0.46
1:A:369:PHE:CE1	1:A:412:MSE:CE	2.98	0.46
1:A:328:ALA:O	1:A:329:ALA:C	2.53	0.46
1:A:369:PHE:CD1	1:A:412:MSE:CE	2.99	0.45
1:A:406:ILE:CG2	1:A:407:PRO:CD	2.94	0.45
1:A:419:ASP:OD2	1:A:421:HIS:CD2	2.70	0.45
1:A:858:GLU:C	1:A:860:ILE:N	2.69	0.45
1:A:66:LEU:CA	2:B:81:ILE:CD1	2.94	0.45
1:A:1046:THR:OG1	1:A:1047:GLU:CA	2.64	0.44
1:A:112:SER:O	1:A:119:ARG:NH2	2.51	0.44
1:A:856:ASN:N	1:A:856:ASN:ND2	2.65	0.43
2:B:69:GLN:CD	2:B:72:PHE:CE2	2.91	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:856:ASN:O	1:A:858:GLU:N	2.52	0.43
1:A:934:THR:O	1:A:934:THR:OG1	2.35	0.43
1:A:1041:ASN:OD1	1:A:1083:LYS:NZ	2.52	0.42
1:A:649:PHE:C	1:A:651:GLN:N	2.72	0.42
2:B:67:ALA:O	2:B:76:ARG:NE	2.52	0.42
1:A:648:ASN:C	1:A:650:GLN:N	2.73	0.42
1:A:858:GLU:CG	1:A:897:MSE:CE	2.97	0.42
1:A:959:GLU:N	1:A:959:GLU:OE1	2.53	0.41
1:A:643:GLU:N	1:A:643:GLU:OE2	2.52	0.41
2:B:6:GLU:O	2:B:8:GLN:NE2	2.53	0.41
1:A:735:ALA:C	1:A:736:THR:CG2	2.88	0.41
2:B:71:LYS:CE	2:B:72:PHE:CZ	3.03	0.41
1:A:789:ASP:OD1	1:A:789:ASP:N	2.54	0.40
1:A:898:LYS:NZ	1:A:937:ASP:OD1	2.54	0.40
2:B:30:HIS:CE1	2:B:157:PHE:CE2	3.09	0.40
2:B:68:GLY:N	4:B:202:GTP:O3G	2.54	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:212:GLU:OE1	1:A:212:GLU:OE1[4_555]	1.84	0.36

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	985/1089 (90%)	945 (96%)	35 (4%)	5 (0%)	38	70
2	B	169/176 (96%)	158 (94%)	11 (6%)	0	100	100
All	All	1154/1265 (91%)	1103 (96%)	46 (4%)	5 (0%)	43	76

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	525	LYS
1	A	644	GLU
1	A	1048	ARG
1	A	524	ALA
1	A	8	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	829/923 (90%)	742 (90%)	87 (10%)	10	22
2	B	151/153 (99%)	145 (96%)	6 (4%)	42	75
All	All	980/1076 (91%)	887 (90%)	93 (10%)	12	28

All (93) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	GLN
1	A	31	GLU
1	A	59	GLN
1	A	62	THR
1	A	66	LEU
1	A	72	ARG
1	A	74	LEU
1	A	106	LEU
1	A	134	LEU
1	A	141	LEU
1	A	150	SER
1	A	171	THR
1	A	179	LEU
1	A	187	THR
1	A	219	LEU
1	A	236	ASP
1	A	239	LEU
1	A	277	LEU
1	A	286	LEU
1	A	288	LEU
1	A	291	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	298	GLN
1	A	326	ASP
1	A	336	ASP
1	A	352	LEU
1	A	405	GLU
1	A	417	ILE
1	A	488	GLU
1	A	526	ASN
1	A	535	LEU
1	A	538	LEU
1	A	539	LEU
1	A	552	VAL
1	A	553	LEU
1	A	578	GLN
1	A	587	LEU
1	A	637	ASP
1	A	642	GLU
1	A	643	GLU
1	A	644	GLU
1	A	648	ASN
1	A	649	PHE
1	A	650	GLN
1	A	661	GLN
1	A	689	LEU
1	A	706	LEU
1	A	713	LEU
1	A	724	LEU
1	A	729	LEU
1	A	733	LEU
1	A	742	GLU
1	A	753	LYS
1	A	759	MSE
1	A	779	LYS
1	A	783	ASP
1	A	784	ASN
1	A	789	ASP
1	A	811	ASP
1	A	854	LEU
1	A	856	ASN
1	A	857	LEU
1	A	861	TRP
1	A	868	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	869	LEU
1	A	894	THR
1	A	896	SER
1	A	897	MSE
1	A	902	ILE
1	A	904	LYS
1	A	921	SER
1	A	934	THR
1	A	945	THR
1	A	950	VAL
1	A	955	SER
1	A	959	GLU
1	A	960	ASN
1	A	971	ILE
1	A	979	ASN
1	A	987	THR
1	A	989	THR
1	A	1014	GLN
1	A	1027	SER
1	A	1028	ASN
1	A	1045	LEU
1	A	1056	SER
1	A	1066	SER
1	A	1080	ILE
2	B	9	VAL
2	B	77	ASP
2	B	113	GLU
2	B	114	ASN
2	B	115	ILE
2	B	143	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GTP	B	202	3	34,34,34	1.41	5 (14%)	51,54,54	2.56	12 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GTP	B	202	3	-	0/22/38/38	0/1/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	202	GTP	C6-C5	3.96	1.47	1.41
4	B	202	GTP	C5-C4	3.17	1.47	1.40
4	B	202	GTP	C4-N9	-2.20	1.34	1.37
4	B	202	GTP	C2-N2	2.20	1.35	1.32
4	B	202	GTP	PA-O3A	-2.16	1.56	1.59

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	202	GTP	C6-C5-N7	12.25	135.79	134.14
4	B	202	GTP	N3-C4-N9	5.89	135.55	126.91
4	B	202	GTP	C5-C4-N3	-5.43	118.07	125.94
4	B	202	GTP	C2-N3-C4	5.00	122.11	115.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	202	GTP	O5'-PA-O1A	-3.83	94.36	109.37
4	B	202	GTP	O3G-PG-O2G	2.86	118.75	107.61
4	B	202	GTP	PA-O3A-PB	-2.74	123.66	131.68
4	B	202	GTP	C3'-C2'-C1'	2.59	104.96	100.91
4	B	202	GTP	O4'-C1'-C2'	-2.42	103.07	106.77
4	B	202	GTP	C4'-O4'-C1'	2.29	112.24	109.75
4	B	202	GTP	C4-C5-N7	-2.08	107.74	109.52
4	B	202	GTP	O2B-PB-O3B	2.05	114.89	105.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1013/1089 (93%)	0.67	131 (12%) 4 4	46, 103, 161, 245	0
2	B	171/176 (97%)	0.54	12 (7%) 16 17	50, 78, 122, 147	0
All	All	1184/1265 (93%)	0.65	143 (12%) 5 5	46, 98, 158, 245	0

All (143) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	168	TYR	6.2
1	A	259	ASP	6.1
1	A	1047	GLU	5.5
1	A	91	ILE	5.2
1	A	478	PHE	5.0
1	A	257	PHE	4.9
1	A	216	LEU	4.8
1	A	256	LEU	4.7
1	A	208	LEU	4.7
1	A	486	ILE	4.5
1	A	92	THR	4.5
1	A	1069	ALA	4.5
1	A	487	LEU	4.4
1	A	312	MSE	4.3
1	A	1066	SER	4.2
1	A	49	THR	4.2
1	A	295	ASN	4.0
1	A	909	LEU	3.9
1	A	899	ASN	3.9
1	A	494	LEU	3.8
1	A	924	ILE	3.7
1	A	169	LEU	3.6
1	A	316	ILE	3.5
1	A	44	ILE	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	405	GLU	3.4
1	A	400	ASP	3.3
1	A	42	ASN	3.3
1	A	1080	ILE	3.3
1	A	187	THR	3.2
1	A	205	PHE	3.2
1	A	186	PHE	3.2
1	A	401	VAL	3.1
1	A	650	GLN	3.1
1	A	895	ALA	3.1
2	B	131	VAL	3.1
1	A	652	TYR	3.0
2	B	127	LYS	3.0
1	A	1088	PHE	3.0
2	B	114	ASN	3.0
1	A	179	LEU	3.0
1	A	957	LEU	3.0
1	A	509	VAL	3.0
1	A	263	GLN	3.0
1	A	806	TYR	3.0
1	A	4	LEU	2.9
1	A	385	PHE	2.9
1	A	649	PHE	2.9
1	A	313	VAL	2.9
1	A	1085	HIS	2.9
1	A	299	MSE	2.9
1	A	277	LEU	2.9
2	B	75	LEU	2.9
2	B	128	ASP	2.8
1	A	364	LEU	2.8
1	A	98	VAL	2.8
1	A	262	ASP	2.8
1	A	951	ASP	2.8
1	A	874	ILE	2.8
1	A	97	GLU	2.8
1	A	276	ASP	2.7
1	A	201	PHE	2.7
1	A	261	PHE	2.7
1	A	352	LEU	2.7
1	A	1082	GLU	2.7
1	A	1053	VAL	2.7
1	A	961	ARG	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1037	ILE	2.7
1	A	391	LEU	2.7
1	A	191	ASP	2.7
1	A	218	ILE	2.7
1	A	432	LEU	2.6
1	A	955	SER	2.6
1	A	170	ILE	2.6
1	A	298	GLN	2.6
1	A	424	VAL	2.6
1	A	1070	MSE	2.6
1	A	41	GLU	2.6
1	A	292	PHE	2.6
1	A	502	LEU	2.6
1	A	230	PHE	2.6
1	A	894	THR	2.6
1	A	371	TYR	2.6
1	A	5	PRO	2.5
2	B	44	GLY	2.5
2	B	92	VAL	2.5
1	A	281	ALA	2.5
1	A	1078	ALA	2.5
1	A	338	ASP	2.5
1	A	351	ALA	2.5
1	A	160	PHE	2.5
2	B	74	GLY	2.5
1	A	912	PRO	2.4
1	A	657	VAL	2.4
1	A	954	GLY	2.4
1	A	317	MSE	2.4
1	A	660	VAL	2.4
1	A	1072	ILE	2.4
1	A	236	ASP	2.4
1	A	238	ALA	2.4
1	A	193	VAL	2.4
1	A	435	ILE	2.4
1	A	946	LEU	2.4
1	A	188	ASP	2.3
1	A	204	TYR	2.3
1	A	974	ILE	2.3
1	A	1045	LEU	2.3
1	A	976	TYR	2.3
2	B	119	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	126	ILE	2.3
1	A	982	ILE	2.2
2	B	112	CYS	2.2
1	A	271	VAL	2.2
1	A	664	HIS	2.2
1	A	474	ALA	2.2
1	A	264	ILE	2.2
2	B	28	LYS	2.2
1	A	1040	LEU	2.2
1	A	61	THR	2.2
1	A	939	CYS	2.2
1	A	905	VAL	2.2
1	A	227	LEU	2.2
1	A	219	LEU	2.1
1	A	444	GLN	2.1
1	A	662	GLY	2.1
1	A	62	THR	2.1
1	A	129	CYS	2.1
1	A	949	ILE	2.1
2	B	115	ILE	2.1
1	A	223	LEU	2.1
1	A	225	ASN	2.1
1	A	213	TRP	2.1
1	A	224	LEU	2.1
1	A	659	GLN	2.1
1	A	1027	SER	2.1
1	A	209	PRO	2.0
1	A	959	GLU	2.0
1	A	1033	VAL	2.0
1	A	471	ALA	2.0
1	A	260	MSE	2.0
1	A	344	THR	2.0
1	A	910	ILE	2.0
1	A	402	LEU	2.0
1	A	490	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	GTP	B	202	32/32	0.18	-0.23	58,78,102,120	0
3	MG	B	201	1/1	0.08	-2.55	50,50,50,50	0

6.5 Other polymers

There are no such residues in this entry.