



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 04:46 PM GMT

PDB ID : 3WCK
Title : Crystal structure of monomeric photosensitizing fluorescent protein, Supernova
Authors : Sakai, N.; Matsuda, T.; Takemoto, K.; Nagai, T.
Deposited on : 2013-05-27
Resolution : 2.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2929 (2.30-2.30)
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)
RSRZ outliers	66119	2930 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	271	
1	B	271	
1	C	271	
1	D	271	
1	E	271	
1	F	271	
1	G	271	
1	H	271	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 14303 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Monomeric photosensitizing fluorescent protein supernova.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	218	Total	C	N	O	S	0	0	0
			1718	1087	295	322	14			
1	B	218	Total	C	N	O	S	0	0	0
			1718	1087	295	322	14			
1	C	221	Total	C	N	O	S	0	0	0
			1744	1100	302	328	14			
1	D	218	Total	C	N	O	S	0	0	0
			1718	1087	295	322	14			
1	E	218	Total	C	N	O	S	0	0	0
			1718	1087	295	322	14			
1	F	218	Total	C	N	O	S	0	0	0
			1721	1087	298	322	14			
1	G	220	Total	C	N	O	S	0	0	0
			1740	1099	303	324	14			
1	H	218	Total	C	N	O	S	0	0	0
			1718	1087	295	322	14			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	65	CRQ	GLN	CHROMOPHORE	PDB 3WCK
A	65	CRQ	TYR	CHROMOPHORE	PDB 3WCK
A	65	CRQ	GLY	CHROMOPHORE	PDB 3WCK
B	65	CRQ	GLN	CHROMOPHORE	PDB 3WCK
B	65	CRQ	TYR	CHROMOPHORE	PDB 3WCK
B	65	CRQ	GLY	CHROMOPHORE	PDB 3WCK
C	65	CRQ	GLN	CHROMOPHORE	PDB 3WCK
C	65	CRQ	TYR	CHROMOPHORE	PDB 3WCK
C	65	CRQ	GLY	CHROMOPHORE	PDB 3WCK
D	65	CRQ	GLN	CHROMOPHORE	PDB 3WCK
D	65	CRQ	TYR	CHROMOPHORE	PDB 3WCK
D	65	CRQ	GLY	CHROMOPHORE	PDB 3WCK
E	65	CRQ	GLN	CHROMOPHORE	PDB 3WCK


Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	65	CRQ	TYR	CHROMOPHORE	PDB 3WCK
E	65	CRQ	GLY	CHROMOPHORE	PDB 3WCK
F	65	CRQ	GLN	CHROMOPHORE	PDB 3WCK
F	65	CRQ	TYR	CHROMOPHORE	PDB 3WCK
F	65	CRQ	GLY	CHROMOPHORE	PDB 3WCK
G	65	CRQ	GLN	CHROMOPHORE	PDB 3WCK
G	65	CRQ	TYR	CHROMOPHORE	PDB 3WCK
G	65	CRQ	GLY	CHROMOPHORE	PDB 3WCK
H	65	CRQ	GLN	CHROMOPHORE	PDB 3WCK
H	65	CRQ	TYR	CHROMOPHORE	PDB 3WCK
H	65	CRQ	GLY	CHROMOPHORE	PDB 3WCK


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	58	Total O 58 58	0	0
2	B	58	Total O 58 58	0	0
2	C	66	Total O 66 66	0	0
2	D	69	Total O 69 69	0	0
2	E	60	Total O 60 60	0	0
2	F	75	Total O 75 75	0	0
2	G	61	Total O 61 61	0	0
2	H	61	Total O 61 61	0	0




- Molecule 1: Monomeric photosensitizing fluorescent protein supernova

Chain E:




- Molecule 1: Monomeric photosensitizing fluorescent protein supernova

Chain F:




- Molecule 1: Monomeric photosensitizing fluorescent protein supernova


Chain G:



- Molecule 1: Monomeric photosensitizing fluorescent protein supernova

Chain H:





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	60.25Å 89.30Å 109.89Å 70.57° 89.95° 71.62°	Depositor
Resolution (Å)	20.00 – 2.30 36.67 – 2.30	Depositor EDS
% Data completeness (in resolution range)	97.5 (20.00-2.30) 97.6 (36.67-2.30)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.33 (at 2.31Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.181 , 0.234 0.188 , 0.235	Depositor DCC
R_{free} test set	4432 reflections (5.30%)	DCC
Wilson B-factor (Å ²)	25.0	Xtriage
Anisotropy	0.244	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 24.5	EDS
Estimated twinning fraction	0.167 for h,h-k,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 88063 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	14303	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 36.44 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 4.9966e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CRQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	0/1740	0.84	1/2358 (0.0%)
1	B	0.74	0/1740	0.85	2/2358 (0.1%)
1	C	0.79	0/1766	0.93	5/2391 (0.2%)
1	D	0.77	0/1740	0.90	2/2358 (0.1%)
1	E	0.76	0/1740	0.86	3/2358 (0.1%)
1	F	0.76	0/1743	0.88	3/2361 (0.1%)
1	G	0.77	0/1762	0.93	3/2386 (0.1%)
1	H	0.75	0/1740	0.86	1/2358 (0.0%)
All	All	0.76	0/13971	0.88	20/18928 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	1
1	D	0	1
1	F	0	1
1	G	0	1
All	All	0	5

There are no bond length outliers.

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	94	ARG	NE-CZ-NH2	-11.13	114.73	120.30
1	G	94	ARG	NE-CZ-NH1	9.13	124.87	120.30
1	D	94	ARG	NE-CZ-NH2	-8.32	116.14	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	94	ARG	NE-CZ-NH1	7.58	124.09	120.30
1	C	21	GLU	CA-CB-CG	7.20	129.25	113.40
1	C	211	ARG	NE-CZ-NH1	7.17	123.89	120.30
1	E	90	LEU	CA-CB-CG	6.59	130.46	115.30
1	E	141	ASP	CB-CA-C	-6.43	97.53	110.40
1	C	41	ASP	CB-CG-OD1	6.14	123.83	118.30
1	G	41	ASP	CB-CG-OD1	5.98	123.68	118.30
1	C	211	ARG	NE-CZ-NH2	-5.91	117.34	120.30
1	F	120	ARG	NE-CZ-NH1	5.88	123.24	120.30
1	B	120	ARG	NE-CZ-NH2	-5.48	117.56	120.30
1	B	120	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	H	90	LEU	CA-CB-CG	5.38	127.67	115.30
1	A	141	ASP	CB-CG-OD1	5.23	123.01	118.30
1	C	90	LEU	CA-CB-CG	5.21	127.30	115.30
1	E	158	ARG	NE-CZ-NH1	5.19	122.89	120.30
1	F	90	LEU	CA-CB-CG	5.12	127.09	115.30
1	F	21	GLU	N-CA-CB	-5.06	101.50	110.60

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	64	ILE	Mainchain
1	C	64	ILE	Mainchain
1	D	64	ILE	Mainchain
1	F	64	ILE	Mainchain
1	G	64	ILE	Mainchain

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1718	0	1627	17	0
1	B	1718	0	1627	26	0
1	C	1744	0	1654	20	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1718	0	1627	27	0
1	E	1718	0	1627	17	0
1	F	1721	0	1629	15	0
1	G	1740	0	1653	22	0
1	H	1718	0	1626	14	0
2	A	58	0	0	0	0
2	B	58	0	0	1	0
2	C	66	0	0	2	0
2	D	69	0	0	1	0
2	E	60	0	0	1	0
2	F	75	0	0	2	0
2	G	61	0	0	1	0
2	H	61	0	0	2	0
All	All	14303	0	13070	147	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 5.

All (147) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:H:65:CRQ:HE11	1:H:216:GLN:HE21	1.20	0.89
1:E:227:ARG:HB3	1:E:228:ILE:HA	1.64	0.79
1:A:51:GLY:O	1:A:212:ASP:HB3	1.84	0.77
1:F:61:CYS:HA	1:F:216:GLN:HE22	1.53	0.73
1:E:61:CYS:HA	1:E:216:GLN:HE22	1.53	0.71
1:A:58:LYS:HB2	1:A:59:PRO:HD3	1.73	0.71
1:F:203:GLN:HE21	1:F:216:GLN:NE2	1.92	0.68
1:F:62:HIS:HD2	1:F:94:ARG:HH11	1.44	0.66
1:A:50:THR:HG23	1:A:52:LYS:H	1.61	0.65
1:H:51:GLY:O	1:H:212:ASP:HB3	1.97	0.65
1:G:94:ARG:HD3	1:G:179:SER:OG	1.96	0.65
1:F:2:GLU:HA	1:F:2:GLU:OE1	1.97	0.65
1:B:90:LEU:HD13	1:B:110:TYR:HB2	1.80	0.63
1:C:62:HIS:HD2	1:C:94:ARG:HH11	1.47	0.63
1:C:58:LYS:NZ	2:C:361:HOH:O	2.34	0.61
1:A:65:CRQ:HE11	1:A:216:GLN:HE21	1.49	0.61
1:D:201:THR:HG22	2:D:306:HOH:O	2.01	0.60
1:A:62:HIS:HD2	1:A:94:ARG:HH11	1.50	0.60
1:G:65:CRQ:HE11	1:G:216:GLN:HE21	1.49	0.59
1:H:65:CRQ:HE1	1:H:201:THR:HG21	1.85	0.58
1:H:95:THR:HG22	2:H:361:HOH:O	2.03	0.58
1:D:227:ARG:H	1:D:227:ARG:HD3	1.69	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:100:ASN:ND2	1:C:26:LYS:H	2.02	0.57
1:F:39:HIS:O	1:F:73:ARG:HD3	2.05	0.57
1:D:217:ARG:NH1	1:H:228:ILE:HG23	2.20	0.57
1:D:26:LYS:H	1:E:100:ASN:ND2	2.04	0.56
1:E:62:HIS:HD2	1:E:94:ARG:HH11	1.53	0.56
1:B:203:GLN:HE21	1:B:216:GLN:NE2	2.03	0.56
1:C:209:ASP:N	1:C:209:ASP:OD1	2.39	0.56
1:D:58:LYS:HB2	1:D:59:PRO:HD3	1.89	0.55
1:F:203:GLN:HE21	1:F:216:GLN:HE21	1.54	0.55
1:G:30:VAL:HG23	1:G:47:VAL:HG22	1.89	0.55
1:B:88:GLU:HG2	1:B:183:PHE:CE1	2.40	0.55
1:B:62:HIS:HD2	1:B:94:ARG:HH11	1.55	0.54
1:C:16:ILE:HD13	1:C:64:ILE:HA	1.90	0.54
1:E:60:ILE:HD13	1:E:60:ILE:N	2.23	0.54
1:H:204:THR:HG22	2:H:349:HOH:O	2.08	0.53
1:D:92:ILE:HG12	1:D:181:MET:HG2	1.90	0.53
1:D:86:PHE:HB3	1:D:87:PRO:HA	1.90	0.53
1:H:62:HIS:HD2	1:H:94:ARG:HH11	1.55	0.53
1:E:203:GLN:HE21	1:E:216:GLN:NE2	2.06	0.53
1:A:217:ARG:NH1	1:B:228:ILE:HG23	2.24	0.52
1:G:3:VAL:HG12	1:G:87:PRO:HD3	1.91	0.52
1:D:95:THR:HG21	1:D:97:ARG:CZ	2.39	0.52
1:E:146:GLU:CG	1:G:146:GLU:HG2	2.40	0.52
1:G:134:ILE:HG22	1:G:135:MET:CE	2.39	0.52
1:G:64:ILE:O	1:G:65:CRQ:HG11	2.09	0.51
1:A:65:CRQ:NE1	1:A:218:GLU:HB2	2.26	0.51
1:E:146:GLU:HG3	1:G:146:GLU:HG2	1.93	0.51
1:B:58:LYS:HB2	1:B:59:PRO:HD3	1.92	0.51
1:C:58:LYS:HD3	1:C:203:GLN:OE1	2.12	0.50
1:C:58:LYS:HB2	1:C:59:PRO:HD3	1.95	0.49
1:G:16:ILE:HD13	1:G:64:ILE:HA	1.95	0.49
1:B:61:CYS:HA	1:B:216:GLN:HE22	1.77	0.49
1:F:58:LYS:HB2	1:F:59:PRO:HD3	1.94	0.49
1:B:82:ALA:HB2	1:B:181:MET:HE1	1.95	0.48
1:D:155:ASN:HA	1:D:191:ILE:HD11	1.94	0.48
1:E:58:LYS:HB2	1:E:59:PRO:HD3	1.95	0.48
1:G:3:VAL:HG12	1:G:87:PRO:CD	2.44	0.48
1:H:133:PRO:HG2	1:H:173:MET:HE2	1.94	0.48
1:C:70:PHE:CZ	1:C:117:VAL:HG11	2.48	0.48
1:F:70:PHE:CZ	1:F:117:VAL:HG11	2.48	0.48
1:H:64:ILE:O	1:H:65:CRQ:HG11	2.14	0.48
1:G:62:HIS:HD2	1:G:94:ARG:HH21	1.61	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:53:LEU:O	1:C:211:ARG:NH2	2.47	0.48
1:G:154:PRO:O	1:G:191:ILE:HD11	2.14	0.48
1:D:108:HIS:CD2	1:D:108:HIS:N	2.82	0.48
1:B:65:CRQ:NE1	1:B:218:GLU:HB2	2.28	0.48
1:A:228:ILE:HG23	1:B:217:ARG:NH1	2.29	0.47
1:H:125:CYS:HB3	1:H:128:PHE:CE1	2.49	0.47
1:F:133:PRO:HG2	1:F:173:MET:HE2	1.95	0.47
1:H:88:GLU:OE2	1:H:187:ARG:NE	2.46	0.47
1:D:62:HIS:O	1:D:94:ARG:NH2	2.48	0.47
1:G:70:PHE:CZ	1:G:117:VAL:HG11	2.49	0.47
1:D:58:LYS:HG3	1:D:139:LEU:HB2	1.96	0.47
1:C:204:THR:HG22	2:C:334:HOH:O	2.14	0.47
1:A:150:PHE:CD1	1:B:172:LYS:HE2	2.50	0.47
1:C:62:HIS:CD2	1:C:94:ARG:HH11	2.31	0.46
1:D:228:ILE:HG22	1:H:202:LYS:NZ	2.30	0.46
1:D:70:PHE:CZ	1:D:117:VAL:HG11	2.49	0.46
1:G:134:ILE:HG22	1:G:135:MET:HE2	1.97	0.46
1:D:94:ARG:HD2	1:D:179:SER:HB2	1.98	0.45
1:F:114:ASP:HB3	2:F:354:HOH:O	2.14	0.45
1:B:92:ILE:HG12	1:B:181:MET:HG2	1.98	0.45
1:F:119:SER:HB2	2:F:329:HOH:O	2.17	0.45
1:G:141:ASP:HB2	1:G:166:THR:OG1	2.16	0.45
1:A:13:THR:HA	1:A:34:SER:HA	1.99	0.45
1:D:92:ILE:HD12	1:D:110:TYR:HE1	1.82	0.45
1:F:96:VAL:HB	1:F:104:MET:HG2	1.99	0.45
1:A:198:THR:O	1:A:220:ALA:HA	2.17	0.45
1:D:94:ARG:CD	1:D:179:SER:HB2	2.46	0.44
1:F:129:GLN:HE21	1:F:129:GLN:HA	1.82	0.44
1:C:189:ILE:HD13	1:C:189:ILE:HG21	1.72	0.44
1:E:141:ASP:HB2	1:E:166:THR:HB	1.99	0.44
1:G:94:ARG:CD	1:G:179:SER:OG	2.64	0.44
1:C:87:PRO:HD2	1:C:88:GLU:OE2	2.18	0.44
1:A:64:ILE:O	1:A:65:CRQ:HG11	2.17	0.44
1:D:62:HIS:HD2	1:D:94:ARG:HH21	1.64	0.44
1:D:18:ILE:HB	1:D:29:ILE:HB	2.00	0.43
1:D:37:PHE:CD1	1:D:38:PRO:HA	2.52	0.43
1:G:58:LYS:CB	1:G:59:PRO:HD3	2.49	0.43
1:B:51:GLY:O	1:B:212:ASP:HB3	2.19	0.43
1:C:149:MET:HG3	1:C:159:GLN:HG3	2.01	0.43
1:B:13:THR:HA	1:B:34:SER:HA	2.00	0.43
1:C:110:TYR:CD2	1:C:119:SER:HB3	2.54	0.43
1:A:22:VAL:HG13	1:A:22:VAL:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:47:VAL:HG22	1:D:213:HIS:HB2	2.00	0.43
1:B:203:GLN:HE21	1:B:216:GLN:HE21	1.66	0.42
1:E:95:THR:HG23	2:E:307:HOH:O	2.19	0.42
1:E:203:GLN:HE21	1:E:216:GLN:HE21	1.67	0.42
1:C:65:CRQ:HD1	1:C:65:CRQ:N2	2.35	0.42
1:G:81:PHE:CE1	1:G:189:ILE:HD13	2.54	0.42
1:D:92:ILE:HB	1:D:108:HIS:HB2	2.01	0.42
1:B:109:THR:O	1:B:119:SER:HA	2.19	0.42
1:F:62:HIS:CD2	1:F:94:ARG:HH11	2.32	0.42
1:G:65:CRQ:HB11	1:G:218:GLU:OE2	2.19	0.42
1:A:58:LYS:HB2	1:A:59:PRO:CD	2.46	0.42
1:H:13:THR:HA	1:H:34:SER:HA	2.02	0.42
1:E:65:CRQ:HD1	1:E:65:CRQ:N2	2.35	0.42
1:G:62:HIS:O	1:G:94:ARG:NH2	2.53	0.41
1:B:200:ILE:O	1:B:218:GLU:HA	2.20	0.41
1:B:131:ASP:OD1	1:B:131:ASP:N	2.47	0.41
1:H:173:MET:HE2	1:H:173:MET:HB2	1.95	0.41
1:A:47:VAL:HG22	1:A:213:HIS:HB2	2.02	0.41
1:B:88:GLU:HG3	1:B:185:GLY:HA3	2.02	0.41
1:E:133:PRO:HG2	1:E:173:MET:CE	2.50	0.41
1:F:84:GLU:HB3	1:F:189:ILE:HG13	2.02	0.41
1:B:133:PRO:HG2	1:B:173:MET:HE2	2.02	0.41
1:C:108:HIS:CD2	1:C:108:HIS:N	2.89	0.41
1:D:26:LYS:H	1:E:100:ASN:HD21	1.67	0.41
1:D:92:ILE:HD12	1:D:110:TYR:CE1	2.55	0.41
1:E:65:CRQ:NE1	1:E:218:GLU:HB2	2.36	0.41
1:G:152:HIS:O	1:G:156:ALA:HB3	2.21	0.41
1:B:36:LYS:HD2	2:B:354:HOH:O	2.20	0.41
1:B:90:LEU:N	1:B:90:LEU:CD1	2.84	0.41
1:A:108:HIS:N	1:A:108:HIS:CD2	2.89	0.41
1:G:54:PRO:C	2:G:354:HOH:O	2.59	0.41
1:D:110:TYR:CD2	1:D:119:SER:HB3	2.56	0.40
1:D:96:VAL:HA	1:D:176:HIS:O	2.22	0.40
1:D:149:MET:O	1:D:194:PRO:HA	2.21	0.40
1:C:64:ILE:O	1:C:65:CRQ:HG11	2.22	0.40
1:E:203:GLN:CG	1:E:216:GLN:HE21	2.35	0.40
1:B:96:VAL:HA	1:B:176:HIS:O	2.21	0.40
1:C:8:PHE:HA	1:C:12:MET:SD	2.62	0.40
1:B:100:ASN:HD22	1:C:26:LYS:H	1.68	0.40
1:B:47:VAL:HG22	1:B:213:HIS:HB3	2.02	0.40
1:A:13:THR:HG22	1:A:34:SER:HB3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	213/271 (79%)	207 (97%)	6 (3%)	0	100	100
1	B	213/271 (79%)	203 (95%)	10 (5%)	0	100	100
1	C	216/271 (80%)	206 (95%)	10 (5%)	0	100	100
1	D	213/271 (79%)	203 (95%)	10 (5%)	0	100	100
1	E	213/271 (79%)	205 (96%)	8 (4%)	0	100	100
1	F	213/271 (79%)	205 (96%)	7 (3%)	1 (0%)	38	45
1	G	215/271 (79%)	209 (97%)	6 (3%)	0	100	100
1	H	213/271 (79%)	208 (98%)	5 (2%)	0	100	100
All	All	1709/2168 (79%)	1646 (96%)	62 (4%)	1 (0%)	59	72

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	114	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/232 (81%)	180 (96%)	8 (4%)	40	52
1	B	188/232 (81%)	175 (93%)	13 (7%)	22	27
1	C	191/232 (82%)	179 (94%)	12 (6%)	25	32
1	D	188/232 (81%)	181 (96%)	7 (4%)	45	60
1	E	188/232 (81%)	176 (94%)	12 (6%)	25	31
1	F	188/232 (81%)	179 (95%)	9 (5%)	35	46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	190/232 (82%)	183 (96%)	7 (4%)	45	60
1	H	188/232 (81%)	179 (95%)	9 (5%)	35	46
All	All	1509/1856 (81%)	1432 (95%)	77 (5%)	33	43

All (77) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	THR
1	A	52	LYS
1	A	70	PHE
1	A	173	MET
1	A	177	PHE
1	A	212	ASP
1	A	214	VAL
1	A	224	SER
1	B	28	THR
1	B	52	LYS
1	B	70	PHE
1	B	76	ASP
1	B	88	GLU
1	B	90	LEU
1	B	91	SER
1	B	103	THR
1	B	131	ASP
1	B	186	SER
1	B	190	GLU
1	B	224	SER
1	B	225	VAL
1	C	1(B)	SER
1	C	21	GLU
1	C	36	LYS
1	C	70	PHE
1	C	90	LEU
1	C	143	LEU
1	C	204	THR
1	C	209	ASP
1	C	211	ARG
1	C	214	VAL
1	C	224	SER
1	C	227	ARG
1	D	36	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	70	PHE
1	D	94	ARG
1	D	111	GLU
1	D	201	THR
1	D	225	VAL
1	D	227	ARG
1	E	21	GLU
1	E	49	GLU
1	E	52	LYS
1	E	60	ILE
1	E	70	PHE
1	E	73	ARG
1	E	76	ASP
1	E	90	LEU
1	E	103	THR
1	E	111	GLU
1	E	158	ARG
1	E	212	ASP
1	F	70	PHE
1	F	73	ARG
1	F	90	LEU
1	F	114	ASP
1	F	129	GLN
1	F	173	MET
1	F	189	ILE
1	F	190	GLU
1	F	214	VAL
1	G	21	GLU
1	G	70	PHE
1	G	94	ARG
1	G	155	ASN
1	G	202	LYS
1	G	205	ARG
1	G	214	VAL
1	H	70	PHE
1	H	90	LEU
1	H	111	GLU
1	H	169	ASP
1	H	173	MET
1	H	177	PHE
1	H	186	SER
1	H	214	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	225	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	62	HIS
1	A	124	ASN
1	A	129	GLN
1	A	184	ASN
1	B	62	HIS
1	B	100	ASN
1	B	124	ASN
1	B	216	GLN
1	C	62	HIS
1	D	25	GLN
1	D	62	HIS
1	D	176	HIS
1	D	203	GLN
1	D	216	GLN
1	E	62	HIS
1	E	100	ASN
1	E	129	GLN
1	E	184	ASN
1	E	216	GLN
1	F	62	HIS
1	F	100	ASN
1	F	129	GLN
1	F	184	ASN
1	F	216	GLN
1	G	62	HIS
1	G	138	GLN
1	G	155	ASN
1	H	62	HIS
1	H	124	ASN
1	H	184	ASN
1	H	203	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CRQ	A	65	1	25,25,26	6.32	7 (28%)	32,34,36	3.77	7 (21%)
1	CRQ	B	65	1	25,25,26	6.19	5 (20%)	32,34,36	4.03	9 (28%)
1	CRQ	C	65	1	25,25,26	5.58	5 (20%)	32,34,36	3.98	10 (31%)
1	CRQ	D	65	1	25,25,26	6.25	6 (24%)	32,34,36	3.98	7 (21%)
1	CRQ	E	65	1	25,25,26	5.90	5 (20%)	32,34,36	4.35	9 (28%)
1	CRQ	F	65	1	25,25,26	6.01	7 (28%)	32,34,36	3.92	10 (31%)
1	CRQ	G	65	1	25,25,26	5.76	5 (20%)	32,34,36	4.18	11 (34%)
1	CRQ	H	65	1	25,25,26	5.97	5 (20%)	32,34,36	3.48	9 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CRQ	A	65	1	-	0/10/32/33	0/2/2/2
1	CRQ	B	65	1	-	0/10/32/33	0/2/2/2
1	CRQ	C	65	1	-	0/10/32/33	0/2/2/2
1	CRQ	D	65	1	-	0/10/32/33	0/2/2/2
1	CRQ	E	65	1	-	0/10/32/33	0/2/2/2
1	CRQ	F	65	1	-	0/10/32/33	0/2/2/2
1	CRQ	G	65	1	-	0/10/32/33	0/2/2/2
1	CRQ	H	65	1	-	0/10/32/33	0/2/2/2

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	65	CRQ	O-C	23.56	1.27	1.11
1	D	65	CRQ	O-C	23.11	1.27	1.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	65	CRQ	O-C	23.09	1.27	1.11
1	A	65	CRQ	O-C	22.52	1.27	1.11
1	B	65	CRQ	O-C	21.83	1.26	1.11
1	G	65	CRQ	O-C	21.16	1.26	1.11
1	A	65	CRQ	CB2-CA2	20.98	1.49	1.35
1	H	65	CRQ	O-C	20.84	1.25	1.11
1	B	65	CRQ	CB2-CA2	20.65	1.49	1.35
1	H	65	CRQ	CB2-CA2	20.14	1.49	1.35
1	C	65	CRQ	O-C	19.83	1.25	1.11
1	D	65	CRQ	CB2-CA2	19.72	1.48	1.35
1	C	65	CRQ	CB2-CA2	18.24	1.47	1.35
1	G	65	CRQ	CB2-CA2	17.82	1.47	1.35
1	F	65	CRQ	CB2-CA2	17.39	1.47	1.35
1	E	65	CRQ	CB2-CA2	15.80	1.46	1.35
1	G	65	CRQ	CA2-C2	-6.19	1.41	1.48
1	B	65	CRQ	CA2-C2	-5.24	1.42	1.48
1	C	65	CRQ	CA2-C2	-4.73	1.43	1.48
1	E	65	CRQ	CA2-C2	-4.61	1.43	1.48
1	E	65	CRQ	C2-N3	-4.31	1.30	1.39
1	F	65	CRQ	CA2-C2	-4.14	1.44	1.48
1	H	65	CRQ	CA2-C2	-4.09	1.44	1.48
1	D	65	CRQ	CA2-C2	-4.05	1.44	1.48
1	F	65	CRQ	C2-N3	-3.84	1.31	1.39
1	H	65	CRQ	C2-N3	-3.58	1.32	1.39
1	A	65	CRQ	C2-N3	-3.55	1.32	1.39
1	D	65	CRQ	C2-N3	-3.50	1.32	1.39
1	C	65	CRQ	C2-N3	-3.12	1.33	1.39
1	A	65	CRQ	CB1-CA1	-2.94	1.48	1.51
1	A	65	CRQ	CA2-C2	-2.89	1.45	1.48
1	H	65	CRQ	O2-C2	2.83	1.29	1.23
1	A	65	CRQ	O2-C2	2.83	1.29	1.23
1	D	65	CRQ	C1-N2	2.72	1.39	1.33
1	E	65	CRQ	C1-N2	2.62	1.38	1.33
1	F	65	CRQ	CA2-N2	-2.55	1.32	1.38
1	B	65	CRQ	O2-C2	2.46	1.28	1.23
1	D	65	CRQ	O2-C2	2.43	1.28	1.23
1	F	65	CRQ	O2-C2	2.40	1.28	1.23
1	B	65	CRQ	C2-N3	-2.38	1.34	1.39
1	C	65	CRQ	O2-C2	2.38	1.28	1.23
1	G	65	CRQ	C2-N3	-2.36	1.34	1.39
1	G	65	CRQ	O2-C2	2.33	1.28	1.23
1	F	65	CRQ	C1-N2	2.32	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	65	CRQ	CA3-C	2.19	1.51	1.48

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	65	CRQ	O2-C2-CA2	-18.37	120.34	130.96
1	C	65	CRQ	O2-C2-CA2	-16.62	121.35	130.96
1	A	65	CRQ	O2-C2-CA2	-15.74	121.86	130.96
1	B	65	CRQ	O2-C2-CA2	-15.62	121.92	130.96
1	F	65	CRQ	O2-C2-CA2	-15.46	122.02	130.96
1	E	65	CRQ	O2-C2-CA2	-15.44	122.03	130.96
1	D	65	CRQ	O2-C2-CA2	-15.32	122.10	130.96
1	E	65	CRQ	CA2-C2-N3	14.34	111.61	103.44
1	D	65	CRQ	CA2-C2-N3	13.28	111.00	103.44
1	B	65	CRQ	CA2-C2-N3	12.95	110.82	103.44
1	F	65	CRQ	CA2-C2-N3	12.29	110.44	103.44
1	H	65	CRQ	O2-C2-CA2	-12.21	123.90	130.96
1	A	65	CRQ	CA2-C2-N3	11.29	109.87	103.44
1	H	65	CRQ	CA2-C2-N3	10.87	109.63	103.44
1	C	65	CRQ	CA2-C2-N3	10.51	109.43	103.44
1	G	65	CRQ	CA2-C2-N3	10.45	109.39	103.44
1	E	65	CRQ	CA3-N3-C1	8.38	136.58	124.10
1	H	65	CRQ	CA3-N3-C1	6.77	134.18	124.10
1	D	65	CRQ	CA3-N3-C1	6.43	133.67	124.10
1	C	65	CRQ	CA3-N3-C1	6.42	133.67	124.10
1	F	65	CRQ	CA3-N3-C1	6.12	133.22	124.10
1	B	65	CRQ	CA3-N3-C1	5.57	132.39	124.10
1	B	65	CRQ	C2-CA2-N2	-5.54	104.74	108.91
1	A	65	CRQ	CA3-N3-C2	5.49	126.88	123.46
1	G	65	CRQ	CA3-N3-C1	5.45	132.22	124.10
1	H	65	CRQ	CA3-N3-C2	-4.74	120.52	123.46
1	E	65	CRQ	CA3-N3-C2	-4.45	120.69	123.46
1	G	65	CRQ	CG2-CB2-CA2	-4.05	125.45	130.10
1	C	65	CRQ	CG2-CB2-CA2	-3.76	125.78	130.10
1	E	65	CRQ	C2-N3-C1	-3.72	102.67	109.01
1	C	65	CRQ	CA3-N3-C2	-3.53	121.27	123.46
1	H	65	CRQ	CA1-C1-N3	3.16	129.21	124.78
1	E	65	CRQ	CG2-CB2-CA2	-3.05	126.60	130.10
1	D	65	CRQ	C2-N3-C1	-3.03	103.86	109.01
1	A	65	CRQ	CA3-N3-C1	3.01	128.58	124.10
1	E	65	CRQ	CD2-CG2-CD1	2.95	122.23	117.66
1	A	65	CRQ	C2-CA2-N2	-2.92	106.71	108.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	65	CRQ	C1-CA1-N	-2.91	118.38	121.83
1	F	65	CRQ	CE2-CD2-CG2	-2.87	117.69	121.30
1	G	65	CRQ	CE2-CD2-CG2	-2.87	117.69	121.30
1	B	65	CRQ	N3-C1-N2	-2.86	111.00	113.24
1	C	65	CRQ	CB2-CA2-N2	2.83	133.82	128.59
1	H	65	CRQ	C2-CA2-N2	-2.83	106.78	108.91
1	A	65	CRQ	C2-N3-C1	-2.79	104.26	109.01
1	H	65	CRQ	CG2-CB2-CA2	-2.78	126.91	130.10
1	F	65	CRQ	C2-N3-C1	-2.74	104.34	109.01
1	F	65	CRQ	C2-CA2-N2	-2.74	106.85	108.91
1	E	65	CRQ	CE2-CD2-CG2	-2.72	117.87	121.30
1	C	65	CRQ	CE2-CD2-CG2	-2.70	117.90	121.30
1	C	65	CRQ	CB2-CA2-C2	-2.63	118.42	122.46
1	G	65	CRQ	C1-CA1-N	-2.58	118.78	121.83
1	D	65	CRQ	C2-CA2-N2	-2.54	107.00	108.91
1	G	65	CRQ	CD2-CG2-CD1	2.51	121.55	117.66
1	G	65	CRQ	C2-CA2-N2	-2.48	107.05	108.91
1	G	65	CRQ	O2-C2-N3	2.46	130.01	124.71
1	B	65	CRQ	CA1-C1-N3	2.39	128.12	124.78
1	F	65	CRQ	CA3-N3-C2	-2.39	121.98	123.46
1	C	65	CRQ	C2-N3-C1	-2.37	104.97	109.01
1	F	65	CRQ	CB1-CA1-N	-2.35	114.58	125.36
1	A	65	CRQ	CG2-CB2-CA2	-2.35	127.40	130.10
1	G	65	CRQ	C2-N3-C1	-2.35	105.01	109.01
1	F	65	CRQ	CD2-CG2-CD1	2.30	121.22	117.66
1	F	65	CRQ	CB1-CA1-C1	2.29	124.06	118.06
1	H	65	CRQ	C2-N3-C1	-2.28	105.12	109.01
1	B	65	CRQ	CA3-N3-C2	-2.27	122.05	123.46
1	B	65	CRQ	C2-N3-C1	-2.19	105.28	109.01
1	D	65	CRQ	CB2-CA2-N2	2.16	132.58	128.59
1	H	65	CRQ	CA1-C1-N2	-2.13	118.42	122.17
1	C	65	CRQ	O2-C2-N3	2.09	129.22	124.71
1	B	65	CRQ	CA2-N2-C1	2.05	108.12	104.22
1	E	65	CRQ	CE1-CD1-CG2	-2.03	118.75	121.30
1	G	65	CRQ	CD2-CG2-CB2	-2.00	114.37	121.21

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	218/271 (80%)	-0.08	6 (2%)	50	60	16, 26, 46, 76	0
1	B	218/271 (80%)	-0.00	7 (3%)	45	55	18, 29, 49, 72	0
1	C	221/271 (81%)	-0.23	6 (2%)	52	62	15, 22, 41, 71	0
1	D	218/271 (80%)	-0.07	6 (2%)	50	60	15, 25, 46, 83	0
1	E	218/271 (80%)	-0.21	2 (0%)	81	88	16, 26, 42, 88	0
1	F	218/271 (80%)	-0.28	2 (0%)	81	88	16, 25, 42, 66	0
1	G	220/271 (81%)	-0.14	9 (4%)	35	46	15, 25, 44, 89	0
1	H	218/271 (80%)	-0.09	3 (1%)	72	80	16, 27, 47, 64	0
All	All	1749/2168 (80%)	-0.14	41 (2%)	57	67	15, 26, 46, 89	0

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	227	ARG	7.2
1	D	227	ARG	6.0
1	A	227	ARG	5.0
1	E	227	ARG	4.7
1	C	227	ARG	4.3
1	E	228	ILE	3.9
1	G	211	ARG	3.8
1	C	1(B)	SER	3.3
1	D	2	GLU	3.2
1	B	2	GLU	3.2
1	H	188	ALA	3.1
1	D	228	ILE	3.1
1	H	2	GLU	3.0
1	A	2	GLU	2.9
1	C	2	GLU	2.8
1	A	169	ASP	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	52	LYS	2.7
1	F	76	ASP	2.7
1	B	188	ALA	2.7
1	G	2	GLU	2.6
1	B	169	ASP	2.6
1	G	228	ILE	2.5
1	C	209	ASP	2.5
1	C	76	ASP	2.4
1	A	186	SER	2.4
1	B	76	ASP	2.4
1	G	226	PRO	2.4
1	G	169	ASP	2.4
1	H	76	ASP	2.4
1	A	188	ALA	2.3
1	D	186	SER	2.3
1	G	205	ARG	2.2
1	D	52	LYS	2.2
1	B	227	ARG	2.2
1	B	228	ILE	2.2
1	A	228	ILE	2.1
1	G	188	ALA	2.1
1	D	100	ASN	2.1
1	F	205	ARG	2.1
1	G	186	SER	2.0
1	C	169	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	CRQ	F	65	24/25	0.14	0.74	17,21,30,34	0
1	CRQ	E	65	24/25	0.13	0.71	15,21,28,30	0
1	CRQ	D	65	24/25	0.14	0.50	17,20,28,32	0
1	CRQ	A	65	24/25	0.15	0.49	19,24,29,32	0
1	CRQ	G	65	24/25	0.14	0.38	17,21,28,32	0
1	CRQ	B	65	24/25	0.15	0.37	18,21,24,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
1	CRQ	H	65	24/25	0.13	0.18	17,20,23,25	0
1	CRQ	C	65	24/25	0.12	-0.21	15,19,29,36	0

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.