



# Full wwPDB X-ray Structure Validation Report

Oct 3, 2014 – 04:35 AM EDT

PDB ID : 4WCU  
Title : PDE4 complexed with inhibitor  
Authors : Sorensen, M.D.  
Deposited on : 2014-09-05  
Resolution : 2.35 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.16 November 2013  
Xtriage (Phenix) : dev-1439  
EDS : stable23828  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable23828

# 1 Overall quality at a glance

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	3327 (2.40-2.32)
Clashscore	79885	1064 (2.38-2.34)
Ramachandran outliers	78287	1048 (2.38-2.34)
Sidechain outliers	78261	1049 (2.38-2.34)
RSRZ outliers	66119	3330 (2.40-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	359	
1	B	359	
1	C	359	
1	D	359	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
4	MG	A	502	-	X
4	MG	B	502	-	X
4	MG	C	502	-	X
4	MG	D	502	-	X

## 2 Entry composition i


There are 5 unique types of molecules in this entry. The entry contains 11144 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP-specific 3',5'-cyclic phosphodiesterase 4D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	330	Total	C	N	O	S	0	0	0
			2674	1696	454	510	14			
1	B	333	Total	C	N	O	S	0	0	0
			2702	1712	460	516	14			
1	C	322	Total	C	N	O	S	0	0	0
			2622	1664	447	497	14			
1	D	330	Total	C	N	O	S	0	0	0
			2671	1693	454	510	14			

- Molecule 2 is N-benzyl-2-{6-[(3,5-dichloropyridin-4-yl)acetyl]-2,3-dimethoxyphenoxy}acetamide (three-letter code: 3KQ) (formula: C<sub>24</sub>H<sub>22</sub>Cl<sub>2</sub>N<sub>2</sub>O<sub>5</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Cl	N	O	0	0
			33	24	2	2	5		
2	B	1	Total	C	Cl	N	O	0	0
			33	24	2	2	5		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	Cl	N	O	
			33	24	2	2	5	
2	D	1	Total	C	Cl	N	O	
			33	24	2	2	5	

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Zn		
			1	1	0	0
3	A	1	Total	Zn		
			1	1	0	0
3	D	1	Total	Zn		
			1	1	0	0
3	C	1	Total	Zn		
			1	1	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mg		
			1	1	0	0
4	A	1	Total	Mg		
			1	1	0	0
4	D	1	Total	Mg		
			1	1	0	0
4	C	1	Total	Mg		
			1	1	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	96	Total	O		
			96	96	0	0
5	B	92	Total	O		
			92	92	0	0
5	C	76	Total	O		
			76	76	0	0
5	D	71	Total	O		
			71	71	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D

Chain A:




- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D

Chain B:



- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D


Chain C:



- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D

Chain D:





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	99.23Å 113.55Å 160.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	92.85 – 2.35 19.78 – 2.35	Depositor EDS
% Data completeness (in resolution range)	92.9 (92.85-2.35) 93.1 (19.78-2.35)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.11	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.31 (at 2.35Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.244 , 0.304 0.245 , 0.306	Depositor DCC
$R_{free}$ test set	3567 reflections (5.31%)	DCC
Wilson B-factor (Å <sup>2</sup> )	44.4	Xtriage
Anisotropy	0.061	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 33.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.54$ , $\langle L^2 \rangle = 0.39$	Xtriage
Outliers	6 of 70786 reflections (0.008%)	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	11144	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.45% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, 3KQ, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.49	0/2729	0.62	0/3706
1	B	0.47	0/2755	0.61	0/3736
1	C	0.46	0/2675	0.59	0/3629
1	D	0.46	0/2725	0.60	0/3702
All	All	0.47	0/10884	0.60	0/14773

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2674	0	2623	11	0
1	B	2702	0	2647	24	0
1	C	2622	0	2569	28	0
1	D	2671	0	2612	21	0
2	A	33	0	0	0	0
2	B	33	0	0	1	0
2	C	33	0	0	0	0
2	D	33	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	96	0	0	0	0
5	B	92	0	0	1	0
5	C	76	0	0	0	0
5	D	71	0	0	0	0
All	All	11144	0	10451	83	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

All (83) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:204:HIS:HD2	1:B:206:GLY:H	1.24	0.84
1:C:175:LEU:O	1:C:178:THR:HG22	1.81	0.80
1:C:270:ALA:HB1	1:C:279:LEU:HD11	1.73	0.71
1:A:321:ASN:HB2	1:A:322:PRO:HD3	1.75	0.69
1:D:330:ARG:HD3	1:D:405:TRP:CH2	2.29	0.67
1:A:396:LEU:O	1:A:400:GLU:HG3	1.95	0.67
1:B:330:ARG:NH1	1:B:405:TRP:HH2	1.93	0.65
1:A:366:GLU:HG2	1:A:409:THR:HG23	1.78	0.65
1:B:196:ALA:O	1:B:200:HIS:HB3	1.98	0.63
1:D:378:HIS:HB3	1:D:379:PRO:HD3	1.81	0.63
1:B:261:ARG:O	1:B:265:ILE:HG13	1.99	0.63
1:A:295:SER:HB2	1:B:255:LYS:HG3	1.81	0.62
1:B:366:GLU:HG2	1:B:409:THR:HG23	1.80	0.62
1:C:99:VAL:HG12	1:C:100:ASN:HD22	1.65	0.61
1:B:270:ALA:HB1	1:B:279:LEU:HD11	1.81	0.61
1:A:405:TRP:O	1:A:409:THR:HG22	2.03	0.58
1:B:403:ARG:NH1	1:B:407:GLN:HG3	2.19	0.58
1:A:270:ALA:HB1	1:A:279:LEU:HD11	1.86	0.56
1:C:99:VAL:HG12	1:C:100:ASN:ND2	2.21	0.55
1:C:129:ARG:HE	1:C:173:HIS:HD1	1.54	0.55
1:D:338:GLU:O	1:D:342:ARG:HD2	2.06	0.55
1:D:284:LYS:HG2	1:D:383:THR:HG21	1.90	0.54
1:B:370:VAL:HG11	1:B:407:GLN:HE21	1.73	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:116:ARG:N	1:D:117:PRO:CD	2.71	0.54
1:A:370:VAL:HG11	1:A:407:GLN:HE21	1.73	0.53
1:A:344:GLY:HA3	1:A:358:CYS:O	2.08	0.53
1:A:201:ASP:O	1:A:204:HIS:HB2	2.09	0.52
1:B:160:HIS:HD2	1:B:201:ASP:OD2	1.93	0.52
1:D:321:ASN:HB2	1:D:322:PRO:HD3	1.91	0.52
1:D:270:ALA:HB1	1:D:279:LEU:HD11	1.92	0.51
1:B:123:HIS:CE1	1:B:127:GLN:HE21	2.28	0.51
1:B:405:TRP:O	1:B:409:THR:HG22	2.11	0.51
1:C:235:ALA:O	1:C:239:LYS:HB2	2.11	0.50
1:D:104:LEU:HD11	1:D:109:ILE:HD11	1.93	0.50
1:C:319:LEU:HD22	1:C:372:PHE:HZ	1.76	0.50
1:D:129:ARG:HE	1:D:173:HIS:HD2	1.58	0.50
1:A:168:VAL:HG12	1:A:197:SER:HB3	1.94	0.50
1:B:307:ILE:O	1:B:311:GLN:HG3	2.13	0.49
1:B:204:HIS:CD2	1:B:206:GLY:H	2.16	0.49
1:D:283:LEU:HD11	1:D:387:LEU:HD22	1.95	0.49
1:C:192:ALA:HB2	1:C:260:LEU:HD12	1.94	0.48
1:D:160:HIS:HD2	1:D:201:ASP:OD2	1.96	0.48
1:B:330:ARG:HH11	1:B:405:TRP:HH2	1.62	0.48
1:C:302:ASN:HD22	1:C:302:ASN:N	2.11	0.48
1:C:322:PRO:HG2	1:C:377:VAL:HG21	1.95	0.48
1:B:115:ASN:HB2	5:B:670:HOH:O	2.14	0.47
1:D:304:SER:O	1:D:308:GLN:HB2	2.15	0.47
1:C:196:ALA:O	1:C:200:HIS:HB3	2.14	0.47
1:D:330:ARG:HD3	1:D:405:TRP:CZ3	2.50	0.46
1:B:321:ASN:HB2	1:B:322:PRO:HD3	1.97	0.46
1:D:323:THR:HG22	1:D:399:LEU:HB2	1.97	0.46
1:B:116:ARG:O	1:B:120:VAL:HG22	2.16	0.45
1:B:330:ARG:HD3	1:B:405:TRP:CH2	2.52	0.45
1:C:403:ARG:NH1	1:C:407:GLN:HG3	2.32	0.45
1:C:154:HIS:HB2	1:C:157:VAL:HG23	1.98	0.45
1:D:319:LEU:HD12	1:D:380:LEU:HD22	2.00	0.44
1:B:116:ARG:N	1:B:117:PRO:CD	2.81	0.44
1:B:142:LEU:O	1:B:146:LEU:HG	2.18	0.44
1:C:104:LEU:HD22	1:C:170:GLN:HG3	2.00	0.44
1:D:333:THR:O	1:D:337:MET:HG2	2.18	0.43
1:C:107:PHE:O	1:C:111:GLU:HG3	2.18	0.43
1:C:116:ARG:N	1:C:117:PRO:CD	2.81	0.43
1:C:91:VAL:CG1	1:C:94:LYS:HB2	2.47	0.43
1:C:100:ASN:HD22	1:C:100:ASN:N	2.17	0.43
1:B:239:LYS:NZ	1:B:242:GLN:HE22	2.17	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:102:TRP:HE3	1:C:174:VAL:HG11	1.84	0.42
1:D:345:ASP:OD1	1:D:360:LYS:HE2	2.18	0.42
1:B:239:LYS:HD2	1:B:239:LYS:HA	1.86	0.42
1:D:366:GLU:CD	1:D:366:GLU:H	2.23	0.42
1:D:158:ALA:H	1:D:342:ARG:HH12	1.68	0.42
1:C:193:ALA:HB2	1:C:310:LEU:HD22	2.01	0.41
1:A:229:LEU:HA	1:A:229:LEU:HD23	1.91	0.41
1:C:338:GLU:OE2	1:C:342:ARG:NH2	2.54	0.41
1:B:273:MET:HE3	2:B:500:3KQ:C27	2.51	0.41
1:C:321:ASN:HB2	1:C:322:PRO:HD3	2.02	0.41
1:C:410:ILE:HA	1:C:411:PRO:HD3	1.87	0.41
1:C:316:CYS:O	1:C:320:SER:HB3	2.21	0.41
1:C:324:LYS:O	1:C:325:PRO:C	2.59	0.41
1:D:125:ILE:HD13	1:D:173:HIS:HB2	2.03	0.41
1:C:178:THR:HA	1:C:179:PRO:HD3	1.96	0.41
1:C:323:THR:HB	1:C:395:ILE:HG23	2.02	0.41
1:D:121:ILE:HD12	1:D:166:ALA:HB1	2.04	0.40
1:C:319:LEU:HD22	1:C:372:PHE:CZ	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	326/359 (91%)	316 (97%)	10 (3%)	0	100	100
1	B	327/359 (91%)	316 (97%)	11 (3%)	0	100	100
1	C	316/359 (88%)	304 (96%)	12 (4%)	0	100	100
1	D	326/359 (91%)	307 (94%)	19 (6%)	0	100	100
All	All	1295/1436 (90%)	1243 (96%)	52 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	301/327 (92%)	289 (96%)	12 (4%)	42	56
1	B	303/327 (93%)	294 (97%)	9 (3%)	53	70
1	C	294/327 (90%)	285 (97%)	9 (3%)	52	68
1	D	300/327 (92%)	287 (96%)	13 (4%)	40	51
All	All	1198/1308 (92%)	1155 (96%)	43 (4%)	47	61

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	92	LEU
1	A	128	GLU
1	A	133	LYS
1	A	218	GLU
1	A	291	LYS
1	A	299	LEU
1	A	327	GLN
1	A	342	ARG
1	A	409	THR
1	A	430	GLU
1	A	433	GLN
1	A	436	LEU
1	B	92	LEU
1	B	133	LYS
1	B	178	THR
1	B	277	MET
1	B	291	LYS
1	B	364	SER
1	B	409	THR
1	B	429	THR
1	B	430	GLU
1	C	92	LEU
1	C	99	VAL
1	C	108	ARG
1	C	133	LYS
1	C	178	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	240	LEU
1	C	302	ASN
1	C	433	GLN
1	C	435	GLU
1	D	92	LEU
1	D	108	ARG
1	D	133	LYS
1	D	178	THR
1	D	292	VAL
1	D	294	SER
1	D	299	LEU
1	D	302	ASN
1	D	308	GLN
1	D	342	ARG
1	D	383	THR
1	D	429	THR
1	D	433	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	100	ASN
1	A	210	GLN
1	A	214	ASN
1	A	242	GLN
1	A	362	ASN
1	A	407	GLN
1	B	123	HIS
1	B	160	HIS
1	B	204	HIS
1	B	242	GLN
1	B	407	GLN
1	C	100	ASN
1	C	127	GLN
1	C	242	GLN
1	C	278	ASN
1	C	302	ASN
1	C	389	HIS
1	D	100	ASN
1	D	173	HIS
1	D	242	GLN
1	D	278	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	302	ASN
1	D	308	GLN
1	D	433	GLN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	3KQ	A	500	-	35,35,35	1.95	6 (17%)	47,47,47	1.49	9 (19%)
2	3KQ	B	500	-	35,35,35	1.92	6 (17%)	47,47,47	1.35	7 (14%)
2	3KQ	C	500	-	35,35,35	1.88	7 (20%)	47,47,47	1.60	9 (19%)
2	3KQ	D	500	-	35,35,35	1.91	6 (17%)	47,47,47	1.52	12 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	3KQ	A	500	-	-	0/22/22/22	0/3/3/3
2	3KQ	B	500	-	-	0/22/22/22	0/3/3/3
2	3KQ	C	500	-	-	0/22/22/22	0/3/3/3
2	3KQ	D	500	-	-	0/22/22/22	0/3/3/3

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	3KQ	C17-C16	5.86	1.50	1.39
2	B	500	3KQ	C17-C16	5.80	1.50	1.39
2	D	500	3KQ	C17-C16	5.69	1.49	1.39
2	C	500	3KQ	C17-C16	5.12	1.48	1.39
2	B	500	3KQ	C6-C1	4.67	1.48	1.39
2	B	500	3KQ	C2-C1	4.65	1.48	1.39
2	D	500	3KQ	C2-C1	4.64	1.48	1.39
2	D	500	3KQ	C12-C17	4.61	1.50	1.40
2	A	500	3KQ	C15-C16	4.59	1.50	1.40
2	C	500	3KQ	C15-C16	4.58	1.50	1.40
2	A	500	3KQ	C6-C1	4.51	1.48	1.39
2	A	500	3KQ	C2-C1	4.49	1.48	1.39
2	B	500	3KQ	C12-C17	4.49	1.50	1.40
2	C	500	3KQ	C2-C1	4.45	1.48	1.39
2	C	500	3KQ	C6-C1	4.38	1.48	1.39
2	A	500	3KQ	C12-C17	4.36	1.49	1.40
2	D	500	3KQ	C15-C16	4.34	1.49	1.40
2	C	500	3KQ	C12-C17	4.30	1.49	1.40
2	D	500	3KQ	C6-C1	4.04	1.47	1.39
2	B	500	3KQ	C15-C16	3.73	1.48	1.40
2	A	500	3KQ	C6-CL7	2.42	1.79	1.73
2	D	500	3KQ	C6-CL7	2.15	1.79	1.73
2	C	500	3KQ	C2-CL8	2.13	1.79	1.73
2	B	500	3KQ	C6-CL7	2.10	1.78	1.73
2	C	500	3KQ	C6-CL7	2.08	1.78	1.73

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	500	3KQ	C1-C9-C10	-4.28	109.63	114.00
2	C	500	3KQ	C3-N4-C5	4.13	123.41	117.45
2	B	500	3KQ	C3-N4-C5	4.04	123.28	117.45
2	A	500	3KQ	C19-O18-C15	3.76	123.11	117.56
2	D	500	3KQ	C5-C6-CL7	3.72	123.08	118.70
2	D	500	3KQ	C3-N4-C5	3.68	122.77	117.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	3KQ	C3-N4-C5	3.52	122.53	117.45
2	B	500	3KQ	C1-C9-C10	-3.39	110.54	114.00
2	C	500	3KQ	O18-C15-C16	3.13	120.78	115.27
2	C	500	3KQ	C23-O22-C17	3.08	123.81	114.84
2	A	500	3KQ	C5-C6-C1	-3.01	118.47	120.32
2	A	500	3KQ	C23-O22-C17	2.87	123.20	114.84
2	A	500	3KQ	O18-C15-C16	2.86	120.30	115.27
2	C	500	3KQ	C5-C6-C1	-2.84	118.57	120.32
2	C	500	3KQ	C2-C3-N4	-2.82	120.65	123.11
2	A	500	3KQ	O18-C15-C14	-2.79	119.78	124.36
2	D	500	3KQ	C3-C2-CL8	2.79	121.99	118.70
2	C	500	3KQ	C3-C2-CL8	2.73	121.92	118.70
2	D	500	3KQ	C1-C9-C10	-2.69	111.25	114.00
2	C	500	3KQ	O18-C15-C14	-2.58	120.12	124.36
2	D	500	3KQ	C2-C3-N4	-2.57	120.87	123.11
2	B	500	3KQ	C5-C6-CL7	2.54	121.69	118.70
2	D	500	3KQ	C5-C6-C1	-2.54	118.76	120.32
2	D	500	3KQ	C19-O18-C15	2.48	121.22	117.56
2	D	500	3KQ	C12-C17-C16	-2.45	117.34	120.79
2	A	500	3KQ	C21-O20-C16	2.34	121.18	114.84
2	B	500	3KQ	C2-C3-N4	-2.31	121.09	123.11
2	D	500	3KQ	C23-O22-C17	2.27	121.46	114.84
2	B	500	3KQ	C5-C6-C1	-2.27	118.93	120.32
2	C	500	3KQ	C5-C6-CL7	2.25	121.34	118.70
2	D	500	3KQ	C21-O20-C16	2.25	120.93	114.84
2	B	500	3KQ	C19-O18-C15	2.16	120.75	117.56
2	B	500	3KQ	O18-C15-C16	2.14	119.04	115.27
2	D	500	3KQ	O18-C15-C16	2.07	118.91	115.27
2	A	500	3KQ	C5-C6-CL7	2.06	121.12	118.70
2	D	500	3KQ	O18-C15-C14	-2.03	121.02	124.36
2	A	500	3KQ	C2-C3-N4	-2.01	121.35	123.11

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.



## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	330/359 (91%)	0.11	7 (2%) 60 63	26, 42, 60, 67	0
1	B	333/359 (92%)	0.18	15 (4%) 32 35	29, 41, 64, 76	0
1	C	322/359 (89%)	0.28	14 (4%) 34 37	29, 44, 73, 83	0
1	D	330/359 (91%)	0.36	20 (6%) 21 23	30, 48, 68, 76	0
All	All	1315/1436 (91%)	0.23	56 (4%) 34 37	26, 43, 66, 83	0

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	434	PHE	8.0
1	D	434	PHE	4.6
1	D	289	THR	4.3
1	B	297	VAL	4.2
1	C	431	LYS	4.2
1	D	377	VAL	4.0
1	B	434	PHE	3.8
1	C	301	ASP	3.7
1	D	296	GLY	3.6
1	C	411	PRO	3.6
1	C	394	ASP	3.4
1	B	301	ASP	3.3
1	C	390	PRO	3.1
1	A	431	LYS	3.1
1	B	281	ALA	3.0
1	D	363	ALA	2.9
1	D	288	GLU	2.9
1	D	404	GLU	2.8
1	C	309	VAL	2.8
1	A	90	ASP	2.8
1	D	435	GLU	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	283	LEU	2.7
1	D	342	ARG	2.7
1	B	277	MET	2.6
1	C	291	LYS	2.6
1	B	291	LYS	2.6
1	B	105	HIS	2.6
1	A	435	GLU	2.6
1	C	435	GLU	2.6
1	D	309	VAL	2.6
1	B	299	LEU	2.5
1	A	277	MET	2.5
1	B	342	ARG	2.5
1	B	409	THR	2.4
1	D	255	LYS	2.4
1	B	296	GLY	2.3
1	D	183	ALA	2.3
1	B	289	THR	2.3
1	D	392	ALA	2.2
1	C	384	TRP	2.2
1	C	302	ASN	2.2
1	D	327	GLN	2.2
1	B	309	VAL	2.2
1	C	182	GLU	2.1
1	D	430	GLU	2.1
1	B	363	ALA	2.1
1	D	258	GLN	2.1
1	C	432	PHE	2.1
1	D	294	SER	2.1
1	A	294	SER	2.1
1	A	296	GLY	2.1
1	B	387	LEU	2.1
1	D	389	HIS	2.0
1	A	404	GLU	2.0
1	D	397	ASP	2.0
1	C	289	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	MG	B	502	1/1	0.44	33.14	29,29,29,29	0
4	MG	C	502	1/1	0.39	23.06	26,26,26,26	0
4	MG	D	502	1/1	0.41	18.12	30,30,30,30	0
4	MG	A	502	1/1	0.32	8.77	20,20,20,20	0
2	3KQ	D	500	33/33	0.18	0.86	47,52,58,58	0
2	3KQ	C	500	33/33	0.18	0.71	43,45,52,53	0
2	3KQ	A	500	33/33	0.18	0.71	46,47,53,53	0
2	3KQ	B	500	33/33	0.17	0.49	40,43,52,53	0
3	ZN	C	501	1/1	0.11	-0.22	48,48,48,48	0
3	ZN	B	501	1/1	0.10	-0.59	43,43,43,43	0
3	ZN	A	501	1/1	0.10	-0.68	45,45,45,45	0
3	ZN	D	501	1/1	0.10	-1.24	50,50,50,50	0

### 6.5 Other polymers ⓘ

There are no such residues in this entry.