



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 07:26 AM GMT

PDB ID : 2WP6
Title : TRYPANOSOMA BRUCEI TRYPANOTHIONE REDUCTASE IN COM-
PLEX WITH 3,4-DIHYDROQUINAZOLINEINHIBITOR (DDD00071494)
Authors : Alphey, M.S.; Patterson, S.; Fairlamb, A.H.
Deposited on : 2009-08-03
Resolution : 2.50 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2784 (2.50-2.50)
Clashscore	79885	3562 (2.50-2.50)
Ramachandran outliers	78287	3480 (2.50-2.50)
Sidechain outliers	78261	3482 (2.50-2.50)
RSRZ outliers	66119	2785 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	495	
1	B	495	
1	C	495	
1	D	495	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 16217 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called TRYPANOTHIONE REDUCTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	490	Total	C	N	O	S	0	3	0
			3745	2384	636	705	20			
1	B	488	Total	C	N	O	S	0	6	0
			3744	2383	636	706	19			
1	C	488	Total	C	N	O	S	0	6	0
			3744	2383	635	707	19			
1	D	489	Total	C	N	O	S	0	7	0
			3752	2387	637	708	20			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	EXPRESSION TAG	UNP Q389T8
A	-1	SER	-	EXPRESSION TAG	UNP Q389T8
A	0	HIS	-	EXPRESSION TAG	UNP Q389T8
B	-2	GLY	-	EXPRESSION TAG	UNP Q389T8
B	-1	SER	-	EXPRESSION TAG	UNP Q389T8
B	0	HIS	-	EXPRESSION TAG	UNP Q389T8
C	-2	GLY	-	EXPRESSION TAG	UNP Q389T8
C	-1	SER	-	EXPRESSION TAG	UNP Q389T8
C	0	HIS	-	EXPRESSION TAG	UNP Q389T8
D	-2	GLY	-	EXPRESSION TAG	UNP Q389T8
D	-1	SER	-	EXPRESSION TAG	UNP Q389T8
D	0	HIS	-	EXPRESSION TAG	UNP Q389T8

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is (4S)-3-BENZYL-6-CHLORO-2-METHYL-4-PHENYL-3,4-DIHYDROQUINAZOLINE (three-letter code: WP6) (formula: C₂₂H₁₉ClN₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	0	0
			25	22	1	2		
3	B	1	Total	C	Cl	N	0	0
			25	22	1	2		
3	C	1	Total	C	Cl	N	0	0
			25	22	1	2		
3	D	1	Total	C	Cl	N	0	0
			25	22	1	2		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Cl	0	0
			1	1		
4	A	1	Total	Cl	0	0
			1	1		
4	D	1	Total	Cl	0	0
			1	1		
4	C	2	Total	Cl	0	0
			2	2		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	272	Total	O	0	0
			272	272		
5	B	211	Total	O	0	0
			211	211		
5	C	197	Total	O	0	0
			197	197		
5	D	235	Total	O	0	0
			235	235		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: TRYPANOTHIONE REDUCTASE

Chain A:




• Molecule 1: TRYPANOTHIONE REDUCTASE

Chain B:




• Molecule 1: TRYPANOTHIONE REDUCTASE

Chain C:



• Molecule 1: TRYPANOTHIONE REDUCTASE

Chain D:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	101.65Å 63.21Å 170.50Å 90.00° 97.82° 90.00°	Depositor
Resolution (Å)	46.77 – 2.50 46.77 – 2.50	Depositor EDS
% Data completeness (in resolution range)	100.0 (46.77-2.50) 99.9 (46.77-2.50)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.04 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.5.0088	Depositor
R, R_{free}	0.163 , 0.236 0.162 , 0.234	Depositor DCC
R_{free} test set	3741 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	24.8	Xtriage
Anisotropy	0.445	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 14.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	1 of 74819 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16217	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: WP6, FAD, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.87	0/3834	0.81	1/5200 (0.0%)
1	B	0.80	0/3841	0.79	1/5211 (0.0%)
1	C	0.79	0/3841	0.79	2/5212 (0.0%)
1	D	0.83	0/3852	0.81	4/5223 (0.1%)
All	All	0.83	0/15368	0.80	8/20846 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	347	ASP	CB-CG-OD1	6.32	123.99	118.30
1	C	260	LEU	CA-CB-CG	5.58	128.13	115.30
1	D	316	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	D	358	ASP	CB-CG-OD1	5.14	122.93	118.30
1	C	327	ASP	CB-CG-OD1	5.07	122.86	118.30
1	D	331[A]	ARG	NE-CZ-NH1	-5.04	117.78	120.30
1	D	331[B]	ARG	NE-CZ-NH1	-5.04	117.78	120.30
1	B	460	VAL	CB-CA-C	-5.00	101.90	111.40

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	214	GLY	Peptide
1	B	350	PHE	Peptide

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3745	0	3760	48	0
1	B	3744	0	3756	45	0
1	C	3744	0	3758	52	0
1	D	3752	0	3765	48	0
2	A	53	0	31	1	0
2	B	53	0	31	0	0
2	C	53	0	31	2	0
2	D	53	0	31	0	0
3	A	25	0	19	9	0
3	B	25	0	19	9	0
3	C	25	0	19	0	0
3	D	25	0	19	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	2	0	0	0	0
4	D	1	0	0	0	0
5	A	272	0	0	3	0
5	B	211	0	0	3	0
5	C	197	0	0	2	0
5	D	235	0	0	5	0
All	All	16217	0	15239	188	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 6.

All (188) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:113:MET:CE	3:A:1000:WP6:HAO1	1.77	1.13

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:320:PRO:O	1:B:321:ASN:ND2	2.01	0.94
1:A:113:MET:HE3	3:A:1000:WP6:HAO1	1.50	0.89
1:B:302:LYS:HD3	1:B:310:GLN:HE22	1.38	0.87
1:A:331[A]:ARG:NH2	5:A:2203:HOH:O	2.13	0.80
1:A:233:THR:HG21	1:A:393:MET:CE	2.14	0.77
1:A:83:PHE:HB3	1:B:88:VAL:HG22	1.66	0.77
1:D:318:ASN:H	1:D:318:ASN:HD22	1.31	0.77
1:A:113:MET:CE	3:A:1000:WP6:CAO	2.61	0.77
1:A:233:THR:HG21	1:A:393:MET:HE3	1.65	0.76
1:B:302:LYS:HD3	1:B:310:GLN:NE2	2.00	0.75
1:D:331[B]:ARG:CG	1:D:331[B]:ARG:HH21	2.01	0.73
1:B:113:MET:HE3	3:B:1000:WP6:CAP	2.17	0.73
1:A:113:MET:HE3	3:A:1000:WP6:CAO	2.17	0.73
1:B:113:MET:CE	3:B:1000:WP6:HAO1	2.20	0.71
1:D:304:THR:HB	1:D:305:PRO:CD	2.22	0.70
1:B:234:ILE:O	1:B:238:VAL:HG12	1.92	0.70
1:A:29:LYS:HD2	1:A:350:PHE:CD1	2.29	0.68
1:D:181:ALA:HA	1:D:184:LEU:HD22	1.75	0.68
1:A:113:MET:HE1	3:A:1000:WP6:HAO1	1.76	0.67
1:D:142:ASP:OD1	1:D:144[B]:LYS:HG2	1.95	0.66
1:A:129:LEU:HD23	1:A:299:VAL:HG21	1.77	0.64
1:B:130:GLU:HB2	1:B:136:VAL:CG2	2.28	0.64
1:D:341:GLU:OE2	1:D:359:HIS:HE1	1.80	0.64
1:D:301:VAL:HA	1:D:318:ASN:HD21	1.64	0.63
1:D:157:LEU:HD11	1:D:325:ILE:HG12	1.80	0.63
1:B:455[A]:TYR:CZ	1:B:472:ARG:HG3	2.34	0.62
1:B:237:GLU:OE1	5:B:2093:HOH:O	2.15	0.62
1:D:390:ALA:HB3	1:D:417:THR:OG1	2.00	0.62
1:D:400:MET:HG3	1:D:401:HIS:N	2.15	0.61
1:A:94:LYS:HG3	5:B:2028:HOH:O	1.99	0.61
1:A:302:LYS:H	1:A:318:ASN:ND2	1.98	0.61
1:C:301:VAL:HA	1:C:318:ASN:HD21	1.65	0.60
1:C:117:THR:O	5:C:2035:HOH:O	2.16	0.60
1:B:27:TYR:CE1	1:B:351:GLY:O	2.55	0.60
1:C:93:LYS:NZ	1:C:186[B]:GLU:CD	2.55	0.59
1:D:429:LEU:HD21	1:D:468:LEU:HD21	1.85	0.59
1:B:120:LEU:O	5:B:2038:HOH:O	2.17	0.58
1:D:253:GLU:HA	5:D:2137:HOH:O	2.03	0.58
1:C:93:LYS:HZ1	1:C:186[B]:GLU:CD	2.06	0.58
1:D:331[B]:ARG:CG	1:D:331[B]:ARG:NH2	2.66	0.58
1:A:113:MET:HE3	3:A:1000:WP6:CAP	2.34	0.57
1:B:113:MET:CE	3:B:1000:WP6:CAP	2.83	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:71:ASP:O	1:A:75:GLU:HG3	2.04	0.57
1:C:34:VAL:HG12	2:C:998:FAD:H2A	1.87	0.56
1:C:296:LEU:HD12	1:C:303:LEU:HD21	1.86	0.56
1:B:218:THR:HG21	1:B:250:MET:CE	2.35	0.56
1:A:318:ASN:HD22	1:A:318:ASN:H	1.54	0.56
1:A:301:VAL:HA	1:A:318:ASN:HD21	1.71	0.56
1:D:304:THR:HB	1:D:305:PRO:HD3	1.87	0.55
1:B:126:TRP:O	1:B:137:VAL:HA	2.06	0.55
1:B:113:MET:HE3	3:B:1000:WP6:HAO1	1.89	0.54
1:A:429:LEU:HD21	1:A:468:LEU:HD21	1.88	0.54
1:A:221:TYR:CE2	1:A:223:ASN:HB2	2.43	0.54
1:A:302:LYS:H	1:A:318:ASN:HD21	1.55	0.54
1:D:331[B]:ARG:HG3	1:D:331[B]:ARG:NH2	2.23	0.54
1:C:160:THR:OG1	1:C:328:ILE:HD12	2.08	0.54
1:D:318:ASN:N	1:D:318:ASN:HD22	2.03	0.53
1:B:299:VAL:HG23	1:B:319:VAL:HG21	1.90	0.53
1:A:304:THR:HB	1:A:305:PRO:HD2	1.90	0.53
1:D:331[B]:ARG:HG2	1:D:331[B]:ARG:HH21	1.74	0.52
1:B:315:SER:O	1:B:323:TYR:HB3	2.09	0.52
1:C:304:THR:HB	1:C:305:PRO:HD2	1.91	0.52
1:A:440:ALA:HB3	1:B:440:ALA:HB3	1.90	0.52
1:C:198:PHE:HB2	1:C:366:VAL:HG13	1.91	0.52
1:D:331[B]:ARG:HG3	1:D:331[B]:ARG:HH21	1.73	0.52
1:C:292:ASN:H	1:C:292:ASN:ND2	2.07	0.52
1:B:113:MET:CE	3:B:1000:WP6:CAO	2.88	0.52
1:A:129:LEU:HD22	1:A:296:LEU:HD23	1.92	0.52
1:B:113:MET:HE3	3:B:1000:WP6:CAO	2.41	0.51
1:B:148:LYS:C	1:B:149:GLU:HG2	2.31	0.51
1:C:218:THR:HG23	1:C:248:GLU:HG2	1.91	0.51
1:B:148:LYS:O	1:B:149:GLU:HG2	2.10	0.51
1:C:63:MET:HG2	1:C:95:LEU:HD21	1.92	0.51
1:A:21:TRP:CD1	3:A:1000:WP6:HAW2	2.45	0.51
1:D:257:LYS:HE3	5:D:2141:HOH:O	2.10	0.50
1:C:304:THR:C	1:C:306:LYS:H	2.15	0.50
1:A:172:ILE:HG13	1:A:172:ILE:O	2.11	0.50
1:B:142:ASP:C	1:B:144:LYS:H	2.15	0.50
1:B:127:GLY:HA2	1:B:136:VAL:O	2.12	0.50
1:D:189:ARG:HA	1:D:212:PRO:HD2	1.93	0.49
1:C:171:GLY:HA3	1:C:258:VAL:O	2.12	0.49
1:C:411:PHE:CD1	1:C:431:GLY:HA3	2.48	0.49
1:A:478:TYR:HA	1:A:482:GLU:O	2.12	0.49
1:C:302:LYS:H	1:C:318:ASN:ND2	2.11	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:314:PHE:O	1:B:315:SER:HB2	2.12	0.49
1:C:99:LYS:HD2	1:C:100:ASN:N	2.27	0.49
1:B:455[A]:TYR:CE1	1:B:472:ARG:HG3	2.48	0.49
1:B:411:PHE:CD1	1:B:431:GLY:HA3	2.48	0.48
1:A:113:MET:CE	3:A:1000:WP6:CAP	2.91	0.48
1:A:176:ILE:HB	1:A:180:GLU:HB2	1.96	0.48
1:A:129:LEU:HD23	1:A:299:VAL:CG2	2.41	0.48
1:D:129:LEU:HD11	1:D:156:ILE:HG21	1.95	0.48
1:C:62:LEU:HD13	1:D:403:ILE:CD1	2.44	0.48
1:C:221:TYR:CE2	1:C:223:ASN:HB2	2.49	0.48
1:A:401:HIS:HA	1:A:404:SER:OG	2.14	0.48
1:C:3:LYS:HD3	1:C:3:LYS:HA	1.55	0.48
1:A:68:GLN:NE2	5:A:2038:HOH:O	2.45	0.48
1:B:221:TYR:CE2	1:B:223:ASN:HB2	2.48	0.47
1:C:479:VAL:HB	1:C:484:MET:CE	2.44	0.47
1:B:186:GLU:HB2	1:B:187:PRO:HD2	1.97	0.47
1:D:30:ARG:HH11	1:D:30:ARG:HG3	1.79	0.47
1:B:257:LYS:HE3	1:B:257:LYS:HB3	1.55	0.47
1:D:192:LEU:HA	1:D:218:THR:O	2.15	0.47
1:C:227:LEU:HD12	1:C:238:VAL:HG11	1.97	0.47
1:B:176:ILE:HB	1:B:180:GLU:HB2	1.97	0.47
1:C:320:PRO:O	1:C:321[B]:ASN:OD1	2.33	0.47
1:C:358:ASP:OD2	1:C:446:ARG:NH2	2.48	0.46
1:B:130:GLU:HB2	1:B:136:VAL:HG22	1.96	0.46
1:C:57:CYS:HB3	2:C:998:FAD:C4	2.46	0.46
1:C:62:LEU:HD13	1:D:403:ILE:HD11	1.96	0.46
1:B:157:LEU:HD11	1:B:325:ILE:HG12	1.97	0.46
1:D:29:LYS:HE3	1:D:350:PHE:CD1	2.50	0.46
1:D:47:ALA:O	1:D:48:LEU:C	2.53	0.46
1:A:233:THR:HG21	1:A:393:MET:HE1	1.93	0.46
1:B:18:GLU:OE1	3:B:1000:WP6:NAU	2.49	0.46
1:D:331[B]:ARG:HB3	1:D:332:LEU:H	1.54	0.46
1:C:148:LYS:O	1:C:149:GLU:HG2	2.15	0.46
1:A:400:MET:HG3	1:A:401:HIS:N	2.31	0.46
1:C:331:ARG:HB3	1:C:332:LEU:H	1.64	0.46
1:A:318:ASN:ND2	1:A:318:ASN:H	2.14	0.45
1:C:396:PHE:CD1	1:C:396:PHE:N	2.85	0.45
1:A:421:ASP:O	1:A:450:LYS:HD3	2.17	0.45
1:C:61:LYS:NZ	5:C:2015:HOH:O	2.45	0.45
1:D:221:TYR:CE2	1:D:223:ASN:HB2	2.51	0.45
1:B:395:SER:O	1:B:396:PHE:HB3	2.17	0.45
1:A:155:HIS:HB3	1:A:323:TYR:HE2	1.82	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:313:GLU:HB3	1:D:356:LYS:HD2	1.99	0.45
1:A:80:GLY:HA2	1:B:94:LYS:HG2	1.98	0.44
1:A:126:TRP:CD1	1:A:140:THR:HA	2.53	0.44
1:C:157:LEU:HD11	1:C:325:ILE:HG12	1.99	0.44
1:C:99:LYS:HD2	1:C:99:LYS:C	2.38	0.44
1:A:3:LYS:HB2	1:A:5:PHE:CE2	2.52	0.44
1:A:132:LYS:HB2	5:A:2071:HOH:O	2.17	0.44
1:D:256:ALA:O	1:D:257:LYS:HB3	2.17	0.44
1:D:479:VAL:O	1:D:480:LYS:C	2.55	0.44
1:A:113:MET:HE1	3:A:1000:WP6:CAO	2.43	0.44
1:C:455[A]:TYR:CZ	1:C:472:ARG:HD3	2.53	0.44
1:D:341:GLU:OE2	1:D:359:HIS:CE1	2.68	0.44
1:A:274:LYS:HE3	1:A:274:LYS:HB2	1.53	0.44
1:C:130:GLU:HB2	1:C:136:VAL:CG2	2.47	0.44
1:B:218:THR:HG21	1:B:250:MET:HE2	1.99	0.43
1:D:446:ARG:NH1	5:D:2207:HOH:O	2.45	0.43
1:D:8:VAL:CG2	1:D:153:ALA:HB2	2.47	0.43
1:B:2:SER:C	1:B:3:LYS:HG2	2.39	0.43
3:B:1000:WP6:HAX	3:B:1000:WP6:HAM	1.99	0.43
1:D:292:ASN:HB2	5:D:2155:HOH:O	2.18	0.43
1:D:267:HIS:ND1	1:D:277:ASP:OD2	2.46	0.43
1:D:378:ILE:HG12	5:D:2188:HOH:O	2.19	0.43
1:D:304:THR:CB	1:D:305:PRO:CD	2.93	0.43
1:A:57:CYS:HB3	2:A:998:FAD:C4	2.49	0.43
1:C:93:LYS:NZ	1:C:186[B]:GLU:OE1	2.52	0.43
1:D:331[A]:ARG:HB3	1:D:332:LEU:H	1.59	0.42
1:C:395:SER:HA	1:C:411:PHE:O	2.19	0.42
1:A:395:SER:HA	1:A:411:PHE:O	2.18	0.42
1:C:237:GLU:O	1:C:241:GLN:HG3	2.19	0.42
1:C:148:LYS:C	1:C:149:GLU:HG2	2.40	0.42
1:A:247:ILE:HG22	1:A:249:ILE:HD12	2.01	0.42
1:D:69:TYR:O	1:D:73:LEU:HG	2.19	0.42
1:C:61:LYS:HE3	1:C:367:PHE:CE1	2.55	0.42
1:C:94:LYS:NZ	1:D:82:GLU:OE2	2.51	0.42
1:D:109:SER:O	1:D:113:MET:HG3	2.20	0.42
1:A:411:PHE:CD1	1:A:431:GLY:HA3	2.55	0.42
1:C:69:TYR:HA	1:C:72:HIS:HB2	2.02	0.42
1:C:315:SER:O	1:C:323:TYR:HB3	2.20	0.41
1:C:176:ILE:HB	1:C:180:GLU:HB2	2.02	0.41
1:B:61:LYS:HE3	1:B:367:PHE:CE1	2.55	0.41
1:A:92:TRP:HB3	1:A:187:PRO:HD3	2.03	0.41
1:B:304:THR:O	1:B:305:PRO:C	2.57	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:299:VAL:HG23	1:C:301:VAL:HG23	2.02	0.41
1:B:219:LEU:HD23	1:B:219:LEU:C	2.41	0.41
1:D:171:GLY:HA3	1:D:258:VAL:O	2.21	0.41
1:C:167:PRO:HD3	1:C:285:ILE:CD1	2.50	0.41
1:C:292:ASN:H	1:C:292:ASN:HD22	1.68	0.41
1:C:392:TYR:O	1:C:414:LYS:HA	2.21	0.41
1:B:167:PRO:HD2	1:B:172:ILE:HD11	2.03	0.41
1:D:318:ASN:ND2	1:D:318:ASN:N	2.66	0.41
1:C:155:HIS:HB3	1:C:323:TYR:HE2	1.86	0.41
1:D:37:GLN:OE1	1:D:43:PRO:HD2	2.20	0.40
1:B:95:LEU:HD22	1:B:210:TYR:CZ	2.56	0.40
1:B:41:GLY:HA2	1:B:183:TYR:CZ	2.57	0.40
1:A:396:PHE:CD1	1:A:396:PHE:N	2.89	0.40
1:C:479:VAL:HB	1:C:484:MET:HE3	2.02	0.40
1:C:237:GLU:HG3	1:C:241:GLN:HE21	1.87	0.40
1:C:466:GLU:HA	1:D:439:GLN:OE1	2.21	0.40
1:D:395:SER:HA	1:D:411:PHE:O	2.22	0.40
3:B:1000:WP6:HAO2	3:B:1000:WP6:HAW1	1.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	491/495 (99%)	473 (96%)	18 (4%)	0	100	100
1	B	492/495 (99%)	471 (96%)	18 (4%)	3 (1%)	33	55
1	C	492/495 (99%)	471 (96%)	19 (4%)	2 (0%)	43	66
1	D	494/495 (100%)	472 (96%)	19 (4%)	3 (1%)	33	55
All	All	1969/1980 (99%)	1887 (96%)	74 (4%)	8 (0%)	43	66

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	352	ASN
1	B	132	LYS
1	D	480	LYS
1	B	45	TYR
1	B	143	PRO
1	C	55	VAL
1	D	226	ILE
1	D	55	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	406/407 (100%)	392 (97%)	14 (3%)	49	75
1	B	406/407 (100%)	384 (95%)	22 (5%)	31	53
1	C	407/407 (100%)	373 (92%)	34 (8%)	16	28
1	D	407/407 (100%)	386 (95%)	21 (5%)	32	55
All	All	1626/1628 (100%)	1535 (94%)	91 (6%)	32	51

All (91) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	CYS
1	A	60	LYS
1	A	109	SER
1	A	222	ARG
1	A	238	VAL
1	A	248	GLU
1	A	306	LYS
1	A	331[A]	ARG
1	A	331[B]	ARG
1	A	335	THR
1	A	353	LYS
1	A	387	GLU
1	A	400	MET
1	A	403	ILE
1	B	30	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	57	CYS
1	B	60	LYS
1	B	89	LYS
1	B	99	LYS
1	B	132	LYS
1	B	136	VAL
1	B	139[A]	GLU
1	B	139[B]	GLU
1	B	150	ARG
1	B	152	GLN
1	B	238	VAL
1	B	257	LYS
1	B	299	VAL
1	B	306	LYS
1	B	321	ASN
1	B	323	TYR
1	B	331	ARG
1	B	353	LYS
1	B	385	GLU
1	B	400	MET
1	B	482	GLU
1	C	3	LYS
1	C	10	ILE
1	C	30[A]	ARG
1	C	30[B]	ARG
1	C	57	CYS
1	C	60	LYS
1	C	94	LYS
1	C	99	LYS
1	C	109	SER
1	C	111	GLU
1	C	118	GLU
1	C	128	SER
1	C	129	LEU
1	C	136	VAL
1	C	139	GLU
1	C	150	ARG
1	C	224[A]	ASN
1	C	224[B]	ASN
1	C	248	GLU
1	C	260	LEU
1	C	262	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	266	LYS
1	C	292	ASN
1	C	302	LYS
1	C	306	LYS
1	C	318	ASN
1	C	323	TYR
1	C	331	ARG
1	C	353	LYS
1	C	385	GLU
1	C	389	VAL
1	C	400	MET
1	C	446	ARG
1	C	450	LYS
1	D	30	ARG
1	D	57	CYS
1	D	60	LYS
1	D	89	LYS
1	D	99	LYS
1	D	129	LEU
1	D	149	GLU
1	D	184	LEU
1	D	186	GLU
1	D	224[A]	ASN
1	D	224[B]	ASN
1	D	266	LYS
1	D	292	ASN
1	D	318	ASN
1	D	321[A]	ASN
1	D	321[B]	ASN
1	D	331[A]	ARG
1	D	331[B]	ARG
1	D	353	LYS
1	D	400	MET
1	D	485	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	GLN
1	A	223	ASN
1	A	295	GLN
1	A	318	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	359	HIS
1	B	107	ASN
1	B	133	ASN
1	B	245	ASN
1	B	310	GLN
1	B	352	ASN
1	B	456	ASN
1	C	107	ASN
1	C	152	GLN
1	C	245	ASN
1	C	292	ASN
1	C	318	ASN
1	D	68	GLN
1	D	107	ASN
1	D	152	GLN
1	D	208	ASN
1	D	245	ASN
1	D	292	ASN
1	D	318	ASN
1	D	359	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 13 ligands modelled in this entry, 5 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	WP6	A	1000	-	28,28,28	2.11	5 (17%)	39,39,39	1.46	5 (12%)
2	FAD	A	998	-	58,58,58	1.00	4 (6%)	85,89,89	1.90	17 (20%)
3	WP6	B	1000	-	28,28,28	2.14	6 (21%)	39,39,39	1.49	4 (10%)
2	FAD	B	998	-	58,58,58	1.11	6 (10%)	85,89,89	2.04	21 (24%)
3	WP6	C	1000	-	28,28,28	1.85	5 (17%)	39,39,39	1.36	7 (17%)
2	FAD	C	998	-	58,58,58	1.07	3 (5%)	85,89,89	1.95	13 (15%)
3	WP6	D	1000	-	28,28,28	2.17	5 (17%)	39,39,39	1.11	4 (10%)
2	FAD	D	998	-	58,58,58	0.99	4 (6%)	85,89,89	1.67	13 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	WP6	A	1000	-	-	0/8/24/24	0/2/4/4
2	FAD	A	998	-	-	0/34/50/50	0/1/6/6
3	WP6	B	1000	-	-	0/8/24/24	0/2/4/4
2	FAD	B	998	-	-	0/34/50/50	0/1/6/6
3	WP6	C	1000	-	-	0/8/24/24	0/2/4/4
2	FAD	C	998	-	-	0/34/50/50	0/1/6/6
3	WP6	D	1000	-	-	0/8/24/24	0/2/4/4
2	FAD	D	998	-	-	0/34/50/50	0/1/6/6

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	1000	WP6	CAV-NAU	7.07	1.42	1.29
3	A	1000	WP6	CAV-NAU	6.21	1.40	1.29
3	B	1000	WP6	CAV-NAU	6.11	1.40	1.29
3	C	1000	WP6	CAV-NAU	6.04	1.40	1.29
3	D	1000	WP6	CAV-NAN	4.90	1.43	1.35
3	A	1000	WP6	CAM-NAN	4.90	1.51	1.48
3	B	1000	WP6	CAW-CAV	4.67	1.57	1.49
3	B	1000	WP6	CAV-NAN	4.59	1.42	1.35
3	B	1000	WP6	CAE-CAM	4.33	1.57	1.52
3	C	1000	WP6	CAV-NAN	4.03	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1000	WP6	CAV-NAN	4.00	1.41	1.35
3	D	1000	WP6	CAW-CAV	3.97	1.56	1.49
3	D	1000	WP6	CAL-CAM	3.94	1.56	1.52
3	A	1000	WP6	CAE-CAM	3.65	1.56	1.52
3	A	1000	WP6	CAW-CAV	3.54	1.55	1.49
3	D	1000	WP6	CAM-NAN	3.32	1.50	1.48
2	C	998	FAD	C2A-N3A	3.30	1.38	1.32
2	B	998	FAD	C2A-N3A	3.22	1.38	1.32
3	C	1000	WP6	CAL-CAM	3.18	1.55	1.52
2	A	998	FAD	C1'-N10	3.15	1.51	1.48
3	B	1000	WP6	CAM-NAN	3.02	1.50	1.48
2	D	998	FAD	C2A-N3A	3.01	1.38	1.32
2	C	998	FAD	C5X-N5	2.91	1.39	1.35
3	C	1000	WP6	CAO-CAP	2.91	1.56	1.51
2	A	998	FAD	C5X-N5	2.88	1.39	1.35
3	B	1000	WP6	CAO-CAP	2.86	1.56	1.51
2	C	998	FAD	C2A-N1A	2.69	1.39	1.33
2	A	998	FAD	C2A-N3A	2.68	1.37	1.32
2	B	998	FAD	C2B-C1B	-2.63	1.49	1.53
2	B	998	FAD	C5X-N5	2.49	1.39	1.35
2	B	998	FAD	C6-C5X	-2.39	1.38	1.41
2	D	998	FAD	C5X-N5	2.37	1.38	1.35
2	B	998	FAD	C1'-N10	2.28	1.50	1.48
2	A	998	FAD	C2A-N1A	2.27	1.38	1.33
2	D	998	FAD	C2A-N1A	2.25	1.38	1.33
2	D	998	FAD	C10-N1	2.19	1.39	1.35
2	B	998	FAD	C2A-N1A	2.14	1.38	1.33
3	C	1000	WP6	CAW-CAV	2.13	1.53	1.49

All (84) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	998	FAD	N3A-C2A-N1A	-10.96	119.54	128.71
2	C	998	FAD	N3A-C2A-N1A	-10.39	120.02	128.71
2	A	998	FAD	N3A-C2A-N1A	-9.67	120.63	128.71
2	D	998	FAD	N3A-C2A-N1A	-9.10	121.10	128.71
2	A	998	FAD	C2-N1-C10	7.42	122.45	114.98
2	C	998	FAD	C2-N1-C10	6.84	121.87	114.98
3	B	1000	WP6	CAW-CAV-NAN	5.23	124.11	117.85
2	B	998	FAD	C2-N1-C10	4.88	119.90	114.98
2	D	998	FAD	C2-N1-C10	4.39	119.41	114.98
2	C	998	FAD	C4X-N5-C5X	4.35	121.58	116.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	998	FAD	O4B-C1B-N9A	-4.23	104.50	108.44
2	A	998	FAD	C4X-N5-C5X	4.16	121.37	116.69
2	D	998	FAD	N3A-C4A-N9A	4.11	132.86	125.43
2	B	998	FAD	C4X-N5-C5X	4.11	121.31	116.69
2	B	998	FAD	N3A-C4A-N9A	4.09	132.82	125.43
3	C	1000	WP6	CAW-CAV-NAN	3.99	122.62	117.85
2	B	998	FAD	O4B-C1B-C2B	-3.75	101.02	106.77
3	B	1000	WP6	NAN-CAV-NAU	-3.73	118.57	123.33
3	A	1000	WP6	CAW-CAV-NAN	3.64	122.20	117.85
2	C	998	FAD	N3A-C4A-N9A	3.56	131.85	125.43
2	D	998	FAD	C4X-N5-C5X	3.55	120.68	116.69
3	A	1000	WP6	CAE-CAM-CAL	-3.44	106.46	112.54
2	B	998	FAD	C5X-C9A-N10	3.38	120.13	116.80
2	C	998	FAD	C4X-C10-N1	-3.29	119.45	122.73
2	B	998	FAD	C4A-C5A-N7A	-3.25	106.74	109.52
3	A	1000	WP6	NAN-CAV-NAU	-3.24	119.19	123.33
2	A	998	FAD	C4X-C10-N1	-3.15	119.58	122.73
3	D	1000	WP6	CAW-CAV-NAN	3.09	121.54	117.85
2	A	998	FAD	N3A-C4A-N9A	3.04	130.92	125.43
3	B	1000	WP6	CAT-NAU-CAV	3.02	122.19	118.38
2	A	998	FAD	O4B-C1B-C2B	-3.00	102.17	106.77
2	D	998	FAD	C2'-C1'-N10	3.00	116.43	112.45
2	B	998	FAD	C6-C5X-N5	2.96	122.42	118.97
3	A	1000	WP6	CAT-NAU-CAV	2.95	122.11	118.38
2	C	998	FAD	O4B-C1B-N9A	-2.95	105.70	108.44
2	A	998	FAD	C1'-N10-C9A	2.88	121.67	118.87
2	C	998	FAD	C1'-N10-C9A	2.84	121.64	118.87
2	A	998	FAD	O3B-C3B-C4B	-2.75	102.97	111.08
2	C	998	FAD	O2A-PA-O3P	2.74	118.14	105.14
3	C	1000	WP6	CAT-NAU-CAV	2.65	121.72	118.38
2	B	998	FAD	N7A-C8A-N9A	-2.64	106.88	114.36
2	B	998	FAD	C5A-C4A-N3A	-2.64	119.95	125.70
2	A	998	FAD	C5X-C9A-N10	2.63	119.39	116.80
2	C	998	FAD	C5X-C9A-N10	2.62	119.38	116.80
2	B	998	FAD	C4-N3-C2	-2.62	120.02	125.39
3	C	1000	WP6	CAW-CAV-NAU	-2.61	116.53	119.68
3	D	1000	WP6	CAE-CAM-NAN	-2.56	107.65	111.54
3	D	1000	WP6	NAN-CAV-NAU	-2.54	120.08	123.33
3	C	1000	WP6	CAS-CAR-CAJ	2.48	121.98	119.22
3	A	1000	WP6	CAE-CAM-NAN	-2.48	107.78	111.54
2	B	998	FAD	C4X-C10-N1	-2.47	120.26	122.73
2	B	998	FAD	O2A-PA-O3P	2.47	116.86	105.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	998	FAD	C9A-N10-C10	-2.44	119.38	121.77
2	D	998	FAD	C5A-C4A-N3A	-2.42	120.42	125.70
3	D	1000	WP6	CAT-NAU-CAV	2.42	121.44	118.38
2	D	998	FAD	N7A-C8A-N9A	-2.40	107.56	114.36
2	D	998	FAD	C4X-C10-N1	-2.40	120.33	122.73
2	A	998	FAD	C4-N3-C2	-2.38	120.51	125.39
2	A	998	FAD	C4X-C10-N10	2.33	121.67	120.51
2	B	998	FAD	C9A-C5X-N5	-2.32	118.81	122.37
2	A	998	FAD	C4A-C5A-N7A	-2.30	107.55	109.52
2	A	998	FAD	C3B-C2B-C1B	2.30	104.50	100.91
2	B	998	FAD	C8A-N7A-C5A	2.29	110.68	103.58
2	C	998	FAD	C9A-C5X-N5	-2.29	118.86	122.37
2	D	998	FAD	C2A-N3A-C4A	2.26	120.45	114.01
2	B	998	FAD	C1'-N10-C9A	2.25	121.06	118.87
2	C	998	FAD	C4-N3-C2	-2.22	120.84	125.39
2	A	998	FAD	C9A-N10-C10	-2.21	119.60	121.77
2	B	998	FAD	C2A-N3A-C4A	2.20	120.28	114.01
2	D	998	FAD	C8A-N9A-C4A	2.18	108.56	106.90
3	C	1000	WP6	CAE-CAM-CAL	-2.17	108.71	112.54
2	A	998	FAD	C2'-C1'-N10	2.16	115.31	112.45
3	C	1000	WP6	CAE-CAM-NAN	-2.16	108.27	111.54
2	B	998	FAD	O3B-C3B-C4B	-2.16	104.73	111.08
2	C	998	FAD	N7A-C8A-N9A	-2.15	108.28	114.36
2	C	998	FAD	C5A-C4A-N3A	-2.12	121.07	125.70
3	B	1000	WP6	CAE-CAM-CAL	-2.11	108.81	112.54
2	D	998	FAD	O2A-PA-O3P	2.10	115.09	105.14
3	C	1000	WP6	CAL-CAM-NAN	2.05	113.67	110.65
2	B	998	FAD	C8A-N9A-C4A	2.03	108.45	106.90
2	A	998	FAD	C5A-C4A-N3A	-2.03	121.28	125.70
2	D	998	FAD	C4A-C5A-N7A	-2.02	107.79	109.52
2	D	998	FAD	C1B-N9A-C4A	-2.02	123.14	126.64
2	A	998	FAD	O2A-PA-O3P	2.00	114.63	105.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	490/495 (98%)	-0.64	0	100	100	6, 17, 33, 47	0
1	B	488/495 (98%)	-0.48	0	100	100	9, 22, 44, 59	0
1	C	488/495 (98%)	-0.50	1 (0%)	93	94	10, 22, 47, 60	0
1	D	489/495 (98%)	-0.61	0	100	100	10, 20, 34, 54	0
All	All	1955/1980 (98%)	-0.55	1 (0%)	93	95	6, 20, 42, 60	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	352	ASN	2.7

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	WP6	C	1000	25/25	0.13	0.81	25,30,51,52	0
4	CL	C	1491	1/1	0.17	0.67	35,35,35,35	0
3	WP6	A	1000	25/25	0.11	0.25	10,18,30,33	0
2	FAD	A	998	53/53	0.10	0.11	4,10,14,18	0
2	FAD	D	998	53/53	0.09	0.04	7,12,17,17	0
2	FAD	B	998	53/53	0.11	-0.05	9,19,30,31	0
3	WP6	B	1000	25/25	0.12	-0.14	19,25,31,32	0
2	FAD	C	998	53/53	0.10	-0.49	14,18,25,27	0
3	WP6	D	1000	25/25	0.09	-0.67	13,16,30,31	0
4	CL	A	1489	1/1	0.07	-1.05	27,27,27,27	0
4	CL	D	1487	1/1	0.08	-1.16	35,35,35,35	0
4	CL	C	1490	1/1	0.05	-1.87	37,37,37,37	0
4	CL	B	1490	1/1	0.03	-2.50	27,27,27,27	0

6.5 Other polymers ⓘ

There are no such residues in this entry.