



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 03:27 PM GMT

PDB ID : 2WP9
Title : CRYSTAL STRUCTURE OF THE E. COLI SUCCINATE:QUINONE OXIDOREDUCTASE (SQR) SDHB HIS207THR MUTANT
Authors : Ruprecht, J.; Yankovskaya, V.; Maklashina, E.; Iwata, S.; Cecchini, G.
Deposited on : 2009-08-03
Resolution : 2.70 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1557 (2.70-2.70)
Clashscore	79885	1939 (2.70-2.70)
Ramachandran outliers	78287	1905 (2.70-2.70)
Sidechain outliers	78261	1905 (2.70-2.70)
RSRZ outliers	66119	1559 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	588	
1	E	588	
1	I	588	
2	B	238	
2	F	238	
2	J	238	
3	C	129	
3	G	129	
3	K	129	
4	D	115	
4	H	115	
4	L	115	

The following table lists non-polymeric compounds that are outliers for geometric or electron-

density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
6	TEO	A	1589	-	X
7	NA	A	1590	-	X
7	NA	E	1590	-	X
7	NA	I	1590	-	X

2 Entry composition

There are 13 unique types of molecules in this entry. The entry contains 25058 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SUCCINATE DEHYDROGENASE FLAVOPROTEIN SUB-UNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	588	Total	C	N	O	S	0	0	0
			4522	2812	821	861	28			
1	E	588	Total	C	N	O	S	0	0	0
			4522	2812	821	861	28			
1	I	588	Total	C	N	O	S	0	0	0
			4522	2812	821	861	28			

- Molecule 2 is a protein called SUCCINATE DEHYDROGENASE IRON-SULFUR SUB-UNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	238	Total	C	N	O	S	0	0	0
			1865	1170	327	348	20			
2	F	238	Total	C	N	O	S	0	0	0
			1865	1170	327	348	20			
2	J	238	Total	C	N	O	S	0	0	0
			1865	1170	327	348	20			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	207	THR	HIS	ENGINEERED MUTATION	UNP P07014
F	207	THR	HIS	ENGINEERED MUTATION	UNP P07014
J	207	THR	HIS	ENGINEERED MUTATION	UNP P07014

- Molecule 3 is a protein called SUCCINATE DEHYDROGENASE CYTOCHROME B556 SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	122	Total	C	N	O	S	0	0	0
			947	630	153	159	5			

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	G	122	Total	C	N	O	S	0	0	0
			947	630	153	159	5			
3	K	122	Total	C	N	O	S	0	0	0
			947	630	153	159	5			

- Molecule 4 is a protein called SUCCINATE DEHYDROGENASE HYDROPHOBIC MEMBRANE ANCHOR SUBUNIT.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	105	Total	C	N	O	S	0	0	0
			835	577	123	132	3			
4	H	105	Total	C	N	O	S	0	0	0
			835	577	123	132	3			
4	L	105	Total	C	N	O	S	0	0	0
			835	577	123	132	3			

- Molecule 5 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
5	E	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
5	I	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 6 is MALATE LIKE INTERMEDIATE (three-letter code: TEO) (formula: $C_4H_4O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			9	4	5		
6	E	1	Total	C	O	0	0
			9	4	5		
6	I	1	Total	C	O	0	0
			9	4	5		

- Molecule 7 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	I	1	Total	Na	0	0
			1	1		
7	A	1	Total	Na	0	0
			1	1		
7	E	1	Total	Na	0	0
			1	1		

- Molecule 8 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe_2S_2).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	Fe	S	0	0
			4	2	2		
8	F	1	Total	Fe	S	0	0
			4	2	2		
8	J	1	Total	Fe	S	0	0
			4	2	2		

- Molecule 9 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe_4S_4).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	Fe	S	0	0
			8	4	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	F	1	Total	Fe	S	0	0
			8	4	4		
9	J	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 10 is FE3-S4 CLUSTER (three-letter code: F3S) (formula: Fe_3S_4).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	B	1	Total	Fe	S	0	0
			7	3	4		
10	F	1	Total	Fe	S	0	0
			7	3	4		
10	J	1	Total	Fe	S	0	0
			7	3	4		

- Molecule 11 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $\text{C}_{34}\text{H}_{32}\text{FeN}_4\text{O}_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
11	G	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
11	K	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 12 is 2-METHYL-N-PHENYL-5,6-DIHYDRO-1,4-OXATHIINE-3-CARBOXAMIDE (three-letter code: CBE) (formula: $C_{12}H_{13}NO_2S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
12	C	1	Total	C	N	O	S	0	0
			16	12	1	2	1		
12	G	1	Total	C	N	O	S	0	0
			16	12	1	2	1		
12	K	1	Total	C	N	O	S	0	0
			16	12	1	2	1		

- Molecule 13 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	53	Total	O	0	0
			53	53		
13	B	17	Total	O	0	0
			17	17		
13	C	1	Total	O	0	0
			1	1		
13	D	1	Total	O	0	0
			1	1		
13	E	23	Total	O	0	0
			23	23		
13	F	7	Total	O	0	0
			7	7		
13	H	1	Total	O	0	0
			1	1		
13	I	13	Total	O	0	0
			13	13		
13	J	12	Total	O	0	0
			12	12		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: SUCCINATE DEHYDROGENASE FLAVOPROTEIN SUBUNIT

Chain A:




• Molecule 1: SUCCINATE DEHYDROGENASE FLAVOPROTEIN SUBUNIT

Chain E:




• Molecule 1: SUCCINATE DEHYDROGENASE FLAVOPROTEIN SUBUNIT

Chain I:




• Molecule 2: SUCCINATE DEHYDROGENASE IRON-SULFUR SUBUNIT


Chain B:



• Molecule 2: SUCCINATE DEHYDROGENASE IRON-SULFUR SUBUNIT


Chain F:






- Molecule 2: SUCCINATE DEHYDROGENASE IRON-SULFUR SUBUNIT

Chain J:




- Molecule 3: SUCCINATE DEHYDROGENASE CYTOCHROME B556 SUBUNIT

Chain C:




- Molecule 3: SUCCINATE DEHYDROGENASE CYTOCHROME B556 SUBUNIT

Chain G:




- Molecule 3: SUCCINATE DEHYDROGENASE CYTOCHROME B556 SUBUNIT

Chain K:



- Molecule 4: SUCCINATE DEHYDROGENASE HYDROPHOBIC MEMBRANE ANCHOR SUBUNIT

Chain D:




- Molecule 4: SUCCINATE DEHYDROGENASE HYDROPHOBIC MEMBRANE ANCHOR SUBUNIT

Chain H:



- Molecule 4: SUCCINATE DEHYDROGENASE HYDROPHOBIC MEMBRANE ANCHOR SUBUNIT

Chain L:



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	119.85Å 183.80Å 202.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.85 – 2.70 48.87 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.6 (48.85-2.70) 99.6 (48.87-2.70)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.00 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.4.0067	Depositor
R, R_{free}	0.190 , 0.222 0.193 , 0.225	Depositor DCC
R_{free} test set	6188 reflections (5.31%)	DCC
Wilson B-factor (Å ²)	57.3	Xtriage
Anisotropy	0.209	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 35.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	2 of 122766 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	25058	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CBE, NA, SF4, TEO, F3S, FES, HEM, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.67	1/4611 (0.0%)	0.69	2/6237 (0.0%)
1	E	0.57	0/4611	0.64	0/6237
1	I	0.52	0/4611	0.62	0/6237
2	B	0.66	0/1903	0.72	0/2573
2	F	0.61	0/1903	0.68	1/2573 (0.0%)
2	J	0.56	0/1903	0.65	0/2573
3	C	0.60	0/969	0.59	0/1316
3	G	0.54	0/969	0.58	0/1316
3	K	0.52	0/969	0.54	0/1316
4	D	0.64	0/858	0.63	0/1175
4	H	0.60	0/858	0.58	0/1175
4	L	0.56	0/858	0.58	0/1175
All	All	0.59	1/25023 (0.0%)	0.64	3/33903 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	332	GLU	CG-CD	5.63	1.60	1.51

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	491	ARG	NE-CZ-NH2	-6.47	117.06	120.30
1	A	24	LEU	CB-CG-CD2	-5.77	101.19	111.00
2	F	106	ASP	CB-CG-OD1	5.47	123.23	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4522	0	0	10	0
1	E	4522	0	0	8	0
1	I	4522	0	0	10	0
2	B	1865	0	0	2	0
2	F	1865	0	0	6	0
2	J	1865	0	0	3	0
3	C	947	0	0	1	0
3	G	947	0	0	1	0
3	K	947	0	0	1	0
4	D	835	0	0	2	0
4	H	835	0	0	4	0
4	L	835	0	0	3	0
5	A	53	0	30	4	0
5	E	53	0	29	1	0
5	I	53	0	29	2	0
6	A	9	0	3	2	0
6	E	9	0	3	0	0
6	I	9	0	3	2	0
7	A	1	0	0	0	0
7	E	1	0	0	0	0
7	I	1	0	0	0	0
8	B	4	0	0	0	0
8	F	4	0	0	0	0
8	J	4	0	0	0	0
9	B	8	0	0	0	0
9	F	8	0	0	0	0
9	J	8	0	0	0	0
10	B	7	0	0	0	0
10	F	7	0	0	0	0
10	J	7	0	0	1	0
11	C	43	0	30	1	0
11	G	43	0	30	5	0
11	K	43	0	30	5	0
12	C	16	0	13	2	0
12	G	16	0	13	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	K	16	0	13	2	0
13	A	53	0	0	0	0
13	B	17	0	0	0	0
13	C	1	0	0	0	0
13	D	1	0	0	0	0
13	E	23	0	0	1	0
13	F	7	0	0	1	0
13	H	1	0	0	0	0
13	I	13	0	0	0	0
13	J	12	0	0	0	0
All	All	25058	0	226	68	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 3.

All (68) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
11:G:1129:HEM:HBC2	11:G:1129:HEM:HHD	1.55	0.88
11:K:1129:HEM:HBB2	11:K:1129:HEM:HHC	1.55	0.88
11:K:1129:HEM:HHA	11:K:1129:HEM:HBA2	1.60	0.81
12:K:1130:CBE:O9	12:K:1130:CBE:H16	1.84	0.76
12:C:1130:CBE:O9	12:C:1130:CBE:H16	1.83	0.76
1:A:451:ARG:CG	1:A:451:ARG:NH1	2.55	0.69
2:B:238:ALA:O	4:H:90:ARG:NH2	2.26	0.69
11:G:1129:HEM:CBC	11:G:1129:HEM:HHD	2.26	0.64
12:C:1130:CBE:C16	12:C:1130:CBE:O9	2.47	0.63
12:G:1130:CBE:O9	12:G:1130:CBE:H16	2.00	0.61
1:E:20:MET:CE	1:E:146:LEU:CD1	2.81	0.59
2:F:238:ALA:O	4:L:90:ARG:NH2	2.36	0.58
11:G:1129:HEM:HBC2	11:G:1129:HEM:CHD	2.28	0.58
2:B:55:CYS:O	2:B:56:ARG:CD	2.53	0.57
2:F:55:CYS:O	2:F:56:ARG:CD	2.53	0.56
1:E:490:ILE:CG2	1:E:520:MET:CE	2.83	0.56
4:D:90:ARG:NH2	2:J:238:ALA:O	2.39	0.56
11:G:1129:HEM:HHA	11:G:1129:HEM:HBA2	1.88	0.55
1:I:490:ILE:CG2	1:I:520:MET:CE	2.85	0.54
11:K:1129:HEM:HBA2	11:K:1129:HEM:CHA	2.31	0.53
2:J:55:CYS:O	2:J:56:ARG:CD	2.56	0.53
1:A:24:LEU:CD1	1:A:156:ASN:OD1	2.57	0.53
4:H:41:GLY:O	4:H:42:GLU:C	2.47	0.53
4:L:41:GLY:O	4:L:42:GLU:C	2.47	0.52
1:A:327:LEU:N	1:A:328:PRO:CD	2.71	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
11:C:1129:HEM:HBB2	11:C:1129:HEM:HHC	1.90	0.52
2:F:56:ARG:O	2:F:56:ARG:CG	2.57	0.52
1:E:327:LEU:N	1:E:328:PRO:CD	2.73	0.51
1:I:46:THR:OG1	5:I:601:FAD:O2A	2.29	0.51
1:A:15:ALA:N	5:A:601:FAD:HO3A	2.10	0.50
1:I:221:ASP:OD1	1:I:518:ASN:ND2	2.46	0.48
1:I:286:ARG:NH2	6:I:1589:TEO:C3	2.77	0.48
11:K:1129:HEM:HHA	11:K:1129:HEM:CBA	2.40	0.48
1:I:472:SER:OG	1:I:473:VAL:N	2.47	0.47
1:I:37:SER:OG	1:I:39:VAL:O	2.33	0.46
1:I:399:ARG:NH1	6:I:1589:TEO:O4B	2.48	0.46
1:E:392:VAL:N	1:E:393:SER:CA	2.78	0.46
11:K:1129:HEM:CHA	11:K:1129:HEM:CBA	2.93	0.46
2:F:84:GLN:O	2:F:85:PRO:C	2.54	0.46
1:I:578:ARG:NH1	1:I:581:PHE:CZ	2.83	0.46
4:D:41:GLY:O	4:D:42:GLU:C	2.54	0.46
3:G:128:VAL:O	3:G:128:VAL:CG1	2.64	0.46
1:A:472:SER:OG	1:A:473:VAL:N	2.50	0.45
2:F:205:ARG:NH1	4:H:82:ASP:OD1	2.50	0.45
2:J:223:THR:OG1	10:J:304:F3S:S4	2.74	0.45
2:F:26:GLU:N	13:F:2001:HOH:O	2.50	0.45
3:C:128:VAL:CG1	3:C:128:VAL:O	2.66	0.44
12:K:1130:CBE:C16	12:K:1130:CBE:O9	2.51	0.44
5:A:601:FAD:N5	6:A:1589:TEO:H2	2.31	0.44
1:E:24:LEU:CD1	1:E:156:ASN:OD1	2.66	0.44
4:L:85:LYS:N	4:L:86:PRO:CD	2.81	0.43
5:E:601:FAD:H1'1	5:E:601:FAD:H9	1.69	0.43
1:A:490:ILE:CG2	1:A:520:MET:CE	2.97	0.42
1:E:472:SER:OG	1:E:473:VAL:N	2.53	0.42
11:G:1129:HEM:HBA2	11:G:1129:HEM:CHA	2.48	0.42
1:I:20:MET:CE	1:I:146:LEU:CD1	2.98	0.42
5:I:601:FAD:H9	5:I:601:FAD:H1'1	1.73	0.42
5:A:601:FAD:O2'	5:A:601:FAD:O4'	2.36	0.41
1:I:392:VAL:N	1:I:393:SER:CA	2.83	0.41
4:H:32:TYR:OH	4:H:57:THR:OG1	2.38	0.41
1:E:451:ARG:CG	1:E:451:ARG:NH1	2.84	0.41
1:A:255:GLU:N	6:A:1589:TEO:O1B	2.54	0.41
12:G:1130:CBE:C16	12:G:1130:CBE:O9	2.62	0.40
1:A:404:SER:OG	5:A:601:FAD:H2'	2.21	0.40
1:A:383:LEU:C	1:A:384:PHE:CD2	2.95	0.40
1:E:21:ARG:NH1	13:E:2001:HOH:O	2.55	0.40
3:K:128:VAL:CG1	3:K:128:VAL:O	2.69	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:287:ASP:N	1:A:287:ASP:OD1	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	586/588 (100%)	569 (97%)	17 (3%)	0	100	100
1	E	586/588 (100%)	569 (97%)	17 (3%)	0	100	100
1	I	586/588 (100%)	571 (97%)	15 (3%)	0	100	100
2	B	236/238 (99%)	227 (96%)	9 (4%)	0	100	100
2	F	236/238 (99%)	223 (94%)	13 (6%)	0	100	100
2	J	236/238 (99%)	225 (95%)	11 (5%)	0	100	100
3	C	120/129 (93%)	116 (97%)	4 (3%)	0	100	100
3	G	120/129 (93%)	117 (98%)	3 (2%)	0	100	100
3	K	120/129 (93%)	119 (99%)	1 (1%)	0	100	100
4	D	103/115 (90%)	97 (94%)	5 (5%)	1 (1%)	22	51
4	H	103/115 (90%)	98 (95%)	4 (4%)	1 (1%)	22	51
4	L	103/115 (90%)	98 (95%)	4 (4%)	1 (1%)	22	51
All	All	3135/3210 (98%)	3029 (97%)	103 (3%)	3 (0%)	59	89

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	D	42	GLU
4	L	42	GLU
4	H	42	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	473/473 (100%)	464 (98%)	9 (2%)	69	92
1	E	473/473 (100%)	463 (98%)	10 (2%)	66	91
1	I	473/473 (100%)	463 (98%)	10 (2%)	66	91
2	B	208/208 (100%)	198 (95%)	10 (5%)	35	68
2	F	208/208 (100%)	199 (96%)	9 (4%)	40	72
2	J	208/208 (100%)	198 (95%)	10 (5%)	35	68
3	C	102/109 (94%)	100 (98%)	2 (2%)	68	92
3	G	102/109 (94%)	99 (97%)	3 (3%)	55	85
3	K	102/109 (94%)	99 (97%)	3 (3%)	55	85
4	D	88/96 (92%)	86 (98%)	2 (2%)	63	90
4	H	88/96 (92%)	85 (97%)	3 (3%)	49	81
4	L	88/96 (92%)	85 (97%)	3 (3%)	49	81
All	All	2613/2658 (98%)	2539 (97%)	74 (3%)	56	86

All (74) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	43	ARG
1	A	119	PHE
1	A	196	ARG
1	A	304	ASP
1	A	451	ARG
1	A	506	PHE
1	A	541	SER
1	A	568	ARG
1	A	578	ARG
2	B	1	MET
2	B	16	ASP
2	B	31	ARG
2	B	45	LYS
2	B	53	ARG
2	B	56	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	87	LYS
2	B	120	TYR
2	B	180	ARG
2	B	212	CYS
3	C	27	SER
3	C	129	TRP
4	D	19	VAL
4	D	60	PHE
1	E	43	ARG
1	E	119	PHE
1	E	196	ARG
1	E	304	ASP
1	E	374	LYS
1	E	451	ARG
1	E	491	ARG
1	E	506	PHE
1	E	541	SER
1	E	568	ARG
2	F	16	ASP
2	F	31	ARG
2	F	45	LYS
2	F	53	ARG
2	F	56	ARG
2	F	87	LYS
2	F	180	ARG
2	F	205	ARG
2	F	212	CYS
3	G	8	GLN
3	G	27	SER
3	G	129	TRP
4	H	19	VAL
4	H	60	PHE
4	H	109	PHE
1	I	43	ARG
1	I	119	PHE
1	I	304	ASP
1	I	325	SER
1	I	373	GLU
1	I	374	LYS
1	I	451	ARG
1	I	491	ARG
1	I	506	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	541	SER
2	J	1	MET
2	J	16	ASP
2	J	31	ARG
2	J	45	LYS
2	J	53	ARG
2	J	56	ARG
2	J	87	LYS
2	J	180	ARG
2	J	205	ARG
2	J	212	CYS
3	K	8	GLN
3	K	27	SER
3	K	129	TRP
4	L	19	VAL
4	L	60	PHE
4	L	109	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 24 ligands modelled in this entry, 3 are monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	TEO	A	1589	-	5,8,8	1.14	1 (20%)	3,10,10	1.84	2 (66%)
5	FAD	A	601	1	58,58,58	1.04	5 (8%)	85,89,89	1.87	15 (17%)
8	FES	B	302	2	0,4,4	0.00	-	0,4,4	0.00	-
9	SF4	B	303	2	12,12,12	9.62	11 (91%)	0,24,24	0.00	-
10	F3S	B	304	2	3,9,9	20.17	3 (100%)	0,15,15	0.00	-
11	HEM	C	1129	3,4	49,50,50	2.58	17 (34%)	46,82,82	2.66	14 (30%)
12	CBE	C	1130	-	17,17,17	1.17	1 (5%)	22,22,22	1.55	3 (13%)
6	TEO	E	1589	-	5,8,8	1.34	1 (20%)	3,10,10	1.48	1 (33%)
5	FAD	E	601	1	58,58,58	1.08	4 (6%)	85,89,89	2.02	16 (18%)
8	FES	F	302	2	0,4,4	0.00	-	0,4,4	0.00	-
9	SF4	F	303	2	12,12,12	7.18	10 (83%)	0,24,24	0.00	-
10	F3S	F	304	2	3,9,9	19.40	3 (100%)	0,15,15	0.00	-
11	HEM	G	1129	3,4	49,50,50	2.52	12 (24%)	46,82,82	1.95	7 (15%)
12	CBE	G	1130	-	17,17,17	1.23	1 (5%)	22,22,22	1.31	3 (13%)
6	TEO	I	1589	-	5,8,8	1.16	1 (20%)	3,10,10	1.69	1 (33%)
5	FAD	I	601	1	58,58,58	0.99	2 (3%)	85,89,89	1.94	14 (16%)
8	FES	J	302	2	0,4,4	0.00	-	0,4,4	0.00	-
9	SF4	J	303	2	12,12,12	5.21	9 (75%)	0,24,24	0.00	-
10	F3S	J	304	2	3,9,9	14.19	3 (100%)	0,15,15	0.00	-
11	HEM	K	1129	3,4	49,50,50	2.71	16 (32%)	46,82,82	2.20	9 (19%)
12	CBE	K	1130	-	17,17,17	1.16	1 (5%)	22,22,22	1.59	3 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	TEO	A	1589	-	-	0/2/8/8	0/0/0/0
5	FAD	A	601	1	-	0/34/50/50	0/1/6/6
8	FES	B	302	2	-	0/0/4/4	0/0/1/1
9	SF4	B	303	2	-	0/0/48/48	0/0/5/5
10	F3S	B	304	2	-	0/0/24/24	0/0/3/3
11	HEM	C	1129	3,4	-	0/14/114/114	0/0/8/8

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	CBE	C	1130	-	-	0/8/19/19	0/2/2/2
6	TEO	E	1589	-	-	0/2/8/8	0/0/0/0
5	FAD	E	601	1	-	0/34/50/50	0/1/6/6
8	FES	F	302	2	-	0/0/4/4	0/0/1/1
9	SF4	F	303	2	-	0/0/48/48	0/0/5/5
10	F3S	F	304	2	-	0/0/24/24	0/0/3/3
11	HEM	G	1129	3,4	-	0/14/114/114	0/0/8/8
12	CBE	G	1130	-	-	0/8/19/19	0/2/2/2
6	TEO	I	1589	-	-	0/2/8/8	0/0/0/0
5	FAD	I	601	1	-	0/34/50/50	0/1/6/6
8	FES	J	302	2	-	0/0/4/4	0/0/1/1
9	SF4	J	303	2	-	0/0/48/48	0/0/5/5
10	F3S	J	304	2	-	0/0/24/24	0/0/3/3
11	HEM	K	1129	3,4	-	0/14/114/114	0/0/8/8
12	CBE	K	1130	-	-	0/8/19/19	0/2/2/2

All (101) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B	304	F3S	S3-FE4	-30.10	2.13	2.33
10	F	304	F3S	S3-FE4	-25.76	2.15	2.33
10	F	304	F3S	S3-FE3	-17.45	2.21	2.33
10	B	304	F3S	S3-FE1	-16.82	2.21	2.33
10	J	304	F3S	S3-FE3	-16.06	2.22	2.33
10	J	304	F3S	S3-FE1	-14.65	2.23	2.33
9	B	303	SF4	S2-FE4	-14.42	2.23	2.33
9	B	303	SF4	S1-FE4	-12.98	2.24	2.33
10	F	304	F3S	S3-FE1	-12.69	2.24	2.33
9	B	303	SF4	S2-FE3	-12.17	2.25	2.33
9	B	303	SF4	S3-FE2	-11.96	2.25	2.33
9	B	303	SF4	S4-FE1	-11.49	2.25	2.33
10	J	304	F3S	S3-FE4	-11.48	2.25	2.33
9	F	303	SF4	S1-FE3	-11.35	2.25	2.33
9	B	303	SF4	S3-FE1	-10.58	2.26	2.33
9	F	303	SF4	S3-FE4	-9.78	2.26	2.33
9	F	303	SF4	S2-FE3	-9.76	2.26	2.33
9	J	303	SF4	S2-FE4	-9.63	2.26	2.33
11	K	1129	HEM	C3D-C4D	9.35	1.46	1.44
9	F	303	SF4	S3-FE1	-9.13	2.27	2.33
9	B	303	SF4	S1-FE3	-8.82	2.27	2.33
9	F	303	SF4	S4-FE2	-8.71	2.27	2.33
9	F	303	SF4	S2-FE4	-8.07	2.27	2.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	303	SF4	S4-FE2	-7.80	2.28	2.33
11	G	1129	HEM	C3D-C4D	7.38	1.46	1.44
11	K	1129	HEM	C3B-C2B	-6.63	1.32	1.43
9	J	303	SF4	S3-FE1	-6.57	2.28	2.33
11	G	1129	HEM	C3B-C2B	-6.54	1.32	1.43
9	J	303	SF4	S4-FE3	-6.50	2.28	2.33
11	G	1129	HEM	C3C-C2C	-6.41	1.32	1.43
9	J	303	SF4	S3-FE2	-6.32	2.29	2.33
11	K	1129	HEM	C3C-C2C	-6.30	1.32	1.43
9	J	303	SF4	S3-FE4	-6.19	2.29	2.33
11	C	1129	HEM	C2B-C1B	6.05	1.46	1.44
11	C	1129	HEM	C3B-C2B	-5.92	1.33	1.43
11	K	1129	HEM	C3D-C2D	5.80	1.53	1.43
11	G	1129	HEM	C3D-C2D	5.66	1.53	1.43
11	C	1129	HEM	C3C-C2C	-5.57	1.34	1.43
10	B	304	F3S	S3-FE3	-5.57	2.29	2.33
9	B	303	SF4	S1-FE2	5.28	2.36	2.33
9	B	303	SF4	S2-FE1	-5.17	2.29	2.33
11	C	1129	HEM	FE-NB	5.14	2.16	1.97
11	C	1129	HEM	C4A-C3A	5.02	1.46	1.40
9	F	303	SF4	S3-FE2	-4.94	2.29	2.33
9	F	303	SF4	S1-FE2	-4.92	2.29	2.33
11	G	1129	HEM	C2D-C1D	4.91	1.45	1.44
9	J	303	SF4	S1-FE2	-4.85	2.30	2.33
11	C	1129	HEM	C3B-CAB	4.78	1.55	1.40
9	J	303	SF4	S4-FE1	-4.72	2.30	2.33
11	G	1129	HEM	C3B-CAB	4.71	1.55	1.40
11	C	1129	HEM	C3D-C2D	4.68	1.52	1.43
11	C	1129	HEM	FE-ND	4.55	2.14	1.97
11	G	1129	HEM	C3C-CAC	4.31	1.54	1.40
11	C	1129	HEM	C3C-CAC	4.27	1.53	1.40
11	K	1129	HEM	C3B-CAB	4.22	1.53	1.40
11	K	1129	HEM	C3C-CAC	4.19	1.53	1.40
11	G	1129	HEM	C4A-C3A	4.12	1.45	1.40
9	F	303	SF4	S2-FE1	-4.12	2.30	2.33
12	G	1130	CBE	C11-N10	-3.95	1.34	1.41
11	K	1129	HEM	FE-ND	3.76	2.11	1.97
11	K	1129	HEM	C4A-C3A	3.64	1.44	1.40
12	C	1130	CBE	C11-N10	-3.53	1.34	1.41
11	C	1129	HEM	FE-NA	3.49	2.07	1.92
5	I	601	FAD	C2A-N3A	3.43	1.38	1.32
12	K	1130	CBE	C11-N10	-3.35	1.35	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	J	303	SF4	S1-FE3	-3.34	2.31	2.33
9	J	303	SF4	S4-FE2	-3.31	2.31	2.33
11	K	1129	HEM	FE-NB	3.21	2.09	1.97
11	K	1129	HEM	C2D-C1D	3.19	1.45	1.44
11	C	1129	HEM	C3D-C4D	2.97	1.45	1.44
5	E	601	FAD	C2A-N3A	2.85	1.37	1.32
11	K	1129	HEM	C2B-C1B	2.72	1.45	1.44
11	C	1129	HEM	CMC-C2C	2.68	1.55	1.47
5	E	601	FAD	C1'-N10	2.63	1.51	1.48
5	A	601	FAD	C5X-N5	2.63	1.39	1.35
11	K	1129	HEM	CMC-C2C	2.61	1.55	1.47
5	A	601	FAD	C2A-N3A	2.59	1.37	1.32
11	K	1129	HEM	FE-NA	2.58	2.03	1.92
11	C	1129	HEM	C1A-NA	2.50	1.41	1.36
5	E	601	FAD	C10-N1	2.48	1.40	1.35
6	E	1589	TEO	O4A-C4	2.47	1.26	1.22
11	G	1129	HEM	CMC-C2C	2.37	1.54	1.47
6	A	1589	TEO	O4A-C4	2.33	1.26	1.22
5	I	601	FAD	C10-N1	2.30	1.39	1.35
11	G	1129	HEM	CMB-C2B	2.31	1.54	1.47
11	K	1129	HEM	CMD-C2D	2.30	1.54	1.47
11	G	1129	HEM	CMD-C2D	2.26	1.54	1.47
11	C	1129	HEM	C2D-C1D	-2.25	1.44	1.44
11	K	1129	HEM	CMB-C2B	2.25	1.54	1.47
9	F	303	SF4	S4-FE3	2.17	2.34	2.33
5	A	601	FAD	C2A-N1A	2.16	1.38	1.33
11	C	1129	HEM	CMB-C2B	2.15	1.54	1.47
11	C	1129	HEM	C3B-C4B	2.09	1.46	1.44
11	K	1129	HEM	C1A-C2A	2.09	1.47	1.43
5	A	601	FAD	C4X-N5	2.09	1.40	1.36
11	C	1129	HEM	CHC-C1C	2.07	1.40	1.36
5	E	601	FAD	C5X-N5	2.04	1.38	1.35
6	I	1589	TEO	O4A-C4	2.04	1.25	1.22
9	B	303	SF4	S4-FE3	2.02	2.34	2.33
5	A	601	FAD	C10-N1	2.01	1.39	1.35
11	G	1129	HEM	FE-NB	2.01	2.05	1.97

All (88) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	601	FAD	N3A-C2A-N1A	-11.83	118.82	128.71
11	C	1129	HEM	C3B-C4B-NB	-10.76	106.31	114.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	I	601	FAD	N3A-C2A-N1A	-9.87	120.45	128.71
5	A	601	FAD	N3A-C2A-N1A	-9.64	120.65	128.71
11	G	1129	HEM	C3B-C4B-NB	-7.78	108.43	114.00
11	K	1129	HEM	C3B-C4B-NB	-7.68	108.50	114.00
11	C	1129	HEM	C4D-ND-C1D	7.08	112.41	105.16
11	K	1129	HEM	C4D-ND-C1D	6.33	111.64	105.16
5	E	601	FAD	C2-N1-C10	6.05	121.08	114.98
5	A	601	FAD	C2'-C1'-N10	-6.05	104.42	112.45
11	K	1129	HEM	CBA-CAA-C2A	-5.79	102.48	112.69
5	I	601	FAD	C2-N1-C10	5.73	120.75	114.98
11	G	1129	HEM	C4D-ND-C1D	5.43	110.72	105.16
5	I	601	FAD	C2'-C1'-N10	-5.39	105.30	112.45
11	C	1129	HEM	CAD-C3D-C4D	5.04	133.59	124.53
12	K	1130	CBE	O7-C2-C1	4.91	118.00	109.71
5	E	601	FAD	C4X-C10-N1	-4.34	118.39	122.73
12	C	1130	CBE	O7-C2-C1	4.22	116.84	109.71
11	C	1129	HEM	C2D-C1D-ND	-4.16	108.02	112.93
5	I	601	FAD	C4X-N5-C5X	4.06	121.25	116.69
11	G	1129	HEM	CBA-CAA-C2A	-4.01	105.62	112.69
5	A	601	FAD	C2-N1-C10	3.95	118.96	114.98
12	C	1130	CBE	C11-N10-C8	-3.93	120.38	127.54
5	I	601	FAD	N3A-C4A-N9A	3.93	132.53	125.43
5	A	601	FAD	C4A-C5A-N7A	-3.85	106.23	109.52
5	E	601	FAD	C5X-C9A-N10	3.81	120.56	116.80
5	E	601	FAD	C4X-N5-C5X	3.74	120.89	116.69
11	C	1129	HEM	C1B-NB-C4B	3.67	108.92	105.16
11	K	1129	HEM	C2D-C1D-ND	-3.64	108.63	112.93
11	K	1129	HEM	CAD-C3D-C4D	3.62	131.04	124.53
11	K	1129	HEM	CHC-C1C-NC	3.58	127.84	124.73
12	G	1130	CBE	O7-C2-C1	3.57	115.74	109.71
5	I	601	FAD	O4B-C1B-C2B	-3.57	101.30	106.77
5	A	601	FAD	C4'-C3'-C2'	-3.50	105.34	113.25
5	A	601	FAD	C4X-N5-C5X	3.45	120.56	116.69
12	K	1130	CBE	C11-N10-C8	-3.42	121.32	127.54
5	A	601	FAD	C5X-C9A-N10	3.30	120.06	116.80
11	C	1129	HEM	O1D-CGD-CBD	-3.29	111.72	123.03
5	E	601	FAD	N3A-C4A-N9A	3.25	131.31	125.43
12	G	1130	CBE	C3-C8-N10	-3.06	109.88	115.62
11	C	1129	HEM	CHD-C4C-NC	3.03	127.36	124.73
11	C	1129	HEM	CAD-CBD-CGD	-2.92	104.38	113.48
5	I	601	FAD	C5A-C4A-N3A	-2.89	119.40	125.70
5	I	601	FAD	C5X-C9A-N10	2.87	119.63	116.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	C	1129	HEM	CAD-C3D-C2D	-2.81	121.00	127.25
11	C	1129	HEM	C4C-NC-C1C	2.79	108.43	105.53
6	I	1589	TEO	C2-C3-C4	-2.73	117.84	124.92
5	E	601	FAD	C4'-C3'-C2'	-2.72	107.10	113.25
11	G	1129	HEM	C2D-C1D-ND	-2.71	109.73	112.93
11	K	1129	HEM	CMA-C3A-C4A	-2.67	124.51	128.62
5	E	601	FAD	C2'-C1'-N10	-2.60	109.00	112.45
12	G	1130	CBE	C11-N10-C8	-2.59	122.82	127.54
5	I	601	FAD	O3B-C3B-C4B	-2.57	103.51	111.08
6	E	1589	TEO	C2-C3-C4	-2.54	118.34	124.92
5	I	601	FAD	C2A-N3A-C4A	2.53	121.21	114.01
11	C	1129	HEM	CBD-CAD-C3D	2.53	119.89	114.37
5	A	601	FAD	N3A-C4A-N9A	2.52	129.98	125.43
5	I	601	FAD	O4B-C1B-N9A	-2.50	106.11	108.44
11	G	1129	HEM	C4A-CHB-C1B	-2.49	124.20	127.47
5	E	601	FAD	C2A-N3A-C4A	2.48	121.07	114.01
11	C	1129	HEM	O1A-CGA-CBA	-2.47	114.52	123.03
5	E	601	FAD	C4-N3-C2	-2.44	120.37	125.39
5	I	601	FAD	C4A-C5A-N7A	-2.42	107.45	109.52
12	C	1130	CBE	C3-C8-N10	-2.36	111.19	115.62
6	A	1589	TEO	O2-C2-C3	2.36	114.95	110.17
5	E	601	FAD	C9A-N10-C10	-2.35	119.46	121.77
11	C	1129	HEM	CMA-C3A-C4A	-2.35	125.01	128.62
5	A	601	FAD	C6-C5X-N5	2.26	121.61	118.97
5	E	601	FAD	C5A-C4A-N3A	-2.24	120.83	125.70
5	A	601	FAD	N7A-C8A-N9A	-2.22	108.09	114.36
5	E	601	FAD	N1-C10-N10	2.18	121.69	115.97
11	C	1129	HEM	CHA-C1A-NA	2.17	128.21	124.58
11	G	1129	HEM	CAD-C3D-C4D	2.17	128.43	124.53
11	K	1129	HEM	CHC-C4B-NB	-2.17	122.78	124.58
5	A	601	FAD	O3'-C3'-C4'	-2.15	103.31	108.74
6	A	1589	TEO	C2-C3-C4	-2.14	119.37	124.92
5	I	601	FAD	C4'-C3'-C2'	-2.13	108.43	113.25
5	A	601	FAD	C2A-N3A-C4A	2.12	120.06	114.01
5	A	601	FAD	C5A-C4A-N3A	-2.12	121.09	125.70
11	K	1129	HEM	CHD-C1D-ND	2.12	126.34	124.58
5	A	601	FAD	C1B-N9A-C4A	-2.11	122.99	126.64
11	G	1129	HEM	CHC-C4B-NB	2.06	126.30	124.58
12	K	1130	CBE	C8-C3-S4	2.06	116.32	111.06
5	A	601	FAD	O5B-PA-O1A	-2.05	101.33	109.37
5	E	601	FAD	C1B-N9A-C4A	-2.02	123.14	126.64
5	I	601	FAD	C4-N3-C2	-2.02	121.25	125.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	601	FAD	N7A-C8A-N9A	-2.01	108.67	114.36
5	E	601	FAD	O4B-C1B-N9A	2.00	110.30	108.44

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	588/588 (100%)	-0.12	5 (0%) 81 85	35, 50, 67, 78	0
1	E	588/588 (100%)	0.09	24 (4%) 35 40	42, 60, 85, 94	0
1	I	588/588 (100%)	0.46	70 (11%) 5 5	47, 72, 101, 120	0
2	B	238/238 (100%)	-0.08	9 (3%) 38 43	36, 47, 67, 82	0
2	F	238/238 (100%)	-0.00	9 (3%) 38 43	45, 56, 88, 104	0
2	J	238/238 (100%)	0.14	19 (7%) 12 13	48, 61, 101, 120	0
3	C	122/129 (94%)	0.20	9 (7%) 14 15	51, 68, 106, 119	0
3	G	122/129 (94%)	0.49	19 (15%) 3 3	59, 81, 118, 129	0
3	K	122/129 (94%)	0.73	21 (17%) 2 2	70, 86, 125, 134	0
4	D	105/115 (91%)	0.13	7 (6%) 17 19	47, 66, 106, 125	0
4	H	105/115 (91%)	0.34	11 (10%) 7 7	53, 71, 138, 161	0
4	L	105/115 (91%)	0.22	6 (5%) 23 25	60, 77, 137, 159	0
All	All	3159/3210 (98%)	0.16	209 (6%) 17 20	35, 61, 104, 161	0

All (209) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	I	1	MET	8.7
3	G	129	TRP	7.6
3	G	68	PHE	7.1
3	C	129	TRP	6.9
3	K	69	PHE	6.8
1	E	1	MET	6.7
4	D	41	GLY	5.9
2	J	31	ARG	5.6
3	K	129	TRP	5.5
3	K	126	VAL	5.1
1	A	1	MET	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	J	2	ARG	4.6
3	K	68	PHE	4.5
2	J	30	GLY	4.5
4	L	37	PHE	4.4
3	C	68	PHE	4.4
1	I	306	PRO	4.3
1	I	266	ASN	4.2
1	I	295	ILE	4.2
1	I	268	HIS	4.1
4	L	42	GLU	4.1
2	B	86	GLY	4.1
4	H	49	ILE	4.0
2	J	85	PRO	4.0
2	F	29	GLU	4.0
4	D	42	GLU	4.0
4	H	51	PHE	4.0
1	I	496	ASN	3.9
3	G	69	PHE	3.9
3	G	108	ARG	3.9
2	J	29	GLU	3.9
4	D	43	LEU	3.8
4	H	47	VAL	3.8
1	A	300	GLY	3.8
1	A	268	HIS	3.7
1	I	265	LEU	3.7
3	C	69	PHE	3.7
1	I	301	ARG	3.7
3	K	64	ILE	3.7
1	I	419	LEU	3.7
1	I	213	THR	3.6
3	G	64	ILE	3.6
1	I	452	ASN	3.6
3	K	108	ARG	3.6
2	B	30	GLY	3.6
1	I	381	PRO	3.6
1	I	313	LEU	3.5
2	J	25	LEU	3.5
4	H	42	GLU	3.5
1	E	449	ASN	3.5
1	I	298	ARG	3.4
2	B	1	MET	3.4
1	E	451	ARG	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	2	LYS	3.4
2	F	30	GLY	3.4
1	I	204	GLY	3.3
2	J	28	ASP	3.3
4	H	52	PHE	3.3
1	I	495	LYS	3.3
3	G	126	VAL	3.3
1	I	307	TRP	3.3
2	J	14	VAL	3.3
2	F	31	ARG	3.2
4	L	115	VAL	3.2
1	E	496	ASN	3.2
1	I	340	VAL	3.1
4	L	38	ALA	3.1
2	B	2	ARG	3.1
1	I	345	GLU	3.1
1	I	312	LYS	3.1
1	I	297	ILE	3.1
1	I	543	PHE	3.1
3	C	127	LEU	3.0
4	H	43	LEU	3.0
4	D	49	ILE	3.0
4	D	48	TRP	3.0
3	C	46	TRP	3.0
3	G	72	PHE	3.0
3	C	67	SER	3.0
2	J	55	CYS	3.0
2	B	55	CYS	3.0
1	I	430	ARG	2.9
3	K	107	LYS	2.9
3	G	65	MET	2.9
2	F	27	ALA	2.9
1	E	345	GLU	2.9
1	I	562	GLU	2.9
1	E	532	PHE	2.9
1	I	451	ARG	2.9
1	E	373	GLU	2.9
1	E	46	THR	2.9
2	J	56	ARG	2.8
1	I	303	CYS	2.8
3	K	128	VAL	2.8
1	I	347	ILE	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	K	72	PHE	2.8
3	K	100	GLU	2.8
4	H	41	GLY	2.7
4	L	41	GLY	2.7
3	G	127	LEU	2.7
1	I	524	TYR	2.7
1	I	421	GLU	2.7
1	I	45	HIS	2.7
1	I	422	SER	2.7
3	K	111	LYS	2.7
1	I	51	GLY	2.7
1	I	214	ASN	2.7
1	I	215	ALA	2.7
3	G	98	TYR	2.6
1	E	531	ASN	2.6
2	B	14	VAL	2.6
1	I	299	GLU	2.6
4	H	40	SER	2.6
4	H	48	TRP	2.6
3	C	128	VAL	2.6
1	I	428	ALA	2.6
3	K	65	MET	2.6
1	I	270	GLU	2.6
3	G	103	PHE	2.6
1	I	423	ILE	2.6
4	D	37	PHE	2.6
1	E	494	LEU	2.6
1	I	276	TYR	2.6
1	I	49	ALA	2.6
1	I	426	GLN	2.6
1	I	315	LEU	2.5
2	J	54	SER	2.5
1	I	267	LYS	2.5
3	G	102	THR	2.5
1	E	528	VAL	2.5
2	B	85	PRO	2.5
1	I	344	LYS	2.5
1	I	420	GLN	2.5
2	F	1	MET	2.5
2	F	28	ASP	2.5
1	I	499	LEU	2.5
2	J	12	PRO	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	304	ASP	2.5
2	J	16	ASP	2.5
1	I	48	SER	2.4
2	B	29	GLU	2.4
2	J	58	GLY	2.4
1	I	203	GLY	2.4
3	K	66	GLY	2.4
1	E	520	MET	2.4
2	J	10	TYR	2.4
1	I	494	LEU	2.4
1	E	491	ARG	2.4
1	I	302	GLY	2.4
4	H	37	PHE	2.4
3	G	67	SER	2.4
3	G	71	LYS	2.4
1	E	495	LYS	2.3
3	K	98	TYR	2.3
1	I	205	ALA	2.3
1	I	588	TYR	2.3
1	I	568	ARG	2.3
4	D	40	SER	2.3
1	E	487	LEU	2.3
2	J	86	GLY	2.3
1	I	379	VAL	2.3
2	B	60	CYS	2.3
3	K	125	GLY	2.3
3	G	105	ALA	2.3
3	K	56	GLU	2.3
2	F	60	CYS	2.3
1	I	311	ALA	2.2
3	C	63	ALA	2.2
3	C	64	ILE	2.2
2	J	26	GLU	2.2
3	K	127	LEU	2.2
1	E	15	ALA	2.2
3	G	128	VAL	2.2
2	F	12	PRO	2.2
1	E	44	SER	2.2
3	K	13	LEU	2.2
3	K	99	LEU	2.2
1	E	448	ASN	2.2
3	K	63	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	52	GLY	2.2
1	I	139	ASP	2.2
1	I	275	ARG	2.2
1	I	305	GLY	2.2
1	I	346	PRO	2.2
4	L	43	LEU	2.2
1	I	489	VAL	2.1
1	I	310	HIS	2.1
1	E	16	GLY	2.1
1	I	46	THR	2.1
3	G	66	GLY	2.1
1	E	374	LYS	2.1
1	E	492	GLU	2.1
1	E	17	GLY	2.1
3	G	22	ILE	2.1
4	H	87	LEU	2.1
1	I	456	PRO	2.1
2	F	54	SER	2.1
1	A	543	PHE	2.1
1	A	301	ARG	2.1
1	I	220	GLY	2.1
3	K	67	SER	2.1
1	I	373	GLU	2.1
2	J	4	GLU	2.1
1	I	309	PRO	2.0
2	J	18	PRO	2.0
3	G	107	LYS	2.0
1	I	216	HIS	2.0
1	E	304	ASP	2.0
1	I	47	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
7	NA	I	1590	1/1	0.49	6.14	49,49,49,49	0
7	NA	E	1590	1/1	0.31	5.47	37,37,37,37	0
6	TEO	A	1589	9/9	0.30	3.29	46,48,52,55	0
7	NA	A	1590	1/1	0.29	2.78	31,31,31,31	0
9	SF4	F	303	8/8	0.19	1.82	45,46,49,50	0
9	SF4	B	303	8/8	0.20	1.48	38,39,41,41	0
9	SF4	J	303	8/8	0.19	1.29	47,51,52,52	0
6	TEO	I	1589	9/9	0.29	1.21	68,70,72,74	0
12	CBE	K	1130	16/16	0.22	1.20	72,73,76,76	0
10	F3S	B	304	7/7	0.16	1.08	41,43,47,49	0
11	HEM	G	1129	43/43	0.18	0.98	62,65,67,72	0
11	HEM	C	1129	43/43	0.17	0.97	52,55,59,63	0
12	CBE	G	1130	16/16	0.17	0.82	53,55,58,58	0
6	TEO	E	1589	9/9	0.18	0.62	45,47,49,53	0
8	FES	F	302	4/4	0.26	0.60	49,50,51,54	0
5	FAD	A	601	53/53	0.22	0.56	30,39,50,55	0
5	FAD	E	601	53/53	0.25	0.23	40,52,60,62	0
8	FES	B	302	4/4	0.25	-0.04	37,43,45,47	0
11	HEM	K	1129	43/43	0.15	-0.18	51,57,63,65	0
5	FAD	I	601	53/53	0.23	-0.24	47,55,62,63	0
10	F3S	J	304	7/7	0.14	-0.33	53,55,59,61	0
12	CBE	C	1130	16/16	0.12	-0.58	46,49,53,53	0
8	FES	J	302	4/4	0.23	-0.62	56,58,59,60	0
10	F3S	F	304	7/7	0.13	-0.65	50,51,53,54	0

6.5 Other polymers ⓘ

There are no such residues in this entry.