



Full wwPDB X-ray Structure Validation Report

Apr 17, 2014 – 06:19 PM EDT

PDB ID : 1X0K
Title : Crystal Structure of Bacteriorhodopsin at pH 10
Authors : Okumura, H.; Murakami, M.; Kouyama, T.
Deposited on : 2005-03-23
Resolution : 2.60 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.16 November 2013
Xtriage (Phenix) : dev-1439
EDS : stable22978
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22978

1 Overall quality at a glance

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1718 (2.60-2.60)
Clashscore	79885	2154 (2.60-2.60)
Ramachandran outliers	78287	2113 (2.60-2.60)
Sidechain outliers	78261	2113 (2.60-2.60)
RSRZ outliers	66119	1718 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	1	248	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
4	L3P	1	260	-	X
4	L3P	1	280	-	X
4	L3P	1	290	-	X
4	L3P	1	300	-	X
5	L2P	1	270	-	X

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 2088 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bacteriorhodopsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1	227	Total	C	N	O	S	0	0	0
			1756	1180	268	299	9			

- Molecule 2 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	1	3	Total	C	O	0	0
			33	18	15		


- Molecule 3 is RETINAL (three-letter code: RET) (formula: C₂₀H₂₈O).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	1	1	Total	C	0	0
			20	20		


- Molecule 4 is 2,3-DI-O-PHYTANLY-3-SN-GLYCERO-1-PHOSPHORYL-3'-SN-GLYCER

OL-1'-PHOSPHATE (three-letter code: L3P) (formula: C₄₆H₉₄O₁₁P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	1	1	Total	C	O	P	0	0
			50	43	6	1		
4	1	1	Total	C	O	P	0	0
			40	33	6	1		
4	1	1	Total	C	O	P	0	0
			50	43	6	1		
4	1	1	Total	C	O	P	0	0
			50	43	6	1		

- Molecule 5 is 2,3-DI-PHYTANYL-GLYCEROL (three-letter code: L2P) (formula: C₄₃H₈₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	1	1	Total	C	O	0	0
			46	43	3		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	1	43	Total	O	0	0
			43	43		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bacteriorhodopsin

Chain 1: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 6 2 2	Depositor
Cell constants a, b, c, α , β , γ	102.45Å 102.45Å 112.81Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	14.96 – 2.60 41.28 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.2 (14.96-2.60) 99.1 (41.28-2.60)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 2.61Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.263 , 0.309 0.263 , 0.309	Depositor DCC
R_{free} test set	574 reflections (5.43%)	DCC
Wilson B-factor (Å ²)	48.0	Xtriage
Anisotropy	0.613	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 59.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtriage
Outliers	0 of 11202 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	2088	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GLC, RET, L2P, GAL, L3P, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	1	0.41	0/1804	0.55	0/2464

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	1	1	0

There are no bond length outliers.

There are no bond angle outliers.

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	1	400	GLC	C1

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	1756	0	1813	62	0
2	1	33	0	28	0	0
3	1	20	0	27	3	0
4	1	190	0	325	6	0
5	1	46	0	86	0	0
6	1	43	0	0	4	0
All	All	2088	0	2279	64	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 15.

All (64) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:1:101:VAL:HG13	1:1:159:LYS:HB3	1.49	0.94
1:1:121:THR:HG22	1:1:141:SER:HB2	1.56	0.87
1:1:7:ARG:H	1:1:8:PRO:HD2	1.51	0.73
1:1:174:LEU:O	1:1:178:THR:HG23	1.93	0.69
1:1:101:VAL:CG1	1:1:159:LYS:HB3	2.23	0.68
1:1:15:LEU:HB3	1:1:209:MET:HE2	1.76	0.68
1:1:15:LEU:HD23	1:1:209:MET:HE1	1.76	0.67
1:1:14:ALA:HA	1:1:61:LEU:HD22	1.76	0.67
1:1:44:ALA:HA	4:1:260:L3P:H111	1.78	0.66
1:1:66:LEU:HG	1:1:79:TYR:CE1	2.34	0.62
1:1:101:VAL:HG22	1:1:160:ALA:HB2	1.82	0.60
1:1:48:LEU:O	1:1:52:ILE:HG12	2.02	0.60
1:1:44:ALA:HA	4:1:260:L3P:H142	1.84	0.59
1:1:34:VAL:HG21	1:1:43:TYR:CE1	2.38	0.59
4:1:260:L3P:H2	6:1:634:HOH:O	2.01	0.59
1:1:70:PRO:HG2	1:1:129:LYS:HD3	1.85	0.58
1:1:29:VAL:O	1:1:30:LYS:HB2	2.04	0.58
1:1:82:ARG:HH21	1:1:82:ARG:HG3	1.68	0.58
1:1:196:ALA:O	1:1:198:ILE:HG13	2.05	0.57
1:1:82:ARG:HH21	1:1:82:ARG:CG	2.20	0.55
1:1:121:THR:CG2	1:1:141:SER:HB2	2.33	0.55
1:1:15:LEU:HD23	1:1:209:MET:CE	2.38	0.54
1:1:104:ASP:HB2	1:1:107:THR:HG22	1.90	0.53
1:1:67:THR:HG22	1:1:78:ILE:O	2.10	0.52
1:1:12:TRP:CE2	1:1:206:LEU:HG	2.45	0.52
1:1:78:ILE:CD1	1:1:194:GLU:HG2	2.40	0.51
1:1:159:LYS:HE2	6:1:629:HOH:O	2.11	0.50
1:1:117:ILE:O	1:1:121:THR:HB	2.11	0.50
1:1:104:ASP:HB2	1:1:107:THR:CG2	2.43	0.49
1:1:186:PRO:HB3	3:1:250:RET:H183	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:1:90:THR:OG1	1:1:91:PRO:HD3	2.13	0.48
1:1:104:ASP:O	1:1:107:THR:HG23	2.13	0.47
1:1:82:ARG:HH11	1:1:208:PHE:HD2	1.62	0.47
1:1:28:LEU:HD13	4:1:260:L3P:H522	1.95	0.47
1:1:7:ARG:NH1	1:1:7:ARG:HG3	2.31	0.46
1:1:53:ALA:HB2	1:1:216:LYS:HE2	1.98	0.46
1:1:7:ARG:N	1:1:8:PRO:HD2	2.25	0.46
1:1:82:ARG:NH1	6:1:605:HOH:O	2.49	0.45
1:1:130:VAL:HB	1:1:133:TYR:CD2	2.52	0.45
1:1:141:SER:HB3	3:1:250:RET:H41	1.98	0.45
1:1:174:LEU:HD22	1:1:219:PHE:CE2	2.51	0.45
1:1:56:MET:CE	1:1:56:MET:HA	2.47	0.44
1:1:12:TRP:HB3	1:1:209:MET:HE3	1.99	0.44
1:1:47:THR:HG21	4:1:260:L3P:H13	1.98	0.44
1:1:118:MET:SD	1:1:145:MET:HB2	2.58	0.44
3:1:250:RET:H7	3:1:250:RET:H181	1.83	0.43
1:1:7:ARG:H	1:1:8:PRO:CD	2.24	0.43
1:1:15:LEU:HB3	1:1:209:MET:CE	2.47	0.43
1:1:166:GLU:HB2	6:1:630:HOH:O	2.19	0.43
1:1:60:MET:SD	1:1:82:ARG:NH2	2.92	0.42
1:1:27:PHE:CD1	1:1:224:LEU:HD12	2.55	0.42
1:1:88:PHE:C	1:1:91:PRO:HD2	2.40	0.42
1:1:7:ARG:N	1:1:9:GLU:OE2	2.53	0.42
1:1:174:LEU:HD11	1:1:223:LEU:HB2	2.01	0.42
1:1:7:ARG:CG	1:1:7:ARG:HH11	2.33	0.42
1:1:152:LEU:O	1:1:156:PHE:HB2	2.20	0.41
1:1:48:LEU:HG	4:1:260:L3P:H143	2.02	0.41
1:1:109:LEU:O	1:1:109:LEU:HD12	2.20	0.41
1:1:12:TRP:HE3	1:1:209:MET:HE1	1.86	0.41
1:1:66:LEU:HD21	1:1:77:PRO:HB2	2.02	0.41
1:1:92:LEU:HA	1:1:92:LEU:HD23	1.87	0.41
1:1:138:TRP:CD1	1:1:189:TRP:CE3	3.09	0.40
1:1:45:ILE:O	1:1:49:VAL:HG23	2.22	0.40
1:1:29:VAL:HG12	1:1:29:VAL:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	1	225/248 (91%)	210 (93%)	12 (5%)	3 (1%)	18 35

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	1	7	ARG
1	1	30	LYS
1	1	197	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	1	182/194 (94%)	168 (92%)	14 (8%)	18 35

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1	7	ARG
1	1	66	LEU
1	1	74	GLU
1	1	89	THR
1	1	93	LEU
1	1	94	LEU
1	1	97	LEU
1	1	101	VAL
1	1	107	THR
1	1	121	THR
1	1	161	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	178	THR
1	1	206	LEU
1	1	211	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

3 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLC	1	400	2,5	10,11,12	1.54	2 (20%)	11,15,17	1.88	2 (18%)
2	MAN	1	410	2	10,11,12	1.76	3 (30%)	11,15,17	1.65	3 (27%)
2	GAL	1	420	2	10,11,12	2.34	3 (30%)	11,15,17	1.93	3 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	1	400	2,5	1/1/4/5	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MAN	1	410	2	-	0/2/19/22	0/1/1/1
2	GAL	1	420	2	-	0/2/19/22	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	1	420	GAL	C4-C5	4.32	1.62	1.53
2	1	420	GAL	O5-C5	4.26	1.53	1.45
2	1	400	GLC	O5-C5	3.48	1.52	1.45
2	1	410	MAN	O2-C2	3.47	1.50	1.43
2	1	420	GAL	C4-C3	3.17	1.60	1.52
2	1	410	MAN	C3-C2	2.54	1.58	1.52
2	1	410	MAN	C4-C5	2.42	1.58	1.53
2	1	400	GLC	C3-C2	2.03	1.57	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	1	400	GLC	O5-C5-C6	-5.33	101.38	106.98
2	1	410	MAN	O6-C6-C5	3.87	124.83	111.37
2	1	420	GAL	O5-C5-C6	3.80	110.97	106.98
2	1	420	GAL	C3-C4-C5	-3.27	104.30	110.17
2	1	410	MAN	O5-C5-C4	-2.41	107.60	110.65
2	1	400	GLC	O4-C4-C3	2.36	115.62	110.36
2	1	410	MAN	C4-C3-C2	-2.23	108.12	110.61
2	1	420	GAL	C4-C3-C2	2.10	112.94	110.61

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	1	400	GLC	C1

There are no torsion outliers.

There are no ring outliers.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	RET	1	250	1	19,20,21	2.04	4 (21%)	26,27,28	1.67	7 (26%)
4	L3P	1	260	-	49,49,58	1.82	6 (12%)	60,60,73	1.49	11 (18%)
5	L2P	1	270	2	45,45,45	1.36	6 (13%)	53,53,53	2.04	15 (28%)
4	L3P	1	280	-	38,39,58	2.61	12 (31%)	46,48,73	1.57	9 (19%)
4	L3P	1	290	-	49,49,58	2.17	16 (32%)	60,60,73	1.48	8 (13%)
4	L3P	1	300	-	49,49,58	1.98	12 (24%)	60,60,73	1.37	10 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	RET	1	250	1	-	0/13/30/31	0/1/1/1
4	L3P	1	260	-	-	0/55/55/67	0/0/0/0
5	L2P	1	270	2	-	0/51/51/51	0/0/0/0
4	L3P	1	280	-	-	0/43/43/67	0/0/0/0
4	L3P	1	290	-	-	0/55/55/67	0/0/0/0
4	L3P	1	300	-	-	0/55/55/67	0/0/0/0

All (56) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	1	280	L3P	P1-O2P	11.28	1.70	1.51
4	1	260	L3P	P1-O2P	9.63	1.68	1.51
4	1	290	L3P	P1-O2P	8.63	1.66	1.51
4	1	300	L3P	P1-O2P	8.33	1.65	1.51
3	1	250	RET	C5-C6	5.43	1.43	1.34
3	1	250	RET	C1-C6	5.37	1.61	1.53
4	1	280	L3P	O2-C2	5.26	1.58	1.43
4	1	290	L3P	P1-O3	4.38	1.74	1.61
4	1	280	L3P	C3-C2	4.27	1.62	1.50
4	1	300	L3P	P1-O3	4.13	1.74	1.61
4	1	280	L3P	C1-C2	3.90	1.61	1.50
4	1	300	L3P	C3-C2	3.32	1.60	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	1	260	L3P	P1-O3	3.31	1.71	1.61
4	1	260	L3P	O2-C41	3.29	1.52	1.43
5	1	270	L2P	C26-C25	3.26	1.67	1.52
4	1	290	L3P	C3-C2	3.23	1.59	1.50
4	1	290	L3P	C15-C13	3.08	1.68	1.52
4	1	260	L3P	P1-O1P	-3.00	1.46	1.51
4	1	290	L3P	C14-C13	2.86	1.62	1.52
4	1	300	L3P	C12-C11	2.83	1.61	1.50
4	1	290	L3P	C12-C11	2.68	1.61	1.50
4	1	290	L3P	O1-C11	2.68	1.53	1.42
4	1	280	L3P	O2-C41	2.67	1.50	1.43
4	1	300	L3P	C15-C13	2.67	1.66	1.52
4	1	290	L3P	C55-C53	2.61	1.66	1.52
4	1	290	L3P	C25-C23	2.60	1.66	1.52
5	1	270	L2P	C25-C23	2.59	1.66	1.52
4	1	260	L3P	O2-C2	2.58	1.50	1.43
4	1	290	L3P	C19-C18	2.55	1.61	1.52
4	1	300	L3P	C17-C18	2.51	1.65	1.52
4	1	280	L3P	C52-C53	2.48	1.65	1.52
4	1	300	L3P	O1-C11	2.45	1.52	1.42
3	1	250	RET	C2-C3	-2.44	1.45	1.52
4	1	280	L3P	P1-O3	2.43	1.69	1.61
4	1	280	L3P	O1-C1	2.41	1.49	1.42
4	1	300	L3P	C55-C53	2.39	1.65	1.52
4	1	290	L3P	C17-C18	2.39	1.65	1.52
3	1	250	RET	C7-C6	2.34	1.54	1.45
5	1	270	L2P	O2-C41	2.33	1.49	1.43
5	1	270	L2P	C47-C48	2.33	1.64	1.52
4	1	280	L3P	C42-C41	2.29	1.59	1.50
4	1	260	L3P	C42-C41	2.29	1.59	1.50
4	1	300	L3P	C19-C18	2.26	1.60	1.52
4	1	290	L3P	C54-C53	2.23	1.60	1.52
4	1	290	L3P	C26-C27	2.21	1.62	1.52
4	1	280	L3P	C56-C55	2.21	1.62	1.52
5	1	270	L2P	C3-C2	2.20	1.55	1.50
4	1	300	L3P	C26-C27	2.18	1.62	1.52
5	1	270	L2P	C42-C41	2.17	1.59	1.50
4	1	290	L3P	C56-C55	2.12	1.62	1.52
4	1	290	L3P	O2-C41	2.11	1.48	1.43
4	1	290	L3P	C26-C25	2.11	1.62	1.52
4	1	300	L3P	C14-C13	2.10	1.60	1.52
4	1	280	L3P	C12-C13	2.04	1.63	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	1	280	L3P	C12-C11	2.01	1.58	1.50
4	1	300	L3P	C25-C23	2.00	1.63	1.52

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	1	270	L2P	O1-C1-C2	8.10	123.99	108.95
4	1	290	L3P	O1-C1-C2	6.52	121.06	108.95
4	1	260	L3P	C41-O2-C2	4.93	126.67	115.45
5	1	270	L2P	C29-C28-C27	4.88	146.79	111.33
4	1	280	L3P	C41-C42-C43	4.62	123.74	113.53
4	1	280	L3P	C11-C12-C13	4.06	122.52	113.53
4	1	280	L3P	C51-C50-C48	4.02	127.95	115.44
4	1	300	L3P	O1-C1-C2	4.00	116.38	108.95
4	1	260	L3P	P1-O3-C3	3.32	130.83	118.55
5	1	270	L2P	C41-C42-C43	3.29	120.80	113.53
4	1	260	L3P	C11-O1-C1	3.27	124.51	113.43
3	1	250	RET	C1-C6-C7	3.25	124.69	115.69
5	1	270	L2P	C26-C27-C28	3.23	132.21	115.69
4	1	290	L3P	O2P-P1-O4	-3.13	106.09	112.89
4	1	290	L3P	C11-C12-C13	3.11	120.41	113.53
4	1	260	L3P	O2P-P1-O4	-3.10	106.17	112.89
4	1	300	L3P	O2P-P1-O1P	-3.09	105.58	112.74
5	1	270	L2P	C54-C53-C52	-3.08	99.02	111.05
4	1	290	L3P	O2P-P1-O1P	-3.05	105.68	112.74
5	1	270	L2P	C51-C52-C53	3.00	124.76	115.44
5	1	270	L2P	C11-C12-C13	-2.92	107.08	113.53
3	1	250	RET	C8-C9-C10	-2.91	114.50	118.98
4	1	260	L3P	C46-C45-C43	-2.86	106.53	115.44
4	1	300	L3P	C21-C20-C18	2.85	124.32	115.44
4	1	300	L3P	O2P-P1-O4	-2.85	106.71	112.89
4	1	260	L3P	O2-C41-C42	2.79	115.22	108.90
4	1	300	L3P	C16-C17-C18	2.78	124.10	115.44
5	1	270	L2P	C16-C15-C13	-2.78	106.80	115.44
4	1	290	L3P	O2P-P1-O3	2.76	114.25	105.91
4	1	280	L3P	C51-C52-C53	2.71	123.89	115.44
5	1	270	L2P	C16-C17-C18	-2.68	107.12	115.44
4	1	300	L3P	O2P-P1-O3	2.67	113.97	105.91
4	1	300	L3P	C11-C12-C13	2.66	119.41	113.53
3	1	250	RET	C2-C1-C6	2.62	114.55	110.37
4	1	260	L3P	C26-C25-C23	-2.57	107.44	115.44
5	1	270	L2P	O3-C3-C2	2.56	118.22	111.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	1	290	L3P	O4-P1-O3	2.54	113.58	105.91
4	1	280	L3P	O2-C41-C42	2.52	114.60	108.90
3	1	250	RET	C1-C6-C5	-2.47	119.02	122.59
4	1	260	L3P	C51-C50-C48	-2.46	107.80	115.44
5	1	270	L2P	C41-O2-C2	2.46	121.03	115.45
4	1	280	L3P	O3-C3-C2	2.43	116.40	108.54
4	1	300	L3P	O4-P1-O3	2.41	113.18	105.91
5	1	270	L2P	C30-C28-C29	-2.39	98.39	110.50
4	1	280	L3P	O1-C1-C2	2.38	113.37	108.95
5	1	270	L2P	C52-C51-C50	-2.36	101.33	113.00
4	1	300	L3P	C47-C46-C45	-2.34	101.46	113.00
4	1	290	L3P	C47-C46-C45	-2.29	101.70	113.00
4	1	260	L3P	C56-C55-C53	2.28	122.53	115.44
5	1	270	L2P	C14-C13-C12	-2.24	102.28	111.05
4	1	260	L3P	O2P-P1-O3	2.24	112.69	105.91
4	1	290	L3P	C46-C47-C48	2.24	122.41	115.44
3	1	250	RET	C7-C6-C5	-2.22	116.24	121.59
4	1	280	L3P	O4-P1-O1P	-2.19	107.67	112.74
3	1	250	RET	C19-C9-C8	2.13	121.53	118.09
4	1	280	L3P	C56-C55-C53	2.12	122.02	115.44
5	1	270	L2P	C1-C2-C3	-2.06	107.19	111.87
4	1	260	L3P	C41-C42-C43	-2.05	109.00	113.53
4	1	300	L3P	O4-P1-O1P	-2.02	108.07	112.74
3	1	250	RET	C17-C1-C6	2.00	113.65	110.33

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1	227/248 (91%)	-0.15	5 (2%) 59 56	28, 44, 64, 91	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	1	5	THR	9.8
1	1	203	ILE	2.8
1	1	198	ILE	2.1
1	1	8	PRO	2.1
1	1	6	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	GAL	1	420	11/12	0.37	32.82	93,95,97,98	0
2	MAN	1	410	11/12	0.28	5.43	71,75,82,85	0
2	GLC	1	400	11/12	0.17	2.57	63,64,67,67	0

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	L2P	1	270	46/46	0.48	9.42	60,71,92,92	0
4	L3P	1	280	40/59	0.45	8.48	120,124,130,130	0
4	L3P	1	260	50/59	0.43	6.93	53,84,109,110	4
4	L3P	1	300	50/59	0.46	6.78	125,130,137,137	0
4	L3P	1	290	50/59	0.55	5.83	111,135,140,140	0
3	RET	1	250	20/21	0.19	1.54	27,41,45,46	0

6.5 Other polymers ⓘ

There are no such residues in this entry.