



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 11:28 PM GMT

PDB ID : 2XF2
Title : PVC-AT
Authors : Borovik, A.; Melik-Adamyan, W.R.
Deposited on : 2010-05-20
Resolution : 1.80 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3513 (1.80-1.80)
Clashscore	79885	4461 (1.80-1.80)
Ramachandran outliers	78287	4404 (1.80-1.80)
Sidechain outliers	78261	4403 (1.80-1.80)
RSRZ outliers	66119	3515 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	688	
1	E	688	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	NAG	A	691	-	X
3	NAG	A	692	-	X
3	NAG	A	693	-	X
3	NAG	E	691	-	X
3	NAG	E	692	-	X
3	NAG	E	693	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Geometry	Electron density
4	3TR	A	695	-	X
4	3TR	E	695	-	X
5	CA	A	1690	-	X
5	CA	E	1692	-	X

2 Entry composition i


There are 6 unique types of molecules in this entry. The entry contains 11955 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CATALASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	688	Total	C	N	O	S	0	15	0
			5449	3437	966	1036	10			
1	E	688	Total	C	N	O	S	0	11	0
			5417	3416	957	1034	10			

- Molecule 2 is CIS-HEME D HYDROXYCHLORIN GAMMA-SPIROLACTONE (three-letter code: HDD) (formula: $C_{34}H_{32}FeN_4O_5$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			44	34	1	4	5		
2	E	1	Total	C	Fe	N	O	0	0
			44	34	1	4	5		

- Molecule 3 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			11	7	1	3		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is 3-AMINO-1,2,4-TRIAZOLE (three-letter code: 3TR) (formula: C₂H₄N₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			6	2	4		
4	E	1	Total	C	N	0	0
			6	2	4		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	3	Total	Ca	0	0
			3	3		
5	E	3	Total	Ca	0	0
			3	3		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	480	Total	O	0	0
			480	480		
6	E	422	Total	O	0	0
			422	422		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CATALASE

Chain A: 



• Molecule 1: CATALASE

Chain E: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	144.30Å 144.30Å 133.80Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	28.63 – 1.80 28.67 – 1.80	Depositor EDS
% Data completeness (in resolution range)	100.0 (28.63-1.80) 99.1 (28.67-1.80)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.61 (at 1.80Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.149 , 0.173 0.148 , 0.173	Depositor DCC
R_{free} test set	7370 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	15.3	Xtriage
Anisotropy	0.058	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 36.1	EDS
Estimated twinning fraction	0.001 for -h,-k,l	Xtriage
L-test for twinning	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtriage
Outliers	0 of 147147 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11955	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, HDD, NAG, 3TR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/5586	0.60	0/7571
1	E	0.48	0/5546	0.58	0/7522
All	All	0.48	0/11132	0.59	0/15093

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5449	0	5285	29	0
1	E	5417	0	5228	44	0
2	A	44	0	31	2	0
2	E	44	0	31	2	0
3	A	42	0	39	1	0
3	E	39	0	33	0	0
4	A	6	0	3	2	0
4	E	6	0	4	8	0
5	A	3	0	0	0	0
5	E	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	480	0	0	3	0
6	E	422	0	0	9	0
All	All	11955	0	10654	71	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 3.

All (71) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:64:HIS:CE1	4:E:695:3TR:H5	1.33	1.63
1:E:64:HIS:HE2	4:E:695:3TR:C5	1.14	1.55
1:E:64:HIS:NE2	4:E:695:3TR:H5	1.11	1.37
1:E:109[A]:ARG:HD3	6:E:2088:HOH:O	1.37	1.22
1:E:109[B]:ARG:NE	6:E:2088:HOH:O	1.84	1.11
1:E:109[A]:ARG:O	6:E:2089:HOH:O	1.70	1.10
1:E:64:HIS:CE1	4:E:695:3TR:C5	2.27	1.08
1:E:109[A]:ARG:NH1	6:E:2090:HOH:O	1.86	1.06
1:E:68[B]:THR:HG21	1:E:255:ARG:HB3	1.45	0.97
1:A:68[A]:THR:HG21	1:A:255:ARG:HB2	1.53	0.89
1:A:255:ARG:HH12	1:E:164:GLN:HE21	1.17	0.88
1:E:109[B]:ARG:CZ	6:E:2088:HOH:O	2.21	0.84
1:E:179:PHE:HA	1:E:185:VAL:HG21	1.62	0.80
1:E:109[B]:ARG:NH1	6:E:2087:HOH:O	2.01	0.78
1:E:109[A]:ARG:CD	6:E:2088:HOH:O	2.09	0.76
1:A:179:PHE:HA	1:A:185:VAL:HG21	1.68	0.74
1:E:68[B]:THR:HG21	1:E:255:ARG:CB	2.17	0.72
1:E:64:HIS:HE1	4:E:695:3TR:H5	1.47	0.72
1:E:150:PHE:CE1	4:E:695:3TR:N3A	2.60	0.70
1:A:517[B]:HIS:NE2	6:A:2387:HOH:O	2.25	0.70
1:A:68[B]:THR:HG21	6:A:2203:HOH:O	1.91	0.69
1:A:68[A]:THR:HG21	1:A:255:ARG:CB	2.22	0.67
1:A:255:ARG:HH12	1:E:164:GLN:NE2	1.91	0.66
1:A:150:PHE:CE1	4:A:695:3TR:N3A	2.64	0.66
1:A:601:ASP:O	1:A:605[B]:VAL:HG23	1.94	0.66
1:E:109[B]:ARG:NH1	6:E:2088:HOH:O	2.28	0.64
1:E:179:PHE:CA	1:E:185:VAL:HG21	2.31	0.61
1:A:255:ARG:NH1	1:E:164:GLN:HE21	1.95	0.61
1:E:68[B]:THR:CG2	1:E:255:ARG:HB3	2.25	0.58
1:E:455:GLN:HE22	1:E:521:PHE:H	1.51	0.57
1:E:20:ASN:HD21	1:E:52:ARG:HH11	1.54	0.55
1:A:281:ASP:HA	1:A:284[A]:LYS:HD2	1.89	0.55
1:A:150:PHE:HE1	4:A:695:3TR:N3A	2.04	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:512:ASP:HB2	3:A:692:NAG:H81	1.88	0.54
1:E:150:PHE:HE1	4:E:695:3TR:N3A	2.05	0.52
1:E:182:GLN:O	1:E:185:VAL:HG22	2.10	0.52
1:A:182:GLN:O	1:A:185:VAL:HG22	2.09	0.52
1:A:455:GLN:HE22	1:A:521:PHE:H	1.56	0.52
1:A:179:PHE:CA	1:A:185:VAL:HG21	2.38	0.51
1:E:137:ASN:CG	2:E:690:HDD:HMB2	2.30	0.51
1:A:550:LYS:O	1:A:553:VAL:HG22	2.12	0.49
1:A:137:ASN:CG	2:A:690:HDD:HMB2	2.33	0.48
1:E:64:HIS:HA	1:E:104:THR:O	2.13	0.48
1:E:64:HIS:NE2	4:E:695:3TR:N4	2.28	0.47
1:A:64:HIS:HA	1:A:104:THR:O	2.14	0.47
1:E:71:HIS:HB2	1:E:313:ARG:HB3	1.97	0.46
2:A:690:HDD:HBB1	2:A:690:HDD:HMB1	1.98	0.46
1:E:455:GLN:NE2	1:E:521:PHE:H	2.12	0.46
1:A:455:GLN:NE2	1:A:521:PHE:H	2.14	0.45
1:E:637:GLY:HA2	1:E:659:TYR:O	2.17	0.45
1:E:140:PRO:HB3	1:E:208:PHE:CD1	2.51	0.45
1:E:126:TYR:HB3	1:E:373:ARG:HG2	1.99	0.45
1:E:20:ASN:ND2	1:E:52:ARG:HH11	2.16	0.44
2:E:690:HDD:HBB1	2:E:690:HDD:HMB1	2.01	0.43
1:E:347:ARG:O	1:E:351:TYR:HD1	2.01	0.43
1:A:236:ALA:HB2	1:A:525:LEU:HD21	2.00	0.43
1:A:71:HIS:HB2	1:A:313:ARG:HB3	2.00	0.42
1:A:637:GLY:HA2	1:A:659:TYR:O	2.20	0.42
1:E:566:ALA:O	1:E:576:THR:HA	2.19	0.42
1:A:351:TYR:O	1:A:355:GLN:HG2	2.19	0.42
1:E:624:ASN:ND2	6:E:2400:HOH:O	2.49	0.42
1:A:109[B]:ARG:NH1	6:A:2098:HOH:O	2.53	0.42
1:A:231:GLY:HA2	1:A:270:TRP:CD1	2.54	0.41
1:E:102:PHE:HB3	1:E:202:PHE:CD1	2.56	0.41
1:A:164:GLN:HE22	1:E:109[A]:ARG:NH1	2.19	0.40
1:E:326:MET:SD	1:E:364:PHE:HB2	2.62	0.40
1:E:109[A]:ARG:CZ	1:E:109[A]:ARG:HB2	2.50	0.40
1:A:326:MET:SD	1:A:364:PHE:HB2	2.61	0.40
1:E:33:ALA:O	1:E:37:GLY:HA3	2.21	0.40
1:E:550:LYS:O	1:E:553:VAL:HG22	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	701/688 (102%)	686 (98%)	15 (2%)	0	100	100
1	E	696/688 (101%)	685 (98%)	11 (2%)	0	100	100
All	All	1397/1376 (102%)	1371 (98%)	26 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	579/564 (103%)	576 (100%)	3 (0%)	94	92
1	E	574/564 (102%)	570 (99%)	4 (1%)	91	88
All	All	1153/1128 (102%)	1146 (99%)	7 (1%)	95	90

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	173	ASP
1	A	284[A]	LYS
1	A	284[B]	LYS
1	E	109[A]	ARG
1	E	109[B]	ARG
1	E	173	ASP
1	E	601	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 16 ligands modelled in this entry, 6 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HDD	A	690	1	52,52,52	2.15	16 (30%)	70,89,89	1.75	15 (21%)
3	NAG	A	691	1	12,14,15	0.61	0	15,19,21	1.37	3 (20%)
3	NAG	A	692	1	12,14,15	0.65	0	15,19,21	1.26	2 (13%)
3	NAG	A	693	1	12,14,15	0.56	0	15,19,21	1.02	1 (6%)
4	3TR	A	695	1	6,6,6	1.93	1 (16%)	6,7,7	4.59	3 (50%)
2	HDD	E	690	1	52,52,52	2.24	15 (28%)	70,89,89	1.64	12 (17%)
3	NAG	E	691	1	12,14,15	0.53	0	15,19,21	1.17	1 (6%)
3	NAG	E	692	1	8,11,15	1.17	1 (12%)	6,14,21	1.09	0
3	NAG	E	693	1	12,14,15	0.67	0	15,19,21	1.48	3 (20%)
4	3TR	E	695	1	6,6,6	1.90	1 (16%)	6,7,7	4.90	3 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HDD	A	690	1	-	0/5/89/89	0/1/9/9
3	NAG	A	691	1	-	0/6/23/26	0/1/1/1
3	NAG	A	692	1	-	0/6/23/26	0/1/1/1
3	NAG	A	693	1	-	0/6/23/26	0/1/1/1
4	3TR	A	695	1	-	0/0/0/0	0/1/1/1
2	HDD	E	690	1	-	0/5/89/89	0/1/9/9
3	NAG	E	691	1	-	0/6/23/26	0/1/1/1
3	NAG	E	692	1	-	0/4/15/26	0/1/1/1
3	NAG	E	693	1	-	0/6/23/26	0/1/1/1
4	3TR	E	695	1	-	0/0/0/0	0/1/1/1

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	690	HDD	C3C-CAC	5.53	1.54	1.49
2	A	690	HDD	C3C-CAC	5.12	1.54	1.49
2	E	690	HDD	O1D-C3D	-5.03	1.38	1.46
2	E	690	HDD	FE-ND	4.89	2.16	1.97
2	A	690	HDD	FE-ND	4.87	2.16	1.97
2	A	690	HDD	C1C-C2C	4.60	1.45	1.40
2	A	690	HDD	O1D-C3D	-4.46	1.39	1.46
4	E	695	3TR	C3-N3A	4.36	1.43	1.34
4	A	695	3TR	C3-N3A	4.31	1.43	1.34
2	E	690	HDD	C1C-C2C	4.29	1.45	1.40
2	E	690	HDD	C4A-C3A	4.28	1.45	1.40
2	A	690	HDD	C4A-C3A	4.08	1.45	1.40
2	E	690	HDD	C3C-C2C	-4.06	1.34	1.41
2	E	690	HDD	C2D-C1D	-3.82	1.45	1.52
2	A	690	HDD	C3B-CAB	3.81	1.55	1.48
2	A	690	HDD	C3C-C2C	-3.71	1.34	1.41
2	E	690	HDD	C4B-C3B	3.53	1.46	1.41
2	A	690	HDD	C3B-C2B	-3.52	1.35	1.41
2	E	690	HDD	C3B-C2B	-3.51	1.35	1.41
2	A	690	HDD	C2D-C1D	-3.36	1.46	1.52
2	E	690	HDD	C3B-CAB	3.35	1.54	1.48
2	E	690	HDD	C3C-C4C	3.27	1.45	1.40
2	E	690	HDD	FE-NB	3.11	2.05	1.92
2	A	690	HDD	C4B-C3B	3.09	1.45	1.41
3	E	692	NAG	C5-C4	3.07	1.53	1.38
2	A	690	HDD	C3D-C4D	-3.06	1.46	1.51
2	A	690	HDD	FE-NB	3.04	2.05	1.92
2	E	690	HDD	FE-NC	2.93	2.05	1.92
2	E	690	HDD	C3D-C4D	-2.87	1.47	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	690	HDD	C3C-C4C	2.69	1.44	1.40
2	A	690	HDD	FE-NC	2.51	2.03	1.92
2	A	690	HDD	CMD-C2D	2.34	1.56	1.53
2	A	690	HDD	FE-NA	2.28	2.02	1.92
2	E	690	HDD	FE-NA	2.12	2.01	1.92

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	695	3TR	N2-C3-N4	-10.96	109.39	117.09
4	A	695	3TR	N2-C3-N4	-10.27	109.88	117.09
2	E	690	HDD	C4D-ND-C1D	5.57	111.71	107.94
2	A	690	HDD	O1D-CGD-O2D	5.08	125.82	120.81
2	A	690	HDD	C3C-CAC-CBC	-3.99	117.70	125.95
2	E	690	HDD	CAD-C3D-C2D	3.96	120.27	116.32
2	E	690	HDD	O1D-CGD-O2D	3.83	124.59	120.81
2	A	690	HDD	CAD-C3D-C4D	-3.79	109.88	116.02
2	A	690	HDD	C4D-ND-C1D	3.75	110.48	107.94
2	E	690	HDD	CAD-C3D-C4D	-3.55	110.27	116.02
3	A	691	NAG	O5-C5-C6	3.48	110.63	106.98
2	A	690	HDD	O1D-C3D-CAD	3.45	107.62	105.29
4	E	695	3TR	C5-N4-C3	3.23	106.52	101.77
3	E	693	NAG	O5-C5-C6	3.15	110.29	106.98
4	A	695	3TR	C5-N1-N2	-3.06	105.71	110.72
4	E	695	3TR	C5-N1-N2	-3.05	105.74	110.72
3	E	693	NAG	C3-C4-C5	3.04	115.63	110.20
2	E	690	HDD	CAA-CBA-CGA	-3.01	103.78	113.47
2	E	690	HDD	C3C-CAC-CBC	-2.97	119.80	125.95
4	A	695	3TR	C5-N4-C3	2.96	106.13	101.77
2	E	690	HDD	CMC-C2C-C1C	-2.95	124.08	128.62
2	E	690	HDD	O1D-C3D-CAD	2.94	107.27	105.29
2	A	690	HDD	CAA-CBA-CGA	-2.86	104.28	113.47
2	A	690	HDD	C4C-C3C-CAC	-2.70	121.70	127.18
3	A	693	NAG	O5-C5-C6	2.66	109.77	106.98
2	A	690	HDD	C2D-C1D-ND	2.63	110.22	105.53
3	E	691	NAG	C2-N2-C7	2.55	127.37	123.09
2	A	690	HDD	C3B-C4B-NB	-2.54	107.86	111.52
2	A	690	HDD	C3D-C4D-ND	2.44	109.89	105.75
3	E	693	NAG	C4-C3-C2	2.42	117.24	111.32
3	A	691	NAG	O5-C5-C4	-2.38	107.63	110.65
2	A	690	HDD	CHD-C4C-NC	2.34	128.49	124.58
3	A	692	NAG	O5-C5-C6	2.27	109.36	106.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	691	NAG	C3-C2-N2	-2.25	108.34	111.76
2	A	690	HDD	CMA-C3A-C4A	-2.22	125.20	128.62
2	A	690	HDD	C2C-C1C-NC	-2.22	107.74	109.41
2	E	690	HDD	C4C-C3C-CAC	-2.20	122.71	127.18
2	E	690	HDD	C3D-C4D-ND	2.16	109.42	105.75
2	E	690	HDD	CMB-C2B-C3B	2.10	128.27	124.97
3	A	692	NAG	O5-C5-C4	-2.09	108.00	110.65
2	A	690	HDD	CMC-C2C-C1C	-2.08	125.42	128.62
2	E	690	HDD	C3B-C4B-NB	-2.03	108.58	111.52
2	A	690	HDD	C4B-CHC-C1C	-2.00	124.83	127.47

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	688/688 (100%)	-0.49	12 (1%) 67 62	8, 13, 27, 53	4 (0%)
1	E	688/688 (100%)	-0.44	16 (2%) 57 51	8, 15, 30, 48	7 (1%)
All	All	1376/1376 (100%)	-0.47	28 (2%) 59 56	8, 14, 29, 53	11 (0%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	2	GLN	8.4
1	A	610	GLY	8.3
1	A	612	GLY	7.8
1	A	613	ALA	7.5
1	A	609	ALA	7.5
1	A	611	SER	7.2
1	E	612	GLY	6.0
1	E	609	ALA	5.7
1	E	689	GLU	5.2
1	A	608	SER	4.7
1	E	608	SER	4.7
1	E	613	ALA	4.6
1	A	2	GLN	4.4
1	E	611	SER	4.1
1	A	607	PRO	3.7
1	E	610	GLY	3.6
1	A	3	GLN	3.5
1	E	3	GLN	3.5
1	E	662	LYS	2.9
1	E	517	HIS	2.8
1	A	689	GLU	2.7
1	E	504	LYS	2.7
1	E	666	ASP	2.6
1	E	571	ASN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	571	ASN	2.3
1	E	665	GLY	2.3
1	A	542	PRO	2.2
1	E	663	ASN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	CA	E	1692	1/1	0.16	13.57	26,26,26,26	1
3	NAG	E	691	14/15	0.26	10.92	32,38,41,43	0
4	3TR	A	695	6/6	0.18	10.80	23,26,27,28	0
3	NAG	E	693	14/15	0.59	10.16	47,53,55,55	0
3	NAG	A	692	14/15	0.33	9.20	38,44,46,46	0
3	NAG	E	692	11/15	0.46	8.88	45,49,51,52	0
3	NAG	A	693	14/15	0.48	8.34	42,47,49,49	0
4	3TR	E	695	6/6	0.18	7.76	27,29,29,31	0
3	NAG	A	691	14/15	0.20	5.39	32,39,41,41	0
5	CA	A	1690	1/1	0.13	2.03	29,29,29,29	0
2	HDD	E	690	44/44	0.07	0.52	9,11,13,17	0
2	HDD	A	690	44/44	0.07	0.02	7,10,12,15	0
5	CA	E	1690	1/1	0.09	-0.62	43,43,43,43	1
5	CA	E	1691	1/1	0.03	-1.85	12,12,12,12	0
5	CA	A	1692	1/1	0.02	-2.05	11,11,11,11	0
5	CA	A	1691	1/1	0.04	-2.50	16,16,16,16	0

6.5 Other polymers ⓘ

There are no such residues in this entry.