



# Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 05:56 PM GMT

PDB ID : 1XMN  
Title : Crystal structure of thrombin bound to heparin  
Authors : Carter, W.J.; Cama, E.; Huntington, J.A.  
Deposited on : 2004-10-04  
Resolution : 1.85 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	1269 (1.86-1.86)
Clashscore	79885	1470 (1.86-1.86)
Ramachandran outliers	78287	1451 (1.86-1.86)
Sidechain outliers	78261	1451 (1.86-1.86)
RSRZ outliers	66119	1269 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	36	
1	C	36	
1	E	36	
1	G	36	
2	B	259	
2	D	259	
2	F	259	
2	H	259	

## 2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 10416 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Thrombin light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	31	Total	C	N	O	S	0	0	0
			249	154	40	54	1			
1	C	32	Total	C	N	O	S	0	0	0
			248	154	41	52	1			
1	E	29	Total	C	N	O	S	0	0	0
			236	148	38	49	1			
1	G	31	Total	C	N	O	S	0	0	0
			247	153	40	53	1			

- Molecule 2 is a protein called Thrombin heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	256	Total	C	N	O	S	0	0	0
			2053	1310	360	369	14			
2	D	254	Total	C	N	O	S	0	0	0
			2048	1307	360	367	14			
2	F	254	Total	C	N	O	S	0	0	0
			2039	1302	354	369	14			
2	H	253	Total	C	N	O	S	0	0	0
			2035	1300	356	365	14			

- Molecule 3 is D-PHENYLALANYL-N-[(2S,3S)-6-{[AMINO(IMINIO)METHYL]AMINO}-1-CHLORO-2-HYDROXYHEXAN-3-YL]-L-PROLINAMIDE (three-letter code: 0G6) (formula: C<sub>21</sub>H<sub>34</sub>ClN<sub>6</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	O	0	0
			30	21	6	3		
3	D	1	Total	C	N	O	0	0
			30	21	6	3		
3	F	1	Total	C	N	O	0	0
			30	21	6	3		
3	H	1	Total	C	N	O	0	0
			30	21	6	3		

- Molecule 4 is a polymer of unknown type called SUGAR (6-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	6	Total	C	N	O	S	0	0
			105	36	3	57	9		

- Molecule 5 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	H	1	Total	Na	0	0
			1	1		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Na	0	0
			1	1		
6	D	1	Total	Na	0	0
			1	1		
6	F	1	Total	Na	0	0
			1	1		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	D	1	Total	C	O	0	0
			6	3	3		
7	D	1	Total	C	O	0	0
			6	3	3		
7	F	1	Total	C	O	0	0
			6	3	3		
7	F	1	Total	C	O	0	0
			6	3	3		
7	F	1	Total	C	O	0	0
			6	3	3		
7	H	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is a polymer of unknown type called SUGAR (5-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	D	5	Total	C	N	O	S	0	0
			89	30	3	48	8		

- Molecule 9 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	D	2	Total	C	N	O	0	0
			28	16	2	10		
9	F	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 10 is a polymer of unknown type called SUGAR (5-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	H	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	18	Total	O	0	0
			18	18		
11	B	188	Total	O	0	0
			188	188		
11	C	20	Total	O	0	0
			20	20		
11	D	199	Total	O	0	0
			199	199		
11	E	20	Total	O	0	0
			20	20		
11	F	133	Total	O	0	0
			133	133		
11	G	18	Total	O	0	0
			18	18		
11	H	154	Total	O	0	0
			154	154		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Thrombin light chain

Chain A: 




- Molecule 1: Thrombin light chain

Chain C: 



- Molecule 1: Thrombin light chain

Chain E: 





- Molecule 1: Thrombin light chain

Chain G: 




- Molecule 2: Thrombin heavy chain

Chain B: 




- Molecule 2: Thrombin heavy chain

Chain D:




- Molecule 2: Thrombin heavy chain

Chain F:



- Molecule 2: Thrombin heavy chain

Chain H:





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	80.91Å 80.84Å 114.14Å 90.00° 101.05° 90.00°	Depositor
Resolution (Å)	36.60 – 1.85 36.60 – 1.85	Depositor EDS
% Data completeness (in resolution range)	96.1 (36.60-1.85) 96.1 (36.60-1.85)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.92 (at 1.85Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.209 , 0.234 0.208 , 0.232	Depositor DCC
$R_{free}$ test set	2411 reflections (2.08%)	DCC
Wilson B-factor (Å <sup>2</sup> )	25.0	Xtriage
Anisotropy	0.089	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 41.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 118505 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	10416	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.04% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, BMA, NAG, NA, IDS, NDG, 0G6, SGN, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.32	0/251	0.60	0/334
1	C	0.34	0/250	0.61	0/333
1	E	0.32	0/238	0.62	0/317
1	G	0.35	0/249	0.60	0/331
2	B	0.35	0/2107	0.66	2/2853 (0.1%)
2	D	0.36	0/2102	0.65	0/2846
2	F	0.33	0/2093	0.63	0/2833
2	H	0.35	0/2089	0.67	2/2828 (0.1%)
All	All	0.35	0/9379	0.65	4/12675 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1
2	D	0	1
2	F	0	1
2	H	0	1
All	All	0	4

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	195	SER	O-C-N	5.48	132.51	123.20
2	B	195	SER	CA-C-N	-5.22	105.76	116.20
2	H	199	PHE	N-CA-C	-5.22	96.90	111.00
2	H	73	ARG	NE-CZ-NH1	-5.05	117.77	120.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	57	HIS	Mainchain
2	D	57	HIS	Mainchain
2	F	57	HIS	Mainchain
2	H	57	HIS	Mainchain

## 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	249	0	243	3	0
1	C	248	0	239	2	0
1	E	236	0	233	1	0
1	G	247	0	241	1	0
2	B	2053	0	1994	40	0
2	D	2048	0	1993	37	0
2	F	2039	0	1975	52	0
2	H	2035	0	1981	56	0
3	B	30	0	31	1	0
3	D	30	0	31	1	0
3	F	30	0	31	2	0
3	H	30	0	31	1	0
4	B	105	0	40	0	0
5	B	28	0	25	0	0
6	B	1	0	0	0	0
6	D	1	0	0	0	0
6	F	1	0	0	0	0
6	H	1	0	0	0	0
7	B	12	0	16	1	0
7	D	12	0	16	1	0
7	F	18	0	24	1	0
7	H	6	0	8	0	0
8	D	89	0	35	0	0
9	D	28	0	25	0	0
9	F	28	0	25	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	H	61	0	52	5	0
11	A	18	0	0	0	0
11	B	188	0	0	1	0
11	C	20	0	0	0	0
11	D	199	0	0	3	0
11	E	20	0	0	0	0
11	F	133	0	0	3	0
11	G	18	0	0	0	0
11	H	154	0	0	6	0
All	All	10416	0	9289	192	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 10.

All (192) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:F:40:LEU:HB2	2:F:73:ARG:HH21	1.19	1.05
10:H:9:BMA:H2	10:H:10:MAN:H2	1.40	1.03
2:H:73:ARG:HB2	2:H:141:TRP:CD1	2.08	0.89
2:H:73:ARG:HG3	11:H:3115:HOH:O	1.78	0.82
2:H:139:THR:HG22	2:H:157:VAL:HG22	1.60	0.81
2:B:147(B):THR:HG22	2:B:147(D):ASN:H	1.46	0.80
2:H:74:THR:CG2	2:H:75:ARG:HG3	2.10	0.80
1:C:5:PRO:HA	1:C:9:LYS:HD2	1.65	0.78
2:B:50:ARG:NH2	2:B:107:LYS:HE2	2.01	0.76
2:F:144:LEU:HD21	2:F:152:PRO:HG3	1.68	0.73
2:H:74:THR:HG22	2:H:75:ARG:HG3	1.70	0.73
2:B:50:ARG:HH21	2:B:107:LYS:HE2	1.54	0.72
2:F:40:LEU:HB2	2:F:73:ARG:NH2	2.02	0.71
2:H:60(I):THR:HG22	2:H:63:ASP:OD2	1.90	0.70
2:H:144:LEU:HD21	2:H:152:PRO:HG3	1.74	0.70
1:A:5:PRO:HA	1:A:9:LYS:HD2	1.76	0.67
2:F:73:ARG:HG3	11:F:3080:HOH:O	1.95	0.67
2:F:32:MET:SD	2:F:70:LYS:HD3	2.36	0.66
2:F:73:ARG:HD3	2:F:74:THR:HG23	1.76	0.66
2:F:152:PRO:HG2	11:F:3012:HOH:O	1.95	0.66
2:H:67:ARG:HG3	2:H:82:ILE:HG22	1.77	0.66
2:B:73:ARG:HD3	2:B:152:PRO:O	1.96	0.66
2:F:34:PHE:CE1	2:F:67:ARG:HD3	2.32	0.65
1:A:14(D):ARG:O	1:A:14(H):GLU:HG3	1.95	0.64
2:B:126:ARG:HG3	2:B:126:ARG:HH11	1.62	0.63
2:H:74:THR:HG23	2:H:75:ARG:HG3	1.81	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:H:73:ARG:C	2:H:73:ARG:HD3	2.21	0.61
2:D:60(I):THR:HG22	2:D:63:ASP:OD2	2.01	0.61
2:D:77(A):ARG:CZ	2:D:78:ASN:H	2.13	0.61
2:F:73:ARG:HD3	2:F:73:ARG:C	2.21	0.61
2:H:144:LEU:CD2	2:H:152:PRO:HG3	2.31	0.61
2:H:73:ARG:CD	2:H:73:ARG:O	2.50	0.60
2:F:75:ARG:O	2:F:76:TYR:O	2.20	0.60
2:D:151:GLN:HB3	2:D:152:PRO:HD2	1.84	0.60
2:B:60(I):THR:HG22	2:B:63:ASP:OD2	2.02	0.59
2:F:144:LEU:CD2	2:F:152:PRO:HG3	2.33	0.59
2:B:126:ARG:HD3	2:H:240:LYS:HG3	1.85	0.58
2:D:32:MET:SD	2:D:70:LYS:HD3	2.43	0.58
2:F:73:ARG:N	2:F:153:SER:O	2.37	0.58
2:F:204(B):ASN:C	2:F:204(B):ASN:HD22	2.05	0.58
2:D:144:LEU:HD21	2:D:152:PRO:HB3	1.84	0.58
10:H:9:BMA:H2	10:H:10:MAN:C2	2.27	0.57
2:B:99:LEU:HD21	3:B:1:OG6:HB21	1.86	0.57
1:C:14(D):ARG:O	1:C:14(H):GLU:HG3	2.04	0.57
2:B:173:ARG:HH11	2:B:173:ARG:HG2	1.69	0.57
2:F:73:ARG:HH11	2:F:74:THR:HG21	1.68	0.57
2:H:152:PRO:HG2	11:H:3019:HOH:O	2.03	0.57
2:F:74:THR:O	2:F:75:ARG:HD2	2.05	0.57
2:F:97:ARG:HG3	11:F:3064:HOH:O	2.05	0.57
2:F:164:GLU:H	2:F:164:GLU:CD	2.08	0.57
2:H:32:MET:SD	2:H:70:LYS:HD3	2.46	0.56
2:B:126:ARG:CD	2:H:240:LYS:HG3	2.36	0.56
2:F:73:ARG:NH1	2:F:74:THR:HG21	2.21	0.56
2:F:204(B):ASN:ND2	2:F:206:ARG:H	2.03	0.56
2:F:17:VAL:HG12	2:F:18:GLU:HG2	1.88	0.56
2:F:71:HIS:HB3	2:F:77:GLU:OE2	2.06	0.55
2:F:73:ARG:HH11	2:F:74:THR:CG2	2.20	0.55
2:H:50:ARG:HH21	2:H:107:LYS:HE2	1.71	0.55
2:B:151:GLN:HE21	2:B:152:PRO:HD2	1.70	0.55
2:D:73:ARG:HB2	2:D:141:TRP:CD1	2.41	0.55
2:H:204(B):ASN:C	2:H:204(B):ASN:HD22	2.11	0.55
2:B:244:GLN:HG3	2:H:126:ARG:HH11	1.72	0.55
2:B:75:ARG:HG3	2:B:76:TYR:N	2.22	0.54
2:D:77(A):ARG:HE	2:D:77(A):ARG:HA	1.72	0.54
2:H:85:LEU:N	2:H:85:LEU:HD22	2.23	0.54
2:B:151:GLN:NE2	2:B:152:PRO:HD2	2.23	0.53
2:H:85:LEU:HD12	2:H:106:MET:HB3	1.90	0.53
2:D:77(A):ARG:NE	2:D:78:ASN:H	2.06	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:F:73:ARG:O	2:F:73:ARG:HD3	2.09	0.53
2:H:73:ARG:NE	2:H:73:ARG:O	2.41	0.53
2:D:77(A):ARG:NE	2:D:77(A):ARG:HA	2.24	0.52
2:H:127:GLU:HG2	11:H:3135:HOH:O	2.08	0.52
2:B:34:PHE:CE1	2:B:67:ARG:HD3	2.45	0.52
2:H:178:ASP:O	2:H:233:ARG:NE	2.40	0.52
7:B:1008:GOL:H2	11:B:3107:HOH:O	2.09	0.51
2:H:73:ARG:C	2:H:73:ARG:CD	2.79	0.51
2:H:99:LEU:HD21	3:H:1:OG6:HB21	1.91	0.51
2:H:74:THR:CG2	2:H:75:ARG:N	2.74	0.51
2:D:77(A):ARG:HD3	2:D:78:ASN:OD1	2.10	0.51
2:B:244:GLN:HG3	2:H:126:ARG:NH1	2.25	0.50
2:B:73:ARG:NH1	2:B:151:GLN:HB3	2.26	0.50
2:H:22:ALA:HB2	2:H:157:VAL:HG23	1.94	0.50
2:B:60(A):TYR:CE2	2:B:60(C):PRO:HB2	2.46	0.50
2:B:173:ARG:NH1	2:B:173:ARG:HG2	2.27	0.49
2:H:94:TYR:CZ	2:H:96:TRP:HB3	2.47	0.49
2:F:178:ASP:O	2:F:233:ARG:NE	2.38	0.49
2:D:82:ILE:HG23	11:D:3150:HOH:O	2.11	0.49
2:B:32:MET:HG2	2:B:141:TRP:CZ3	2.47	0.49
2:D:60(I):THR:HG22	2:D:63:ASP:CG	2.32	0.49
10:H:9:BMA:C2	10:H:10:MAN:H2	2.17	0.49
2:H:25:GLY:O	2:H:28:PRO:HD3	2.12	0.49
2:F:246:GLY:O	2:F:247:GLU:HG3	2.13	0.49
2:B:60(I):THR:HG22	2:B:63:ASP:CG	2.34	0.48
10:H:8:NAG:HO3	10:H:11:MAN:HO2	1.61	0.48
2:H:132:ALA:HB1	2:H:164:GLU:OE2	2.14	0.48
2:F:73:ARG:NH1	2:F:74:THR:CG2	2.77	0.48
2:D:99:LEU:HD21	3:D:1:OG6:HB21	1.95	0.48
2:H:124:PRO:HB3	2:H:210:MET:SD	2.54	0.48
2:H:71:HIS:HB3	2:H:77:GLU:OE2	2.14	0.47
2:B:94:TYR:CE2	2:B:96:TRP:HB3	2.49	0.47
2:F:72:SER:OG	2:F:75:ARG:NH1	2.47	0.47
2:H:126:ARG:HA	2:H:232:PHE:CZ	2.48	0.47
2:F:94:TYR:CZ	2:F:96:TRP:HB3	2.49	0.47
2:F:132:ALA:HB1	2:F:164:GLU:OE2	2.14	0.47
2:F:204(B):ASN:HD22	2:F:206:ARG:H	1.62	0.47
2:H:73:ARG:HB2	2:H:141:TRP:NE1	2.30	0.47
2:D:147(A):TRP:HZ2	2:D:221(A):ARG:NH2	2.13	0.47
2:D:94:TYR:CZ	2:D:96:TRP:HB3	2.49	0.47
2:D:86:GLU:HB2	2:D:109:LYS:HA	1.96	0.47
2:D:109:LYS:NZ	11:D:3191:HOH:O	2.47	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:126:ARG:HG3	2:B:126:ARG:NH1	2.29	0.47
2:B:32:MET:SD	2:B:70:LYS:HD3	2.54	0.46
2:F:40:LEU:CB	2:F:73:ARG:HH21	2.08	0.46
2:B:73:ARG:HB2	2:B:141:TRP:CD1	2.50	0.46
2:B:129(B):SER:HB2	2:B:204(A):PHE:HE2	1.80	0.46
2:B:147:THR:HG22	2:B:147(B):THR:H	1.81	0.46
2:D:85:LEU:HD22	2:D:106:MET:HB3	1.97	0.46
2:D:25:GLY:O	2:D:28:PRO:HD3	2.17	0.45
2:B:50:ARG:HH21	2:B:107:LYS:CE	2.26	0.45
2:H:219:GLY:HA3	2:H:221(A):ARG:NE	2.31	0.45
2:D:75:ARG:H	2:D:75:ARG:CD	2.29	0.45
2:F:25:GLY:O	2:F:28:PRO:HD3	2.16	0.45
2:D:204(B):ASN:C	2:D:204(B):ASN:HD22	2.21	0.44
2:H:74:THR:HG23	2:H:75:ARG:N	2.32	0.44
2:H:67:ARG:NH2	11:H:3072:HOH:O	2.51	0.44
10:H:9:BMA:C2	10:H:10:MAN:C2	2.93	0.44
2:D:164:GLU:CD	2:D:164:GLU:H	2.21	0.44
2:B:70:LYS:HE3	2:B:72:SER:O	2.17	0.44
2:H:109:LYS:HE3	2:H:109:LYS:HB2	1.85	0.44
2:D:50:ARG:NH2	2:D:107:LYS:HE2	2.31	0.44
2:B:136:GLY:HA3	2:B:199:PHE:CE1	2.53	0.44
2:H:60(I):THR:HG22	2:H:63:ASP:CG	2.38	0.44
2:B:204(B):ASN:HD22	2:B:204(B):ASN:C	2.21	0.43
2:F:211:GLY:HA2	2:F:231:VAL:HG23	2.00	0.43
2:D:73:ARG:HG2	2:D:73:ARG:O	2.18	0.43
1:A:14(K):ILE:HD12	1:A:14(K):ILE:N	2.32	0.43
2:F:40:LEU:HD22	2:F:73:ARG:HE	1.83	0.43
2:B:73:ARG:CZ	2:B:151:GLN:HB3	2.48	0.43
2:D:60(A):TYR:CE2	2:D:60(C):PRO:HB2	2.53	0.43
2:F:60(B):PRO:HB2	2:F:60(C):PRO:HD3	2.00	0.43
2:B:126:ARG:NE	2:H:240:LYS:HG3	2.34	0.43
2:H:204(B):ASN:ND2	2:H:206:ARG:H	2.17	0.43
2:D:29:TRP:CG	2:D:121:VAL:HB	2.54	0.43
2:F:235:LYS:HE2	2:F:239:GLN:NE2	2.34	0.43
2:H:73:ARG:HD3	2:H:73:ARG:O	2.19	0.43
2:B:61:GLU:HG2	2:B:87:LYS:HA	2.01	0.43
2:D:61:GLU:OE2	7:D:1004:GOL:H2	2.18	0.43
2:D:32:MET:HG2	2:D:141:TRP:CZ3	2.54	0.43
2:F:22:ALA:O	2:F:71:HIS:HE1	2.02	0.42
2:D:126:ARG:HA	2:D:232:PHE:CZ	2.54	0.42
2:B:94:TYR:CZ	2:B:96:TRP:HB3	2.53	0.42
2:F:29:TRP:CG	2:F:121:VAL:HB	2.54	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:F:230:HIS:CE1	2:F:233:ARG:HG3	2.54	0.42
2:D:75:ARG:CD	2:D:75:ARG:N	2.82	0.42
2:F:181:PHE:HB2	7:F:1007:GOL:H12	2.01	0.42
2:B:109:LYS:HB2	2:B:109:LYS:HE3	1.93	0.42
2:D:67:ARG:HG2	2:D:82:ILE:HG22	2.02	0.42
2:H:109:LYS:NZ	11:H:3145:HOH:O	2.53	0.42
2:H:230:HIS:CE1	2:H:233:ARG:HG3	2.53	0.42
2:D:75:ARG:HD2	2:D:75:ARG:N	2.35	0.42
1:G:1(D):GLY:HA3	2:H:114:PHE:HE2	1.84	0.42
2:F:188:GLY:O	2:F:189:ASP:HB2	2.20	0.41
2:F:77:GLU:O	2:F:77(A):ARG:O	2.38	0.41
2:H:204(B):ASN:C	2:H:204(B):ASN:ND2	2.73	0.41
2:B:203:SER:HB3	2:B:204(B):ASN:ND2	2.35	0.41
2:H:136:GLY:HA3	2:H:199:PHE:CZ	2.55	0.41
2:H:164:GLU:HB3	2:H:166:PRO:HD2	2.02	0.41
2:D:136:GLY:HA3	2:D:199:PHE:CE1	2.54	0.41
2:H:195:SER:HA	2:H:213:VAL:HB	2.02	0.41
2:F:136:GLY:HA3	2:F:199:PHE:CE1	2.55	0.41
2:B:18:GLU:HA	2:B:18:GLU:OE1	2.21	0.41
2:B:36(A):SER:HA	2:B:37:PRO:C	2.40	0.41
2:F:53:LEU:HD11	2:F:103:ILE:HD11	2.02	0.41
2:H:73:ARG:CB	2:H:141:TRP:CD1	2.93	0.41
2:F:18:GLU:HB2	2:F:188:GLY:HA2	2.02	0.41
2:D:136:GLY:HA3	2:D:199:PHE:CZ	2.56	0.41
2:F:165:ARG:HB3	2:F:166:PRO:HD3	2.02	0.41
2:D:60(F):LYS:NZ	11:D:3138:HOH:O	2.50	0.41
2:F:136:GLY:HA3	2:F:199:PHE:CZ	2.56	0.41
2:H:29:TRP:CG	2:H:121:VAL:HB	2.56	0.41
2:B:144:LEU:HD21	2:B:152:PRO:HB3	2.02	0.40
2:F:60(D):TRP:CH2	3:F:1:0G6:HD21	2.56	0.40
2:H:136:GLY:HA3	2:H:199:PHE:CE1	2.56	0.40
1:E:4:ARG:HA	1:E:5:PRO:HD3	1.94	0.40
2:F:204(B):ASN:C	2:F:204(B):ASN:ND2	2.73	0.40
2:D:132:ALA:HB1	2:D:164:GLU:OE2	2.20	0.40
2:F:99:LEU:HD21	3:F:1:0G6:HB21	2.04	0.40
2:F:16:ILE:N	2:F:194:ASP:OD2	2.55	0.40
2:F:36(A):SER:HA	2:F:37:PRO:C	2.42	0.40
2:D:61:GLU:HG3	2:D:88:ILE:HG13	2.04	0.40
2:H:212:ILE:HB	2:H:229:THR:HB	2.04	0.40
2:H:97:ARG:HG3	11:H:3103:HOH:O	2.21	0.40

There are no symmetry-related clashes.



## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	29/36 (81%)	26 (90%)	3 (10%)	0	100	100
1	C	30/36 (83%)	27 (90%)	3 (10%)	0	100	100
1	E	27/36 (75%)	26 (96%)	1 (4%)	0	100	100
1	G	29/36 (81%)	27 (93%)	2 (7%)	0	100	100
2	B	252/259 (97%)	245 (97%)	7 (3%)	0	100	100
2	D	250/259 (96%)	246 (98%)	4 (2%)	0	100	100
2	F	250/259 (96%)	234 (94%)	13 (5%)	3 (1%)	19	5
2	H	249/259 (96%)	241 (97%)	6 (2%)	2 (1%)	27	10
All	All	1116/1180 (95%)	1072 (96%)	39 (4%)	5 (0%)	43	24

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	F	76	TYR
2	F	77(A)	ARG
2	H	73	ARG
2	H	76	TYR
2	F	73	ARG

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	28/31 (90%)	28 (100%)	0	100	100
1	C	26/31 (84%)	26 (100%)	0	100	100
1	E	26/31 (84%)	26 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	27/31 (87%)	27 (100%)	0	100	100
2	B	218/225 (97%)	211 (97%)	7 (3%)	51	31
2	D	218/225 (97%)	212 (97%)	6 (3%)	56	37
2	F	217/225 (96%)	213 (98%)	4 (2%)	71	57
2	H	217/225 (96%)	211 (97%)	6 (3%)	56	37
All	All	977/1024 (95%)	954 (98%)	23 (2%)	61	44

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	33	LEU
2	B	75	ARG
2	B	99	LEU
2	B	180	MET
2	B	182	CYS
2	B	204(B)	ASN
2	B	233	ARG
2	D	33	LEU
2	D	75	ARG
2	D	77(A)	ARG
2	D	99	LEU
2	D	182	CYS
2	D	204(B)	ASN
2	F	33	LEU
2	F	75	ARG
2	F	109	LYS
2	F	204(B)	ASN
2	H	33	LEU
2	H	60(E)	ASP
2	H	73	ARG
2	H	99	LEU
2	H	153	SER
2	H	204(B)	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	143	ASN
2	B	151	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	204(B)	ASN
2	D	38	GLN
2	D	143	ASN
2	D	151	GLN
2	D	204(B)	ASN
2	F	38	GLN
2	F	71	HIS
2	F	143	ASN
2	F	151	GLN
2	F	204(B)	ASN
2	F	239	GLN
2	F	244	GLN
2	H	38	GLN
2	H	62	ASN
2	H	71	HIS
2	H	143	ASN
2	H	204(B)	ASN
2	H	244	GLN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

22 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	SGN	B	2	4	19,19,20	1.46	2 (10%)	24,29,31	2.09	3 (12%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	NDG	B	248	2,5	12,14,15	0.58	0	15,19,21	0.83	0
5	NAG	B	249	5	12,14,15	0.43	0	15,19,21	0.81	0
4	IDS	B	3	4	16,16,17	1.65	5 (31%)	20,24,26	2.09	4 (20%)
4	SGN	B	4	4	19,19,20	1.56	2 (10%)	24,29,31	2.09	4 (16%)
4	IDS	B	5	4	16,16,17	1.72	4 (25%)	20,24,26	2.15	5 (25%)
4	SGN	B	6	4	19,19,20	1.53	3 (15%)	24,29,31	2.31	4 (16%)
4	IDS	B	7	4	16,16,17	1.34	3 (18%)	20,24,26	2.55	4 (20%)
8	SGN	D	2	8	19,19,20	1.48	3 (15%)	24,29,31	2.16	3 (12%)
9	NDG	D	248	9,2	12,14,15	0.49	0	15,19,21	0.81	0
9	NDG	D	249	9	12,14,15	0.48	0	15,19,21	0.66	0
8	IDS	D	3	8	16,16,17	1.52	4 (25%)	20,24,26	2.13	4 (20%)
8	SGN	D	4	8	19,19,20	1.45	2 (10%)	24,29,31	2.12	3 (12%)
8	IDS	D	5	8	16,16,17	1.72	4 (25%)	20,24,26	2.14	5 (25%)
8	SGN	D	6	8	19,19,20	1.36	2 (10%)	24,29,31	2.20	2 (8%)
9	NDG	F	5	9,2	12,14,15	0.55	0	15,19,21	0.75	1 (6%)
9	NDG	F	6	9	12,14,15	0.48	0	15,19,21	0.76	0
10	MAN	H	10	10	10,11,12	0.43	0	11,15,17	0.23	0
10	MAN	H	11	10	10,11,12	0.43	0	11,15,17	0.41	0
10	NDG	H	7	10,2	12,14,15	0.49	0	15,19,21	0.92	0
10	NAG	H	8	10	12,14,15	0.40	0	15,19,21	0.79	0
10	BMA	H	9	10	10,11,12	0.55	0	11,15,17	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SGN	B	2	4	-	0/11/27/31	0/1/1/1
5	NDG	B	248	2,5	-	0/6/23/26	0/1/1/1
5	NAG	B	249	5	-	0/6/23/26	1/1/1/1
4	IDS	B	3	4	-	0/9/25/29	0/1/1/1
4	SGN	B	4	4	-	0/11/27/31	0/1/1/1
4	IDS	B	5	4	-	0/9/25/29	0/1/1/1
4	SGN	B	6	4	-	0/11/27/31	0/1/1/1
4	IDS	B	7	4	-	0/9/25/29	0/1/1/1
8	SGN	D	2	8	-	0/11/27/31	0/1/1/1
9	NDG	D	248	9,2	-	0/6/23/26	0/1/1/1
9	NDG	D	249	9	-	0/6/23/26	0/1/1/1
8	IDS	D	3	8	-	0/9/25/29	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	SGN	D	4	8	-	0/11/27/31	0/1/1/1
8	IDS	D	5	8	-	0/9/25/29	0/1/1/1
8	SGN	D	6	8	-	0/11/27/31	0/1/1/1
9	NDG	F	5	9,2	-	0/6/23/26	0/1/1/1
9	NDG	F	6	9	-	0/6/23/26	0/1/1/1
10	MAN	H	10	10	-	0/2/19/22	0/1/1/1
10	MAN	H	11	10	-	0/2/19/22	0/1/1/1
10	NDG	H	7	10,2	-	0/6/23/26	0/1/1/1
10	NAG	H	8	10	-	0/6/23/26	0/1/1/1
10	BMA	H	9	10	-	0/2/19/22	0/1/1/1

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	4	SGN	S1-N	4.91	1.65	1.60
4	B	5	IDS	C1-C2	4.87	1.56	1.53
8	D	2	SGN	S1-N	4.55	1.65	1.60
4	B	2	SGN	S1-N	4.45	1.65	1.60
8	D	4	SGN	S1-N	4.40	1.65	1.60
8	D	5	IDS	C1-C2	4.24	1.55	1.53
8	D	6	SGN	S1-N	4.14	1.64	1.60
4	B	6	SGN	S1-N	4.02	1.64	1.60
4	B	3	IDS	C1-C2	3.68	1.55	1.53
4	B	7	IDS	C1-C2	3.62	1.55	1.53
8	D	3	IDS	C1-C2	3.45	1.55	1.53
8	D	5	IDS	C2-C3	3.16	1.56	1.51
4	B	3	IDS	O2-C2	-3.06	1.41	1.46
4	B	6	SGN	C1-C2	2.96	1.56	1.53
8	D	3	IDS	C2-C3	2.75	1.55	1.51
4	B	6	SGN	C6-C5	2.70	1.55	1.51
4	B	5	IDS	C2-C3	2.69	1.55	1.51
4	B	3	IDS	O2-S	-2.53	1.56	1.60
8	D	5	IDS	O2-C2	-2.52	1.42	1.46
4	B	4	SGN	C1-C2	2.51	1.56	1.53
8	D	3	IDS	O62-C6	-2.50	1.21	1.30
4	B	3	IDS	O62-C6	-2.50	1.21	1.30
4	B	5	IDS	O62-C6	-2.45	1.21	1.30
8	D	5	IDS	O62-C6	-2.44	1.21	1.30
4	B	7	IDS	O62-C6	-2.40	1.21	1.30
4	B	2	SGN	C1-C2	2.37	1.55	1.53
8	D	4	SGN	C1-C2	2.35	1.55	1.53
8	D	3	IDS	O2-C2	-2.34	1.42	1.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	3	IDS	C2-C3	2.27	1.55	1.51
4	B	5	IDS	O2-C2	-2.24	1.42	1.46
8	D	2	SGN	C1-C2	2.24	1.55	1.53
8	D	6	SGN	C6-C5	2.20	1.54	1.51
8	D	2	SGN	C6-C5	2.16	1.54	1.51
4	B	7	IDS	C2-C3	2.14	1.54	1.51

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	6	SGN	C6-O6-S2	9.82	129.40	116.76
8	D	6	SGN	C6-O6-S2	9.24	128.65	116.76
8	D	2	SGN	C6-O6-S2	8.99	128.33	116.76
8	D	4	SGN	C6-O6-S2	8.79	128.07	116.76
4	B	2	SGN	C6-O6-S2	8.67	127.92	116.76
4	B	4	SGN	C6-O6-S2	8.54	127.74	116.76
4	B	7	IDS	C2-O2-S	8.53	132.28	118.37
8	D	5	IDS	C2-O2-S	6.45	128.90	118.37
8	D	3	IDS	C2-O2-S	6.28	128.62	118.37
4	B	5	IDS	C2-O2-S	6.27	128.60	118.37
4	B	3	IDS	C2-O2-S	5.93	128.04	118.37
4	B	7	IDS	O62-C6-C5	5.75	121.21	113.04
4	B	3	IDS	O62-C6-C5	5.38	120.69	113.04
8	D	3	IDS	O62-C6-C5	5.37	120.67	113.04
4	B	5	IDS	O62-C6-C5	5.30	120.57	113.04
8	D	5	IDS	O62-C6-C5	5.23	120.47	113.04
4	B	7	IDS	O62-C6-O61	-2.91	117.50	124.07
4	B	5	IDS	O62-C6-O61	-2.79	117.77	124.07
8	D	5	IDS	O62-C6-O61	-2.74	117.87	124.07
8	D	3	IDS	O62-C6-O61	-2.74	117.87	124.07
4	B	3	IDS	O62-C6-O61	-2.74	117.88	124.07
4	B	3	IDS	C5-O5-C1	2.64	116.48	112.29
8	D	5	IDS	C1-C2-C3	2.57	115.22	110.41
4	B	5	IDS	C5-O5-C1	2.51	116.28	112.29
4	B	5	IDS	C1-C2-C3	2.50	115.09	110.41
4	B	7	IDS	C5-O5-C1	2.46	116.20	112.29
8	D	3	IDS	C5-O5-C1	2.39	116.09	112.29
4	B	4	SGN	O2S-S1-O1S	-2.25	112.81	119.84
4	B	2	SGN	O2S-S1-O1S	-2.25	112.82	119.84
8	D	6	SGN	O2S-S1-O1S	-2.24	112.86	119.84
8	D	2	SGN	O2S-S1-O1S	-2.22	112.93	119.84
8	D	4	SGN	O2S-S1-O1S	-2.21	112.96	119.84

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	6	SGN	O2S-S1-O1S	-2.16	113.11	119.84
8	D	2	SGN	O3S-S1-O1S	-2.13	111.43	115.28
4	B	6	SGN	O2S-S1-N	-2.09	105.56	108.32
8	D	4	SGN	O3S-S1-O1S	-2.08	111.53	115.28
4	B	4	SGN	O3S-S1-O1S	-2.07	111.54	115.28
4	B	6	SGN	C1-C2-N	-2.06	108.19	110.69
4	B	4	SGN	C1-C2-N	-2.06	108.19	110.69
4	B	2	SGN	O3S-S1-O1S	-2.05	111.58	115.28
8	D	5	IDS	C5-O5-C1	2.03	115.52	112.29
9	F	5	NDG	C2-N2-C7	-2.00	119.73	123.09

There are no chirality outliers.

There are no torsion outliers.

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	249	NAG	C1-C2-C3-C4-C5-O5

## 5.6 Ligand geometry ⓘ

Of 16 ligands modelled in this entry, 4 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	OG6	B	1	2	30,31,32	1.14	2 (6%)	39,41,42	0.93	1 (2%)
7	GOL	B	1001	-	5,5,5	0.61	0	5,5,5	0.48	0
7	GOL	B	1008	-	5,5,5	0.63	0	5,5,5	0.52	0
3	OG6	D	1	2	30,31,32	1.10	1 (3%)	39,41,42	0.98	2 (5%)
7	GOL	D	1002	-	5,5,5	0.59	0	5,5,5	0.54	0
7	GOL	D	1004	-	5,5,5	0.64	0	5,5,5	0.49	0
3	OG6	F	1	2	30,31,32	1.19	1 (3%)	39,41,42	0.98	2 (5%)
7	GOL	F	1003	-	5,5,5	0.64	0	5,5,5	0.47	0
7	GOL	F	1006	-	5,5,5	0.67	0	5,5,5	0.48	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	GOL	F	1007	-	5,5,5	0.60	0	5,5,5	0.45	0
3	0G6	H	1	2	30,31,32	1.15	1 (3%)	39,41,42	0.98	2 (5%)
7	GOL	H	1005	-	5,5,5	0.63	0	5,5,5	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	0G6	B	1	2	-	0/31/41/43	0/2/2/2
7	GOL	B	1001	-	-	0/4/4/4	0/0/0/0
7	GOL	B	1008	-	-	0/4/4/4	0/0/0/0
3	0G6	D	1	2	-	0/31/41/43	0/2/2/2
7	GOL	D	1002	-	-	0/4/4/4	0/0/0/0
7	GOL	D	1004	-	-	0/4/4/4	0/0/0/0
3	0G6	F	1	2	-	0/31/41/43	0/2/2/2
7	GOL	F	1003	-	-	0/4/4/4	0/0/0/0
7	GOL	F	1006	-	-	0/4/4/4	0/0/0/0
7	GOL	F	1007	-	-	0/4/4/4	0/0/0/0
3	0G6	H	1	2	-	0/31/41/43	0/2/2/2
7	GOL	H	1005	-	-	0/4/4/4	0/0/0/0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	1	0G6	C2-CA2	4.07	1.59	1.53
3	H	1	0G6	C2-CA2	3.91	1.59	1.53
3	B	1	0G6	C2-CA2	3.63	1.59	1.53
3	D	1	0G6	C2-CA2	3.33	1.58	1.53
3	B	1	0G6	O-C	2.05	1.26	1.22

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	1	0G6	CB1-CA1-C1	2.46	115.57	111.15
3	B	1	0G6	CB1-CA1-C1	2.18	115.08	111.15
3	D	1	0G6	CB1-CA1-C1	2.18	115.07	111.15
3	F	1	0G6	CA-C-N1	2.15	123.26	117.92
3	H	1	0G6	CB1-CA1-C1	2.14	115.01	111.15
3	D	1	0G6	CA-C-N1	2.14	123.22	117.92
3	H	1	0G6	CA-C-N1	2.09	123.10	117.92



There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å <sup>2</sup> )	Q < 0.9
1	A	31/36 (86%)	0.12	3 (9%) 8 8	21, 28, 60, 64	0
1	C	32/36 (88%)	0.29	5 (15%) 3 2	20, 30, 53, 56	0
1	E	29/36 (80%)	-0.02	2 (6%) 17 15	24, 32, 44, 55	0
1	G	31/36 (86%)	0.21	3 (9%) 8 8	20, 28, 51, 57	0
2	B	256/259 (98%)	-0.16	3 (1%) 75 73	14, 24, 41, 65	0
2	D	254/259 (98%)	-0.17	2 (0%) 83 83	14, 24, 41, 60	0
2	F	254/259 (98%)	-0.00	9 (3%) 42 39	16, 30, 49, 65	0
2	H	253/259 (97%)	0.05	8 (3%) 45 42	14, 28, 47, 62	0
All	All	1140/1180 (96%)	-0.05	35 (3%) 44 43	14, 27, 47, 65	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	74	THR	5.4
2	F	150	GLY	4.9
2	H	150	GLY	4.7
1	C	1(D)	GLY	4.6
1	G	1(D)	GLY	4.4
1	A	1(D)	GLY	4.3
2	F	75	ARG	3.3
2	H	74	THR	3.3
2	B	74	THR	3.0
2	H	147(B)	THR	3.0
2	H	186(A)	ASP	2.9
2	F	247	GLU	2.9
2	F	147(B)	THR	2.9
1	C	1(B)	ALA	2.9
2	F	246	GLY	2.8
1	G	1(C)	GLU	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	F	186(C)	GLY	2.8
2	D	147(D)	ASN	2.6
2	B	150	GLY	2.6
1	A	1(C)	GLU	2.5
1	A	1(E)	SER	2.5
2	F	186(A)	ASP	2.5
2	H	75	ARG	2.5
1	G	14(M)	GLY	2.4
1	C	1(E)	SER	2.4
2	H	60(E)	ASP	2.4
2	H	186(C)	GLY	2.4
1	C	14(L)	ASP	2.3
1	E	1(C)	GLU	2.3
2	D	74	THR	2.3
2	H	76	TYR	2.3
2	F	73	ARG	2.3
1	E	1(B)	ALA	2.2
1	C	1(C)	GLU	2.1
2	B	75	ARG	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
10	BMA	H	9	11/12	0.51	-	100,103,106,108	0
8	SGN	D	2	19/20	0.35	-	100,101,103,104	0
9	NDG	D	249	14/15	0.38	-	65,68,69,69	0
9	NDG	F	6	14/15	0.41	-	68,70,70,72	0
4	SGN	B	2	19/20	0.34	-	102,103,105,105	0
5	NDG	B	248	14/15	0.21	-	51,54,58,64	0
4	IDS	B	3	16/17	0.28	-	99,100,102,102	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	SGN	B	6	19/20	0.23	-	94,97,101,101	0
10	NDG	H	7	14/15	0.34	-	63,68,71,77	0
10	NAG	H	8	14/15	0.48	-	83,87,90,94	0
5	NAG	B	249	14/15	0.41	-	69,72,75,75	0
4	SGN	B	4	19/20	0.27	-	96,98,101,101	0
8	IDS	D	3	16/17	0.26	-	97,98,98,98	0
10	MAN	H	11	11/12	0.67	-	110,112,112,112	0
9	NDG	F	5	14/15	0.32	-	54,58,64,65	0
10	MAN	H	10	11/12	0.52	-	106,107,108,108	0
8	IDS	D	5	16/17	0.33	-	102,104,105,105	0
4	IDS	B	5	16/17	0.28	-	97,98,101,101	0
9	NDG	D	248	14/15	0.19	-	49,53,59,61	0
8	SGN	D	4	19/20	0.34	-	99,100,102,103	0
8	SGN	D	6	19/20	0.28	-	109,110,116,116	0
4	IDS	B	7	16/17	0.32	-	99,100,103,104	0

## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
7	GOL	D	1004	6/6	0.34	-	66,67,68,68	0
7	GOL	H	1005	6/6	0.15	-	37,41,41,44	0
7	GOL	B	1008	6/6	0.16	-	58,58,59,59	0
7	GOL	D	1002	6/6	0.13	-	27,32,33,34	0
7	GOL	F	1007	6/6	0.16	-	50,53,54,55	0
7	GOL	F	1003	6/6	0.14	-	38,40,42,43	0
6	NA	F	3002	1/1	0.11	-	37,37,37,37	0
6	NA	D	3001	1/1	0.09	-	26,26,26,26	0
7	GOL	F	1006	6/6	0.23	-	55,57,58,59	0
6	NA	B	3004	1/1	0.09	-	28,28,28,28	0
3	OG6	F	1	30/31	0.12	-	25,28,30,31	0
7	GOL	B	1001	6/6	0.13	-	29,32,34,35	0
3	OG6	D	1	30/31	0.10	-	14,19,21,22	0
3	OG6	B	1	30/31	0.10	-	17,19,24,24	0
6	NA	H	3003	1/1	0.09	-	30,30,30,30	0
3	OG6	H	1	30/31	0.12	-	20,22,26,26	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.