



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 27, 2014 – 02:00 AM GMT

PDB ID : 2Y1V  
Title : Full length structure of RrgB Pilus protein from *Streptococcus pneumoniae*  
Authors : El-Mortaji, L.; Contreras-Martel, C.; Manzano, C.; Vernet, T.; Dessen, A.;  
Diguilmi, A.M.  
Deposited on : 2010-12-10  
Resolution : 2.39 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	2207 (2.40-2.40)
Clashscore	79885	2789 (2.40-2.40)
Ramachandran outliers	78287	2736 (2.40-2.40)
Sidechain outliers	78261	2737 (2.40-2.40)
RSRZ outliers	66119	2210 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	605	
1	B	605	
1	C	605	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 14167 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CELL WALL SURFACE ANCHOR FAMILY PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	604	Total	C	N	O	Se	0	0	0
			4576	2866	763	942	5			
1	B	604	Total	C	N	O	Se	0	0	0
			4576	2866	763	942	5			
1	C	604	Total	C	N	O	Se	0	0	0
			4576	2866	763	942	5			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	29	GLY	-	EXPRESSION TAG	UNP Q97SC2
B	29	GLY	-	EXPRESSION TAG	UNP Q97SC2
C	29	GLY	-	EXPRESSION TAG	UNP Q97SC2

- Molecule 2 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	3	Total	Ni	0	0
			3	3		
2	A	3	Total	Ni	0	0
			3	3		
2	C	3	Total	Ni	0	0
			3	3		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	169	Total	O	0	0
			169	169		
3	B	141	Total	O	0	0
			141	141		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	120	Total 120	O 120	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: CELL WALL SURFACE ANCHOR FAMILY PROTEIN

Chain A:




#### • Molecule 1: CELL WALL SURFACE ANCHOR FAMILY PROTEIN


Chain B:



#### • Molecule 1: CELL WALL SURFACE ANCHOR FAMILY PROTEIN

Chain C:





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	74.62Å 74.62Å 340.53Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	113.53 – 2.39 19.85 – 2.39	Depositor EDS
% Data completeness (in resolution range)	98.7 (113.53-2.39) 93.7 (19.85-2.39)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.25 (at 2.38Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.187 , 0.234 0.239 , 0.300	Depositor DCC
$R_{free}$ test set	8052 reflections (10.31%)	DCC
Wilson B-factor (Å <sup>2</sup> )	41.6	Xtriage
Anisotropy	0.395	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 34.1	EDS
Estimated twinning fraction	0.592 for H, K, L 0.408 for K, H, -L 0.000 for -h,-k,l 0.097 for h,-h-k,-l 0.002 for -k,-h,-l	Xtriage
Reported twinning fraction	0.592 for H, K, L 0.408 for K, H, -L	Depositor
L-test for twinning	$\langle  L  \rangle = 0.55$ , $\langle L^2 \rangle = 0.39$	Xtriage
Outliers	0 of 78179 reflections	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	14167	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.15% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:  
NI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.47	0/4646	0.62	0/6315
1	B	0.44	0/4646	0.57	0/6315
1	C	0.40	0/4646	0.57	0/6315
All	All	0.44	0/13938	0.59	0/18945

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4576	0	0	33	0
1	B	4576	0	0	46	0
1	C	4576	0	0	55	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
2	C	3	0	0	0	0
3	A	169	0	0	10	0
3	B	141	0	0	14	0
3	C	120	0	0	18	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	14167	0	0	134	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 10.

All (134) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:486:SER:OG	3:C:2091:HOH:O	1.97	0.82
1:C:449:LYS:NZ	1:C:605:GLN:OE1	2.13	0.82
1:C:238:ASN:ND2	3:C:2038:HOH:O	2.15	0.80
1:C:238:ASN:CB	3:C:2039:HOH:O	2.30	0.79
1:C:168:ILE:CB	3:C:2026:HOH:O	2.32	0.76
3:A:2008:HOH:O	1:B:387:LYS:CB	2.35	0.73
1:C:60:ASN:OD1	1:C:62:ALA:O	2.07	0.72
1:A:549:ASN:OD1	1:A:550:GLU:N	2.22	0.72
1:B:256:VAL:CG2	1:B:279:LEU:CD1	2.68	0.71
1:C:248:ALA:CB	3:C:2043:HOH:O	2.38	0.71
1:B:192:ASP:OD1	1:B:208:LYS:NZ	2.24	0.71
1:A:96:GLN:CB	3:A:2012:HOH:O	2.38	0.70
1:C:423:GLU:O	3:C:2084:HOH:O	2.08	0.70
1:A:84:THR:CG2	1:A:85:ASN:O	2.40	0.69
1:B:92:ASP:OD2	3:B:2013:HOH:O	2.11	0.69
1:B:449:LYS:NZ	1:B:619:THR:OG1	2.26	0.69
1:C:489:GLU:OE1	3:C:2091:HOH:O	2.10	0.69
1:B:61:TYR:OH	1:B:64:ASN:ND2	2.27	0.67
1:C:82:VAL:CG1	1:C:144:ILE:CD1	2.73	0.66
1:B:84:THR:CG2	1:B:88:ASN:CA	2.73	0.66
1:C:554:LYS:NZ	3:C:2107:HOH:O	2.29	0.66
1:C:558:ASP:OD1	1:C:560:GLN:N	2.30	0.65
1:A:113:MSE:CE	1:A:144:ILE:CD1	2.76	0.64
1:C:449:LYS:NZ	1:C:619:THR:OG1	2.30	0.64
1:A:387:LYS:O	1:A:387:LYS:CG	2.47	0.63
1:B:194:ASP:OD1	1:B:195:PHE:N	2.32	0.61
1:B:84:THR:CG2	1:B:85:ASN:O	2.49	0.61
1:B:40:HIS:NE2	1:B:179:HIS:CD2	2.69	0.61
1:C:546:ASP:OD2	1:C:548:ASP:CB	2.49	0.60
1:B:387:LYS:C	3:B:2084:HOH:O	2.39	0.60
1:C:242:ARG:NH1	3:C:2041:HOH:O	2.32	0.60
1:B:213:ASN:N	3:B:2039:HOH:O	2.34	0.59
1:C:194:ASP:OD1	1:C:195:PHE:N	2.35	0.59
1:A:296:LYS:NZ	3:A:2062:HOH:O	2.35	0.59
1:B:59:GLY:CA	3:B:2006:HOH:O	2.51	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:388:ASN:CA	3:B:2084:HOH:O	2.50	0.58
1:B:335:LYS:N	3:B:2078:HOH:O	2.36	0.58
1:C:558:ASP:OD2	1:C:562:ARG:NH2	2.37	0.58
1:A:449:LYS:NZ	1:A:605:GLN:OE1	2.38	0.57
1:A:406:ARG:NH1	3:A:2099:HOH:O	2.38	0.56
1:C:319:ASP:OD2	1:C:402:LYS:NZ	2.39	0.56
1:B:629:PRO:C	1:B:630:GLN:NE2	2.60	0.56
1:B:564:GLU:OE1	1:B:609:TYR:OH	2.24	0.56
1:A:162:LYS:NZ	3:A:2027:HOH:O	2.40	0.55
1:C:238:ASN:CA	3:C:2039:HOH:O	2.55	0.54
1:B:240:SER:CB	3:B:2073:HOH:O	2.54	0.54
1:B:419:THR:N	3:B:2095:HOH:O	2.39	0.54
1:B:521:GLU:CG	3:B:2117:HOH:O	2.56	0.54
1:C:70:PRO:CA	3:C:2002:HOH:O	2.56	0.53
1:B:388:ASN:N	3:B:2084:HOH:O	2.42	0.53
1:A:164:VAL:CG1	3:A:2023:HOH:O	2.56	0.52
1:B:387:LYS:CG	1:B:387:LYS:O	2.57	0.52
1:C:242:ARG:CZ	3:C:2041:HOH:O	2.58	0.52
1:B:385:THR:CG2	1:B:385:THR:O	2.58	0.51
1:A:396:ASP:OD1	1:A:398:ASN:N	2.42	0.51
1:C:259:ASP:OD2	1:C:296:LYS:NZ	2.44	0.50
1:B:562:ARG:NH1	1:B:610:THR:OG1	2.44	0.50
1:B:531:ASN:ND2	3:B:2120:HOH:O	2.43	0.50
1:A:470:ASN:ND2	3:A:2123:HOH:O	2.44	0.50
1:B:630:GLN:N	1:B:630:GLN:NE2	2.60	0.50
1:B:494:VAL:CG1	1:B:495:THR:N	2.75	0.49
1:C:407:SER:N	3:C:2080:HOH:O	2.44	0.49
1:A:72:ASN:OD1	1:A:72:ASN:O	2.31	0.49
1:C:321:THR:CG2	3:C:2088:HOH:O	2.61	0.49
1:C:629:PRO:C	1:C:630:GLN:NE2	2.66	0.49
1:B:494:VAL:CG2	3:B:2114:HOH:O	2.61	0.48
1:A:337:ASN:OD1	1:A:338:LYS:N	2.46	0.48
1:A:83:TRP:CH2	1:A:168:ILE:CD1	2.96	0.48
1:C:558:ASP:C	1:C:558:ASP:OD1	2.52	0.48
1:B:549:ASN:OD1	1:B:551:ASN:N	2.47	0.48
1:C:342:ASN:N	1:C:342:ASN:ND2	2.60	0.48
1:C:227:LYS:NZ	1:C:297:THR:OG1	2.47	0.48
1:A:172:LEU:O	1:A:173:ASN:C	2.52	0.47
1:A:245:GLU:OE1	1:A:338:LYS:NZ	2.47	0.47
1:C:46:ASP:OD1	1:C:72:ASN:OD1	2.32	0.47
1:C:491:GLN:O	1:C:494:VAL:CG1	2.63	0.47
1:C:72:ASN:O	1:C:72:ASN:CG	2.53	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:624:LYS:CG	3:A:2168:HOH:O	2.62	0.47
1:C:239:TRP:CZ2	1:C:322:PHE:CE1	3.03	0.47
1:A:472:ASP:OD1	1:A:473:ASN:N	2.47	0.47
1:A:472:ASP:OD1	1:A:472:ASP:C	2.54	0.46
1:C:88:ASN:OD1	1:C:140:LYS:NZ	2.49	0.46
1:B:282:THR:O	1:B:283:ASP:C	2.54	0.46
1:B:61:TYR:CG	1:B:62:ALA:N	2.84	0.46
1:A:85:ASN:C	1:A:85:ASN:OD1	2.55	0.45
1:A:92:ASP:C	1:A:92:ASP:OD1	2.55	0.45
1:C:233:ASN:O	3:C:2037:HOH:O	2.21	0.45
1:C:40:HIS:NE2	1:C:179:HIS:CD2	2.84	0.45
1:A:192:ASP:OD1	1:A:208:LYS:NZ	2.49	0.45
1:C:494:VAL:CG1	1:C:495:THR:N	2.80	0.45
1:A:369:LEU:O	1:A:378:VAL:N	2.50	0.45
1:C:580:GLN:N	1:C:580:GLN:OE1	2.50	0.44
1:A:617:ASP:OD1	1:A:617:ASP:N	2.49	0.44
1:C:416:GLN:CA	3:C:2083:HOH:O	2.64	0.44
1:C:139:TYR:N	1:C:168:ILE:O	2.50	0.44
1:B:239:TRP:CE2	1:B:322:PHE:CE1	3.06	0.44
1:B:264:GLU:N	1:B:267:ASP:OD2	2.51	0.44
1:C:452:VAL:CA	1:C:561:GLY:O	2.66	0.44
1:C:344:ASP:OD1	1:C:393:ASN:OD1	2.36	0.43
1:C:453:LYS:N	1:C:561:GLY:O	2.52	0.43
1:C:414:ASP:OD1	1:C:414:ASP:C	2.55	0.43
1:B:233:ASN:N	3:B:2044:HOH:O	2.51	0.43
1:A:215:GLN:NE2	3:A:2043:HOH:O	2.52	0.43
1:C:518:GLN:OE1	1:C:518:GLN:N	2.52	0.42
1:B:236:THR:CG2	1:B:238:ASN:ND2	2.82	0.42
1:A:549:ASN:C	1:A:549:ASN:OD1	2.58	0.42
1:C:546:ASP:CG	1:C:548:ASP:CB	2.88	0.42
1:B:83:TRP:CH2	1:B:168:ILE:CD1	3.03	0.42
1:A:608:GLU:N	3:A:2161:HOH:O	2.52	0.42
1:C:472:ASP:C	1:C:472:ASP:OD1	2.58	0.42
1:C:564:GLU:OE1	1:C:609:TYR:OH	2.38	0.42
1:B:477:TYR:N	1:B:544:VAL:O	2.53	0.41
1:B:371:ASN:O	1:B:375:GLY:N	2.53	0.41
1:B:274:ALA:N	3:B:2056:HOH:O	2.52	0.41
1:B:519:GLU:OE1	1:B:522:LYS:CD	2.68	0.41
1:B:239:TRP:CZ2	1:B:322:PHE:CE1	3.09	0.41
1:A:527:GLN:C	1:A:527:GLN:OE1	2.59	0.41
1:C:206:VAL:CG2	1:C:206:VAL:O	2.68	0.41
1:B:449:LYS:NZ	1:B:605:GLN:OE1	2.54	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:471:ALA:O	1:C:590:ARG:NH1	2.53	0.41
1:A:396:ASP:OD1	1:A:396:ASP:C	2.59	0.41
1:C:193:LYS:O	1:C:208:LYS:NZ	2.54	0.41
1:C:123:GLU:N	1:C:126:GLY:O	2.54	0.41
1:A:319:ASP:OD2	1:A:402:LYS:NZ	2.54	0.41
1:B:320:VAL:CG1	1:B:321:THR:N	2.84	0.41
1:C:39:VAL:O	1:C:127:ALA:N	2.54	0.41
1:C:353:ASP:OD1	1:C:355:THR:OG1	2.39	0.40
1:A:227:LYS:NZ	1:A:297:THR:OG1	2.54	0.40
1:B:384:THR:OG1	1:B:385:THR:N	2.54	0.40
1:B:378:VAL:O	1:B:379:GLN:CB	2.68	0.40
1:C:72:ASN:ND2	3:C:2008:HOH:O	2.53	0.40
1:B:103:ASP:O	1:B:107:PHE:N	2.55	0.40
1:C:89:GLU:CB	3:C:2011:HOH:O	2.69	0.40
1:A:491:GLN:O	1:A:495:THR:OG1	2.39	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	602/605 (100%)	566 (94%)	34 (6%)	2 (0%)	50	68
1	B	602/605 (100%)	573 (95%)	25 (4%)	4 (1%)	30	43
1	C	602/605 (100%)	569 (94%)	31 (5%)	2 (0%)	50	68
All	All	1806/1815 (100%)	1708 (95%)	90 (5%)	8 (0%)	43	61

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	475	GLY
1	B	61	TYR
1	A	173	ASN
1	B	173	ASN

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	379	GLN
1	C	458	ASP
1	B	474	ALA
1	C	71	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	489/484 (101%)	475 (97%)	14 (3%)	55	76
1	B	489/484 (101%)	481 (98%)	8 (2%)	75	89
1	C	489/484 (101%)	478 (98%)	11 (2%)	64	83
All	All	1467/1452 (101%)	1434 (98%)	33 (2%)	64	83

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	42	LEU
1	A	68	VAL
1	A	84	THR
1	A	89	GLU
1	A	105	GLN
1	A	264	GLU
1	A	278	ASP
1	A	373	GLN
1	A	383	LEU
1	A	420	THR
1	A	483	ASP
1	A	490	LYS
1	A	497	LYS
1	A	630	GLN
1	B	60	ASN
1	B	89	GLU
1	B	105	GLN
1	B	264	GLU
1	B	342	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	373	GLN
1	B	497	LYS
1	B	630	GLN
1	C	56	LEU
1	C	60	ASN
1	C	164	VAL
1	C	264	GLU
1	C	342	ASN
1	C	373	GLN
1	C	483	ASP
1	C	510	LEU
1	C	521	GLU
1	C	589	SER
1	C	630	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 9 ligands modelled in this entry, 9 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	604/605 (99%)	0.48	33 (5%)	24 22	31, 47, 67, 91	0
1	B	604/605 (99%)	0.53	34 (5%)	24 22	35, 51, 73, 95	0
1	C	604/605 (99%)	0.76	57 (9%)	9 8	43, 59, 77, 101	0
All	All	1812/1815 (99%)	0.59	124 (6%)	17 15	31, 52, 74, 101	0

All (124) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	61	TYR	20.2
1	B	632	GLY	18.0
1	C	61	TYR	12.7
1	C	631	THR	11.4
1	C	632	GLY	9.3
1	B	61	TYR	9.1
1	A	631	THR	8.3
1	A	29	GLY	7.6
1	C	630	GLN	6.5
1	A	62	ALA	6.5
1	B	62	ALA	6.5
1	A	632	GLY	6.0
1	B	631	THR	5.8
1	B	630	GLN	5.2
1	B	29	GLY	5.1
1	A	47	GLY	5.0
1	C	62	ALA	4.9
1	C	29	GLY	4.6
1	C	124	ALA	4.3
1	A	42	LEU	4.2
1	C	58	THR	4.2
1	C	112	ALA	4.1
1	C	487	GLN	4.0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	611	ALA	4.0
1	C	513	GLN	3.8
1	C	613	SER	3.7
1	A	71	ALA	3.7
1	C	362	GLY	3.7
1	A	509	ALA	3.6
1	C	546	ASP	3.6
1	C	473	ASN	3.5
1	C	341	GLU	3.5
1	B	487	GLN	3.4
1	B	30	ALA	3.4
1	C	153	GLU	3.4
1	B	221	GLU	3.4
1	A	630	GLN	3.3
1	C	67	GLY	3.3
1	B	498	ASP	3.2
1	C	54	ASN	3.2
1	C	141	ILE	3.2
1	B	491	GLN	3.2
1	C	516	THR	3.1
1	C	444	VAL	3.1
1	B	224	ILE	3.0
1	C	518	GLN	2.9
1	B	204	PRO	2.9
1	A	73	ALA	2.9
1	C	90	ILE	2.9
1	B	153	GLU	2.9
1	B	43	LEU	2.8
1	B	509	ALA	2.8
1	A	82	VAL	2.8
1	A	298	VAL	2.8
1	C	96	GLN	2.7
1	A	182	PRO	2.7
1	C	260	ASP	2.7
1	A	96	GLN	2.6
1	A	488	GLU	2.6
1	A	43	LEU	2.6
1	C	420	THR	2.6
1	B	502	ARG	2.6
1	B	548	ASP	2.6
1	A	124	ALA	2.6
1	C	361	ALA	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	473	ASN	2.6
1	C	154	ASP	2.6
1	C	498	ASP	2.6
1	B	377	VAL	2.6
1	B	60	ASN	2.5
1	C	491	GLN	2.5
1	A	83	TRP	2.5
1	C	298	VAL	2.5
1	A	342	ASN	2.5
1	C	456	ASP	2.5
1	C	484	LYS	2.5
1	A	513	GLN	2.5
1	C	293	ASN	2.5
1	C	419	THR	2.5
1	C	110	SER	2.5
1	C	174	ASP	2.5
1	B	388	ASN	2.4
1	B	123	GLU	2.4
1	B	594	GLU	2.4
1	C	458	ASP	2.4
1	B	545	ALA	2.4
1	C	627	THR	2.3
1	A	228	ILE	2.3
1	C	403	PHE	2.3
1	B	298	VAL	2.3
1	C	588	THR	2.3
1	C	105	GLN	2.3
1	C	548	ASP	2.3
1	B	462	ALA	2.3
1	A	153	GLU	2.2
1	C	63	GLY	2.2
1	C	615	LYS	2.2
1	C	629	PRO	2.2
1	B	518	GLN	2.2
1	A	63	GLY	2.2
1	B	514	GLN	2.2
1	A	555	LEU	2.2
1	C	56	LEU	2.2
1	B	54	ASN	2.2
1	A	174	ASP	2.1
1	A	487	GLN	2.1
1	B	93	GLU	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	490	LYS	2.1
1	B	48	ASP	2.1
1	B	141	ILE	2.1
1	A	387	LYS	2.1
1	A	77	ALA	2.1
1	C	509	ALA	2.1
1	C	43	LEU	2.1
1	A	556	VAL	2.0
1	A	612	GLY	2.0
1	C	413	ALA	2.0
1	C	133	ASN	2.0
1	C	256	VAL	2.0
1	C	525	LYS	2.0
1	A	341	GLU	2.0
1	B	473	ASN	2.0
1	C	502	ARG	2.0
1	C	385	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	NI	A	801	1/1	0.09	-1.60	78,78,78,78	0
2	NI	B	801	1/1	0.09	-1.67	78,78,78,78	0
2	NI	B	800	1/1	0.08	-1.74	59,59,59,59	0
2	NI	C	802	1/1	0.09	-2.05	78,78,78,78	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NI	C	801	1/1	0.08	-2.64	74,74,74,74	0
2	NI	B	802	1/1	0.04	-2.68	82,82,82,82	0
2	NI	A	802	1/1	0.06	-2.74	77,77,77,77	0
2	NI	A	800	1/1	0.04	-3.85	62,62,62,62	0
2	NI	C	800	1/1	0.04	-5.04	74,74,74,74	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.