



wwPDB X-ray Structure Validation Summary Report

Feb 27, 2014 – 12:48 AM GMT

PDB ID : 1YI7
Title : Beta-d-xylosidase (selenomethionine) XYND from Clostridium Acetobutylicum
Authors : Teplyakov, A.; Fedorov, E.; Gilliland, G.L.; Almo, S.C.; Burley, S.K.; New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on : 2005-01-11
Resolution : 1.90 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3684 (1.90-1.90)
Clashscore	79885	4465 (1.90-1.90)
Ramachandran outliers	78287	4413 (1.90-1.90)
Sidechain outliers	78261	4414 (1.90-1.90)
RSRZ outliers	66119	3686 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	542	
1	B	542	
1	C	542	
1	D	542	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	CA	A	3001	-	X
2	CA	B	3002	-	X
2	CA	C	3003	-	X
3	SO4	A	3011	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Geometry	Electron density
3	SO4	B	3006	-	X
3	SO4	B	3009	-	X
3	SO4	C	3007	-	X
3	SO4	D	3010	-	X
5	GOL	A	3020	-	X
5	GOL	A	3024	-	X
5	GOL	A	3032	-	X
5	GOL	B	3025	-	X
5	GOL	B	3029	-	X
5	GOL	B	3033	-	X
5	GOL	C	3022	-	X
5	GOL	C	3026	-	X
5	GOL	C	3030	-	X
5	GOL	C	3034	-	X
5	GOL	D	3023	-	X
5	GOL	D	3027	-	X
5	GOL	D	3035	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 20181 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-xylosidase, family 43 glycosyl hydrolase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	534	Total	C	N	O	S	Se	0	0	0
			4341	2783	723	821	10	4			
1	B	534	Total	C	N	O	S	Se	0	1	0
			4345	2785	723	823	10	4			
1	C	534	Total	C	N	O	S	Se	0	1	0
			4343	2784	723	821	11	4			
1	D	534	Total	C	N	O	S	Se	0	2	0
			4347	2786	723	823	11	4			

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	-	CLONING ARTIFACT	UNP Q97DM1
A	2	SER	-	CLONING ARTIFACT	UNP Q97DM1
A	3	LEU	-	CLONING ARTIFACT	UNP Q97DM1
A	64	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
A	98	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
A	144	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
A	445	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
A	535	GLU	-	EXPRESSION TAG	UNP Q97DM1
A	536	GLY	-	EXPRESSION TAG	UNP Q97DM1
A	537	HIS	-	EXPRESSION TAG	UNP Q97DM1
A	538	HIS	-	EXPRESSION TAG	UNP Q97DM1
A	539	HIS	-	EXPRESSION TAG	UNP Q97DM1
A	540	HIS	-	EXPRESSION TAG	UNP Q97DM1
A	541	HIS	-	EXPRESSION TAG	UNP Q97DM1
A	542	HIS	-	EXPRESSION TAG	UNP Q97DM1
B	1	MSE	-	CLONING ARTIFACT	UNP Q97DM1
B	2	SER	-	CLONING ARTIFACT	UNP Q97DM1
B	3	LEU	-	CLONING ARTIFACT	UNP Q97DM1
B	64	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
B	98	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
B	144	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	445	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
B	535	GLU	-	EXPRESSION TAG	UNP Q97DM1
B	536	GLY	-	EXPRESSION TAG	UNP Q97DM1
B	537	HIS	-	EXPRESSION TAG	UNP Q97DM1
B	538	HIS	-	EXPRESSION TAG	UNP Q97DM1
B	539	HIS	-	EXPRESSION TAG	UNP Q97DM1
B	540	HIS	-	EXPRESSION TAG	UNP Q97DM1
B	541	HIS	-	EXPRESSION TAG	UNP Q97DM1
B	542	HIS	-	EXPRESSION TAG	UNP Q97DM1
C	1	MSE	-	CLONING ARTIFACT	UNP Q97DM1
C	2	SER	-	CLONING ARTIFACT	UNP Q97DM1
C	3	LEU	-	CLONING ARTIFACT	UNP Q97DM1
C	64	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
C	98	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
C	144	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
C	445	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
C	535	GLU	-	EXPRESSION TAG	UNP Q97DM1
C	536	GLY	-	EXPRESSION TAG	UNP Q97DM1
C	537	HIS	-	EXPRESSION TAG	UNP Q97DM1
C	538	HIS	-	EXPRESSION TAG	UNP Q97DM1
C	539	HIS	-	EXPRESSION TAG	UNP Q97DM1
C	540	HIS	-	EXPRESSION TAG	UNP Q97DM1
C	541	HIS	-	EXPRESSION TAG	UNP Q97DM1
C	542	HIS	-	EXPRESSION TAG	UNP Q97DM1
D	1	MSE	-	CLONING ARTIFACT	UNP Q97DM1
D	2	SER	-	CLONING ARTIFACT	UNP Q97DM1
D	3	LEU	-	CLONING ARTIFACT	UNP Q97DM1
D	64	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
D	98	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
D	144	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
D	445	MSE	MET	MODIFIED RESIDUE	UNP Q97DM1
D	535	GLU	-	EXPRESSION TAG	UNP Q97DM1
D	536	GLY	-	EXPRESSION TAG	UNP Q97DM1
D	537	HIS	-	EXPRESSION TAG	UNP Q97DM1
D	538	HIS	-	EXPRESSION TAG	UNP Q97DM1
D	539	HIS	-	EXPRESSION TAG	UNP Q97DM1
D	540	HIS	-	EXPRESSION TAG	UNP Q97DM1
D	541	HIS	-	EXPRESSION TAG	UNP Q97DM1
D	542	HIS	-	EXPRESSION TAG	UNP Q97DM1

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Ca	0	0
			1	1		
2	A	1	Total	Ca	0	0
			1	1		
2	D	1	Total	Ca	0	0
			1	1		
2	C	1	Total	Ca	0	0
			1	1		


- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is 4-(2-HYDROXYETHYL)-1-PIPERAZINEETHANESULFONIC ACID

(three-letter code: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
4	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
4	D	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
4	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 6 3 3	0	0
5	B	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	D	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	B	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	D	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	B	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	D	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	B	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	D	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	B	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	D	1	Total C O 6 3 3	0	0

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	683	Total 683	O 683	0	0
6	B	614	Total 614	O 614	0	0
6	C	656	Total 656	O 656	0	0
6	D	633	Total 633	O 633	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Beta-xylosidase, family 43 glycosyl hydrolase

Chain A:




- Molecule 1: Beta-xylosidase, family 43 glycosyl hydrolase

Chain B:




- Molecule 1: Beta-xylosidase, family 43 glycosyl hydrolase

Chain C:



- Molecule 1: Beta-xylosidase, family 43 glycosyl hydrolase

Chain D:



D239	H249	D258	P269	V272	G282	R303	Q309	D329	E330	D337	K338	L339	K358	R363	S371	R383	K429	C438	F441	H442	F443	D444	S449	V469	E470	D526	E535	GLY	HIS	HIS	HIS	HIS	HIS	HIS
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	89.13Å 143.73Å 188.69Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90 38.52 – 1.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-1.90) 100.0 (38.52-1.90)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.85 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.142 , 0.202 0.149 , 0.209	Depositor DCC
R_{free} test set	5744 reflections (3.11%)	DCC
Wilson B-factor (Å ²)	17.6	Xtriage
Anisotropy	0.200	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 41.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Outliers	0 of 190582 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	20181	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CA, EPE, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.64	1/4470 (0.0%)	0.80	4/6077 (0.1%)
1	B	0.61	0/4478	0.81	7/6088 (0.1%)
1	C	0.65	0/4476	0.82	9/6085 (0.1%)
1	D	0.64	0/4484	0.83	12/6096 (0.2%)
All	All	0.64	1/17908 (0.0%)	0.82	32/24346 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	19	CYS	CB-SG	-5.69	1.72	1.81

The worst 5 of 32 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	528	ASP	CB-CG-OD2	7.31	124.88	118.30
1	B	526	ASP	CB-CG-OD2	7.13	124.72	118.30
1	D	526	ASP	CB-CG-OD2	6.57	124.21	118.30
1	C	15	ASP	CB-CG-OD2	6.40	124.06	118.30
1	D	77	ASP	CB-CG-OD2	6.22	123.90	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the

chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4341	0	4127	40	0
1	B	4345	0	4127	32	0
1	C	4343	0	4128	29	0
1	D	4347	0	4128	32	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	10	0	0	1	0
3	B	10	0	0	0	0
3	C	5	0	0	0	0
3	D	10	0	0	0	0
4	A	30	0	34	0	0
4	C	15	0	17	1	0
4	D	15	0	17	0	0
5	A	30	0	40	0	0
5	B	30	0	40	2	0
5	C	30	0	40	1	0
5	D	30	0	40	0	0
6	A	683	0	0	5	0
6	B	614	0	0	2	0
6	C	656	0	0	5	0
6	D	633	0	0	13	0
All	All	20181	0	16738	126	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

The worst 5 of 126 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:331:LYS:HE2	1:C:333:ASN:HD21	1.46	0.79
1:A:475:SER:HB3	1:A:485:LYS:HA	1.63	0.78
1:D:358:LYS:HE3	6:D:3636:HOH:O	1.84	0.77
1:A:65:LYS:HA	6:A:3696:HOH:O	1.87	0.74
1:A:269:PRO:HB3	1:A:282:GLY:HA3	1.71	0.72

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	532/542 (98%)	503 (94%)	27 (5%)	2 (0%)	43	29
1	B	533/542 (98%)	504 (95%)	26 (5%)	3 (1%)	33	19
1	C	533/542 (98%)	503 (94%)	28 (5%)	2 (0%)	43	29
1	D	534/542 (98%)	504 (94%)	27 (5%)	3 (1%)	33	19
All	All	2132/2168 (98%)	2014 (94%)	108 (5%)	10 (0%)	38	23

5 of 10 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	469	VAL
1	B	469	VAL
1	C	469	VAL
1	D	469	VAL
1	B	12	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	475/477 (100%)	467 (98%)	8 (2%)	73	68
1	B	476/477 (100%)	469 (98%)	7 (2%)	76	73
1	C	476/477 (100%)	469 (98%)	7 (2%)	76	73
1	D	477/477 (100%)	471 (99%)	6 (1%)	80	77
All	All	1904/1908 (100%)	1876 (98%)	28 (2%)	76	73

5 of 28 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	338	LYS
1	C	2	SER
1	D	272	VAL
1	B	383	ARG
1	B	402	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 8 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	333	ASN
1	D	333	ASN
1	C	333	ASN
1	B	135	ASN
1	C	135	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 35 ligands modelled in this entry, 4 are monoatomic - leaving 31 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	A	3005	-	4,4,4	0.15	0	6,6,6	0.12	0
3	SO4	A	3011	-	4,4,4	0.25	0	6,6,6	0.28	0
4	EPE	A	3012	-	15,15,15	0.74	1 (6%)	20,20,20	1.24	2 (10%)
4	EPE	A	3013	-	15,15,15	0.75	1 (6%)	20,20,20	1.89	6 (30%)
5	GOL	A	3016	-	5,5,5	0.41	0	5,5,5	0.46	0
5	GOL	A	3020	-	5,5,5	0.45	0	5,5,5	1.20	0
5	GOL	A	3024	-	5,5,5	0.36	0	5,5,5	0.37	0
5	GOL	A	3028	-	5,5,5	0.39	0	5,5,5	0.42	0
5	GOL	A	3032	-	5,5,5	0.48	0	5,5,5	0.40	0
3	SO4	B	3006	-	4,4,4	0.11	0	6,6,6	0.22	0
3	SO4	B	3009	-	4,4,4	0.20	0	6,6,6	0.19	0
5	GOL	B	3017	-	5,5,5	0.21	0	5,5,5	0.39	0
5	GOL	B	3021	-	5,5,5	0.34	0	5,5,5	1.28	1 (20%)
5	GOL	B	3025	-	5,5,5	0.36	0	5,5,5	0.50	0
5	GOL	B	3029	-	5,5,5	0.36	0	5,5,5	0.87	0
5	GOL	B	3033	-	5,5,5	0.42	0	5,5,5	0.38	0
3	SO4	C	3007	-	4,4,4	0.31	0	6,6,6	0.17	0
4	EPE	C	3015	-	15,15,15	0.82	1 (6%)	20,20,20	1.68	3 (15%)
5	GOL	C	3018	-	5,5,5	0.37	0	5,5,5	0.55	0
5	GOL	C	3022	-	5,5,5	0.30	0	5,5,5	0.86	0
5	GOL	C	3026	-	5,5,5	0.41	0	5,5,5	0.51	0
5	GOL	C	3030	-	5,5,5	0.43	0	5,5,5	0.26	0
5	GOL	C	3034	-	5,5,5	0.34	0	5,5,5	0.45	0
3	SO4	D	3008	-	4,4,4	0.11	0	6,6,6	0.25	0
3	SO4	D	3010	-	4,4,4	0.34	0	6,6,6	0.56	0
4	EPE	D	3014	-	15,15,15	0.70	1 (6%)	20,20,20	1.51	3 (15%)
5	GOL	D	3019	-	5,5,5	0.18	0	5,5,5	0.37	0
5	GOL	D	3023	-	5,5,5	0.39	0	5,5,5	1.09	0
5	GOL	D	3027	-	5,5,5	0.38	0	5,5,5	0.43	0
5	GOL	D	3031	-	5,5,5	0.21	0	5,5,5	0.57	0
5	GOL	D	3035	-	5,5,5	0.40	0	5,5,5	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SO4	A	3005	-	-	0/0/0/0	0/0/0/0
3	SO4	A	3011	-	-	0/0/0/0	0/0/0/0
4	EPE	A	3012	-	-	0/9/19/19	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EPE	A	3013	-	-	0/9/19/19	0/1/1/1
5	GOL	A	3016	-	-	0/4/4/4	0/0/0/0
5	GOL	A	3020	-	-	0/4/4/4	0/0/0/0
5	GOL	A	3024	-	-	0/4/4/4	0/0/0/0
5	GOL	A	3028	-	-	0/4/4/4	0/0/0/0
5	GOL	A	3032	-	-	0/4/4/4	0/0/0/0
3	SO4	B	3006	-	-	0/0/0/0	0/0/0/0
3	SO4	B	3009	-	-	0/0/0/0	0/0/0/0
5	GOL	B	3017	-	-	0/4/4/4	0/0/0/0
5	GOL	B	3021	-	-	0/4/4/4	0/0/0/0
5	GOL	B	3025	-	-	0/4/4/4	0/0/0/0
5	GOL	B	3029	-	-	0/4/4/4	0/0/0/0
5	GOL	B	3033	-	-	0/4/4/4	0/0/0/0
3	SO4	C	3007	-	-	0/0/0/0	0/0/0/0
4	EPE	C	3015	-	-	0/9/19/19	0/1/1/1
5	GOL	C	3018	-	-	0/4/4/4	0/0/0/0
5	GOL	C	3022	-	-	0/4/4/4	0/0/0/0
5	GOL	C	3026	-	-	0/4/4/4	0/0/0/0
5	GOL	C	3030	-	-	0/4/4/4	0/0/0/0
5	GOL	C	3034	-	-	0/4/4/4	0/0/0/0
3	SO4	D	3008	-	-	0/0/0/0	0/0/0/0
3	SO4	D	3010	-	-	0/0/0/0	0/0/0/0
4	EPE	D	3014	-	-	0/9/19/19	0/1/1/1
5	GOL	D	3019	-	-	0/4/4/4	0/0/0/0
5	GOL	D	3023	-	-	0/4/4/4	0/0/0/0
5	GOL	D	3027	-	-	0/4/4/4	0/0/0/0
5	GOL	D	3031	-	-	0/4/4/4	0/0/0/0
5	GOL	D	3035	-	-	0/4/4/4	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	3015	EPE	C10-S	2.61	1.81	1.77
4	A	3012	EPE	C10-S	2.55	1.81	1.77
4	A	3013	EPE	C10-S	2.38	1.81	1.77
4	D	3014	EPE	C10-S	2.34	1.81	1.77

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	3013	EPE	O1S-S-C10	4.93	111.03	106.81
4	C	3015	EPE	C5-N4-C3	4.24	119.40	108.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	3014	EPE	C5-N4-C3	4.18	119.25	108.86
4	A	3013	EPE	C5-N4-C3	3.63	117.88	108.86
4	C	3015	EPE	O1S-S-C10	3.30	109.64	106.81

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	534/542 (98%)	-0.55	0 100 100	13, 20, 40, 67	0
1	B	534/542 (98%)	-0.48	0 100 100	16, 22, 40, 75	0
1	C	534/542 (98%)	-0.56	0 100 100	14, 21, 41, 91	0
1	D	534/542 (98%)	-0.61	0 100 100	14, 20, 39, 77	0
All	All	2136/2168 (98%)	-0.55	0 100 100	13, 21, 40, 91	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	GOL	C	3030	6/6	0.16	19.18	27,37,39,39	0
3	SO4	B	3009	5/5	0.14	16.42	30,40,53,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	SO4	A	3011	5/5	0.22	12.72	64,65,75,78	0
3	SO4	D	3010	5/5	0.09	8.40	31,37,52,54	0
5	GOL	D	3035	6/6	0.13	6.67	20,28,38,56	0
3	SO4	C	3007	5/5	0.16	6.54	38,44,58,125	0
5	GOL	D	3023	6/6	0.17	4.75	16,23,26,30	0
2	CA	A	3001	1/1	0.15	4.04	43,43,43,43	0
3	SO4	B	3006	5/5	0.14	4.01	40,46,56,68	0
5	GOL	A	3020	6/6	0.21	3.90	11,17,25,28	0
5	GOL	D	3027	6/6	0.15	3.85	37,45,47,49	0
5	GOL	C	3022	6/6	0.18	3.27	19,24,25,43	0
5	GOL	C	3026	6/6	0.17	3.07	30,37,41,54	0
5	GOL	B	3025	6/6	0.15	3.05	33,50,59,78	0
5	GOL	B	3029	6/6	0.08	2.80	28,32,35,38	0
5	GOL	A	3032	6/6	0.12	2.77	20,25,33,42	0
5	GOL	A	3024	6/6	0.17	2.72	31,42,49,51	0
2	CA	B	3002	1/1	0.16	2.69	42,42,42,42	0
2	CA	C	3003	1/1	0.16	2.58	38,38,38,38	0
5	GOL	B	3033	6/6	0.12	2.18	20,32,43,44	0
5	GOL	C	3034	6/6	0.11	2.15	21,28,46,56	0
3	SO4	D	3008	5/5	0.15	1.73	44,47,50,75	0
5	GOL	B	3021	6/6	0.18	1.71	15,19,25,28	0
5	GOL	D	3031	6/6	0.08	1.64	27,34,40,44	0
4	EPE	A	3012	15/15	0.10	1.64	18,27,50,56	0
3	SO4	A	3005	5/5	0.16	1.44	37,54,59,63	0
5	GOL	A	3028	6/6	0.07	1.37	24,39,43,44	0
2	CA	D	3004	1/1	0.08	0.26	41,41,41,41	0
4	EPE	A	3013	15/15	0.08	0.17	17,24,38,52	0
5	GOL	C	3018	6/6	0.07	-0.11	17,20,23,25	0
5	GOL	B	3017	6/6	0.07	-0.22	20,24,25,27	0
4	EPE	C	3015	15/15	0.07	-0.57	17,25,42,46	0
5	GOL	A	3016	6/6	0.06	-0.75	16,19,22,22	0
5	GOL	D	3019	6/6	0.06	-0.79	14,16,22,22	0
4	EPE	D	3014	15/15	0.06	-0.89	18,24,45,49	0

6.5 Other polymers ⓘ

There are no such residues in this entry.