



# Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 02:53 PM GMT

PDB ID : 1YL7  
Title : the crystal structure of Mycobacterium tuberculosis dihydrodipicolinate reductase (Rv2773c) in complex with NADH (crystal form C)  
Authors : Janowski, R.; Kefala, G.; Weiss, M.S.; TB Structural Genomics Consortium (TBSGC)  
Deposited on : 2005-01-19  
Resolution : 2.34 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	4049 (2.38-2.30)
Clashscore	79885	1094 (2.36-2.32)
Ramachandran outliers	78287	1080 (2.36-2.32)
Sidechain outliers	78261	1081 (2.36-2.32)
RSRZ outliers	66119	4050 (2.38-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	245	
1	B	245	
1	C	245	
1	D	245	
1	E	245	
1	F	245	
1	G	245	
1	H	245	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 15209 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydrodipicolinate reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	245	Total	C	N	O	S	0	0	0
			1806	1140	320	343	3			
1	B	245	Total	C	N	O	S	0	3	1
			1820	1150	323	343	4			
1	C	245	Total	C	N	O	S	0	1	0
			1811	1144	320	343	4			
1	D	245	Total	C	N	O	S	0	1	0
			1811	1144	320	343	4			
1	E	245	Total	C	N	O	S	0	4	1
			1823	1151	323	346	3			
1	F	245	Total	C	N	O	S	0	2	1
			1809	1143	320	342	4			
1	G	245	Total	C	N	O	S	0	1	1
			1809	1142	323	341	3			
1	H	245	Total	C	N	O	S	0	0	0
			1806	1140	320	343	3			


There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ALA	-	CLONING ARTIFACT	UNP P72024
B	1	ALA	-	CLONING ARTIFACT	UNP P72024
C	1	ALA	-	CLONING ARTIFACT	UNP P72024
D	1	ALA	-	CLONING ARTIFACT	UNP P72024
E	1	ALA	-	CLONING ARTIFACT	UNP P72024
F	1	ALA	-	CLONING ARTIFACT	UNP P72024
G	1	ALA	-	CLONING ARTIFACT	UNP P72024
H	1	ALA	-	CLONING ARTIFACT	UNP P72024

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0
2	E	1	Total Mg 1 1	0	0
2	B	1	Total Mg 1 1	0	0
2	A	1	Total Mg 1 1	0	0
2	F	1	Total Mg 1 1	0	0

- Molecule 3 is 1,4-DIHYDRONICOTINAMIDEADENINE DINUCLEOTIDE (three-letter code: NAI) (formula:  $C_{21}H_{29}N_7O_{14}P_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O P 44 21 7 14 2	0	0
3	B	1	Total C N O P 44 21 7 14 2	0	0
3	C	1	Total C N O P 44 21 7 14 2	0	0
3	D	1	Total C N O P 44 21 7 14 2	0	0
3	E	1	Total C N O P 44 21 7 14 2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	F	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	G	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	H	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	49	Total	O	0	0
			49	49		
4	B	61	Total	O	0	0
			61	61		
4	C	27	Total	O	0	0
			27	27		
4	D	84	Total	O	0	0
			84	84		
4	E	32	Total	O	0	0
			32	32		
4	F	20	Total	O	0	0
			20	20		
4	G	59	Total	O	0	0
			59	59		
4	H	24	Total	O	0	0
			24	24		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Dihydropicolinate reductase



- Molecule 1: Dihydropicolinate reductase



- Molecule 1: Dihydropicolinate reductase



- Molecule 1: Dihydropicolinate reductase



- Molecule 1: Dihydropicolinate reductase





- Molecule 1: Dihydrodipicolinate reductase

Chain F:




- Molecule 1: Dihydrodipicolinate reductase

Chain G:



- Molecule 1: Dihydrodipicolinate reductase

Chain H:



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	238.60Å 67.52Å 154.49Å 90.00° 117.08° 90.00°	Depositor
Resolution (Å)	30.00 – 2.34 15.24 – 2.34	Depositor EDS
% Data completeness (in resolution range)	86.6 (30.00-2.34) 86.9 (15.24-2.34)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.54 (at 2.34Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.181 , 0.238 0.180 , 0.236	Depositor DCC
$R_{free}$ test set	2428 reflections (3.12%)	DCC
Wilson B-factor (Å <sup>2</sup> )	39.4	Xtriage
Anisotropy	0.167	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 46.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 80351 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	15209	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.77% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.



## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, NAI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.55	0/1840	0.64	0/2509
1	B	0.58	0/1863	0.67	0/2541
1	C	0.60	1/1848 (0.1%)	0.71	2/2519 (0.1%)
1	D	0.64	0/1848	0.65	0/2519
1	E	0.54	0/1869	0.63	0/2550
1	F	0.51	0/1849	0.60	0/2522
1	G	0.57	0/1846	0.66	0/2519
1	H	0.48	0/1840	0.60	0/2509
All	All	0.56	1/14803 (0.0%)	0.64	2/20188 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	2	ARG	NE-CZ	8.97	1.44	1.33

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	2	ARG	NE-CZ-NH1	13.49	127.04	120.30
1	C	2	ARG	NE-CZ-NH2	-8.32	116.14	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit,

and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1806	0	1822	15	0
1	B	1820	0	1848	15	0
1	C	1811	0	1831	32	0
1	D	1811	0	1831	15	0
1	E	1823	0	1848	13	0
1	F	1809	0	1834	22	0
1	G	1809	0	1833	16	0
1	H	1806	0	1822	12	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
3	A	44	0	27	0	0
3	B	44	0	27	0	0
3	C	44	0	27	0	0
3	D	44	0	27	1	0
3	E	44	0	27	1	0
3	F	44	0	27	0	0
3	G	44	0	27	1	0
3	H	44	0	27	0	0
4	A	49	0	0	0	0
4	B	61	0	0	0	0
4	C	27	0	0	2	0
4	D	84	0	0	0	0
4	E	32	0	0	0	0
4	F	20	0	0	1	0
4	G	59	0	0	1	0
4	H	24	0	0	1	0
All	All	15209	0	14885	125	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

All (125) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:32:LEU:HD22	1:C:40:LEU:HD12	1.36	1.04
1:C:32:LEU:CD2	1:C:40:LEU:HD12	1.98	0.93

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:32:LEU:HD21	1:C:40:LEU:HB2	1.53	0.90
1:C:231:ARG:HH11	1:C:231:ARG:HG3	1.46	0.79
1:C:32:LEU:CD2	1:C:40:LEU:CD1	2.67	0.72
1:E:75:GLY:O	3:E:505:NAI:H2N	1.91	0.71
1:E:195:GLU:HG3	1:E:208:ARG:HD3	1.74	0.70
1:G:195:GLU:HG2	1:G:197:LEU:HD11	1.75	0.69
1:H:231:ARG:HG3	1:H:231:ARG:HH11	1.58	0.68
1:G:195:GLU:HG2	1:G:197:LEU:CD1	2.25	0.66
1:A:2:ARG:HB2	1:A:47:GLU:HG3	1.79	0.65
1:C:32:LEU:HD22	1:C:40:LEU:CD1	2.20	0.64
1:G:216:SER:HA	4:H:522:HOH:O	1.98	0.63
1:G:222:LEU:O	1:G:226:ARG:HG3	1.98	0.62
1:C:121:ARG:HB2	4:C:527:HOH:O	1.97	0.62
1:A:139:ALA:O	1:D:168:SER:HA	2.01	0.60
1:E:110:VAL:HG13	1:E:239[A]:GLU:HG3	1.83	0.60
1:F:168:SER:HA	1:G:139:ALA:O	2.00	0.60
1:E:168:SER:HA	1:H:139:ALA:O	2.02	0.60
1:D:75:GLY:O	3:D:504:NAI:H2N	2.02	0.60
1:A:213:ASP:HB2	1:B:202:GLY:HA2	1.82	0.60
1:B:168:SER:HA	1:C:139:ALA:O	2.03	0.58
1:H:213:ASP:HB3	1:H:215:THR:H	1.69	0.58
1:B:113[B]:MET:SD	1:B:150:LEU:HD12	2.43	0.57
1:F:121:ARG:HG2	4:F:520:HOH:O	2.06	0.55
1:F:78:GLY:O	1:F:83:ARG:HD2	2.06	0.55
1:C:7:GLY:O	1:C:13:GLY:HA3	2.08	0.54
1:G:71:HIS:HB3	1:G:228:ILE:HG12	1.89	0.54
1:D:113[B]:MET:CE	1:D:147:THR:HG23	2.38	0.53
1:B:73:VAL:HG22	1:B:228:ILE:HD12	1.91	0.53
1:E:189:GLY:O	1:G:212:LEU:HD13	2.09	0.52
1:F:124:ASP:O	1:F:155:ARG:NH2	2.42	0.52
1:F:139:ALA:O	1:G:168:SER:HA	2.09	0.52
1:B:113[B]:MET:SD	1:B:150:LEU:CD1	2.98	0.52
1:B:171:GLY:HA2	1:C:171:GLY:HA2	1.91	0.52
1:B:72:ALA:O	1:B:228:ILE:HD11	2.11	0.51
1:E:110:VAL:CG1	1:E:239[A]:GLU:HG3	2.41	0.51
1:H:61:ASN:O	1:H:65:LEU:HB2	2.11	0.51
1:B:104:ASN:HD22	1:B:146[A]:ARG:HH21	1.59	0.50
1:C:242:LEU:HB2	1:C:244:LEU:HD22	1.93	0.50
1:E:197:LEU:HD23	1:E:206:THR:HG23	1.92	0.50
1:E:239[A]:GLU:CD	1:E:239[A]:GLU:H	2.16	0.49
1:F:215:THR:CG2	1:F:215:THR:O	2.60	0.49
1:C:32:LEU:HD21	1:C:40:LEU:CB	2.33	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:15:THR:HG23	1:C:18:ARG:HH21	1.78	0.49
1:H:16:MET:CE	1:H:16:MET:HA	2.43	0.49
1:D:202:GLY:O	1:D:203:GLU:HB3	2.12	0.49
1:F:227:ARG:HB3	1:F:241:LEU:HD13	1.95	0.49
1:F:227:ARG:HG3	1:F:230:GLU:OE2	2.12	0.48
1:G:122:PHE:HB3	1:H:107:ILE:HG21	1.96	0.48
1:D:113[B]:MET:SD	1:D:147:THR:HA	2.53	0.48
1:D:113[B]:MET:HE3	1:D:147:THR:HG23	1.95	0.48
1:F:7:GLY:O	1:F:13:GLY:HA3	2.13	0.48
1:D:52:PHE:CE2	1:D:75:GLY:HA3	2.50	0.47
1:G:231[A]:ARG:HD2	4:G:544:HOH:O	2.14	0.47
1:C:49:VAL:HG23	1:C:70:ILE:HG21	1.95	0.47
1:G:52:PHE:CE2	1:G:75:GLY:HA3	2.50	0.47
1:F:80:THR:OG1	1:F:83:ARG:HG3	2.15	0.46
1:B:104:ASN:HD22	1:B:146[A]:ARG:NH2	2.13	0.46
1:B:80:THR:H	1:B:83:ARG:HB2	1.80	0.46
1:F:52:PHE:CE1	1:F:75:GLY:HA3	2.49	0.46
1:H:11:LYS:HB3	1:H:214:ARG:HE	1.79	0.46
1:C:105:PHE:O	1:C:220:GLY:HA3	2.16	0.46
1:G:124:ASP:O	1:G:155:ARG:NH2	2.49	0.46
1:C:215:THR:HA	1:C:218:VAL:HG23	1.98	0.46
1:C:114:HIS:CD2	1:C:244:LEU:HG	2.51	0.46
1:H:195:GLU:HG2	1:H:208:ARG:HD2	1.96	0.46
1:G:6:LEU:HD12	1:G:49:VAL:HG11	1.98	0.46
1:A:231:ARG:HH21	1:A:241:LEU:HD23	1.80	0.46
1:A:7:GLY:O	1:A:13:GLY:HA3	2.16	0.46
1:H:50:ILE:HD11	1:H:225:VAL:HG21	1.98	0.45
1:F:241:LEU:HD23	1:F:241:LEU:N	2.31	0.45
1:C:72:ALA:HB3	1:C:99:VAL:HG22	1.98	0.45
1:F:239:GLU:CD	1:F:239:GLU:H	2.19	0.45
1:A:52:PHE:CE2	1:A:75:GLY:HA3	2.52	0.45
1:E:133:HIS:HB3	1:E:190:LEU:O	2.17	0.45
1:F:12:VAL:HG13	1:F:217:PHE:CE1	2.52	0.45
1:D:12:VAL:O	1:D:15:THR:HB	2.17	0.45
1:E:74:VAL:HB	1:E:101:ILE:HG12	1.99	0.45
1:B:139:ALA:O	1:C:168:SER:HA	2.16	0.44
1:C:224:ALA:O	1:C:228:ILE:HB	2.17	0.44
1:F:123:PHE:CG	1:F:198:PHE:HB3	2.52	0.44
1:C:231:ARG:NH1	1:C:231:ARG:HG3	2.23	0.44
1:B:6:LEU:HD23	1:B:32:LEU:HB2	1.99	0.44
1:C:62:LEU:HD21	1:C:74:VAL:HG21	2.00	0.44
1:F:91:LEU:HD13	1:F:233:GLY:HA2	1.99	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:224:ALA:HA	1:A:241:LEU:CD1	2.48	0.44
1:F:174:GLY:HA2	1:G:171:GLY:O	2.18	0.43
1:C:218:VAL:HB	1:C:219:PRO:HD3	2.00	0.43
1:C:202:GLY:HA2	1:D:213:ASP:HB3	2.00	0.43
1:H:87:VAL:HA	1:H:90:TRP:CE3	2.53	0.43
1:C:32:LEU:HD21	1:C:40:LEU:HD12	1.91	0.43
1:B:197:LEU:N	1:B:197:LEU:HD12	2.34	0.43
1:F:105:PHE:O	1:F:220:GLY:HA3	2.18	0.43
1:C:32:LEU:HD21	1:C:40:LEU:CD1	2.45	0.43
1:D:66:ILE:O	1:D:94:LYS:HG3	2.19	0.43
1:F:197:LEU:HD12	1:F:197:LEU:N	2.34	0.43
1:E:6:LEU:HD23	1:E:32:LEU:HB2	2.00	0.43
1:F:54:HIS:HA	1:F:55:PRO:HD2	1.85	0.43
1:G:75:GLY:O	3:G:507:NAI:H2N	2.19	0.42
1:D:7:GLY:O	1:D:13:GLY:HA3	2.19	0.42
1:B:195:GLU:HG3	1:B:208:ARG:HB2	2.02	0.42
1:E:204:THR:OG1	1:F:210:ASP:HB2	2.20	0.42
1:D:138:ASP:N	1:D:138:ASP:OD1	2.50	0.42
1:G:41:LEU:HD22	1:G:49:VAL:CG2	2.50	0.42
1:C:52:PHE:CE2	1:C:75:GLY:HA3	2.55	0.42
1:A:110:VAL:HG13	1:A:239:GLU:HG3	2.01	0.42
1:A:168:SER:HA	1:D:139:ALA:O	2.20	0.42
1:C:164:ALA:O	1:C:165:THR:C	2.58	0.42
1:C:141:SER:HB2	4:C:517:HOH:O	2.20	0.41
1:D:239:GLU:HB2	1:D:240:PRO:HD3	2.03	0.41
1:A:218:VAL:HB	1:A:219:PRO:HD3	2.01	0.41
1:F:113[B]:MET:SD	1:F:150:LEU:HD12	2.61	0.41
1:E:171:GLY:HA2	1:H:171:GLY:HA2	2.03	0.41
1:B:96:ASN:ND2	1:B:96:ASN:H	2.15	0.41
1:H:100:LEU:HD12	1:H:101:ILE:N	2.35	0.41
1:D:71:HIS:HB3	1:D:228:ILE:HG12	2.03	0.41
1:A:16:MET:O	1:A:20:VAL:HG23	2.21	0.41
1:A:197:LEU:N	1:A:197:LEU:HD12	2.35	0.41
1:C:36:ASP:HA	1:C:37:PRO:HD3	1.97	0.41
1:C:151:ILE:HG22	1:C:155:ARG:HD3	2.04	0.40
1:C:176:ASP:C	1:C:176:ASP:OD2	2.60	0.40
1:A:192:ALA:HB3	1:A:211:SER:HB3	2.03	0.40
1:A:6:LEU:HD12	1:A:49:VAL:HG11	2.04	0.40
1:A:222:LEU:O	1:A:226:ARG:HG3	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	243/245 (99%)	233 (96%)	9 (4%)	1 (0%)	43	50
1	B	246/245 (100%)	235 (96%)	11 (4%)	0	100	100
1	C	244/245 (100%)	230 (94%)	13 (5%)	1 (0%)	43	50
1	D	244/245 (100%)	238 (98%)	6 (2%)	0	100	100
1	E	247/245 (101%)	241 (98%)	6 (2%)	0	100	100
1	F	245/245 (100%)	234 (96%)	11 (4%)	0	100	100
1	G	244/245 (100%)	235 (96%)	9 (4%)	0	100	100
1	H	243/245 (99%)	237 (98%)	6 (2%)	0	100	100
All	All	1956/1960 (100%)	1883 (96%)	71 (4%)	2 (0%)	59	73

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	69	GLY
1	A	191	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/189 (100%)	184 (98%)	4 (2%)	66	81
1	B	191/189 (101%)	187 (98%)	4 (2%)	66	81
1	C	189/189 (100%)	181 (96%)	8 (4%)	40	52
1	D	189/189 (100%)	188 (100%)	1 (0%)	94	97
1	E	192/189 (102%)	186 (97%)	6 (3%)	52	66

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	190/189 (100%)	180 (95%)	10 (5%)	32	38
1	G	189/189 (100%)	185 (98%)	4 (2%)	66	81
1	H	188/189 (100%)	182 (97%)	6 (3%)	51	65
All	All	1516/1512 (100%)	1473 (97%)	43 (3%)	56	71

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	LEU
1	A	130	GLU
1	A	200	THR
1	A	213	ASP
1	B	96	ASN
1	B	130	GLU
1	B	167	THR
1	B	213	ASP
1	C	2	ARG
1	C	25	ASP
1	C	27	THR
1	C	96	ASN
1	C	130	GLU
1	C	213	ASP
1	C	231	ARG
1	C	244	LEU
1	D	130	GLU
1	E	112	SER
1	E	130	GLU
1	E	138[A]	ASP
1	E	138[B]	ASP
1	E	200	THR
1	E	214	ARG
1	F	33	ASP
1	F	82	GLU
1	F	100	LEU
1	F	112	SER
1	F	130	GLU
1	F	201	GLU
1	F	213	ASP
1	F	223	LEU
1	F	227	ARG
1	F	241	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	G	24	ASP
1	G	130	GLU
1	G	211	SER
1	G	212	LEU
1	H	82	GLU
1	H	100	LEU
1	H	130	GLU
1	H	211	SER
1	H	231	ARG
1	H	235	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	114	HIS
1	C	118	GLN
1	D	96	ASN
1	D	118	GLN
1	E	45	ASN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 14 ligands modelled in this entry, 6 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link



column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAI	A	501	-	48,48,48	1.73	8 (16%)	73,73,73	1.87	12 (16%)
3	NAI	B	502	-	48,48,48	1.71	7 (14%)	73,73,73	1.74	12 (16%)
3	NAI	C	503	-	48,48,48	1.73	8 (16%)	73,73,73	1.95	13 (17%)
3	NAI	D	504	-	48,48,48	1.61	7 (14%)	73,73,73	1.80	10 (13%)
3	NAI	E	505	-	48,48,48	1.69	8 (16%)	73,73,73	1.74	13 (17%)
3	NAI	F	506	-	48,48,48	1.80	9 (18%)	73,73,73	1.81	8 (10%)
3	NAI	G	507	-	48,48,48	1.81	8 (16%)	73,73,73	1.87	12 (16%)
3	NAI	H	508	-	48,48,48	1.73	8 (16%)	73,73,73	1.96	10 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAI	A	501	-	-	0/30/72/72	0/3/5/5
3	NAI	B	502	-	-	0/30/72/72	0/3/5/5
3	NAI	C	503	-	-	0/30/72/72	0/3/5/5
3	NAI	D	504	-	-	0/30/72/72	0/3/5/5
3	NAI	E	505	-	-	0/30/72/72	0/3/5/5
3	NAI	F	506	-	-	0/30/72/72	0/3/5/5
3	NAI	G	507	-	-	0/30/72/72	0/3/5/5
3	NAI	H	508	-	-	0/30/72/72	0/3/5/5

All (63) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	506	NAI	O7N-C7N	6.47	1.41	1.24
3	H	508	NAI	O7N-C7N	6.36	1.41	1.24
3	G	507	NAI	O7N-C7N	6.21	1.40	1.24
3	E	505	NAI	O7N-C7N	5.82	1.39	1.24
3	B	502	NAI	O7N-C7N	5.62	1.39	1.24
3	C	503	NAI	O7N-C7N	5.58	1.39	1.24
3	A	501	NAI	O7N-C7N	5.53	1.38	1.24
3	D	504	NAI	O7N-C7N	5.40	1.38	1.24
3	C	503	NAI	C4N-C3N	-5.29	1.40	1.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	506	NAI	C4N-C3N	-5.20	1.40	1.50
3	H	508	NAI	C4N-C3N	-5.15	1.40	1.50
3	B	502	NAI	C4N-C3N	-5.08	1.40	1.50
3	D	504	NAI	C4N-C3N	-4.76	1.41	1.50
3	G	507	NAI	C4N-C3N	-4.73	1.41	1.50
3	E	505	NAI	C4N-C3N	-4.69	1.41	1.50
3	B	502	NAI	C4N-C5N	-4.41	1.39	1.49
3	F	506	NAI	C4N-C5N	-4.30	1.39	1.49
3	C	503	NAI	C4N-C5N	-4.11	1.40	1.49
3	A	501	NAI	C1D-N1N	4.06	1.54	1.46
3	A	501	NAI	C4N-C3N	-4.05	1.42	1.50
3	H	508	NAI	C4N-C5N	-4.05	1.40	1.49
3	A	501	NAI	C6N-C5N	4.04	1.41	1.33
3	A	501	NAI	C4N-C5N	-4.03	1.40	1.49
3	G	507	NAI	C4N-C5N	-4.01	1.40	1.49
3	E	505	NAI	C4N-C5N	-3.92	1.40	1.49
3	G	507	NAI	C6N-C5N	3.88	1.41	1.33
3	B	502	NAI	C2A-N3A	3.83	1.39	1.32
3	D	504	NAI	C4N-C5N	-3.71	1.41	1.49
3	A	501	NAI	C2A-N3A	3.60	1.39	1.32
3	F	506	NAI	C2A-N3A	3.58	1.39	1.32
3	E	505	NAI	C2A-N3A	3.51	1.39	1.32
3	E	505	NAI	C6N-C5N	3.44	1.40	1.33
3	B	502	NAI	C6N-C5N	3.41	1.40	1.33
3	H	508	NAI	C2A-N3A	3.38	1.38	1.32
3	G	507	NAI	C2A-N3A	3.36	1.38	1.32
3	C	503	NAI	C2A-N3A	3.26	1.38	1.32
3	F	506	NAI	C6N-C5N	3.19	1.40	1.33
3	C	503	NAI	C6N-C5N	3.16	1.40	1.33
3	H	508	NAI	C6N-C5N	3.08	1.39	1.33
3	D	504	NAI	C2A-N3A	3.04	1.38	1.32
3	A	501	NAI	C2N-C3N	2.96	1.40	1.34
3	G	507	NAI	C2A-N1A	2.95	1.39	1.33
3	D	504	NAI	C6N-C5N	2.92	1.39	1.33
3	G	507	NAI	C2N-C3N	2.91	1.40	1.34
3	E	505	NAI	C2N-C3N	2.83	1.40	1.34
3	B	502	NAI	C2A-N1A	2.78	1.39	1.33
3	H	508	NAI	C2N-C3N	2.69	1.40	1.34
3	C	503	NAI	C1D-N1N	2.68	1.51	1.46
3	F	506	NAI	C2A-N1A	2.66	1.39	1.33
3	B	502	NAI	C2N-C3N	2.58	1.39	1.34
3	F	506	NAI	C2N-C3N	2.48	1.39	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	503	NAI	C2N-C3N	2.48	1.39	1.34
3	H	508	NAI	C2A-N1A	2.47	1.38	1.33
3	C	503	NAI	C2A-N1A	2.45	1.38	1.33
3	D	504	NAI	C2N-C3N	2.44	1.39	1.34
3	A	501	NAI	C2A-N1A	2.43	1.38	1.33
3	E	505	NAI	C2A-N1A	2.40	1.38	1.33
3	F	506	NAI	C1D-N1N	2.22	1.50	1.46
3	F	506	NAI	C6A-N6A	-2.19	1.28	1.35
3	G	507	NAI	C7N-N7N	-2.18	1.26	1.33
3	H	508	NAI	C6A-N6A	-2.11	1.28	1.35
3	D	504	NAI	C2A-N1A	2.08	1.38	1.33
3	E	505	NAI	C7N-C3N	-2.08	1.42	1.47

All (90) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	503	NAI	N3A-C2A-N1A	-10.86	119.63	128.71
3	D	504	NAI	N3A-C2A-N1A	-10.65	119.80	128.71
3	A	501	NAI	N3A-C2A-N1A	-10.42	120.00	128.71
3	H	508	NAI	N3A-C2A-N1A	-10.41	120.00	128.71
3	G	507	NAI	N3A-C2A-N1A	-10.23	120.15	128.71
3	F	506	NAI	N3A-C2A-N1A	-10.23	120.16	128.71
3	B	502	NAI	N3A-C2A-N1A	-10.00	120.35	128.71
3	E	505	NAI	N3A-C2A-N1A	-9.82	120.50	128.71
3	H	508	NAI	O4B-C1B-N9A	7.78	115.68	108.44
3	F	506	NAI	O4B-C1B-N9A	6.30	114.30	108.44
3	A	501	NAI	O4B-C1B-N9A	5.53	113.58	108.44
3	G	507	NAI	O4B-C1B-N9A	5.12	113.20	108.44
3	C	503	NAI	O4B-C1B-N9A	4.97	113.06	108.44
3	C	503	NAI	N6A-C6A-N1A	-4.36	110.80	119.36
3	C	503	NAI	C5A-C6A-N6A	4.02	129.81	120.72
3	F	506	NAI	N3A-C4A-N9A	3.97	132.61	125.43
3	C	503	NAI	N3A-C4A-N9A	3.91	132.50	125.43
3	E	505	NAI	N3A-C4A-N9A	3.90	132.47	125.43
3	D	504	NAI	O4B-C1B-N9A	3.85	112.02	108.44
3	E	505	NAI	O4B-C1B-N9A	3.83	112.00	108.44
3	H	508	NAI	N3A-C4A-N9A	3.72	132.15	125.43
3	A	501	NAI	N3A-C4A-N9A	3.70	132.12	125.43
3	D	504	NAI	N3A-C4A-N9A	3.65	132.02	125.43
3	A	501	NAI	C1D-N1N-C2N	-3.51	115.03	121.02
3	G	507	NAI	N3A-C4A-N9A	3.48	131.72	125.43
3	G	507	NAI	C1D-N1N-C2N	-3.46	115.12	121.02

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	508	NAI	C4N-C3N-C2N	-3.23	117.74	121.68
3	B	502	NAI	N3A-C4A-N9A	3.11	131.05	125.43
3	G	507	NAI	C4B-O4B-C1B	-3.02	106.47	109.75
3	H	508	NAI	PN-O3-PA	-3.01	122.86	131.68
3	H	508	NAI	C5N-C4N-C3N	3.01	120.75	112.60
3	D	504	NAI	C1D-N1N-C2N	-2.98	115.95	121.02
3	B	502	NAI	C4A-C5A-N7A	-2.88	107.06	109.52
3	G	507	NAI	C5N-C4N-C3N	2.87	120.37	112.60
3	B	502	NAI	O4B-C1B-N9A	2.85	111.09	108.44
3	E	505	NAI	C4A-C5A-N7A	-2.79	107.13	109.52
3	G	507	NAI	C4N-C3N-C2N	-2.75	118.33	121.68
3	E	505	NAI	C1D-N1N-C2N	-2.69	116.44	121.02
3	F	506	NAI	C5A-C4A-N3A	-2.66	119.91	125.70
3	D	504	NAI	C5N-C4N-C3N	2.63	119.73	112.60
3	C	503	NAI	C5N-C4N-C3N	2.61	119.68	112.60
3	E	505	NAI	C5N-C4N-C3N	2.59	119.61	112.60
3	A	501	NAI	C4A-C5A-N7A	-2.59	107.31	109.52
3	F	506	NAI	C5N-C4N-C3N	2.55	119.52	112.60
3	E	505	NAI	C5A-C4A-N3A	-2.55	120.16	125.70
3	B	502	NAI	C1D-N1N-C2N	-2.54	116.69	121.02
3	D	504	NAI	C3N-C2N-N1N	-2.54	119.44	123.05
3	D	504	NAI	C5A-C4A-N3A	-2.53	120.19	125.70
3	A	501	NAI	PN-O3-PA	-2.51	124.34	131.68
3	D	504	NAI	O4B-C1B-C2B	-2.50	102.93	106.77
3	D	504	NAI	C2A-N3A-C4A	2.50	121.14	114.01
3	F	506	NAI	PN-O3-PA	-2.50	124.36	131.68
3	C	503	NAI	O7N-C7N-N7N	-2.48	116.66	122.93
3	B	502	NAI	C1B-N9A-C4A	-2.47	122.36	126.64
3	A	501	NAI	C5N-C4N-C3N	2.47	119.30	112.60
3	H	508	NAI	C5A-C4A-N3A	-2.46	120.33	125.70
3	B	502	NAI	C5N-C4N-C3N	2.46	119.26	112.60
3	H	508	NAI	C4A-C5A-N7A	-2.44	107.43	109.52
3	C	503	NAI	C5A-C4A-N3A	-2.43	120.41	125.70
3	B	502	NAI	C3N-C2N-N1N	-2.43	119.60	123.05
3	E	505	NAI	C2D-C1D-N1N	2.43	119.39	113.21
3	G	507	NAI	N7A-C8A-N9A	-2.40	107.56	114.36
3	A	501	NAI	N7A-C8A-N9A	-2.40	107.57	114.36
3	A	501	NAI	C4B-O4B-C1B	-2.38	107.16	109.75
3	G	507	NAI	C8A-N9A-C4A	2.38	108.72	106.90
3	E	505	NAI	N7A-C8A-N9A	-2.37	107.65	114.36
3	A	501	NAI	C5A-C4A-N3A	-2.35	120.59	125.70
3	B	502	NAI	N7A-C8A-N9A	-2.33	107.77	114.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	506	NAI	C2A-N3A-C4A	2.30	120.55	114.01
3	C	503	NAI	C2A-N3A-C4A	2.26	120.45	114.01
3	E	505	NAI	C4N-C3N-C2N	-2.25	118.94	121.68
3	E	505	NAI	C2A-N3A-C4A	2.23	120.37	114.01
3	A	501	NAI	C2A-N3A-C4A	2.22	120.34	114.01
3	C	503	NAI	PN-O3-PA	-2.21	125.19	131.68
3	H	508	NAI	C2A-N3A-C4A	2.21	120.29	114.01
3	B	502	NAI	O7N-C7N-C3N	-2.20	116.38	120.51
3	A	501	NAI	O1N-PN-O2N	2.15	124.21	112.21
3	G	507	NAI	C1B-N9A-C4A	-2.12	122.97	126.64
3	C	503	NAI	N7A-C8A-N9A	-2.11	108.38	114.36
3	C	503	NAI	C4N-C3N-C2N	-2.11	119.11	121.68
3	H	508	NAI	N7A-C8A-N9A	-2.09	108.44	114.36
3	B	502	NAI	C2A-N3A-C4A	2.09	119.96	114.01
3	B	502	NAI	C5A-C4A-N3A	-2.09	121.16	125.70
3	C	503	NAI	C1D-N1N-C2N	-2.08	117.48	121.02
3	E	505	NAI	C8A-N7A-C5A	2.08	110.03	103.58
3	F	506	NAI	C4A-C5A-N7A	-2.05	107.76	109.52
3	G	507	NAI	C4A-C5A-N7A	-2.03	107.78	109.52
3	G	507	NAI	C2D-C1D-N1N	2.02	118.37	113.21
3	E	505	NAI	PN-O3-PA	-2.01	125.79	131.68
3	D	504	NAI	N7A-C8A-N9A	-2.00	108.69	114.36

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	245/245 (100%)	-0.34	3 (1%) 75 84	21, 39, 47, 60	0
1	B	245/245 (100%)	-0.28	4 (1%) 68 78	22, 39, 54, 66	0
1	C	245/245 (100%)	0.71	47 (19%) 2 3	23, 54, 75, 84	0
1	D	245/245 (100%)	-0.50	1 (0%) 90 96	22, 29, 38, 57	0
1	E	245/245 (100%)	-0.28	4 (1%) 68 78	25, 38, 48, 56	0
1	F	245/245 (100%)	-0.08	6 (2%) 56 67	29, 47, 59, 66	0
1	G	245/245 (100%)	-0.39	1 (0%) 90 96	26, 34, 41, 51	0
1	H	245/245 (100%)	0.82	47 (19%) 2 3	32, 64, 84, 91	0
All	All	1960/1960 (100%)	-0.04	113 (5%) 23 32	21, 38, 70, 91	0

All (113) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	64	PHE	9.0
1	H	93	ALA	8.6
1	C	90	TRP	7.2
1	C	92	VAL	6.4
1	H	24	ASP	5.9
1	C	35	GLY	5.8
1	D	245	HIS	5.5
1	C	67	ASP	5.4
1	H	43	ASP	5.2
1	H	92	VAL	5.1
1	E	245	HIS	5.0
1	C	45	ASN	4.8
1	C	44	GLY	4.8
1	H	96	ASN	4.7
1	H	37	PRO	4.4
1	H	56	ASP	4.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	89	SER	4.4
1	C	41	LEU	4.2
1	A	245	HIS	4.2
1	C	80	THR	4.2
1	C	230	GLU	4.1
1	H	35	GLY	4.1
1	H	78	GLY	4.1
1	C	68	ASN	4.1
1	C	245	HIS	4.1
1	H	81	ALA	4.0
1	C	70	ILE	3.9
1	C	34	ALA	3.9
1	H	22	ALA	3.7
1	H	90	TRP	3.7
1	C	93	ALA	3.6
1	C	42	THR	3.6
1	C	217	PHE	3.6
1	C	43	ASP	3.5
1	C	69	GLY	3.5
1	H	34	ALA	3.5
1	C	64	PHE	3.5
1	C	46	THR	3.4
1	H	245	HIS	3.4
1	H	63	GLU	3.4
1	H	42	THR	3.3
1	C	229	ALA	3.3
1	C	91	LEU	3.3
1	H	229	ALA	3.3
1	C	96	ASN	3.2
1	C	95	PRO	3.2
1	C	87	VAL	3.2
1	C	81	ALA	3.1
1	B	95	PRO	3.1
1	H	47	GLU	3.1
1	H	45	ASN	3.1
1	B	92	VAL	3.1
1	F	9	LYS	3.0
1	C	22	ALA	3.0
1	F	24	ASP	3.0
1	H	68	ASN	3.0
1	G	245	HIS	3.0
1	C	53	THR	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	H	40	LEU	3.0
1	H	91	LEU	3.0
1	C	82	GLU	3.0
1	H	86	GLN	2.9
1	C	84	PHE	2.9
1	B	34	ALA	2.9
1	H	95	PRO	2.9
1	H	52	PHE	2.8
1	F	35	GLY	2.8
1	C	2	ARG	2.8
1	E	45	ASN	2.8
1	H	84	PHE	2.7
1	H	80	THR	2.7
1	H	53	THR	2.7
1	E	243	ASP	2.7
1	H	27	THR	2.7
1	C	32	LEU	2.7
1	A	24	ASP	2.7
1	H	228	ILE	2.6
1	H	232	PRO	2.6
1	A	45	ASN	2.6
1	F	214	ARG	2.6
1	H	57	VAL	2.6
1	H	82	GLU	2.5
1	H	46	THR	2.5
1	H	41	LEU	2.5
1	H	98	SER	2.5
1	H	76	THR	2.5
1	C	40	LEU	2.5
1	F	243	ASP	2.5
1	F	56	ASP	2.4
1	C	25	ASP	2.3
1	C	54	HIS	2.3
1	H	94	LYS	2.3
1	C	37	PRO	2.2
1	H	44	GLY	2.2
1	H	54	HIS	2.2
1	H	67	ASP	2.2
1	C	28	LEU	2.2
1	E	85	GLN	2.2
1	H	85	GLN	2.2
1	C	56	ASP	2.2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	H	97	THR	2.2
1	B	82	GLU	2.1
1	C	66	ILE	2.1
1	C	60	GLY	2.1
1	C	232	PRO	2.1
1	H	60	GLY	2.1
1	H	88	GLU	2.1
1	C	13	GLY	2.1
1	H	20	VAL	2.1
1	C	52	PHE	2.1
1	C	61	ASN	2.0
1	C	23	ALA	2.0
1	C	38	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	NAI	F	506	44/44	0.22	0.91	60,69,72,76	0
3	NAI	B	502	44/44	0.14	0.34	26,49,53,56	0
3	NAI	C	503	44/44	0.22	0.14	47,63,75,76	0
3	NAI	H	508	44/44	0.21	-0.03	56,64,82,83	0
3	NAI	A	501	44/44	0.10	-0.05	23,39,44,45	0
3	NAI	D	504	44/44	0.10	-0.24	12,28,33,34	0
2	MG	E	403	1/1	0.08	-0.26	35,35,35,35	0
2	MG	F	406	1/1	0.13	-0.43	80,80,80,80	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	NAI	E	505	44/44	0.09	-0.46	14,37,46,48	0
3	NAI	G	507	44/44	0.09	-0.51	23,34,38,40	0
2	MG	G	402	1/1	0.10	-0.64	42,42,42,42	0
2	MG	A	405	1/1	0.06	-1.14	52,52,52,52	0
2	MG	B	404	1/1	0.06	-2.01	40,40,40,40	0
2	MG	D	401	1/1	0.04	-2.39	26,26,26,26	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.