



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 09:24 AM GMT

PDB ID : 1YUP
Title : Reindeer beta-lactoglobulin
Authors : Goldman, A.; Oksanen, E.
Deposited on : 2005-02-14
Resolution : 2.10 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3012 (2.10-2.10)
Clashscore	79885	3649 (2.10-2.10)
Ramachandran outliers	78287	3610 (2.10-2.10)
Sidechain outliers	78261	3611 (2.10-2.10)
RSRZ outliers	66119	3013 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	162	
1	B	162	
1	C	162	
1	D	162	
1	E	162	
1	F	162	
1	G	162	
1	H	162	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 10045 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called beta-lactoglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	162	Total	C	N	O	S	0	1	0
			1241	788	202	241	10			
1	B	158	Total	C	N	O	S	0	0	0
			1191	758	196	227	10			
1	C	160	Total	C	N	O	S	0	1	0
			1220	773	197	240	10			
1	D	158	Total	C	N	O	S	0	1	0
			1216	771	197	238	10			
1	E	154	Total	C	N	O	S	0	1	0
			1189	757	194	229	9			
1	F	159	Total	C	N	O	S	0	1	0
			1220	777	199	234	10			
1	G	160	Total	C	N	O	S	0	1	0
			1238	787	202	239	10			
1	H	152	Total	C	N	O	S	0	1	0
			1169	745	190	225	9			

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	68	Total	O	0	0
			68	68		
2	B	32	Total	O	0	0
			32	32		
2	C	49	Total	O	0	0
			49	49		
2	D	33	Total	O	0	0
			33	33		
2	E	45	Total	O	0	0
			45	45		
2	F	42	Total	O	0	0
			42	42		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	G	52	Total	O	0	0
			52	52		
2	H	40	Total	O	0	0
			40	40		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: beta-lactoglobulin

Chain A: 




- Molecule 1: beta-lactoglobulin

Chain B: 




- Molecule 1: beta-lactoglobulin

Chain C: 




- Molecule 1: beta-lactoglobulin

Chain D: 




- Molecule 1: beta-lactoglobulin

Chain E: 




- Molecule 1: beta-lactoglobulin

Chain F:




- Molecule 1: beta-lactoglobulin

Chain G:



- Molecule 1: beta-lactoglobulin

Chain H:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	52.24Å 94.14Å 64.15Å 90.00° 105.76° 90.00°	Depositor
Resolution (Å)	19.96 – 2.10 19.96 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.96-2.10) 93.1 (19.96-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.25 (at 2.09Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.235 , 0.311 0.218 , 0.257	Depositor DCC
R_{free} test set	3186 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	28.7	Xtriage
Anisotropy	0.355	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 27.9	EDS
Estimated twinning fraction	0.477 for -h,k,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 63710 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10045	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 71.55 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.5742e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.64	0/1266	0.89	6/1717 (0.3%)
1	B	0.61	0/1211	0.91	7/1645 (0.4%)
1	C	0.62	0/1245	0.89	4/1692 (0.2%)
1	D	0.62	0/1239	0.86	3/1677 (0.2%)
1	E	0.64	0/1214	0.89	4/1648 (0.2%)
1	F	0.63	0/1244	0.85	5/1686 (0.3%)
1	G	0.65	0/1263	0.91	5/1711 (0.3%)
1	H	0.61	0/1192	0.87	5/1613 (0.3%)
All	All	0.63	0/9874	0.88	39/13389 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
1	E	0	1
1	G	0	1
All	All	0	4

There are no bond length outliers.

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	85	ASP	CB-CG-OD2	6.98	124.58	118.30
1	B	98	ASP	CB-CG-OD2	6.48	124.13	118.30
1	F	129	ASP	CB-CG-OD2	6.39	124.05	118.30
1	D	129	ASP	CB-CG-OD2	6.38	124.04	118.30
1	G	129	ASP	CB-CG-OD2	6.24	123.91	118.30
1	A	28	ASP	CB-CG-OD2	6.19	123.87	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	98	ASP	CB-CG-OD2	6.00	123.70	118.30
1	C	85	ASP	CB-CG-OD2	6.00	123.70	118.30
1	B	28	ASP	CB-CG-OD2	5.95	123.65	118.30
1	G	22	LEU	CA-CB-CG	5.95	128.98	115.30
1	E	9	ASP	CB-CG-OD2	5.91	123.62	118.30
1	F	85	ASP	CB-CG-OD2	5.87	123.59	118.30
1	A	11	ASP	CB-CG-OD2	5.86	123.58	118.30
1	A	96	ASP	CB-CG-OD2	5.86	123.57	118.30
1	H	130	ASP	CB-CG-OD2	5.82	123.53	118.30
1	C	137	ASP	CB-CG-OD2	5.80	123.52	118.30
1	H	28	ASP	CB-CG-OD2	5.75	123.47	118.30
1	C	9	ASP	CB-CG-OD2	5.64	123.38	118.30
1	B	129	ASP	CB-CG-OD2	5.62	123.36	118.30
1	B	40	ARG	NE-CZ-NH2	-5.61	117.50	120.30
1	B	9	ASP	CB-CG-OD2	5.60	123.34	118.30
1	B	148	ARG	NE-CZ-NH1	5.57	123.09	120.30
1	E	98	ASP	CB-CG-OD2	5.57	123.31	118.30
1	G	96	ASP	CB-CG-OD2	5.57	123.31	118.30
1	A	33	ASP	CB-CG-OD2	5.45	123.21	118.30
1	F	98	ASP	CB-CG-OD2	5.45	123.20	118.30
1	E	96	ASP	CB-CG-OD2	5.44	123.20	118.30
1	A	129	ASP	CB-CG-OD2	5.44	123.19	118.30
1	C	40	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	B	130	ASP	CB-CG-OD2	5.39	123.15	118.30
1	D	53	ASP	CB-CG-OD2	5.39	123.15	118.30
1	G	85	ASP	CB-CG-OD2	5.39	123.15	118.30
1	H	129	ASP	CB-CG-OD2	5.37	123.13	118.30
1	E	129	ASP	CB-CG-OD2	5.36	123.12	118.30
1	H	96	ASP	CB-CG-OD2	5.25	123.03	118.30
1	F	53	ASP	CB-CG-OD2	5.12	122.91	118.30
1	F	28	ASP	CB-CG-OD2	5.11	122.90	118.30
1	H	11	ASP	CB-CG-OD2	5.11	122.90	118.30
1	A	98	ASP	CB-CG-OD2	5.02	122.82	118.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	160[B]	CYS	Mainchain
1	C	160[B]	CYS	Mainchain
1	E	160[B]	CYS	Mainchain
1	G	160[B]	CYS	Mainchain

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1241	0	1222	24	1
1	B	1191	0	1165	24	0
1	C	1220	0	1176	18	0
1	D	1216	0	1189	21	0
1	E	1189	0	1175	19	0
1	F	1220	0	1209	14	0
1	G	1238	0	1230	26	0
1	H	1169	0	1156	17	1
2	A	68	0	0	3	0
2	B	32	0	0	3	0
2	C	49	0	0	2	0
2	D	33	0	0	0	0
2	E	45	0	0	6	0
2	F	42	0	0	6	0
2	G	52	0	0	6	0
2	H	40	0	0	0	0
All	All	10045	0	9522	158	1

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 8.

All (158) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:31:LEU:O	1:E:38:PRO:O	1.95	0.84
1:C:31:LEU:O	1:C:38:PRO:O	1.98	0.80
1:G:152:ASN:H	1:G:155:GLN:HE21	1.31	0.77
1:E:42:TYR:OH	2:E:181:HOH:O	2.08	0.72
1:G:31:LEU:HD12	2:G:197:HOH:O	1.89	0.71
1:B:29:ILE:O	1:B:33:ASP:HB2	1.90	0.71
1:E:35:GLN:CD	2:E:181:HOH:O	2.29	0.69
1:A:155:GLN:O	2:A:390:HOH:O	2.09	0.69
1:G:161:ARG:O	2:G:166:HOH:O	2.13	0.67
1:G:152:ASN:H	1:G:155:GLN:NE2	1.94	0.66
1:F:52:GLY:O	2:F:196:HOH:O	2.13	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:59:GLN:HG2	1:D:66:CYS:SG	2.37	0.64
1:G:155:GLN:OE1	1:G:162:VAL:HG12	1.98	0.64
1:B:41:VAL:HB	1:B:58:LEU:HD13	1.80	0.63
1:C:112:GLU:O	1:C:112:GLU:HG2	1.98	0.62
1:E:35:GLN:HE21	1:E:162:VAL:HB	1.64	0.62
1:E:152:ASN:H	1:E:155:GLN:HE21	1.49	0.60
1:B:84:ILE:HD11	1:B:89:GLU:HB2	1.84	0.60
1:B:50:PRO:HA	2:B:262:HOH:O	2.01	0.60
1:C:3:VAL:N	1:G:4:THR:O	2.35	0.59
1:F:40:ARG:NH1	2:F:197:HOH:O	2.34	0.59
1:C:59:GLN:OE1	1:C:159:GLN:HB3	2.04	0.58
1:G:148:ARG:HD2	2:G:200:HOH:O	2.02	0.57
1:E:61:TRP:CZ2	1:E:64:GLY:HA2	2.38	0.57
1:B:91:LYS:NZ	1:G:11:ASP:OD2	2.27	0.57
1:D:108:GLU:OE1	1:E:50:PRO:O	2.23	0.56
1:G:100:LYS:CE	1:G:100:LYS:HA	2.35	0.56
1:B:21:SER:H	1:B:159:GLN:HE22	1.54	0.56
1:B:89:GLU:OE1	1:B:116:SER:OG	2.23	0.56
1:A:2:ILE:HD11	1:A:114:GLU:HA	1.87	0.56
1:B:148:ARG:HD3	2:B:266:HOH:O	2.04	0.56
1:B:12:VAL:O	1:B:15:VAL:HG22	2.06	0.56
1:E:81:VAL:HG22	1:E:93:LEU:HD12	1.88	0.56
1:F:35:GLN:HG3	2:F:188:HOH:O	2.06	0.55
1:F:136:PHE:CZ	1:F:140:LEU:HD11	2.41	0.55
1:D:91:LYS:NZ	1:E:11:ASP:OD2	2.40	0.55
1:D:29:ILE:O	1:D:33:ASP:HB2	2.05	0.55
1:D:133:MET:HE2	1:D:133:MET:HA	1.87	0.55
1:B:21:SER:N	1:B:159:GLN:HE22	2.05	0.55
1:G:81:VAL:HG22	1:G:93:LEU:HD12	1.89	0.54
1:H:84:ILE:HD11	1:H:89:GLU:HB2	1.90	0.54
1:H:21:SER:HB2	1:H:159:GLN:HE22	1.73	0.53
1:E:148:ARG:HD2	2:F:193:HOH:O	2.09	0.53
1:A:128:VAL:O	1:A:128:VAL:HG13	2.09	0.53
1:H:41:VAL:HB	1:H:58:LEU:HD13	1.91	0.52
1:G:61:TRP:CH2	1:G:64:GLY:O	2.63	0.52
1:A:152:ASN:H	1:A:155:GLN:HE21	1.57	0.52
1:G:84:ILE:O	1:G:90:ASN:HA	2.10	0.52
1:B:25:ALA:HB1	1:B:145:MET:HG2	1.93	0.51
1:D:33:ASP:O	1:D:34:ALA:CB	2.58	0.51
1:A:35:GLN:HA	1:A:35:GLN:HE21	1.75	0.51
1:F:53:ASP:CG	2:F:205:HOH:O	2.50	0.51
2:E:200:HOH:O	1:F:148:ARG:HD2	2.10	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:39:LEU:HD11	1:B:89:GLU:OE2	2.11	0.50
1:B:22:LEU:HD23	1:B:156:LEU:HD11	1.93	0.50
1:D:112:GLU:O	1:D:116:SER:HB2	2.11	0.50
1:E:152:ASN:H	1:E:155:GLN:NE2	2.10	0.49
1:B:33:ASP:O	1:B:34:ALA:CB	2.59	0.49
1:F:33:ASP:O	1:F:34:ALA:HB3	2.11	0.49
1:E:38:PRO:O	1:E:39:LEU:HB2	2.13	0.49
1:C:81:VAL:HG22	1:C:93:LEU:HD12	1.95	0.49
1:G:12:VAL:HG12	1:G:48:PRO:HB3	1.95	0.49
1:D:112:GLU:HG3	1:D:115:GLN:HB2	1.95	0.49
1:C:112:GLU:O	1:C:112:GLU:CG	2.61	0.48
1:H:42:TYR:HB3	1:H:159:GLN:NE2	2.28	0.48
1:D:93:LEU:N	1:D:93:LEU:HD22	2.27	0.48
1:E:159:GLN:O	2:E:183:HOH:O	2.20	0.48
1:G:146:HIS:CD2	2:G:213:HOH:O	2.65	0.48
1:C:45:GLU:OE2	1:C:47:LYS:HD3	2.13	0.48
1:A:25:ALA:HA	1:A:147:ILE:O	2.14	0.48
1:G:33:ASP:O	1:G:34:ALA:HB3	2.13	0.48
1:C:96:ASP:OD2	1:C:102:TYR:OH	2.22	0.48
1:A:35:GLN:NE2	1:A:35:GLN:HA	2.29	0.48
1:F:33:ASP:O	1:F:34:ALA:CB	2.62	0.48
1:F:29:ILE:O	1:F:33:ASP:HB2	2.13	0.47
1:G:29:ILE:O	1:G:33:ASP:HB2	2.14	0.47
1:E:12:VAL:HG23	2:E:178:HOH:O	2.13	0.47
1:H:12:VAL:O	1:H:15:VAL:HG22	2.15	0.47
1:A:44:GLU:OE2	1:A:59:GLN:CD	2.53	0.47
1:C:60:LYS:HE2	2:C:209:HOH:O	2.13	0.47
1:G:38:PRO:O	1:G:39:LEU:CB	2.63	0.47
1:G:100:LYS:HA	1:G:100:LYS:HE2	1.96	0.47
1:D:133:MET:CE	1:D:133:MET:HA	2.45	0.47
1:A:78:ILE:O	2:A:448:HOH:O	2.20	0.46
1:H:73:ALA:HB1	1:H:82:PHE:CB	2.45	0.46
1:D:35:GLN:NE2	1:D:42:TYR:OH	2.48	0.46
1:B:72:ILE:HD13	1:B:72:ILE:N	2.31	0.46
1:F:6:THR:HB	2:F:216:HOH:O	2.15	0.46
1:C:144:PRO:HB3	2:G:196:HOH:O	2.15	0.46
1:H:22:LEU:HA	1:H:156:LEU:HD21	1.97	0.45
1:H:33:ASP:O	1:H:34:ALA:CB	2.64	0.45
1:A:152:ASN:H	1:A:155:GLN:NE2	2.13	0.45
1:E:117:LEU:HD21	1:E:143:LEU:HD22	1.99	0.45
1:A:61:TRP:CH2	1:A:64:GLY:O	2.70	0.45
1:G:152:ASN:N	1:G:155:GLN:HE21	2.08	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:148:ARG:HD2	2:C:204:HOH:O	2.16	0.45
1:D:152:ASN:O	1:D:156:LEU:HG	2.17	0.45
1:D:31:LEU:HD11	1:D:115:GLN:O	2.16	0.44
1:G:38:PRO:O	1:G:39:LEU:HB2	2.17	0.44
1:H:33:ASP:O	1:H:34:ALA:HB2	2.17	0.44
1:H:88:ASN:O	1:H:109:ASN:ND2	2.45	0.44
1:H:84:ILE:O	1:H:90:ASN:HA	2.18	0.44
1:A:12:VAL:HB	2:A:449:HOH:O	2.18	0.44
1:F:112:GLU:HG3	1:F:115:GLN:HB2	1.98	0.44
1:A:33:ASP:O	1:A:34:ALA:HB3	2.17	0.44
1:B:93:LEU:HD22	1:B:93:LEU:N	2.33	0.43
1:D:6:THR:HB	2:E:182:HOH:O	2.18	0.43
1:E:57:LEU:HD13	1:E:68:GLN:HE22	1.83	0.43
1:A:33:ASP:OD1	1:A:33:ASP:C	2.55	0.43
1:G:78:ILE:HB	1:G:81:VAL:HB	2.00	0.43
1:B:152:ASN:O	1:B:156:LEU:HG	2.18	0.43
1:A:148:ARG:HD3	1:B:148:ARG:HD2	1.99	0.43
1:H:72:ILE:N	1:H:72:ILE:HD13	2.32	0.43
1:A:66:CYS:SG	1:A:159:GLN:O	2.76	0.43
1:E:27:SER:OG	1:E:114:GLU:O	2.33	0.43
1:C:44:GLU:CG	1:C:59:GLN:HE21	2.32	0.43
1:B:12:VAL:HG23	2:B:273:HOH:O	2.19	0.43
1:D:41:VAL:HB	1:D:58:LEU:HD13	2.01	0.43
1:D:59:GLN:CG	1:D:66:CYS:SG	3.07	0.43
1:D:12:VAL:HG12	1:D:48:PRO:HB3	2.00	0.42
1:G:44:GLU:OE2	1:G:59:GLN:NE2	2.51	0.42
1:E:38:PRO:O	1:E:39:LEU:CB	2.66	0.42
1:F:112:GLU:O	1:F:116:SER:HB2	2.19	0.42
1:B:73:ALA:HB1	1:B:82:PHE:CB	2.49	0.42
1:C:155:GLN:HG2	1:C:162:VAL:HA	2.00	0.42
1:H:155:GLN:O	1:H:159:GLN:N	2.53	0.42
1:H:73:ALA:HB1	1:H:82:PHE:HB3	2.02	0.42
1:H:29:ILE:O	1:H:33:ASP:HB3	2.20	0.42
1:G:35:GLN:HA	1:G:35:GLN:HE21	1.85	0.42
1:H:93:LEU:N	1:H:93:LEU:HD22	2.35	0.42
1:A:12:VAL:O	1:A:15:VAL:HG22	2.20	0.42
1:H:14:LYS:HB3	1:H:99:TYR:CD1	2.54	0.42
1:D:14:LYS:HB3	1:D:99:TYR:CD1	2.55	0.42
1:C:26:ALA:HB2	1:C:32:LEU:HD22	2.02	0.42
1:A:100:LYS:O	1:A:124:ARG:HG3	2.20	0.41
1:C:158:GLU:HG3	1:C:161:ARG:NH1	2.35	0.41
1:D:19:TRP:CD1	1:D:46:LEU:HD22	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:G:26:ALA:HB1	2:G:197:HOH:O	2.20	0.41
1:A:138:LYS:HD3	1:A:138:LYS:N	2.36	0.41
1:A:12:VAL:HG21	1:A:82:PHE:HZ	1.85	0.41
1:F:12:VAL:HG13	1:F:54:LEU:HD13	2.01	0.41
1:B:152:ASN:HB2	1:B:155:GLN:H	1.86	0.41
1:C:101:LYS:O	1:C:123:VAL:HA	2.21	0.41
1:B:21:SER:H	1:B:159:GLN:NE2	2.18	0.41
1:G:33:ASP:O	1:G:34:ALA:CB	2.68	0.41
1:A:33:ASP:O	1:A:34:ALA:CB	2.68	0.41
1:B:92:VAL:C	1:B:93:LEU:HD22	2.42	0.41
1:G:14:LYS:HB2	1:G:99:TYR:CD1	2.56	0.41
1:C:109:ASN:H	1:C:116:SER:HB3	1.86	0.40
1:E:47:LYS:HB2	1:E:55:GLU:HB3	2.03	0.40
1:B:25:ALA:HB1	1:B:145:MET:CG	2.51	0.40
1:C:25:ALA:O	1:C:118:ALA:HA	2.21	0.40
1:A:84:ILE:O	1:A:90:ASN:HA	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:11:ASP:OD2	1:H:91:LYS:NZ[1_545]	2.15	0.05

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	161/162 (99%)	145 (90%)	12 (8%)	4 (2%)	9	3
1	B	156/162 (96%)	143 (92%)	12 (8%)	1 (1%)	33	28
1	C	159/162 (98%)	145 (91%)	11 (7%)	3 (2%)	12	5
1	D	156/162 (96%)	139 (89%)	15 (10%)	2 (1%)	18	10
1	E	153/162 (94%)	141 (92%)	11 (7%)	1 (1%)	30	23
1	F	157/162 (97%)	146 (93%)	8 (5%)	3 (2%)	12	5

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	159/162 (98%)	147 (92%)	10 (6%)	2 (1%)	18	10
1	H	150/162 (93%)	133 (89%)	14 (9%)	3 (2%)	11	5
All	All	1251/1296 (96%)	1139 (91%)	93 (7%)	19 (2%)	16	8

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	34	ALA
1	B	34	ALA
1	C	34	ALA
1	D	34	ALA
1	E	34	ALA
1	H	34	ALA
1	A	159	GLN
1	A	160[A]	CYS
1	A	160[B]	CYS
1	G	34	ALA
1	C	5	GLN
1	F	34	ALA
1	F	159	GLN
1	H	159	GLN
1	C	4	THR
1	F	9	ASP
1	G	159	GLN
1	H	79	PRO
1	D	79	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	134/143 (94%)	117 (87%)	17 (13%)	6	3
1	B	125/143 (87%)	110 (88%)	15 (12%)	7	4
1	C	130/143 (91%)	112 (86%)	18 (14%)	5	2
1	D	131/143 (92%)	112 (86%)	19 (14%)	5	2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	129/143 (90%)	112 (87%)	17 (13%)	6	3
1	F	132/143 (92%)	112 (85%)	20 (15%)	4	2
1	G	135/143 (94%)	114 (84%)	21 (16%)	4	1
1	H	126/143 (88%)	107 (85%)	19 (15%)	4	2
All	All	1042/1144 (91%)	896 (86%)	146 (14%)	5	2

All (146) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	LEU
1	A	24	MET
1	A	32	LEU
1	A	40	ARG
1	A	46	LEU
1	A	56	ILE
1	A	63	ASN
1	A	75	LYS
1	A	93	LEU
1	A	105	PHE
1	A	114	GLU
1	A	138	LYS
1	A	141	LYS
1	A	148	ARG
1	A	160[A]	CYS
1	A	160[B]	CYS
1	A	161	ARG
1	B	12	VAL
1	B	22	LEU
1	B	35	GLN
1	B	47	LYS
1	B	54	LEU
1	B	57	LEU
1	B	72	ILE
1	B	75	LYS
1	B	93	LEU
1	B	107	MET
1	B	133	MET
1	B	140	LEU
1	B	145	MET
1	B	148	ARG
1	B	150	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	5	GLN
1	C	6	THR
1	C	22	LEU
1	C	30	SER
1	C	32	LEU
1	C	33	ASP
1	C	40	ARG
1	C	46	LEU
1	C	47	LYS
1	C	56	ILE
1	C	74	GLU
1	C	93	LEU
1	C	112	GLU
1	C	116	SER
1	C	138	LYS
1	C	140	LEU
1	C	141	LYS
1	C	158	GLU
1	D	6	THR
1	D	22	LEU
1	D	32	LEU
1	D	35	GLN
1	D	40	ARG
1	D	46	LEU
1	D	47	LYS
1	D	59	GLN
1	D	75	LYS
1	D	91	LYS
1	D	93	LEU
1	D	95	LEU
1	D	107	MET
1	D	116	SER
1	D	128	VAL
1	D	137	ASP
1	D	145	MET
1	D	160[A]	CYS
1	D	160[B]	CYS
1	E	22	LEU
1	E	24	MET
1	E	30	SER
1	E	32	LEU
1	E	40	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	46	LEU
1	E	56	ILE
1	E	68	GLN
1	E	70	LYS
1	E	72	ILE
1	E	75	LYS
1	E	83	LYS
1	E	93	LEU
1	E	105	PHE
1	E	107	MET
1	E	148	ARG
1	E	158	GLU
1	F	3	VAL
1	F	5	GLN
1	F	6	THR
1	F	22	LEU
1	F	35	GLN
1	F	46	LEU
1	F	60	LYS
1	F	66	CYS
1	F	72	ILE
1	F	75	LYS
1	F	91	LYS
1	F	95	LEU
1	F	115	GLN
1	F	116	SER
1	F	131	GLU
1	F	133	MET
1	F	145	MET
1	F	157	GLU
1	F	160[A]	CYS
1	F	160[B]	CYS
1	G	5	GLN
1	G	6	THR
1	G	22	LEU
1	G	24	MET
1	G	28	ASP
1	G	30	SER
1	G	32	LEU
1	G	36	SER
1	G	46	LEU
1	G	56	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	60	LYS
1	G	70	LYS
1	G	78	ILE
1	G	83	LYS
1	G	91	LYS
1	G	93	LEU
1	G	100	LYS
1	G	127	GLU
1	G	141	LYS
1	G	148	ARG
1	G	159	GLN
1	H	12	VAL
1	H	22	LEU
1	H	24	MET
1	H	35	GLN
1	H	47	LYS
1	H	60	LYS
1	H	61	TRP
1	H	63	ASN
1	H	69	LYS
1	H	72	ILE
1	H	75	LYS
1	H	93	LEU
1	H	95	LEU
1	H	101	LYS
1	H	140	LEU
1	H	148	ARG
1	H	149	LEU
1	H	150	SER
1	H	157	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	GLN
1	A	155	GLN
1	B	152	ASN
1	B	159	GLN
1	C	115	GLN
1	D	35	GLN
1	D	115	GLN
1	D	146	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	88	ASN
1	E	155	GLN
1	F	5	GLN
1	F	155	GLN
1	G	35	GLN
1	G	59	GLN
1	G	88	ASN
1	G	155	GLN
1	H	35	GLN
1	H	159	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	162/162 (100%)	-0.15	0	100	100	14, 35, 50, 55	0
1	B	158/162 (97%)	-0.09	0	100	100	25, 35, 53, 56	0
1	C	160/162 (98%)	-0.14	0	100	100	21, 34, 53, 61	0
1	D	158/162 (97%)	-0.10	0	100	100	24, 35, 51, 56	0
1	E	154/162 (95%)	-0.15	0	100	100	18, 33, 48, 59	0
1	F	159/162 (98%)	-0.09	1 (0%)	86	90	24, 35, 51, 57	0
1	G	160/162 (98%)	-0.10	0	100	100	17, 35, 49, 57	0
1	H	152/162 (93%)	-0.12	0	100	100	24, 36, 53, 57	0
All	All	1263/1296 (97%)	-0.12	1 (0%)	93	95	14, 35, 52, 61	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	79	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.