



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 12:51 AM GMT

PDB ID : 1ZZ1
Title : Crystal structure of a HDAC-like protein with SAHA bound
Authors : Nielsen, T.K.; Hildmann, C.; Dickmanns, A.; Schwienhorst, A.; Ficner, R.
Deposited on : 2005-06-13
Resolution : 1.57 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2778 (1.60-1.56)
Clashscore	79885	3207 (1.60-1.56)
Ramachandran outliers	78287	3107 (1.60-1.56)
Sidechain outliers	78261	3104 (1.60-1.56)
RSRZ outliers	66119	2778 (1.60-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	369	
1	B	369	
1	C	369	
1	D	369	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	K	D	2749	-	X
4	SHH	A	2452	-	X
4	SHH	B	2552	-	X
4	SHH	C	2652	-	X
4	SHH	D	2752	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12576 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone deacetylase-like amidohydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	367	Total	C	N	O	S	0	2	0
			2754	1728	494	514	18			
1	B	367	Total	C	N	O	S	0	5	0
			2765	1733	501	513	18			
1	C	367	Total	C	N	O	S	0	3	0
			2757	1729	494	516	18			
1	D	367	Total	C	N	O	S	0	4	0
			2762	1732	497	515	18			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	INITIATING METHIONINE	UNP Q70I53
A	251	PRO	HIS	SEE REMARK 999	UNP Q70I53
B	1	MET	-	INITIATING METHIONINE	UNP Q70I53
B	251	PRO	HIS	SEE REMARK 999	UNP Q70I53
C	1	MET	-	INITIATING METHIONINE	UNP Q70I53
C	251	PRO	HIS	SEE REMARK 999	UNP Q70I53
D	1	MET	-	INITIATING METHIONINE	UNP Q70I53
D	251	PRO	HIS	SEE REMARK 999	UNP Q70I53


- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		
2	D	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		

- Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	K	0	0
			2	2		
3	A	2	Total	K	0	0
			2	2		
3	D	2	Total	K	0	0
			2	2		
3	C	2	Total	K	0	0
			2	2		

- Molecule 4 is OCTANEDIOIC ACID HYDROXYAMIDE PHENYLAMIDE (three-letter code: SHH) (formula: C₁₄H₂₀N₂O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			19	14	2	3		
4	B	1	Total	C	N	O	0	0
			19	14	2	3		
4	C	1	Total	C	N	O	0	0
			19	14	2	3		
4	D	1	Total	C	N	O	0	0
			19	14	2	3		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	299	Total 299	O 299	0	0
5	B	389	Total 389	O 389	0	0
5	C	400	Total 400	O 400	0	0
5	D	362	Total 362	O 362	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Histone deacetylase-like amidohydrolase

Chain A:




- Molecule 1: Histone deacetylase-like amidohydrolase

Chain B:




- Molecule 1: Histone deacetylase-like amidohydrolase

Chain C:



- Molecule 1: Histone deacetylase-like amidohydrolase

Chain D:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	68.61Å 94.72Å 123.92Å 90.00° 104.75° 90.00°	Depositor
Resolution (Å)	38.38 – 1.57 46.01 – 1.57	Depositor EDS
% Data completeness (in resolution range)	84.6 (38.38-1.57) 84.6 (46.01-1.57)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.83 (at 1.57Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.172 , 0.201 0.170 , 0.200	Depositor DCC
R_{free} test set	9071 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	12.9	Xtriage
Anisotropy	0.627	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 37.1	EDS
Estimated twinning fraction	0.016 for h,-k,-h-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 180488 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12576	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SHH, ZN, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/2830	0.68	2/3861 (0.1%)
1	B	0.61	0/2860	0.75	2/3899 (0.1%)
1	C	0.63	0/2838	0.74	1/3871 (0.0%)
1	D	0.72	2/2847 (0.1%)	0.74	1/3883 (0.0%)
All	All	0.63	2/11375 (0.0%)	0.73	6/15514 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	94	GLY	C-N	-17.33	0.94	1.34
1	D	92	THR	C-N	-8.18	1.18	1.33

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	290	ARG	NE-CZ-NH2	-7.57	116.52	120.30
1	D	93	GLY	O-C-N	-7.36	110.69	123.20
1	B	290	ARG	NE-CZ-NH1	6.59	123.59	120.30
1	A	277	ARG	NE-CZ-NH1	5.63	123.12	120.30
1	A	277	ARG	NE-CZ-NH2	-5.32	117.64	120.30
1	C	268	ASP	CB-CG-OD1	5.01	122.81	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	93	GLY	Mainchain

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2754	0	2665	27	0
1	B	2765	0	2678	51	0
1	C	2757	0	2665	43	0
1	D	2762	0	2674	25	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	19	0	19	0	0
4	B	19	0	18	24	0
4	C	19	0	19	0	0
4	D	19	0	19	2	0
5	A	299	0	0	1	0
5	B	389	0	0	4	0
5	C	400	0	0	5	0
5	D	362	0	0	4	0
All	All	12576	0	10757	144	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 7.

All (144) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:100:ILE:HD13	4:B:2552:SHH:C7	1.82	1.09
1:A:36:HIS:HD2	1:A:38:ALA:H	1.05	1.02
1:B:100:ILE:HD13	4:B:2552:SHH:H71	1.41	0.99
1:B:172:GLU:H	1:B:259[A]:GLN:HE22	1.07	0.93
1:C:204:GLN:HE22	1:C:277:ARG:H	1.16	0.93
1:D:204:GLN:HE22	1:D:277:ARG:H	1.13	0.92
1:B:208:PHE:CE1	4:B:2552:SHH:O3	2.21	0.92
1:A:76:HIS:HE1	1:A:156:ASN:H	1.15	0.92
1:C:36:HIS:HD2	1:C:38:ALA:H	1.11	0.92
1:B:36:HIS:HD2	1:B:38:ALA:H	1.10	0.91
1:B:36:HIS:CD2	1:B:38:ALA:H	1.89	0.91
1:A:204:GLN:HE22	1:A:277:ARG:H	1.13	0.90
1:A:36:HIS:CD2	1:A:38:ALA:H	1.92	0.88
1:B:39:HIS:HD2	1:B:41:ASP:H	1.22	0.88
1:B:100:ILE:HD13	4:B:2552:SHH:C8	2.05	0.87
1:C:76:HIS:HE1	1:C:156:ASN:H	1.18	0.87
1:B:100:ILE:HG21	4:B:2552:SHH:HN2	1.39	0.86
1:C:36:HIS:CD2	1:C:38:ALA:H	1.95	0.83
1:A:39:HIS:HD2	1:A:41:ASP:H	1.26	0.81
1:B:100:ILE:CD1	4:B:2552:SHH:C7	2.59	0.80
1:B:100:ILE:CD1	4:B:2552:SHH:H71	2.12	0.78
1:B:172:GLU:N	1:B:259[A]:GLN:HE22	1.81	0.77
1:A:76:HIS:CE1	1:A:156:ASN:H	2.02	0.76
4:B:2552:SHH:H72	1:C:341:PHE:CE1	2.21	0.75
1:C:76:HIS:CE1	1:C:156:ASN:H	2.04	0.74
1:B:83:ASN:HD21	1:B:86:ARG:HH21	1.33	0.73
1:D:204:GLN:NE2	1:D:277:ARG:H	1.86	0.73
1:C:2:ALA:N	5:C:3043:HOH:O	2.20	0.73
1:C:25:ASN:HD22	1:C:28:ALA:H	1.36	0.73
1:B:208:PHE:HE1	4:B:2552:SHH:O3	1.70	0.72
1:A:204:GLN:NE2	1:A:277:ARG:H	1.87	0.70
1:A:359:GLU:HG2	5:A:2614:HOH:O	1.90	0.70
1:D:228:ILE:HD11	1:D:368:ILE:HD11	1.75	0.69
1:B:100:ILE:CD1	4:B:2552:SHH:C6	2.71	0.69
1:B:39:HIS:CD2	1:B:41:ASP:H	2.10	0.68
1:D:5:TYR:OH	1:D:47:HIS:HD2	1.75	0.68
1:B:36:HIS:HD2	1:B:38:ALA:N	1.89	0.68
1:B:339:HIS:CE1	5:B:2938:HOH:O	2.46	0.68
1:B:86:ARG:O	1:B:90:LEU:HD13	1.93	0.67
1:B:96:THR:HG22	1:B:101:THR:O	1.93	0.67
4:B:2552:SHH:C8	1:C:341:PHE:CE1	2.77	0.67
1:C:188:GLN:HE22	1:C:229:ASN:HD21	1.40	0.67
1:D:80:HIS:HD2	5:D:2874:HOH:O	1.79	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:210:PRO:O	5:C:2782:HOH:O	2.13	0.66
1:A:124:ARG:HD3	1:A:129:GLU:OE1	1.96	0.66
1:A:25:ASN:HD22	1:A:28:ALA:H	1.43	0.65
1:C:101:THR:CG2	1:C:152:PHE:H	2.09	0.64
1:B:315:HIS:HE1	5:C:2790:HOH:O	1.79	0.64
1:C:101:THR:HG21	1:C:152:PHE:H	1.63	0.64
5:B:2637:HOH:O	1:C:315:HIS:HE1	1.81	0.63
1:B:100:ILE:CD1	4:B:2552:SHH:H62	2.29	0.63
1:B:228[A]:ILE:HD11	1:B:368:ILE:HD11	1.81	0.62
1:A:36:HIS:HD2	1:A:38:ALA:N	1.88	0.62
1:D:8:ASN:HD22	1:D:10:LEU:H	1.47	0.62
1:C:201:SER:OG	1:C:203:HIS:HD2	1.83	0.62
1:D:100:ILE:HD13	4:D:2752:SHH:O3	1.99	0.62
1:A:204:GLN:HE22	1:A:277:ARG:N	1.93	0.61
1:A:39:HIS:CD2	1:A:41:ASP:H	2.14	0.61
1:A:166:ARG:HH21	1:A:172:GLU:HA	1.67	0.60
1:D:100:ILE:HD13	4:D:2752:SHH:C8	2.31	0.60
1:C:183:HIS:HD2	1:C:212:SER:OG	1.85	0.60
4:B:2552:SHH:C7	1:C:341:PHE:CE1	2.85	0.59
1:C:204:GLN:NE2	1:C:277:ARG:H	1.94	0.59
1:B:96:THR:HG23	5:B:2675:HOH:O	2.02	0.59
1:A:183:HIS:HD2	1:A:212:SER:OG	1.86	0.59
1:B:100:ILE:HD13	4:B:2552:SHH:N2	2.19	0.57
1:A:65:VAL:O	1:A:116:GLY:HA3	2.03	0.57
1:B:315:HIS:HD2	1:C:20:SER:OG	1.88	0.57
1:D:204:GLN:HE22	1:D:277:ARG:N	1.93	0.57
4:B:2552:SHH:H72	1:C:341:PHE:CZ	2.40	0.57
1:C:82[B]:GLU:OE2	5:C:2938:HOH:O	2.18	0.57
1:D:34[A]:SER:OG	5:D:2798:HOH:O	2.16	0.56
1:D:65:VAL:O	1:D:116:GLY:HA3	2.05	0.56
1:C:25:ASN:ND2	1:C:28:ALA:H	2.04	0.55
1:D:2:ALA:N	5:D:3021:HOH:O	2.40	0.54
1:D:181:VAL:HG11	1:D:276:ALA:HB2	1.89	0.54
1:B:100:ILE:HD12	4:B:2552:SHH:H62	1.91	0.51
1:A:183:HIS:HE1	1:A:229:ASN:HD21	1.58	0.51
4:B:2552:SHH:O3	1:C:341:PHE:CE1	2.63	0.51
1:D:35:HIS:HE1	1:D:41:ASP:OD2	1.93	0.51
1:A:359:GLU:O	1:A:362:VAL:HG22	2.11	0.51
1:A:228:ILE:HD11	1:A:368:ILE:HD11	1.93	0.51
1:C:36:HIS:HD2	1:C:38:ALA:N	1.93	0.50
1:C:183:HIS:HE1	1:C:188:GLN:NE2	2.09	0.50
1:C:98:ASP:OD2	1:C:101:THR:HG23	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:165:ALA:HA	1:C:169:LEU:HD12	1.94	0.50
1:B:65:VAL:O	1:B:116:GLY:HA3	2.11	0.49
1:C:21:LEU:O	1:C:36:HIS:HE1	1.94	0.49
1:B:20:SER:OG	1:C:315:HIS:HD2	1.96	0.49
1:A:245:MET:HA	1:A:249:VAL:HB	1.93	0.49
1:D:311:GLY:HA3	1:D:317:LEU:HD12	1.95	0.49
1:D:47:HIS:HE1	5:D:2853:HOH:O	1.95	0.49
4:B:2552:SHH:O3	1:C:341:PHE:HE1	1.96	0.49
1:D:87:VAL:HA	1:D:90:LEU:HD22	1.94	0.49
1:D:356:ALA:O	1:D:360:GLU:HG3	2.13	0.49
1:B:201:SER:OG	1:B:203:HIS:HD2	1.96	0.49
1:D:181:VAL:HG11	1:D:276:ALA:CB	2.44	0.48
1:A:271:MET:HG2	1:A:342:LEU:HD22	1.96	0.48
1:C:183:HIS:CD2	1:C:212:SER:OG	2.67	0.48
1:B:238:ASN:HD22	1:B:348:ASN:HD21	1.61	0.48
1:B:208:PHE:CG	4:B:2552:SHH:H52	2.49	0.48
1:C:65:VAL:O	1:C:116:GLY:HA3	2.14	0.47
1:B:364:LEU:HD12	1:B:364:LEU:N	2.30	0.47
1:B:172:GLU:H	1:B:259[A]:GLN:NE2	1.92	0.47
1:B:290:ARG:NH2	1:B:327:GLU:O	2.48	0.47
1:A:21:LEU:O	1:A:36:HIS:HE1	1.98	0.47
1:B:188:GLN:NE2	1:B:227:ASN:HD21	2.14	0.46
1:B:208:PHE:CZ	4:B:2552:SHH:H61	2.50	0.46
1:A:181:VAL:HG11	1:A:276:ALA:HB2	1.97	0.46
1:A:311:GLY:HA3	1:A:317:LEU:HD12	1.97	0.46
1:B:21:LEU:O	1:B:36:HIS:HE1	1.98	0.45
1:A:311:GLY:HA3	1:A:317:LEU:CD1	2.45	0.45
1:B:156:ASN:HD22	1:B:159:SER:H	1.64	0.45
1:B:208:PHE:CE1	4:B:2552:SHH:H61	2.52	0.44
1:C:55:GLN:HG3	1:C:322:LEU:HD11	1.99	0.44
1:C:204:GLN:HE22	1:C:277:ARG:N	1.99	0.44
1:C:183:HIS:CE1	1:C:188:GLN:NE2	2.85	0.44
1:A:121:LEU:HD13	1:A:305:VAL:HG13	2.00	0.44
1:D:8:ASN:ND2	1:D:10:LEU:H	2.14	0.44
1:B:100:ILE:CG2	4:B:2552:SHH:HN2	2.21	0.43
1:D:80:HIS:HE1	1:D:154:ILE:O	2.01	0.43
1:C:101:THR:HB	1:C:152:PHE:HA	2.01	0.43
1:C:258:PRO:HD2	1:C:299:ILE:HD12	2.00	0.43
1:C:317:LEU:C	1:C:317:LEU:HD23	2.39	0.43
4:B:2552:SHH:C8	1:C:341:PHE:HE1	2.29	0.43
1:B:172:GLU:N	1:B:259[A]:GLN:NE2	2.59	0.43
1:C:2:ALA:N	5:C:2970:HOH:O	2.52	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:77:SER:OG	1:B:147:ASN:ND2	2.44	0.42
1:B:83:ASN:ND2	1:B:86:ARG:HH21	2.09	0.42
1:D:172:GLU:H	1:D:259:GLN:NE2	2.18	0.42
1:C:311:GLY:HA3	1:C:317:LEU:HD12	2.02	0.42
1:D:89:ASN:HD22	1:D:89:ASN:HA	1.65	0.42
1:B:181:VAL:HG11	1:B:276:ALA:CB	2.50	0.41
1:D:142:HIS:ND1	1:D:178:ASP:OD2	2.54	0.41
1:B:26:LEU:O	1:B:29:ARG:HD3	2.20	0.41
1:B:312:TYR:HH	4:B:2552:SHH:C1	2.33	0.41
1:A:183:HIS:CE1	1:A:229:ASN:HD21	2.38	0.41
1:B:143:HIS:O	1:B:145:PRO:HD3	2.21	0.41
1:B:311:GLY:HA3	1:B:317:LEU:HD12	2.02	0.41
1:B:259[A]:GLN:HB2	1:B:259[A]:GLN:HE21	1.76	0.40
1:D:243:HIS:CE1	1:D:247:GLN:HG3	2.56	0.40
1:C:203:HIS:HE1	1:C:213:GLY:O	2.04	0.40
1:B:339:HIS:ND1	5:B:2938:HOH:O	2.37	0.40
1:C:26:LEU:O	1:C:29:ARG:HD3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	367/369 (100%)	358 (98%)	9 (2%)	0	100	100
1	B	370/369 (100%)	360 (97%)	10 (3%)	0	100	100
1	C	368/369 (100%)	359 (98%)	9 (2%)	0	100	100
1	D	369/369 (100%)	358 (97%)	10 (3%)	1 (0%)	50	23
All	All	1474/1476 (100%)	1435 (97%)	38 (3%)	1 (0%)	59	31

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	346	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	282/282 (100%)	270 (96%)	12 (4%)	40	11
1	B	285/282 (101%)	280 (98%)	5 (2%)	71	43
1	C	283/282 (100%)	277 (98%)	6 (2%)	66	36
1	D	284/282 (101%)	280 (99%)	4 (1%)	78	55
All	All	1134/1128 (100%)	1107 (98%)	27 (2%)	61	30

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	LEU
1	A	46	PHE
1	A	89	ASN
1	A	102	MET
1	A	121	LEU
1	A	142	HIS
1	A	166	ARG
1	A	179	TRP
1	A	206	LEU
1	A	250	LEU
1	A	298	ASP
1	A	303	ARG
1	B	90	LEU
1	B	142	HIS
1	B	156	ASN
1	B	179	TRP
1	B	202	LEU
1	C	101	THR
1	C	142	HIS
1	C	172	GLU
1	C	179	TRP
1	C	202	LEU
1	C	212	SER
1	D	8	ASN
1	D	90	LEU
1	D	142	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	179	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (48) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	ASN
1	A	36	HIS
1	A	39	HIS
1	A	76	HIS
1	A	147	ASN
1	A	183	HIS
1	A	204	GLN
1	A	227	ASN
1	A	229	ASN
1	A	308	GLN
1	B	36	HIS
1	B	39	HIS
1	B	58	HIS
1	B	83	ASN
1	B	138	ASN
1	B	147	ASN
1	B	156	ASN
1	B	188	GLN
1	B	203	HIS
1	B	222	ASN
1	B	229	ASN
1	B	247	GLN
1	B	287	GLN
1	B	308	GLN
1	B	315	HIS
1	B	348	ASN
1	C	25	ASN
1	C	36	HIS
1	C	55	GLN
1	C	76	HIS
1	C	147	ASN
1	C	183	HIS
1	C	188	GLN
1	C	203	HIS
1	C	204	GLN
1	C	227	ASN
1	C	308	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	315	HIS
1	D	8	ASN
1	D	35	HIS
1	D	47	HIS
1	D	80	HIS
1	D	89	ASN
1	D	138	ASN
1	D	147	ASN
1	D	204	GLN
1	D	229	ASN
1	D	259	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 16 ligands modelled in this entry, 12 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	SHH	A	2452	2	19,19,19	1.20	2 (10%)	22,22,22	1.45	4 (18%)
4	SHH	B	2552	2	19,19,19	2.52	3 (15%)	22,22,22	1.55	8 (36%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SHH	C	2652	2	19,19,19	0.99	2 (10%)	22,22,22	1.82	2 (9%)
4	SHH	D	2752	2	19,19,19	1.05	2 (10%)	22,22,22	1.17	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SHH	A	2452	2	-	0/15/15/15	0/1/1/1
4	SHH	B	2552	2	-	0/15/15/15	0/1/1/1
4	SHH	C	2652	2	-	0/15/15/15	0/1/1/1
4	SHH	D	2752	2	-	0/15/15/15	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	2552	SHH	C1-N1	-9.27	1.22	1.32
4	B	2552	SHH	O1-N1	4.77	1.48	1.39
4	A	2452	SHH	C1-N1	-3.87	1.28	1.32
4	D	2752	SHH	C1-N1	-3.04	1.29	1.32
4	A	2452	SHH	C9-N2	-2.81	1.36	1.41
4	D	2752	SHH	C9-N2	-2.76	1.36	1.41
4	C	2652	SHH	C9-N2	-2.73	1.36	1.41
4	B	2552	SHH	C9-N2	-2.49	1.36	1.41
4	C	2652	SHH	C1-N1	-2.37	1.30	1.32

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	2652	SHH	C2-C1-N1	5.96	118.83	114.69
4	C	2652	SHH	O2-C1-N1	-5.55	116.79	123.47
4	A	2452	SHH	O2-C1-N1	-4.66	117.85	123.47
4	D	2752	SHH	O2-C1-N1	-3.52	119.23	123.47
4	B	2552	SHH	C7-C8-N2	3.04	119.94	114.48
4	B	2552	SHH	C9-N2-C8	-2.93	122.20	127.60
4	B	2552	SHH	O2-C1-N1	-2.92	119.95	123.47
4	A	2452	SHH	O1-N1-C1	-2.46	115.93	119.57
4	B	2552	SHH	O2-C1-C2	2.42	126.73	121.92
4	B	2552	SHH	C3-C2-C1	2.24	119.68	113.31
4	B	2552	SHH	C2-C1-N1	-2.14	113.21	114.69
4	D	2752	SHH	O1-N1-C1	-2.09	116.47	119.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	2452	SHH	O2-C1-C2	2.08	126.06	121.92
4	B	2552	SHH	O3-C8-N2	-2.03	120.04	123.79
4	A	2452	SHH	C9-N2-C8	-2.02	123.87	127.60
4	B	2552	SHH	C4-C3-C2	-2.02	105.66	113.28

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	367/369 (99%)	0.15	20 (5%) 25 24	10, 17, 27, 30	0
1	B	367/369 (99%)	-0.16	1 (0%) 91 94	8, 13, 23, 26	0
1	C	367/369 (99%)	-0.32	3 (0%) 83 86	7, 12, 23, 28	0
1	D	367/369 (99%)	-0.26	2 (0%) 88 91	9, 15, 25, 29	0
All	All	1468/1476 (99%)	-0.15	26 (1%) 65 68	7, 14, 25, 30	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	170	GLY	4.3
1	A	222	ASN	3.6
1	A	97	GLY	3.4
1	A	366	ALA	3.1
1	A	220	ALA	3.0
1	A	92	THR	2.8
1	A	90	LEU	2.8
1	A	89	ASN	2.6
1	A	91	PRO	2.5
1	D	346	GLY	2.5
1	A	93	GLY	2.4
1	D	94	GLY	2.4
1	A	79	ALA	2.4
1	A	221	GLY	2.4
1	A	99	GLY	2.4
1	A	127	THR	2.3
1	A	126	ALA	2.2
1	A	169	LEU	2.2
1	A	148	ALA	2.2
1	B	105	ASN	2.1
1	A	192	TRP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	33	ILE	2.1
1	A	102	MET	2.0
1	C	95	ASP	2.0
1	C	89	ASN	2.0
1	A	368	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	SHH	B	2552	19/19	0.44	25.20	2,24,28,29	19
4	SHH	C	2652	19/19	0.34	16.72	2,15,24,27	19
4	SHH	A	2452	19/19	0.33	13.68	6,13,21,25	18
4	SHH	D	2752	19/19	0.29	10.74	5,13,19,20	19
3	K	D	2749	1/1	0.11	4.07	25,25,25,25	0
3	K	B	2549	1/1	0.07	0.98	22,22,22,22	0
3	K	C	2649	1/1	0.05	-1.14	18,18,18,18	0
2	ZN	D	2751	1/1	0.04	-1.64	17,17,17,17	1
2	ZN	C	2651	1/1	0.05	-1.65	14,14,14,14	1
2	ZN	B	2551	1/1	0.04	-2.19	15,15,15,15	1
3	K	C	2650	1/1	0.03	-2.27	10,10,10,10	0
3	K	B	2550	1/1	0.02	-2.30	9,9,9,9	0
3	K	A	2449	1/1	0.06	-2.45	31,31,31,31	0
2	ZN	A	2451	1/1	0.02	-3.64	21,21,21,21	1
3	K	D	2750	1/1	0.02	-3.81	12,12,12,12	0
3	K	A	2450	1/1	0.03	-3.91	15,15,15,15	0

6.5 Other polymers ⓘ

There are no such residues in this entry.