



wwPDB X-ray Structure Validation Summary Report

Feb 28, 2014 – 02:32 PM GMT

PDB ID : 3KLZ
Title : Pentameric formate channel with formate bound
Authors : Waight, A.B.; Wang, D.N.; New York Consortium on Membrane Protein Structure (NYCOMPS)
Deposited on : 2009-11-09
Resolution : 2.50 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2784 (2.50-2.50)
Clashscore	79885	3562 (2.50-2.50)
Ramachandran outliers	78287	3480 (2.50-2.50)
Sidechain outliers	78261	3482 (2.50-2.50)
RSRZ outliers	66119	2785 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	280	
1	B	280	
1	C	280	
1	D	280	
1	E	280	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	BOG	A	281	-	X
2	BOG	A	282	-	X
2	BOG	B	281	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Geometry	Electron density
2	BOG	B	282	-	X
2	BOG	B	283	-	X
2	BOG	B	284	-	X
2	BOG	B	285	-	X
2	BOG	B	286	-	X
2	BOG	C	281	-	X
2	BOG	C	282	-	X
2	BOG	D	281	-	X
2	BOG	E	281	-	X
3	FMT	A	284	-	X
3	FMT	A	286	-	X
3	FMT	A	287	-	X
3	FMT	A	289	-	X
3	FMT	A	290	-	X
3	FMT	A	292	-	X
3	FMT	B	287	-	X
3	FMT	B	288	-	X
3	FMT	B	289	-	X
3	FMT	B	290	-	X
3	FMT	B	292	-	X
3	FMT	B	293	-	X
3	FMT	B	294	-	X
3	FMT	B	295	-	X
3	FMT	C	283	-	X
3	FMT	C	284	-	X
3	FMT	C	287	-	X
3	FMT	D	283	-	X
3	FMT	D	284	-	X
3	FMT	D	285	-	X
3	FMT	E	282	-	X
3	FMT	E	283	-	X
3	FMT	E	284	-	X
3	FMT	E	285	-	X
3	FMT	E	286	-	X

2 Entry composition


There are 4 unique types of molecules in this entry. The entry contains 10446 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative formate transporter 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	258	Total	C	N	O	S	0	0	0
			1973	1313	312	332	16			
1	B	256	Total	C	N	O	S	0	0	0
			1962	1307	310	329	16			
1	C	255	Total	C	N	O	S	0	0	0
			1958	1306	310	326	16			
1	D	255	Total	C	N	O	S	0	0	0
			1958	1306	310	326	16			
1	E	257	Total	C	N	O	S	0	0	0
			1971	1313	312	330	16			

- Molecule 2 is SUGAR (B-OCTYLGLUCOSIDE) (three-letter code: BOG) (formula: C₁₄H₂₈O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			20	14	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			20	14	6		
2	A	1	Total	C	O	0	0
			20	14	6		
2	B	1	Total	C	O	0	0
			20	14	6		
2	B	1	Total	C	O	0	0
			20	14	6		
2	B	1	Total	C	O	0	0
			20	14	6		
2	B	1	Total	C	O	0	0
			20	14	6		
2	B	1	Total	C	O	0	0
			20	14	6		
2	B	1	Total	C	O	0	0
			20	14	6		
2	C	1	Total	C	O	0	0
			20	14	6		
2	C	1	Total	C	O	0	0
			20	14	6		
2	D	1	Total	C	O	0	0
			20	14	6		
2	E	1	Total	C	O	0	0
			20	14	6		
2	E	1	Total	C	O	0	0
			20	14	6		

- Molecule 3 is FORMIC ACID (three-letter code: FMT) (formula: CH₂O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			3	1	2		
3	A	1	Total	C	O	0	0
			3	1	2		
3	A	1	Total	C	O	0	0
			3	1	2		
3	A	1	Total	C	O	0	0
			3	1	2		
3	A	1	Total	C	O	0	0
			3	1	2		
3	A	1	Total	C	O	0	0
			3	1	2		
3	A	1	Total	C	O	0	0
			3	1	2		
3	B	1	Total	C	O	0	0
			3	1	2		
3	B	1	Total	C	O	0	0
			3	1	2		
3	B	1	Total	C	O	0	0
			3	1	2		
3	B	1	Total	C	O	0	0
			3	1	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			3	1	2		
3	B	1	Total	C	O	0	0
			3	1	2		
3	B	1	Total	C	O	0	0
			3	1	2		
3	B	1	Total	C	O	0	0
			3	1	2		
3	C	1	Total	C	O	0	0
			3	1	2		
3	C	1	Total	C	O	0	0
			3	1	2		
3	C	1	Total	C	O	0	0
			3	1	2		
3	C	1	Total	C	O	0	0
			3	1	2		
3	C	1	Total	C	O	0	0
			3	1	2		
3	C	1	Total	C	O	0	0
			3	1	2		
3	D	1	Total	C	O	0	0
			3	1	2		
3	D	1	Total	C	O	0	0
			3	1	2		
3	D	1	Total	C	O	0	0
			3	1	2		
3	D	1	Total	C	O	0	0
			3	1	2		
3	D	1	Total	C	O	0	0
			3	1	2		
3	D	1	Total	C	O	0	0
			3	1	2		
3	E	1	Total	C	O	0	0
			3	1	2		
3	E	1	Total	C	O	0	0
			3	1	2		
3	E	1	Total	C	O	0	0
			3	1	2		
3	E	1	Total	C	O	0	0
			3	1	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	E	1	Total	C	O	0	0
			3	1	2		
3	E	1	Total	C	O	0	0
			3	1	2		
3	E	1	Total	C	O	0	0
			3	1	2		
3	E	1	Total	C	O	0	0
			3	1	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	56	Total	O	0	0
			56	56		
4	B	61	Total	O	0	0
			61	61		
4	C	45	Total	O	0	0
			45	45		
4	D	30	Total	O	0	0
			30	30		
4	E	35	Total	O	0	0
			35	35		

● Molecule 1: Putative formate transporter 1

Chain E: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	99.78Å 100.46Å 192.96Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.24 – 2.50 48.24 – 2.50	Depositor EDS
% Data completeness (in resolution range)	94.5 (48.24-2.50) 94.5 (48.24-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.17	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.63 (at 2.51Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE: 1.5.2)	Depositor
R, R_{free}	0.173 , 0.223 0.169 , 0.211	Depositor DCC
R_{free} test set	1922 reflections (3.00%)	DCC
Wilson B-factor (Å ²)	38.3	Xtriage
Anisotropy	0.165	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 51.4	EDS
Estimated twinning fraction	0.019 for k,h,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 64102 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10446	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FMT, BOG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.44	0/2021	0.52	1/2744 (0.0%)
1	B	0.44	0/2010	0.53	0/2729
1	C	0.42	0/2006	0.50	0/2723
1	D	0.37	0/2006	0.47	0/2723
1	E	0.39	0/2019	0.49	0/2740
All	All	0.41	0/10062	0.50	1/13659 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	168	LEU	CA-CB-CG	5.02	126.85	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1973	0	6	8	0
1	B	1962	0	5	21	0
1	C	1958	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1958	0	29	9	0
1	E	1971	0	0	7	0
2	A	60	0	82	7	0
2	B	120	0	167	14	0
2	C	40	0	55	2	0
2	D	20	0	28	4	0
2	E	40	0	56	4	0
3	A	27	0	9	1	0
3	B	27	0	9	1	0
3	C	18	0	6	2	0
3	D	21	0	7	0	0
3	E	24	0	8	2	0
4	A	56	0	0	0	0
4	B	61	0	0	0	0
4	C	45	0	0	2	0
4	D	30	0	0	1	0
4	E	35	0	0	0	0
All	All	10446	0	467	62	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 6.

The worst 5 of 62 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:A:282:BOG:H2'1	2:A:282:BOG:O2	1.72	0.90
2:A:282:BOG:C2'	2:A:282:BOG:O2	2.30	0.79
2:A:282:BOG:C1'	2:A:282:BOG:O2	2.30	0.79
1:B:190:LYS:NZ	2:B:285:BOG:H5	1.97	0.78
2:A:282:BOG:H1'2	2:A:282:BOG:O2	1.90	0.71

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	256/280 (91%)	245 (96%)	9 (4%)	2 (1%)	27	46
1	B	254/280 (91%)	239 (94%)	9 (4%)	6 (2%)	9	13
1	C	253/280 (90%)	240 (95%)	10 (4%)	3 (1%)	19	32
1	D	253/280 (90%)	242 (96%)	8 (3%)	3 (1%)	19	32
1	E	255/280 (91%)	248 (97%)	6 (2%)	1 (0%)	43	66
All	All	1271/1400 (91%)	1214 (96%)	42 (3%)	15 (1%)	19	32

5 of 15 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	104	ILE
1	C	95	ILE
1	C	97	VAL
1	D	97	VAL
1	B	24	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	207/226 (92%)	192 (93%)	15 (7%)	21	36
1	B	206/226 (91%)	191 (93%)	15 (7%)	20	36
1	C	206/226 (91%)	197 (96%)	9 (4%)	39	64
1	D	206/226 (91%)	192 (93%)	14 (7%)	22	39
1	E	207/226 (92%)	195 (94%)	12 (6%)	28	49
All	All	1032/1130 (91%)	967 (94%)	65 (6%)	25	44

5 of 65 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	278	LEU
1	C	204	SER
1	E	201	PHE
1	C	48	PHE
1	C	104	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

53 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BOG	A	281	-	20,20,20	1.95	2 (10%)	25,25,25	3.27	13 (52%)
2	BOG	A	282	-	20,20,20	0.98	1 (5%)	25,25,25	3.08	13 (52%)
2	BOG	A	283	-	20,20,20	0.84	1 (5%)	25,25,25	2.67	11 (44%)
3	FMT	A	284	-	2,2,2	0.64	0	1,1,1	0.20	0
3	FMT	A	285	-	2,2,2	0.64	0	1,1,1	0.16	0
3	FMT	A	286	-	2,2,2	0.59	0	1,1,1	0.03	0
3	FMT	A	287	-	2,2,2	0.64	0	1,1,1	0.23	0
3	FMT	A	288	-	2,2,2	0.64	0	1,1,1	0.24	0
3	FMT	A	289	-	2,2,2	0.56	0	1,1,1	0.18	0
3	FMT	A	290	-	2,2,2	0.66	0	1,1,1	0.17	0
3	FMT	A	291	-	2,2,2	0.64	0	1,1,1	0.17	0
3	FMT	A	292	-	2,2,2	0.63	0	1,1,1	0.16	0
2	BOG	B	281	-	20,20,20	0.89	0	25,25,25	3.22	13 (52%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BOG	B	282	-	20,20,20	0.88	0	25,25,25	3.27	14 (56%)
2	BOG	B	283	-	20,20,20	0.89	0	25,25,25	3.34	13 (52%)
2	BOG	B	284	-	20,20,20	0.83	0	25,25,25	3.41	12 (48%)
2	BOG	B	285	-	20,20,20	0.90	0	25,25,25	2.90	11 (44%)
2	BOG	B	286	-	20,20,20	0.84	0	25,25,25	3.14	13 (52%)
3	FMT	B	287	-	2,2,2	0.60	0	1,1,1	0.08	0
3	FMT	B	288	-	2,2,2	0.59	0	1,1,1	0.19	0
3	FMT	B	289	-	2,2,2	0.63	0	1,1,1	0.27	0
3	FMT	B	290	-	2,2,2	0.66	0	1,1,1	0.22	0
3	FMT	B	291	-	2,2,2	0.58	0	1,1,1	0.12	0
3	FMT	B	292	-	2,2,2	0.63	0	1,1,1	0.22	0
3	FMT	B	293	-	2,2,2	0.66	0	1,1,1	0.23	0
3	FMT	B	294	-	2,2,2	0.60	0	1,1,1	0.18	0
3	FMT	B	295	-	2,2,2	0.60	0	1,1,1	0.14	0
2	BOG	C	281	-	20,20,20	0.84	0	25,25,25	3.10	14 (56%)
2	BOG	C	282	-	20,20,20	0.83	0	25,25,25	3.03	15 (60%)
3	FMT	C	283	-	2,2,2	0.62	0	1,1,1	0.08	0
3	FMT	C	284	-	2,2,2	0.65	0	1,1,1	0.26	0
3	FMT	C	285	-	2,2,2	0.64	0	1,1,1	0.24	0
3	FMT	C	286	-	2,2,2	0.64	0	1,1,1	0.17	0
3	FMT	C	287	-	2,2,2	0.65	0	1,1,1	0.18	0
3	FMT	C	288	-	2,2,2	0.65	0	1,1,1	0.21	0
2	BOG	D	281	-	20,20,20	0.85	1 (5%)	25,25,25	3.22	12 (48%)
3	FMT	D	282	-	2,2,2	0.65	0	1,1,1	0.21	0
3	FMT	D	283	-	2,2,2	0.61	0	1,1,1	0.19	0
3	FMT	D	284	-	2,2,2	0.63	0	1,1,1	0.22	0
3	FMT	D	285	-	2,2,2	0.68	0	1,1,1	0.26	0
3	FMT	D	286	-	2,2,2	0.67	0	1,1,1	0.22	0
3	FMT	D	287	-	2,2,2	0.64	0	1,1,1	0.17	0
3	FMT	D	288	-	2,2,2	0.65	0	1,1,1	0.20	0
2	BOG	E	281	-	20,20,20	0.89	0	25,25,25	3.16	12 (48%)
3	FMT	E	282	-	2,2,2	0.63	0	1,1,1	0.24	0
3	FMT	E	283	-	2,2,2	0.65	0	1,1,1	0.02	0
3	FMT	E	284	-	2,2,2	0.63	0	1,1,1	0.22	0
3	FMT	E	285	-	2,2,2	0.60	0	1,1,1	0.17	0
3	FMT	E	286	-	2,2,2	0.60	0	1,1,1	0.10	0
3	FMT	E	287	-	2,2,2	0.61	0	1,1,1	0.20	0
2	BOG	E	310	-	20,20,20	0.87	1 (5%)	25,25,25	2.75	12 (48%)
3	FMT	E	311	-	2,2,2	0.65	0	1,1,1	0.24	0
3	FMT	E	312	-	2,2,2	0.63	0	1,1,1	0.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BOG	A	281	-	-	0/11/31/31	0/1/1/1
2	BOG	A	282	-	1/1/5/5	0/11/31/31	0/1/1/1
2	BOG	A	283	-	-	0/11/31/31	0/1/1/1
3	FMT	A	284	-	-	0/0/0/0	0/0/0/0
3	FMT	A	285	-	-	0/0/0/0	0/0/0/0
3	FMT	A	286	-	-	0/0/0/0	0/0/0/0
3	FMT	A	287	-	-	0/0/0/0	0/0/0/0
3	FMT	A	288	-	-	0/0/0/0	0/0/0/0
3	FMT	A	289	-	-	0/0/0/0	0/0/0/0
3	FMT	A	290	-	-	0/0/0/0	0/0/0/0
3	FMT	A	291	-	-	0/0/0/0	0/0/0/0
3	FMT	A	292	-	-	0/0/0/0	0/0/0/0
2	BOG	B	281	-	-	0/11/31/31	0/1/1/1
2	BOG	B	282	-	-	0/11/31/31	0/1/1/1
2	BOG	B	283	-	-	0/11/31/31	0/1/1/1
2	BOG	B	284	-	-	0/11/31/31	0/1/1/1
2	BOG	B	285	-	-	0/11/31/31	0/1/1/1
2	BOG	B	286	-	-	0/11/31/31	0/1/1/1
3	FMT	B	287	-	-	0/0/0/0	0/0/0/0
3	FMT	B	288	-	-	0/0/0/0	0/0/0/0
3	FMT	B	289	-	-	0/0/0/0	0/0/0/0
3	FMT	B	290	-	-	0/0/0/0	0/0/0/0
3	FMT	B	291	-	-	0/0/0/0	0/0/0/0
3	FMT	B	292	-	-	0/0/0/0	0/0/0/0
3	FMT	B	293	-	-	0/0/0/0	0/0/0/0
3	FMT	B	294	-	-	0/0/0/0	0/0/0/0
3	FMT	B	295	-	-	0/0/0/0	0/0/0/0
2	BOG	C	281	-	-	0/11/31/31	0/1/1/1
2	BOG	C	282	-	-	0/11/31/31	0/1/1/1
3	FMT	C	283	-	-	0/0/0/0	0/0/0/0
3	FMT	C	284	-	-	0/0/0/0	0/0/0/0
3	FMT	C	285	-	-	0/0/0/0	0/0/0/0
3	FMT	C	286	-	-	0/0/0/0	0/0/0/0
3	FMT	C	287	-	-	0/0/0/0	0/0/0/0
3	FMT	C	288	-	-	0/0/0/0	0/0/0/0
2	BOG	D	281	-	-	0/11/31/31	0/1/1/1
3	FMT	D	282	-	-	0/0/0/0	0/0/0/0
3	FMT	D	283	-	-	0/0/0/0	0/0/0/0
3	FMT	D	284	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FMT	D	285	-	-	0/0/0/0	0/0/0/0
3	FMT	D	286	-	-	0/0/0/0	0/0/0/0
3	FMT	D	287	-	-	0/0/0/0	0/0/0/0
3	FMT	D	288	-	-	0/0/0/0	0/0/0/0
2	BOG	E	281	-	-	0/11/31/31	0/1/1/1
3	FMT	E	282	-	-	0/0/0/0	0/0/0/0
3	FMT	E	283	-	-	0/0/0/0	0/0/0/0
3	FMT	E	284	-	-	0/0/0/0	0/0/0/0
3	FMT	E	285	-	-	0/0/0/0	0/0/0/0
3	FMT	E	286	-	-	0/0/0/0	0/0/0/0
3	FMT	E	287	-	-	0/0/0/0	0/0/0/0
2	BOG	E	310	-	-	0/11/31/31	0/1/1/1
3	FMT	E	311	-	-	0/0/0/0	0/0/0/0
3	FMT	E	312	-	-	0/0/0/0	0/0/0/0

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	281	BOG	O5-C5	6.58	1.60	1.44
2	A	281	BOG	O5-C1	-4.35	1.30	1.41
2	A	282	BOG	O2-C2	-2.98	1.35	1.43
2	E	310	BOG	O2-C2	-2.11	1.37	1.43
2	A	283	BOG	O2-C2	-2.06	1.38	1.43

The worst 5 of 178 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	284	BOG	O1-C1-C2	10.40	121.42	108.18
2	B	283	BOG	O1-C1-C2	9.52	120.30	108.18
2	B	281	BOG	O1-C1-C2	9.45	120.20	108.18
2	A	281	BOG	O1-C1-C2	8.98	119.60	108.18
2	D	281	BOG	O1-C1-C2	8.90	119.51	108.18

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	282	BOG	C4

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å²)	Q<0.9
1	A	258/280 (92%)	-0.09	15 (5%)	22	23	23, 37, 119, 178	0
1	B	256/280 (91%)	-0.00	19 (7%)	14	14	22, 35, 148, 204	0
1	C	255/280 (91%)	0.13	22 (8%)	11	10	23, 39, 152, 238	0
1	D	255/280 (91%)	0.36	37 (14%)	3	3	31, 50, 163, 210	0
1	E	257/280 (91%)	0.22	26 (10%)	7	7	26, 45, 111, 162	0
All	All	1281/1400 (91%)	0.12	119 (9%)	9	8	22, 41, 138, 238	0

The worst 5 of 119 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	95	ILE	10.3
1	C	96	LEU	7.8
1	C	98	ALA	7.4
1	D	98	ALA	7.2
1	C	94	LEU	7.2

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	FMT	A	287	3/3	0.68	31.17	88,88,90,91	0
3	FMT	B	290	3/3	0.41	29.07	70,70,77,80	0
3	FMT	C	283	3/3	0.24	22.04	64,64,66,69	0
2	BOG	B	286	20/20	0.38	19.92	57,87,105,106	0
3	FMT	B	289	3/3	0.35	15.69	72,72,79,85	0
3	FMT	E	284	3/3	0.34	15.54	80,80,85,87	0
3	FMT	D	285	3/3	0.22	15.32	69,69,70,73	0
3	FMT	B	287	3/3	0.42	14.91	76,76,82,83	0
3	FMT	B	292	3/3	0.30	14.48	96,96,97,97	0
3	FMT	C	284	3/3	0.40	12.90	82,82,85,87	0
3	FMT	E	285	3/3	0.54	9.90	72,72,81,85	0
2	BOG	B	283	20/20	0.26	9.21	28,81,96,96	0
2	BOG	A	282	20/20	0.35	6.88	67,104,121,126	0
2	BOG	B	285	20/20	0.28	6.32	41,60,89,90	0
2	BOG	B	281	20/20	0.37	6.00	59,83,92,96	0
3	FMT	A	290	3/3	0.25	5.86	50,50,64,68	0
3	FMT	B	295	3/3	0.23	5.78	60,60,66,67	0
3	FMT	A	286	3/3	0.23	5.18	46,46,51,58	0
2	BOG	B	284	20/20	0.23	5.14	33,73,108,109	0
2	BOG	B	282	20/20	0.40	5.07	87,96,124,124	0
2	BOG	E	281	20/20	0.40	5.05	70,109,129,130	0
3	FMT	B	293	3/3	0.18	4.38	88,88,89,91	0
2	BOG	D	281	20/20	0.42	4.10	83,105,113,114	0
3	FMT	A	292	3/3	0.20	4.10	59,59,67,71	0
3	FMT	E	283	3/3	0.19	3.86	51,51,60,63	0
3	FMT	D	283	3/3	0.31	3.75	71,71,72,73	0
3	FMT	A	284	3/3	0.32	3.66	98,98,101,103	0
2	BOG	A	281	20/20	0.35	3.63	55,88,134,134	0
3	FMT	B	288	3/3	0.46	3.42	55,55,69,76	0
3	FMT	E	286	3/3	0.34	3.34	68,68,68,72	0
3	FMT	B	294	3/3	0.22	3.23	65,65,67,68	0
3	FMT	D	284	3/3	0.28	3.06	58,58,64,65	0
2	BOG	C	282	20/20	0.23	2.77	55,82,108,109	0
2	BOG	C	281	20/20	0.32	2.35	72,99,117,122	0
3	FMT	E	282	3/3	0.20	2.29	66,66,71,76	0
3	FMT	A	289	3/3	0.16	2.28	51,51,70,80	0
3	FMT	C	287	3/3	0.14	2.10	55,55,62,69	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	FMT	D	288	3/3	0.17	1.92	78,78,80,81	0
3	FMT	D	286	3/3	0.15	1.92	76,76,79,80	0
3	FMT	B	291	3/3	0.19	1.76	69,69,70,72	0
3	FMT	A	291	3/3	0.22	1.51	67,67,75,77	0
3	FMT	C	285	3/3	0.13	1.12	71,71,72,73	0
3	FMT	A	285	3/3	0.20	0.74	59,59,72,77	0
2	BOG	E	310	20/20	0.20	0.72	53,71,78,79	0
2	BOG	A	283	20/20	0.17	0.59	55,62,71,73	0
3	FMT	A	288	3/3	0.15	0.52	70,70,71,72	0
3	FMT	E	311	3/3	0.16	0.39	61,61,65,70	0
3	FMT	E	287	3/3	0.15	-0.00	78,78,82,82	0
3	FMT	C	288	3/3	0.12	-0.19	58,58,66,69	0
3	FMT	D	282	3/3	0.14	-0.23	92,92,95,96	0
3	FMT	E	312	3/3	0.13	-0.48	66,66,68,69	0
3	FMT	D	287	3/3	0.13	-0.50	80,80,84,84	0
3	FMT	C	286	3/3	0.11	-2.00	91,91,94,95	0

6.5 Other polymers ⓘ

There are no such residues in this entry.