



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:23 AM GMT

PDB ID : 3AM1
Title : Crystal structure of O-Phosphoseryl-tRNA kinase complexed with anticodon-stem/loop truncated tRNA(Sec)
Authors : Araiso, Y.; Ishitani, R.; Nureki, O.
Deposited on : 2010-08-11
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)
RNA backbone	2183	1073 (2.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	260	
2	B	81	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3651 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-seryl-tRNA(Sec) kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	236	Total	C	N	O	S	0	0	0
			1878	1217	299	359	3			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	EXPRESSION TAG	UNP Q58933
A	2	GLY	-	EXPRESSION TAG	UNP Q58933
A	3	ASP	-	EXPRESSION TAG	UNP Q58933
A	4	ILE	-	EXPRESSION TAG	UNP Q58933
A	253	LEU	-	EXPRESSION TAG	UNP Q58933
A	254	GLU	-	EXPRESSION TAG	UNP Q58933
A	255	HIS	-	EXPRESSION TAG	UNP Q58933
A	256	HIS	-	EXPRESSION TAG	UNP Q58933
A	257	HIS	-	EXPRESSION TAG	UNP Q58933
A	258	HIS	-	EXPRESSION TAG	UNP Q58933
A	259	HIS	-	EXPRESSION TAG	UNP Q58933
A	260	HIS	-	EXPRESSION TAG	UNP Q58933

- Molecule 2 is a RNA chain called ASL-truncated tRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	81	Total	C	N	O	P	0	0	0
			1734	769	311	573	81			

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	3	Total	O	0	0
			3	3		
5	B	4	Total	O	0	0
			4	4		

4 Data and refinement statistics

Property	Value	Source
Space group	P 31 1 2	Depositor
Cell constants a, b, c, α , β , γ	46.75Å 46.75Å 459.71Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	34.46 – 2.40 34.46 – 2.40	Depositor EDS
% Data completeness (in resolution range)	97.6 (34.46-2.40) 97.7 (34.46-2.40)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.57 (at 2.39Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6 _289)	Depositor
R, R_{free}	0.229 , 0.292 0.224 , 0.289	Depositor DCC
R_{free} test set	1144 reflections (5.01%)	DCC
Wilson B-factor (Å ²)	52.2	Xtriage
Anisotropy	0.439	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 55.9	EDS
Estimated twinning fraction	0.106 for -h,-k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Outliers	1 of 22854 reflections (0.004%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3651	wwPDB-VP
Average B, all atoms (Å ²)	80.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.22% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/1908	0.57	0/2581
2	B	0.51	0/1935	1.46	28/3018 (0.9%)
All	All	0.45	0/3843	1.14	28/5599 (0.5%)

There are no bond length outliers.

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	62	C	N1-C1'-C2'	-12.95	97.17	114.00
2	B	55	C	O4'-C1'-N1	10.89	116.91	108.20
2	B	62	C	P-O3'-C3'	-9.94	107.78	119.70
2	B	14	G	P-O3'-C3'	-8.89	109.04	119.70
2	B	55	C	N1-C1'-C2'	-8.39	102.77	112.00
2	B	14	G	N9-C1'-C2'	-7.70	103.53	112.00
2	B	39	C	P-O3'-C3'	7.64	128.87	119.70
2	B	2	G	P-O3'-C3'	-7.28	110.97	119.70
2	B	34	U	O4'-C1'-N1	-7.22	102.42	108.20
2	B	9	G	P-O3'-C3'	7.21	128.35	119.70
2	B	74	U	O4'-C1'-N1	-6.92	102.67	108.20
2	B	65	U	O4'-C1'-N1	6.41	113.33	108.20
2	B	6	G	C5-C6-N1	-6.41	108.30	111.50
2	B	74	U	P-O5'-C5'	-6.32	110.79	120.90
2	B	48	G	C3'-C2'-C1'	6.30	106.54	101.50
2	B	3	C	O4'-C1'-N1	6.13	113.10	108.20
2	B	47	A	P-O3'-C3'	6.12	127.05	119.70
2	B	46	G	N9-C1'-C2'	-6.07	105.33	112.00
2	B	81	C	O4'-C1'-N1	-5.79	103.57	108.20
2	B	2	G	N9-C1'-C2'	-5.75	105.67	112.00
2	B	13	C	P-O3'-C3'	5.67	126.51	119.70
2	B	61	U	O4'-C1'-N1	5.50	112.60	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	10	U	O4'-C1'-N1	5.49	112.59	108.20
2	B	48	G	P-O3'-C3'	-5.47	113.14	119.70
2	B	22	U	O4'-C1'-N1	-5.45	103.84	108.20
2	B	78	C	OP2-P-O3'	5.40	117.08	105.20
2	B	77	G	P-O3'-C3'	5.25	125.99	119.70
2	B	45	C	P-O3'-C3'	5.09	125.81	119.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1878	0	1835	82	0
2	B	1734	0	880	91	0
3	A	31	0	12	1	0
4	A	1	0	0	0	0
5	A	3	0	0	0	0
5	B	4	0	0	0	0
All	All	3651	0	2727	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:62:C:H5''	2:B:62:C:H6	1.11	1.10
2:B:33:U:H2'	2:B:34:U:H5'	1.38	1.05
2:B:62:C:C6	2:B:62:C:H5''	1.98	0.97
2:B:2:G:H8	2:B:2:G:H5'	1.33	0.91
1:A:117:ASN:HD22	1:A:126:ASN:ND2	1.74	0.84
2:B:77:G:H8	2:B:77:G:H5'	1.44	0.82
2:B:34:U:H2'	2:B:35:C:C6	2.14	0.82
2:B:13:C:H2'	2:B:14:G:H5''	1.61	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:139:PRO:HB2	1:A:148:PRO:HG3	1.61	0.81
1:A:112:VAL:HG12	1:A:115:ARG:HH12	1.50	0.76
2:B:12:C:H5'	2:B:39:C:O2'	1.86	0.75
2:B:1:G:C2'	2:B:2:G:H5''	2.16	0.75
2:B:2:G:H5'	2:B:2:G:C8	2.21	0.73
2:B:73:C:H2'	2:B:74:U:H5''	1.71	0.72
2:B:76:C:H2'	2:B:77:G:H5''	1.72	0.72
2:B:38:C:O2'	2:B:39:C:H5'	1.89	0.72
1:A:80:THR:CG2	1:A:82:TYR:HD1	2.03	0.72
1:A:141:LYS:HG3	1:A:141:LYS:O	1.89	0.72
2:B:76:C:C2'	2:B:77:G:H5''	2.20	0.71
1:A:100:ASN:HD21	1:A:173:GLU:HB2	1.56	0.70
2:B:35:C:C5	2:B:36:G:C2	2.79	0.70
2:B:81:C:H3'	2:B:81:C:H6	1.55	0.70
1:A:159:ASP:O	1:A:163:ILE:HG13	1.92	0.69
1:A:117:ASN:HD22	1:A:126:ASN:HD22	1.40	0.69
1:A:55:GLU:HA	1:A:55:GLU:OE1	1.93	0.69
2:B:62:C:H6	2:B:62:C:C5'	2.00	0.68
2:B:33:U:H2'	2:B:34:U:C5'	2.21	0.67
1:A:206:ILE:HA	1:A:211:LEU:HD22	1.75	0.67
1:A:17:LYS:HE3	1:A:80:THR:HA	1.77	0.67
1:A:191:SER:HB3	2:B:25:C:H4'	1.76	0.66
2:B:6:G:H1	2:B:74:U:H3	1.41	0.66
1:A:108:ALA:HB1	1:A:112:VAL:CG2	2.26	0.66
2:B:74:U:C5'	2:B:74:U:H6	2.10	0.64
2:B:77:G:H2'	2:B:78:C:C6	2.33	0.63
2:B:1:G:H2'	2:B:2:G:H5''	1.79	0.63
1:A:108:ALA:HB1	1:A:112:VAL:HG21	1.79	0.62
1:A:115:ARG:O	1:A:119:GLU:HG3	1.99	0.62
1:A:12:LEU:O	1:A:15:VAL:HG12	2.00	0.62
1:A:212:ASP:O	1:A:216:ILE:HG12	2.00	0.61
1:A:223:ARG:O	1:A:227:LEU:HG	2.00	0.61
1:A:149:PHE:CE1	1:A:170:LYS:HD2	2.37	0.59
2:B:1:G:O2'	2:B:2:G:H5''	2.01	0.59
1:A:18:SER:HA	1:A:78:ASP:OD1	2.03	0.59
2:B:70:C:C4	2:B:71:C:C5	2.91	0.59
2:B:81:C:C6	2:B:81:C:H3'	2.38	0.58
2:B:77:G:H5'	2:B:77:G:C8	2.34	0.58
1:A:80:THR:HG21	1:A:132:MET:HE3	1.85	0.58
1:A:112:VAL:O	1:A:116:ARG:HG3	2.04	0.58
2:B:48:G:H2'	2:B:49:A:C8	2.39	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:THR:HG21	1:A:82:TYR:HD1	1.70	0.57
1:A:112:VAL:HG12	1:A:115:ARG:NH1	2.19	0.56
1:A:17:LYS:N	3:A:301:ATP:O1B	2.38	0.56
2:B:17:C:O2'	2:B:18:U:H5'	2.04	0.56
1:A:191:SER:CB	2:B:25:C:H4'	2.35	0.56
2:B:31:G:H2'	2:B:32:C:H6	1.72	0.55
2:B:36:G:OP2	2:B:36:G:C8	2.59	0.55
1:A:196:LYS:HG2	1:A:196:LYS:O	2.06	0.55
2:B:76:C:H2'	2:B:77:G:C5'	2.37	0.55
1:A:82:TYR:N	1:A:86:MET:HE2	2.21	0.54
1:A:12:LEU:HD22	1:A:132:MET:HB3	1.88	0.54
1:A:149:PHE:O	1:A:150:LEU:HD13	2.07	0.54
1:A:112:VAL:CG1	1:A:115:ARG:HH12	2.21	0.53
2:B:62:C:C6	2:B:62:C:C5'	2.83	0.53
1:A:12:LEU:HD11	1:A:133:TYR:HA	1.91	0.53
2:B:34:U:C6	2:B:34:U:O5'	2.62	0.53
2:B:13:C:C2'	2:B:14:G:H5''	2.36	0.53
2:B:31:G:H2'	2:B:32:C:C6	2.44	0.52
2:B:34:U:H5''	2:B:35:C:C5	2.44	0.52
2:B:2:G:H2'	2:B:3:C:C6	2.45	0.52
1:A:17:LYS:HE3	1:A:80:THR:CA	2.39	0.52
2:B:12:C:H5''	2:B:40:G:O4'	2.10	0.52
1:A:17:LYS:HE3	1:A:80:THR:N	2.25	0.52
1:A:54:TYR:O	1:A:58:ILE:HG13	2.11	0.51
1:A:81:ASN:HA	1:A:86:MET:HE2	1.92	0.51
2:B:71:C:H2'	2:B:72:C:H6	1.75	0.51
2:B:39:C:H1'	2:B:40:G:OP1	2.10	0.51
1:A:88:ARG:NH1	2:B:78:C:OP2	2.44	0.51
1:A:158:ILE:HD13	1:A:159:ASP:N	2.26	0.51
2:B:81:C:C6	2:B:81:C:C3'	2.93	0.51
2:B:71:C:H2'	2:B:72:C:C6	2.45	0.51
2:B:35:C:C5	2:B:36:G:N1	2.80	0.50
2:B:35:C:H5	2:B:36:G:N1	2.09	0.50
2:B:73:C:C2'	2:B:74:U:H5''	2.38	0.50
1:A:214:ASP:O	1:A:218:GLU:HG3	2.11	0.50
2:B:34:U:O5'	2:B:34:U:H6	1.95	0.50
2:B:61:U:H2'	2:B:62:C:H5'	1.94	0.50
1:A:159:ASP:OD2	1:A:162:GLU:HB2	2.12	0.49
2:B:71:C:C2	2:B:72:C:C5	3.00	0.49
2:B:36:G:H2'	2:B:37:G:C4'	2.43	0.49
2:B:34:U:H6	2:B:34:U:P	2.35	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:THR:CG2	1:A:81:ASN:N	2.75	0.49
2:B:34:U:H3'	2:B:35:C:C6	2.47	0.49
1:A:112:VAL:HA	1:A:115:ARG:NH1	2.27	0.49
1:A:18:SER:O	1:A:22:LYS:HD3	2.13	0.49
1:A:39:GLY:O	1:A:42:LEU:HB2	2.13	0.49
1:A:174:ILE:HG13	1:A:174:ILE:O	2.11	0.48
2:B:32:C:H2'	2:B:33:U:O4'	2.14	0.48
2:B:10:U:H5	2:B:23:A:OP2	1.97	0.48
1:A:88:ARG:HH12	2:B:78:C:H5''	1.77	0.48
2:B:25:C:H2'	2:B:26:C:C6	2.49	0.48
2:B:65:U:O2'	2:B:66:U:H5'	2.14	0.48
2:B:59:G:O2'	2:B:60:U:P	2.72	0.48
2:B:1:G:H2'	2:B:2:G:C5'	2.42	0.48
2:B:34:U:H5''	2:B:35:C:H5	1.78	0.47
2:B:34:U:H2'	2:B:35:C:C5	2.50	0.47
2:B:34:U:C2'	2:B:35:C:C6	2.93	0.47
2:B:12:C:H2'	2:B:13:C:C6	2.49	0.47
1:A:17:LYS:HE3	1:A:79:ASP:C	2.34	0.47
2:B:61:U:C2'	2:B:62:C:H5'	2.44	0.47
1:A:80:THR:HG22	1:A:81:ASN:N	2.30	0.47
2:B:30:G:C2'	2:B:31:G:H5'	2.45	0.47
1:A:81:ASN:HA	1:A:86:MET:CE	2.45	0.47
1:A:152:ILE:N	1:A:152:ILE:HD12	2.29	0.47
2:B:74:U:H6	2:B:74:U:H5'	1.80	0.47
2:B:59:G:HO2'	2:B:60:U:H6	1.53	0.47
1:A:35:VAL:HB	1:A:74:TRP:HB2	1.97	0.46
2:B:12:C:H2'	2:B:13:C:H6	1.80	0.46
1:A:204:GLU:O	1:A:208:SER:HB3	2.14	0.46
2:B:2:G:H8	2:B:2:G:C5'	2.17	0.46
1:A:111:ASP:O	1:A:115:ARG:HG3	2.16	0.46
1:A:176:LYS:O	1:A:176:LYS:CG	2.64	0.46
2:B:33:U:C2'	2:B:34:U:H5'	2.28	0.46
2:B:1:G:C4	2:B:80:G:N2	2.84	0.46
1:A:139:PRO:HA	1:A:146:ASP:OD2	2.16	0.46
1:A:176:LYS:O	1:A:176:LYS:HG3	2.15	0.46
1:A:245:PHE:CE2	1:A:249:LEU:HD11	2.51	0.46
1:A:15:VAL:HG21	1:A:106:LEU:O	2.16	0.45
1:A:213:LYS:O	1:A:216:ILE:HB	2.16	0.45
1:A:15:VAL:HG22	1:A:154:THR:HG21	1.98	0.45
1:A:195:ASP:OD1	1:A:195:ASP:C	2.54	0.45
2:B:33:U:O2	2:B:36:G:O6	2.34	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:196:LYS:HE2	1:A:200:LYS:HE3	1.98	0.45
1:A:55:GLU:O	1:A:59:LYS:HG3	2.17	0.45
1:A:91:ILE:HG12	1:A:101:TYR:CZ	2.52	0.45
2:B:65:U:C2'	2:B:66:U:H5'	2.47	0.45
2:B:59:G:O2'	2:B:60:U:H6	2.00	0.44
1:A:236:VAL:HG13	1:A:236:VAL:O	2.17	0.44
2:B:75:G:H2'	2:B:76:C:O4'	2.18	0.44
2:B:25:C:H2'	2:B:26:C:H6	1.82	0.44
1:A:166:LYS:O	1:A:169:GLU:HB2	2.16	0.44
2:B:34:U:H2'	2:B:35:C:N1	2.32	0.44
1:A:5:MET:HE1	1:A:102:ALA:HB2	1.99	0.44
2:B:64:A:H1'	2:B:66:U:OP2	2.17	0.44
2:B:30:G:O2'	2:B:31:G:H5'	2.18	0.44
1:A:65:LEU:HD23	1:A:65:LEU:HA	1.62	0.44
1:A:226:PHE:CE1	1:A:230:ILE:HD11	2.52	0.43
2:B:33:U:O2	2:B:37:G:C2	2.71	0.43
1:A:126:ASN:HA	1:A:126:ASN:HD22	1.60	0.42
1:A:149:PHE:CD1	1:A:170:LYS:HD2	2.54	0.42
2:B:74:U:H6	2:B:74:U:H5''	1.83	0.42
1:A:108:ALA:HB1	1:A:112:VAL:HG23	2.01	0.42
2:B:2:G:C8	2:B:2:G:C5'	2.99	0.42
1:A:189:ASN:HB3	1:A:192:ASP:HB2	2.00	0.42
1:A:167:LEU:O	1:A:170:LYS:N	2.53	0.42
1:A:41:ASP:HA	1:A:44:ARG:HB3	2.01	0.42
2:B:61:U:C3'	2:B:62:C:H5'	2.50	0.42
2:B:36:G:C8	2:B:36:G:H3'	2.54	0.42
2:B:74:U:C5'	2:B:74:U:C6	2.98	0.42
1:A:116:ARG:HH22	1:A:154:THR:C	2.22	0.42
2:B:73:C:C3'	2:B:74:U:H5''	2.50	0.42
1:A:109:SER:O	1:A:112:VAL:HG22	2.20	0.41
1:A:40:SER:HA	1:A:62:THR:OG1	2.21	0.41
2:B:13:C:C2	2:B:29:G:N2	2.88	0.41
1:A:27:ILE:O	1:A:27:ILE:HD13	2.20	0.41
1:A:42:LEU:HA	1:A:42:LEU:HD23	1.92	0.41
2:B:14:G:C2	2:B:15:G:C4	3.09	0.40
2:B:38:C:C2'	2:B:39:C:H5'	2.51	0.40
1:A:82:TYR:H	1:A:86:MET:HE2	1.86	0.40
1:A:80:THR:HG21	1:A:82:TYR:CD1	2.53	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	230/260 (88%)	212 (92%)	16 (7%)	2 (1%)	21	30

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	157	ASP
1	A	238	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	198/246 (80%)	176 (89%)	22 (11%)	8	10

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ASP
1	A	9	LEU
1	A	22	LYS
1	A	27	ILE
1	A	42	LEU
1	A	43	ILE
1	A	79	ASP
1	A	80	THR
1	A	91	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	100	ASN
1	A	127	GLU
1	A	141	LYS
1	A	150	LEU
1	A	158	ILE
1	A	168	ILE
1	A	174	ILE
1	A	203	SER
1	A	208	SER
1	A	211	LEU
1	A	220	VAL
1	A	240	ARG
1	A	244	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	98	ASN
1	A	100	ASN
1	A	126	ASN
1	A	250	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B	80/81 (98%)	22 (27%)	6 (7%)

All (22) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B	2	G
2	B	3	C
2	B	11	A
2	B	14	G
2	B	15	G
2	B	20	G
2	B	22	U
2	B	23	A
2	B	31	G
2	B	34	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	35	C
2	B	36	G
2	B	37	G
2	B	40	G
2	B	48	G
2	B	49	A
2	B	50	G
2	B	60	U
2	B	62	C
2	B	74	U
2	B	77	G
2	B	81	C

All (6) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	B	2	G
2	B	14	G
2	B	34	U
2	B	39	C
2	B	48	G
2	B	62	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ATP	A	301	-	24,33,33	1.02	1 (4%)	31,52,52	2.05	7 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	A	301	-	-	0/18/38/38	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	ATP	C5-C4	3.27	1.47	1.40

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	ATP	N3-C2-N1	-7.14	123.43	128.89
3	A	301	ATP	PB-O3B-PG	-4.16	118.71	132.67
3	A	301	ATP	C4-C5-N7	-3.27	106.47	109.48
3	A	301	ATP	O3A-PA-O5'	-3.03	94.91	102.94
3	A	301	ATP	C2'-C1'-N9	-2.52	110.44	114.29
3	A	301	ATP	C5'-C4'-C3'	-2.02	107.20	115.21
3	A	301	ATP	O4'-C1'-N9	2.18	112.66	108.10

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	301	ATP	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	236/260 (90%)	0.23	7 (2%) 54 53	43, 78, 108, 142	0
2	B	81/81 (100%)	-0.45	2 (2%) 61 60	56, 75, 112, 221	0
All	All	317/341 (92%)	0.05	9 (2%) 56 55	43, 77, 110, 221	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	240	ARG	4.2
1	A	252	TYR	3.2
1	A	75	VAL	2.9
1	A	128	VAL	2.9
1	A	109	SER	2.6
1	A	49	VAL	2.4
1	A	39	GLY	2.2
2	B	34	U	2.0
2	B	35	C	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	ATP	A	301	31/31	0.91	0.22	1.50	75,155,168,217	0
4	MG	A	401	1/1	0.92	0.24	-	80,80,80,80	0

6.5 Other polymers

There are no such residues in this entry.