



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:35 AM GMT

PDB ID : 2B1E  
Title : The structures of exocyst subunit Exo70p and the Exo84p C-terminal domains reveal a common motif  
Authors : Dong, G.; Hutagalung, A.H.; Fu, C.; Novick, P.; Reinisch, K.M.  
Deposited on : 2005-09-15  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	564	<div> <div>6%</div> <div> <div></div> <div>73%</div> <div>21%</div> <div>6%</div> </div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4571 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Exocyst complex component EXO70.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	532	Total	C	N	O	S	0	0	0
			4310	2741	730	821	18			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	60	GLY	-	CLONING ARTIFACT	UNP P19658
A	61	HIS	-	CLONING ARTIFACT	UNP P19658
A	62	MET	-	CLONING ARTIFACT	UNP P19658


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	261	Total	O	0	0
			261	261		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Exocyst complex component EXO70



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	45.85Å 60.60Å 223.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 46.98 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.00) 96.6 (46.98-2.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.05 (at 2.00Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.221 , 0.250 0.234 , 0.260	Depositor DCC
$R_{free}$ test set	4177 reflections (10.04%)	DCC
Wilson B-factor (Å <sup>2</sup> )	19.4	Xtriage
Anisotropy	0.314	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 47.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 42629 reflections	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	4571	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.39% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.34	0/4383	0.52	0/5895

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4310	0	4349	83	0
2	A	261	0	0	7	0
All	All	4571	0	4349	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:359:ILE:O	1:A:445:LYS:HD2	1.65	0.97
1:A:74:VAL:HG11	1:A:126:GLU:HG2	1.62	0.82
1:A:394:ASP:N	2:A:860:HOH:O	2.20	0.74
1:A:375:THR:HG22	1:A:376:MET:HE2	1.71	0.73

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:290:ASN:O	1:A:293:ILE:HG22	1.92	0.69
1:A:451:MET:HE3	1:A:467:LYS:HG2	1.76	0.68
1:A:335:GLN:O	1:A:339:GLN:HG3	1.95	0.67
1:A:194:GLU:HG2	1:A:197:ILE:HD12	1.78	0.66
1:A:481:THR:O	1:A:485:GLN:HG3	1.97	0.64
1:A:393:MET:HB3	1:A:426:LEU:HD23	1.81	0.63
1:A:288:GLY:O	1:A:292:LYS:HG3	1.99	0.62
1:A:292:LYS:C	1:A:294:VAL:H	2.03	0.61
1:A:369:THR:H	1:A:479:ASN:HD21	1.46	0.61
1:A:619:ASN:O	1:A:623:ARG:HG3	2.01	0.60
1:A:423:HIS:CE1	2:A:860:HOH:O	2.55	0.60
1:A:375:THR:HG22	1:A:376:MET:CE	2.33	0.58
1:A:67:THR:OG1	1:A:68:LEU:N	2.39	0.56
1:A:386:LYS:NZ	1:A:390:LEU:HD11	2.21	0.56
1:A:291:LEU:HD21	1:A:336:GLU:HG2	1.88	0.56
1:A:578:LYS:HG3	1:A:622:VAL:HG21	1.87	0.55
1:A:491:GLU:O	1:A:495:MET:HG3	2.07	0.54
1:A:207:SER:HB2	2:A:823:HOH:O	2.08	0.54
1:A:74:VAL:CG1	1:A:126:GLU:HG2	2.35	0.53
1:A:377:SER:O	1:A:381:LYS:HG3	2.08	0.53
1:A:547:GLU:OE2	1:A:550:ARG:NH1	2.41	0.52
1:A:131:LEU:O	1:A:135:GLU:HG3	2.09	0.52
1:A:175:GLU:CG	1:A:178:GLN:HG3	2.41	0.51
1:A:218:GLU:HB3	1:A:219:PRO:HD3	1.92	0.51
1:A:369:THR:H	1:A:479:ASN:ND2	2.08	0.51
1:A:204:GLY:O	1:A:208:LYS:HG3	2.11	0.51
1:A:571:PRO:O	1:A:575:VAL:HG23	2.11	0.50
1:A:159:PHE:CE2	1:A:172:PRO:HD2	2.47	0.50
1:A:396:ILE:O	1:A:396:ILE:HG23	2.12	0.49
1:A:474:PHE:CD1	1:A:566:TYR:HB3	2.48	0.49
1:A:383:SER:HB2	1:A:491:GLU:HB3	1.96	0.48
1:A:386:LYS:HZ1	1:A:390:LEU:HD11	1.79	0.47
1:A:278:PRO:HB2	2:A:823:HOH:O	2.14	0.47
1:A:292:LYS:C	1:A:294:VAL:N	2.67	0.47
1:A:578:LYS:HB2	1:A:622:VAL:HB	1.97	0.47
1:A:350:ASP:O	1:A:354:LYS:HG3	2.15	0.47
1:A:519:TRP:CD2	1:A:559:LEU:HD13	2.51	0.46
1:A:220:PHE:O	1:A:238:GLY:HA3	2.15	0.46
1:A:547:GLU:OE1	1:A:551:LYS:HE3	2.16	0.46
1:A:547:GLU:HG3	1:A:551:LYS:HE3	1.98	0.46
1:A:529:SER:O	1:A:532:ILE:HG22	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:520:ARG:HG2	1:A:584:LEU:HD21	1.98	0.45
1:A:533:ASP:HB2	2:A:882:HOH:O	2.17	0.45
1:A:221:ALA:HB3	1:A:286:LEU:HD11	1.97	0.45
1:A:419:ASN:C	1:A:421:GLU:H	2.19	0.45
1:A:320:ARG:HG3	1:A:320:ARG:O	2.16	0.45
1:A:196:SER:HB2	2:A:817:HOH:O	2.15	0.45
1:A:254:LYS:NZ	1:A:322:LYS:HE3	2.32	0.44
1:A:292:LYS:O	1:A:294:VAL:N	2.51	0.44
1:A:356:ALA:O	1:A:445:LYS:HD3	2.18	0.44
1:A:504:LEU:O	1:A:508:LYS:HG3	2.18	0.43
1:A:206:ARG:NH2	1:A:253:GLU:OE1	2.49	0.43
1:A:392:ALA:O	1:A:396:ILE:HG21	2.18	0.43
1:A:254:LYS:CE	1:A:322:LYS:HE3	2.49	0.43
1:A:286:LEU:O	1:A:286:LEU:HD23	2.19	0.43
1:A:487:VAL:O	1:A:493:ASN:HB2	2.19	0.43
1:A:396:ILE:HG12	1:A:396:ILE:O	2.18	0.42
1:A:380:ARG:O	1:A:384:GLU:HG3	2.19	0.42
1:A:380:ARG:NE	1:A:490:SER:HB3	2.34	0.42
1:A:348:ALA:O	1:A:352:ILE:HG13	2.19	0.42
1:A:303:PHE:HE1	1:A:381:LYS:CB	2.31	0.42
1:A:430:PHE:CD2	1:A:431:ILE:HD13	2.54	0.42
1:A:287:PHE:CE2	1:A:333:CYS:HB3	2.55	0.42
1:A:622:VAL:O	1:A:623:ARG:C	2.56	0.42
1:A:515:MET:HE3	1:A:577:LEU:CG	2.49	0.42
1:A:91:GLY:O	1:A:95:VAL:HG23	2.20	0.42
1:A:615:THR:HG22	1:A:619:ASN:ND2	2.35	0.41
1:A:515:MET:HE3	1:A:577:LEU:HG	2.02	0.41
1:A:427:LEU:O	1:A:431:ILE:HG12	2.21	0.41
1:A:398:ARG:HD2	1:A:429:CYS:SG	2.61	0.41
1:A:317:LYS:O	1:A:320:ARG:HG2	2.19	0.41
1:A:199:GLN:HE22	1:A:270:HIS:HD2	1.68	0.41
1:A:218:GLU:N	1:A:219:PRO:CD	2.84	0.41
1:A:277:SER:HB2	1:A:278:PRO:HD3	2.03	0.40
1:A:175:GLU:HG3	1:A:178:GLN:HG3	2.02	0.40
1:A:243:THR:O	1:A:247:LEU:HG	2.21	0.40
1:A:160:ASP:OD1	1:A:162:GLN:HB3	2.21	0.40
1:A:207:SER:CB	2:A:823:HOH:O	2.68	0.40
1:A:459:ALA:HA	1:A:510:ARG:HD3	2.02	0.40

There are no symmetry-related clashes.



## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	522/564 (93%)	507 (97%)	12 (2%)	3 (1%)	30	22

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	396	ILE
1	A	404	SER
1	A	293	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	488/515 (95%)	486 (100%)	2 (0%)	93	95

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	209	LEU
1	A	507	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	136	GLN
1	A	144	GLN
1	A	154	ASN
1	A	190	HIS
1	A	199	GLN
1	A	252	ASN
1	A	263	GLN
1	A	325	GLN
1	A	326	ASN
1	A	357	ASN
1	A	479	ASN
1	A	619	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	532/564 (94%)	0.42	32 (6%)	25 27	9, 23, 49, 70	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	420	TRP	6.1
1	A	293	ILE	5.4
1	A	396	ILE	5.1
1	A	295	ARG	5.0
1	A	419	ASN	4.9
1	A	395	ASN	4.7
1	A	292	LYS	4.7
1	A	321	GLY	4.6
1	A	320	ARG	4.0
1	A	301	PHE	3.6
1	A	397	THR	3.4
1	A	425	VAL	3.4
1	A	294	VAL	3.4
1	A	335	GLN	3.0
1	A	390	LEU	2.9
1	A	405	ASN	2.9
1	A	341	THR	2.8
1	A	394	ASP	2.7
1	A	339	GLN	2.5
1	A	346	ARG	2.5
1	A	344	LEU	2.4
1	A	431	ILE	2.3
1	A	236	SER	2.3
1	A	286	LEU	2.2
1	A	604	ARG	2.2
1	A	67	THR	2.2
1	A	323	GLU	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	304	PHE	2.1
1	A	332	ASP	2.1
1	A	423	HIS	2.1
1	A	623	ARG	2.1
1	A	381	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.