



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 06:31 PM GMT

PDB ID : 1B9I  
Title : CRYSTAL STRUCTURE OF 3-AMINO-5-HYDROXYBENZOIC ACID  
(AHBA) SYNTHASE  
Authors : Eads, J.C.; Beeby, M.; Scapin, G.; Yu, T.-W.; Floss, H.G.  
Deposited on : 1999-02-11  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	388	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3157 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PROTEIN (3-AMINO-5-HYDROXYBENZOIC ACID SYNTHASE).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	384	Total	C	N	O	S	0	2	0
			2944	1839	541	551	13			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	262	ARG	PRO	SEQUENCE CONFLICT	UNP O52552

- Molecule 2 is 3-[O-PHOSPHONOPYRIDOXYL]--AMINO-BENZOIC ACID (three-letter code: PXG) (formula: C<sub>15</sub>H<sub>17</sub>N<sub>2</sub>O<sub>7</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			25	15	2	7	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	188	Total 188	O 188	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: PROTEIN (3-AMINO-5-HYDROXYBENZOIC ACID SYNTHASE)



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	89.63 Å 89.63 Å 126.57 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.00	Depositor
% Data completeness (in resolution range)	96.0 (20.00-2.00)	Depositor
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.222 , 0.272	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3157	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PXG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.80	0/3019	1.80	68/4102 (1.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	7

There are no bond length outliers.

All (68) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	259	ARG	NE-CZ-NH2	-12.48	114.06	120.30
1	A	279	GLN	OE1-CD-NE2	11.32	147.93	121.90
1	A	108	ASP	CB-CG-OD2	-11.21	108.21	118.30
1	A	251	ARG	NE-CZ-NH2	-11.12	114.74	120.30
1	A	236	ARG	NE-CZ-NH2	-10.94	114.83	120.30
1	A	112	TYR	CB-CG-CD2	10.28	127.17	121.00
1	A	214	ARG	NE-CZ-NH1	9.86	125.23	120.30
1	A	311	ARG	NE-CZ-NH2	8.75	124.68	120.30
1	A	172	ARG	NE-CZ-NH1	8.53	124.57	120.30
1	A	16	ASP	CB-CG-OD1	8.46	125.91	118.30
1	A	387	ARG	CD-NE-CZ	8.24	135.13	123.60
1	A	236	ARG	NE-CZ-NH1	8.17	124.38	120.30
1	A	296	ARG	NE-CZ-NH2	-7.90	116.35	120.30
1	A	108	ASP	OD1-CG-OD2	7.53	137.61	123.30
1	A	348	ARG	CD-NE-CZ	7.49	134.09	123.60
1	A	310	ASP	CB-CG-OD1	7.46	125.01	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	112	TYR	CG-CD2-CE2	7.19	127.05	121.30
1	A	287	ARG	NE-CZ-NH1	7.12	123.86	120.30
1	A	304	ARG	NE-CZ-NH2	-7.08	116.76	120.30
1	A	182	PHE	CB-CG-CD2	-7.07	115.85	120.80
1	A	172	ARG	NE-CZ-NH2	-7.01	116.79	120.30
1	A	284	ARG	CD-NE-CZ	-6.92	113.91	123.60
1	A	279	GLN	CG-CD-OE1	-6.91	107.78	121.60
1	A	34	ARG	NE-CZ-NH1	-6.91	116.84	120.30
1	A	251	ARG	NE-CZ-NH1	6.87	123.74	120.30
1	A	335	LEU	CA-CB-CG	6.87	131.10	115.30
1	A	106	ASP	CB-CG-OD1	6.86	124.47	118.30
1	A	97	ARG	NE-CZ-NH2	6.78	123.69	120.30
1	A	358	ASP	CB-CG-OD1	6.64	124.28	118.30
1	A	214	ARG	NE-CZ-NH2	-6.58	117.01	120.30
1	A	159	ASP	CB-CG-OD2	-6.55	112.40	118.30
1	A	159	ASP	CB-CG-OD1	6.52	124.17	118.30
1	A	15	TYR	CB-CG-CD1	6.34	124.80	121.00
1	A	296	ARG	NE-CZ-NH1	6.27	123.44	120.30
1	A	365	ARG	NE-CZ-NH2	-6.25	117.17	120.30
1	A	20	ARG	NE-CZ-NH2	-6.00	117.30	120.30
1	A	80	GLU	OE1-CD-OE2	5.99	130.49	123.30
1	A	25	ARG	NE-CZ-NH2	-5.98	117.31	120.30
1	A	80	GLU	CG-CD-OE2	-5.91	106.48	118.30
1	A	197	ALA	N-CA-CB	5.87	118.32	110.10
1	A	224	ARG	CD-NE-CZ	5.87	131.81	123.60
1	A	286	ASP	CB-CG-OD1	5.85	123.57	118.30
1	A	97	ARG	CD-NE-CZ	-5.82	115.45	123.60
1	A	255	GLN	OE1-CD-NE2	5.77	135.16	121.90
1	A	305	ARG	CD-NE-CZ	5.73	131.62	123.60
1	A	26	ALA	N-CA-CB	5.41	117.68	110.10
1	A	239	GLU	OE1-CD-OE2	5.41	129.79	123.30
1	A	202	ASP	CB-CG-OD2	-5.39	113.45	118.30
1	A	87	THR	CA-CB-CG2	5.35	119.89	112.40
1	A	161	ALA	O-C-N	-5.32	114.18	122.70
1	A	225	ARG	NE-CZ-NH2	5.30	122.95	120.30
1	A	112	TYR	N-CA-CB	5.29	120.13	110.60
1	A	34	ARG	CG-CD-NE	-5.28	100.71	111.80
1	A	254	GLU	CA-CB-CG	5.26	124.97	113.40
1	A	328	ARG	NE-CZ-NH1	5.22	122.91	120.30
1	A	364	HIS	O-C-N	-5.20	114.38	122.70
1	A	51	HIS	CA-CB-CG	-5.20	104.77	113.60
1	A	45	ARG	CA-CB-CG	-5.18	102.01	113.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	224	ARG	NE-CZ-NH1	-5.17	117.71	120.30
1	A	279	GLN	CG-CD-NE2	-5.17	104.29	116.70
1	A	335	LEU	CB-CA-C	-5.14	100.44	110.20
1	A	297	ILE	CA-CB-CG1	5.10	120.70	111.00
1	A	114	LEU	CA-CB-CG	5.09	127.01	115.30
1	A	259	ARG	CG-CD-NE	-5.08	101.12	111.80
1	A	65	ALA	N-CA-CB	-5.08	102.99	110.10
1	A	209	GLU	OE1-CD-OE2	-5.05	117.24	123.30
1	A	217	CYS	CA-CB-SG	-5.03	104.95	114.00
1	A	259	ARG	CD-NE-CZ	-5.00	116.59	123.60

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	249	LEU	Mainchain
1	A	260	ASP	Mainchain
1	A	287	ARG	Mainchain
1	A	297	ILE	Mainchain
1	A	301	THR	Mainchain
1	A	320	PHE	Mainchain
1	A	359	CYS	Mainchain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2944	0	2853	48	0
2	A	25	0	14	1	0
3	A	188	0	0	2	0
All	All	3157	0	2867	49	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (49) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:THR:HG22	1:A:126:ARG:H	1.41	0.84
1:A:167:ARG:CZ	1:A:287:ARG:HH21	1.99	0.73
1:A:348:ARG:HG3	1:A:348:ARG:HH11	1.54	0.72
1:A:192:ALA:HB2	1:A:245:LEU:HD13	1.74	0.67
1:A:92:SER:HB3	1:A:102:THR:HG21	1.76	0.67
1:A:124:THR:HG23	1:A:125:PRO:HD2	1.77	0.66
1:A:135:MET:HG3	1:A:294:MET:HE1	1.82	0.62
1:A:136:ALA:CB	1:A:294:MET:HE2	2.30	0.61
1:A:296:ARG:HD2	1:A:355:ILE:HG12	1.83	0.61
1:A:135:MET:HG3	1:A:294:MET:CE	2.34	0.58
1:A:167:ARG:NH1	1:A:287:ARG:HH21	2.03	0.57
1:A:136:ALA:HB3	1:A:294:MET:HE2	1.88	0.54
1:A:124:THR:CG2	1:A:126:ARG:HG3	2.37	0.54
1:A:348:ARG:HG3	1:A:348:ARG:NH1	2.20	0.51
1:A:262:ARG:HB3	1:A:374:LEU:HD11	1.93	0.51
1:A:12:TRP:CG	1:A:13:PRO:HA	2.45	0.51
1:A:82:ILE:HD12	1:A:127:THR:HG21	1.93	0.51
1:A:291:TYR:O	1:A:364:HIS:HB3	2.11	0.51
1:A:124:THR:CG2	1:A:126:ARG:H	2.19	0.50
1:A:128:LYS:HE2	3:A:435:HOH:O	2.11	0.50
1:A:112:TYR:HD2	1:A:294:MET:HE1	1.76	0.50
1:A:92:SER:CB	1:A:102:THR:HG21	2.40	0.50
1:A:128:LYS:HE3	3:A:478:HOH:O	2.11	0.50
1:A:35:MET:SD	1:A:221:ARG:HD3	2.53	0.49
1:A:136:ALA:HB2	1:A:294:MET:HE2	1.94	0.47
1:A:124:THR:HG22	1:A:126:ARG:N	2.19	0.47
1:A:297:ILE:HB	1:A:300:LEU:HD22	1.96	0.47
2:A:389:PXG:O3	2:A:389:PXG:N9	2.49	0.46
1:A:189:LEU:CD1	1:A:289:SER:HB3	2.46	0.46
1:A:265:LEU:O	1:A:269:LEU:HG	2.16	0.45
1:A:133:VAL:HG22	1:A:159:ASP:HB3	1.98	0.45
1:A:10:PRO:HD2	1:A:365:ARG:O	2.17	0.45
1:A:291:TYR:CD2	1:A:292:MET:HG3	2.52	0.44
1:A:176:LEU:O	1:A:177:ASP:CB	2.64	0.44
1:A:25:ARG:O	1:A:29:GLN:HG3	2.17	0.44
1:A:289:SER:O	1:A:290:HIS:HB2	2.19	0.43
1:A:349:CYS:N	1:A:350:PRO:CD	2.82	0.43
1:A:167:ARG:CZ	1:A:287:ARG:NH2	2.75	0.42
1:A:131:MET:HA	1:A:132:PRO:HD2	1.91	0.42
1:A:124:THR:HG23	1:A:125:PRO:CD	2.48	0.42
1:A:172:ARG:O	1:A:173:VAL:C	2.57	0.42
1:A:343:ASP:O	1:A:347:ARG:HG3	2.19	0.42

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:277:VAL:HA	1:A:278:PRO:HD2	1.86	0.41
1:A:189:LEU:HD22	1:A:259:ARG:NH1	2.35	0.41
1:A:371:GLU:N	1:A:372:PRO:HD2	2.36	0.41
1:A:262:ARG:HD2	1:A:374:LEU:HD11	2.03	0.41
1:A:340:GLU:OE2	1:A:348:ARG:NE	2.53	0.41
1:A:123:VAL:HG11	1:A:152:THR:HG21	2.02	0.41
1:A:284:ARG:HG3	1:A:284:ARG:H	1.66	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	384/388 (99%)	372 (97%)	11 (3%)	1 (0%)	46 41

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	340	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	294/296 (99%)	268 (91%)	26 (9%)	12 7

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	LEU
1	A	33	TRP
1	A	92	SER
1	A	112	TYR
1	A	124	THR
1	A	128	LYS
1	A	145	LEU
1	A	147	LYS
1	A	199	VAL
1	A	202	ASP
1	A	206	GLU
1	A	215	HIS
1	A	216	SER
1	A	221	ARG
1	A	245	LEU
1	A	249	LEU
1	A	254	GLU
1	A	270	LEU
1	A	274	ASP
1	A	287	ARG
1	A	300	LEU
1	A	311	ARG
1	A	348	ARG
1	A	353	ASP
1	A	379	GLU
1	A	383	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	PXG	A	389	-	23,26,26	3.26	12 (52%)	31,37,37	2.44	10 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PXG	A	389	-	-	0/11/15/15	0/2/2/2

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	389	PXG	P-OP3	-3.48	1.39	1.51
2	A	389	PXG	O3-C3	-2.57	1.31	1.37
2	A	389	PXG	C6-C5	2.17	1.42	1.37
2	A	389	PXG	C4A-N9	2.19	1.51	1.45
2	A	389	PXG	C6-N1	2.85	1.40	1.34
2	A	389	PXG	C9-C10	3.46	1.45	1.39
2	A	389	PXG	C2A-C2	3.48	1.57	1.50
2	A	389	PXG	C5-C4	4.61	1.47	1.40
2	A	389	PXG	C2-N1	4.78	1.44	1.34
2	A	389	PXG	C13-C8	4.94	1.49	1.39
2	A	389	PXG	C12-C11	5.49	1.50	1.38
2	A	389	PXG	C3-C4	8.54	1.53	1.40

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	389	PXG	C3-C4-C5	-3.53	115.10	118.82
2	A	389	PXG	C11-C10-N9	-3.46	114.43	121.06
2	A	389	PXG	OP2-P-OP4	-3.41	96.73	106.56
2	A	389	PXG	C5-C6-N1	-2.82	118.97	123.86
2	A	389	PXG	C2A-C2-C3	2.88	124.51	121.04
2	A	389	PXG	C9-C10-N9	3.00	126.25	120.74
2	A	389	PXG	OP2-P-OP3	3.03	120.34	110.58
2	A	389	PXG	O3-C3-C2	3.28	123.36	117.66
2	A	389	PXG	C6-C5-C4	5.99	122.56	118.09
2	A	389	PXG	OP4-C5A-C5	6.10	119.08	108.99

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	389	PXG	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.