



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 13, 2016 – 04:47 AM EDT

PDB ID : 5C3J
Title : Crystal structure of Mitochondrial rhodoquinol-fumarate reductase from *Ascaris suum* with Ubiquinone-1
Authors : Harada, S.; Shiba, T.; Sato, D.; Yamamoto, A.; Nagahama, M.; Yone, A.; Inaoka, D.K.; Sakamoto, K.; Inoue, M.; Honma, T.; Kita, K.
Deposited on : 2015-06-17
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027674
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027674


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	645	<div><div></div><div><div></div><div></div><div></div><div></div></div><div>77%18%.</div></div>
1	E	645	<div><div></div><div><div></div><div></div><div></div><div></div></div><div>78%17%.</div></div>
2	B	282	<div><div></div><div><div></div><div></div><div></div><div></div></div><div>73%15%.11%</div></div>
2	F	282	<div><div></div><div><div></div><div></div><div></div><div></div></div><div>73%15%.11%</div></div>
3	C	188	<div><div></div><div><div></div><div></div><div></div><div></div></div><div>66%13%.19%</div></div>
3	G	188	<div><div></div><div><div></div><div></div><div></div><div></div></div><div>10%63%13%5%.19%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	156	
4	H	156	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	UQ1	C	202	-	-	-	X
11	UQ1	G	202	-	-	-	X
12	EPH	D	201	-	-	-	X
12	EPH	H	201	-	-	-	X

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 18342 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Succinate dehydrogenase [ubiquinone] flavoprotein subunit, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	616	Total	C	N	O	S	0	0	0
			4787	3004	855	900	28			
1	E	616	Total	C	N	O	S	0	0	0
			4787	3004	855	900	28			

- Molecule 2 is a protein called Succinate dehydrogenase [ubiquinone] iron-sulfur subunit, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	250	Total	C	N	O	S	0	0	0
			1985	1263	338	361	23			
2	F	250	Total	C	N	O	S	0	0	0
			1985	1263	338	361	23			


- Molecule 3 is a protein called Cytochrome b-large subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	153	Total	C	N	O	S	0	0	0
			1217	813	204	194	6			
3	G	153	Total	C	N	O	S	0	0	0
			1217	813	204	194	6			

- Molecule 4 is a protein called Succinate dehydrogenase [ubiquinone] cytochrome b small subunit, mitochondrial.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	129	Total	C	N	O	S	0	0	0
			998	659	165	169	5			
4	H	129	Total	C	N	O	S	0	0	0
			998	659	165	169	5			

- Molecule 5 is MALONATE ION (three-letter code: MLI) (formula: C₃H₂O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	3	4		
5	E	1	Total	C	O	0	0
			7	3	4		

- Molecule 6 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	E	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 7 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	Fe	S	0	0
			4	2	2		
7	F	1	Total	Fe	S	0	0
			4	2	2		

- Molecule 8 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	Fe	S	0	0
			8	4	4		
8	F	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 9 is FE3-S4 CLUSTER (three-letter code: F3S) (formula: Fe_3S_4).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	Fe	S	0	0
			7	3	4		
9	F	1	Total	Fe	S	0	0
			7	3	4		

- Molecule 10 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
10	G	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 11 is UBIQUINONE-1 (three-letter code: UQ1) (formula: $C_{14}H_{18}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	C	1	Total	C	O	0	0
			18	14	4		
11	G	1	Total	C	O	0	0
			18	14	4		

- Molecule 12 is L-ALPHA-PHOSPHATIDYL-BETA-OLEOYL-GAMMA-PALMITOYL-PHOSPHATIDYLETHANOLAMINE (three-letter code: EPH) (formula: $C_{39}H_{68}NO_8P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
12	D	1	Total	C	N	O	P	0	0
			44	34	1	8	1		
12	H	1	Total	C	N	O	P	0	0
			44	34	1	8	1		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Succinate dehydrogenase [ubiquinone] flavoprotein subunit, mitochondrial




- Molecule 1: Succinate dehydrogenase [ubiquinone] flavoprotein subunit, mitochondrial





- Molecule 2: Succinate dehydrogenase [ubiquinone] iron-sulfur subunit, mitochondrial

Chain B: 




- Molecule 2: Succinate dehydrogenase [ubiquinone] iron-sulfur subunit, mitochondrial

Chain F: 




- Molecule 3: Cytochrome b-large subunit

Chain C: 



- Molecule 3: Cytochrome b-large subunit

Chain G: 




- Molecule 4: Succinate dehydrogenase [ubiquinone] cytochrome b small subunit, mitochondrial

Chain D: 





- Molecule 4: Succinate dehydrogenase [ubiquinone] cytochrome b small subunit, mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	123.75Å 126.83Å 220.45Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.80 20.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	88.9 (20.00-2.80) 89.0 (20.00-2.80)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.54 (at 2.79Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.202 , 0.260 0.204 , 0.259	Depositor DCC
R_{free} test set	3841 reflections (5.30%)	DCC
Wilson B-factor (Å ²)	51.3	Xtriage
Anisotropy	0.016	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 38.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.012 for k,h,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	18342	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SF4, MLI, F3S, FES, EPH, UQ1, HEM, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/4889	0.69	2/6605 (0.0%)
1	E	0.48	0/4889	0.68	0/6605
2	B	0.44	0/2029	0.63	0/2739
2	F	0.48	0/2029	0.64	0/2739
3	C	0.42	0/1255	0.61	0/1709
3	G	0.47	0/1255	0.60	0/1709
4	D	0.48	0/1030	0.62	1/1406 (0.1%)
4	H	0.42	0/1030	0.57	0/1406
All	All	0.46	0/18406	0.65	3/24918 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	F	0	1
4	D	0	1
4	H	0	1
All	All	0	3

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	320	ARG	NE-CZ-NH2	5.79	123.20	120.30
1	A	320	ARG	NE-CZ-NH1	-5.41	117.59	120.30
4	D	55	HIS	N-CA-C	-5.03	97.41	111.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	D	30	ALA	Peptide
2	F	162	GLY	Peptide
4	H	30	ALA	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4787	0	4722	67	0
1	E	4787	0	4722	58	0
2	B	1985	0	2001	20	0
2	F	1985	0	2001	17	0
3	C	1217	0	1265	17	0
3	G	1217	0	1265	31	0
4	D	998	0	985	16	0
4	H	998	0	985	15	0
5	A	7	0	2	1	0
5	E	7	0	2	1	0
6	A	53	0	31	9	0
6	E	53	0	31	7	0
7	B	4	0	0	0	0
7	F	4	0	0	0	0
8	B	8	0	0	0	0
8	F	8	0	0	0	0
9	B	7	0	0	0	0
9	F	7	0	0	0	0
10	C	43	0	30	2	0
10	G	43	0	30	4	0
11	C	18	0	18	6	0
11	G	18	0	18	2	0
12	D	44	0	53	1	0
12	H	44	0	53	1	0
All	All	18342	0	18214	229	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (229) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:79:HIS:NE2	6:A:702:FAD:HM82	1.58	1.18
3:G:96:LEU:O	3:G:98:LEU:HD12	1.41	1.17
1:A:79:HIS:NE2	6:A:702:FAD:C8M	2.14	1.11
3:G:98:LEU:H	3:G:98:LEU:HD13	1.12	1.09
1:E:79:HIS:NE2	6:E:702:FAD:HM82	1.69	1.08
3:G:98:LEU:CD1	3:G:98:LEU:H	1.69	1.02
1:E:79:HIS:NE2	6:E:702:FAD:C8M	2.27	0.96
3:G:98:LEU:CD1	3:G:98:LEU:N	2.29	0.94
1:A:79:HIS:CE1	6:A:702:FAD:HM82	2.04	0.92
3:G:95:VAL:HG13	3:G:96:LEU:HD13	1.58	0.83
3:G:95:VAL:HG13	3:G:96:LEU:CD1	2.11	0.80
1:A:79:HIS:NE2	6:A:702:FAD:HM81	1.96	0.78
1:E:79:HIS:CE1	6:E:702:FAD:HM82	2.19	0.77
3:G:96:LEU:O	3:G:98:LEU:CD1	2.30	0.77
1:E:313:LYS:HG3	1:E:314:ALA:N	2.01	0.74
1:A:241:ARG:NH2	1:A:248:THR:O	2.24	0.71
3:C:107:ILE:HD11	4:D:156:LEU:HD13	1.71	0.71
3:G:96:LEU:C	3:G:98:LEU:HD12	2.10	0.70
3:G:95:VAL:CG1	3:G:96:LEU:HD13	2.21	0.69
2:B:232:ASP:HB3	4:D:52:LEU:HD12	1.74	0.68
3:G:98:LEU:N	3:G:98:LEU:HD12	2.09	0.68
1:E:79:HIS:NE2	6:E:702:FAD:HM81	2.09	0.67
3:G:96:LEU:O	3:G:98:LEU:N	2.29	0.66
1:E:425:HIS:N	1:E:426:SER:HA	2.12	0.65
1:E:152:SER:O	1:E:293:GLY:HA3	1.96	0.65
1:A:425:HIS:N	1:A:426:SER:HA	2.11	0.65
1:A:476:ASN:HD21	1:A:550:GLN:HE22	1.44	0.65
1:A:291:SER:HB3	1:A:348:LEU:HD21	1.79	0.64
3:C:60:LEU:HD21	11:C:202:UQ1:C7	2.27	0.64
4:H:104:VAL:HG13	4:H:121:VAL:HG12	1.79	0.64
1:A:135:ASN:ND2	2:B:161:LEU:O	2.31	0.63
1:E:83:ALA:HA	6:E:702:FAD:C6	2.29	0.62
3:G:104:VAL:HG13	4:H:156:LEU:HD21	1.82	0.61
1:E:103:PHE:HA	1:E:123:THR:HG21	1.81	0.61
3:G:100:PHE:O	3:G:103:PHE:N	2.34	0.61
3:C:133:LEU:HB3	3:C:159:VAL:HG22	1.83	0.60
1:E:105:ASP:OD2	1:E:157:SER:N	2.34	0.60
3:G:184:LEU:HG	3:G:185:PRO:HD2	1.82	0.60
3:G:184:LEU:O	3:G:186:THR:N	2.35	0.59
4:D:70:VAL:O	4:D:74:PRO:HD2	2.01	0.59
1:A:103:PHE:O	1:A:107:VAL:HG23	2.03	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:439:LEU:HD22	1:E:443:VAL:HG23	1.85	0.59
1:E:83:ALA:HB3	1:E:177:GLY:HA3	1.83	0.59
2:F:116:ASN:C	2:F:116:ASN:HD22	2.06	0.59
10:G:201:HEM:HBD1	10:G:201:HEM:HHA	1.85	0.59
1:A:117:ASN:HD22	1:A:118:ALA:H	1.51	0.58
3:C:74:LEU:HD23	3:C:130:PHE:CZ	2.38	0.58
10:G:201:HEM:HAD1	4:H:99:GLY:CA	2.33	0.58
4:D:56:GLY:HA2	4:D:59:PHE:HB3	1.86	0.58
3:G:93:PHE:O	3:G:98:LEU:HB3	2.04	0.58
1:A:477:LEU:HD11	1:A:543:LEU:HD21	1.86	0.58
1:E:518:LYS:HE2	1:E:518:LYS:HA	1.86	0.58
3:C:60:LEU:HD21	11:C:202:UQ1:H72	1.86	0.58
1:A:513:LEU:HD13	1:A:564:GLU:HA	1.86	0.57
1:E:120:HIS:HD2	1:E:630:LEU:H	1.51	0.57
1:E:135:ASN:ND2	2:F:161:LEU:O	2.37	0.57
10:C:201:HEM:HBB2	10:C:201:HEM:HHC	1.86	0.57
1:E:551:ASN:N	1:E:551:ASN:HD22	2.03	0.57
1:A:83:ALA:HB3	1:A:177:GLY:HA3	1.86	0.56
3:C:179:HIS:O	3:C:183:THR:HG22	2.05	0.56
2:F:47:GLU:HG3	2:F:50:ALA:HB2	1.86	0.56
1:A:174:ASP:OD2	1:A:363:ILE:N	2.35	0.56
1:A:83:ALA:HA	6:A:702:FAD:C6	2.35	0.56
2:F:47:GLU:CG	2:F:50:ALA:HB2	2.36	0.56
1:E:562:ALA:HB1	1:E:607:THR:HG21	1.86	0.56
3:G:98:LEU:N	3:G:98:LEU:HD13	1.94	0.56
4:D:150:PHE:HB3	12:D:201:EPH:H2	1.87	0.56
1:E:320:ARG:HH12	5:E:701:MLI:C2	2.19	0.56
1:E:289:GLU:OE2	1:E:320:ARG:HD2	2.05	0.56
4:D:52:LEU:O	4:D:53:HIS:C	2.42	0.55
4:H:109:ARG:HB2	4:H:112:VAL:HG12	1.89	0.55
2:B:201:LYS:HA	3:C:39:GLN:HG2	1.89	0.54
10:G:201:HEM:HBB2	10:G:201:HEM:HHC	1.89	0.54
3:G:93:PHE:O	3:G:98:LEU:HG	2.07	0.54
1:E:451:ASN:O	1:E:455:GLU:HG3	2.07	0.54
2:F:37:THR:HB	2:F:58:ASP:OD2	2.09	0.53
3:G:133:LEU:O	3:G:136:ILE:HG13	2.09	0.53
1:A:477:LEU:CD1	1:A:543:LEU:HD21	2.39	0.53
1:A:604:ARG:NH2	1:A:627:ASP:OD1	2.42	0.53
3:C:60:LEU:HD21	11:C:202:UQ1:H71	1.90	0.53
1:A:253:THR:HG21	1:A:548:GLU:HB3	1.91	0.52
3:C:69:TRP:HE3	11:C:202:UQ1:HM53	1.75	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:604:ARG:NH2	1:E:627:ASP:OD1	2.42	0.52
2:B:238:LYS:NZ	4:D:106:ASP:OD1	2.26	0.52
1:E:213:GLY:HA3	1:E:227:PHE:O	2.08	0.52
1:E:228:ARG:NH1	1:E:463:PRO:O	2.43	0.51
1:E:277:PRO:CD	1:E:320:ARG:HG3	2.41	0.51
1:A:174:ASP:HB2	1:A:361:PRO:HD2	1.92	0.51
3:C:69:TRP:CE3	11:C:202:UQ1:HM53	2.46	0.51
2:F:145:GLN:NE2	2:F:195:TYR:OH	2.43	0.51
2:B:105:ASN:HD21	2:B:127:PRO:CD	2.23	0.51
2:B:262:ILE:O	2:B:266:LEU:HB2	2.11	0.51
4:H:57:THR:O	4:H:61:ILE:HG23	2.10	0.51
1:A:320:ARG:HH12	5:A:701:MLI:C2	2.24	0.51
3:G:87:LEU:HD22	4:H:128:PHE:CE1	2.46	0.50
3:G:107:ILE:HD11	4:H:156:LEU:HD22	1.92	0.50
3:G:112:ILE:HG22	3:G:113:PRO:HD2	1.93	0.50
3:G:98:LEU:O	3:G:99:ASP:O	2.30	0.50
1:E:424:CYS:SG	1:E:426:SER:HB2	2.51	0.50
2:F:191:SER:O	2:F:193:PRO:HD3	2.11	0.50
2:B:188:CYS:SG	2:B:189:SER:N	2.85	0.50
2:F:179:LEU:HD23	2:F:216:ILE:HD11	1.94	0.50
3:C:180:LYS:O	3:C:184:LEU:N	2.45	0.50
4:H:50:LYS:N	4:H:51:PRO:CD	2.75	0.50
1:A:427:VAL:HG23	1:A:428:HIS:CE1	2.46	0.50
1:A:562:ALA:HB1	1:A:607:THR:HG21	1.94	0.50
3:C:126:PHE:HB3	3:C:127:PRO:HD3	1.94	0.50
3:C:178:ARG:NH2	4:D:156:LEU:OXT	2.45	0.50
1:E:538:ILE:O	1:E:539:TRP:C	2.49	0.50
1:A:253:THR:OG1	1:A:255:ASP:OD1	2.24	0.49
2:F:197:TRP:NE1	11:G:202:UQ1:O1	2.39	0.49
2:F:212:TYR:OH	2:F:261:GLU:HG2	2.13	0.49
1:A:567:LYS:HB3	1:A:578:PHE:CD1	2.47	0.49
4:D:118:ALA:HB1	4:D:122:ARG:HH21	1.77	0.49
1:E:32:ILE:HG22	1:E:478:ASP:OD1	2.13	0.49
3:G:112:ILE:HG22	3:G:113:PRO:CD	2.43	0.48
1:A:83:ALA:HA	6:A:702:FAD:C5X	2.43	0.48
1:E:236:THR:OG1	1:E:256:GLY:HA3	2.14	0.48
1:E:439:LEU:HD22	1:E:443:VAL:CG2	2.43	0.48
3:G:143:MET:O	3:G:144:ALA:HB3	2.14	0.48
1:A:231:ARG:NH2	1:A:455:GLU:OE1	2.46	0.48
1:A:37:VAL:O	4:D:31:ALA:HB1	2.14	0.48
1:A:112:TRP:CE2	1:A:640:PRO:HA	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:388:TYR:CE1	1:E:421:GLU:HG3	2.49	0.48
10:C:201:HEM:HHD	10:C:201:HEM:HBC2	1.95	0.48
1:E:32:ILE:HG23	1:E:482:TYR:CD1	2.49	0.48
1:A:78:SER:O	1:A:81:THR:HG22	2.14	0.47
1:E:241:ARG:NH1	1:E:250:HIS:CE1	2.82	0.47
1:E:427:VAL:HG23	1:E:428:HIS:CE1	2.49	0.47
1:E:241:ARG:NH2	1:E:248:THR:O	2.45	0.47
1:A:105:ASP:OD2	1:A:157:SER:N	2.39	0.47
1:A:45:VAL:HG23	1:A:229:SER:HB3	1.95	0.47
1:A:44:VAL:HG21	1:A:60:LEU:HD13	1.95	0.47
2:B:47:GLU:O	2:B:50:ALA:HB2	2.15	0.47
1:A:325:ARG:O	1:A:326:ALA:C	2.53	0.47
4:D:65:PHE:CE2	4:D:94:LEU:HD23	2.49	0.47
1:E:509:ARG:HD2	1:E:511:ASP:OD2	2.14	0.47
1:A:289:GLU:OE2	1:A:320:ARG:HD2	2.15	0.47
3:G:85:THR:HG21	12:H:201:EPH:H272	1.96	0.47
1:E:105:ASP:OD2	1:E:156:GLN:HA	2.14	0.46
4:H:108:GLY:O	4:H:122:ARG:NH2	2.48	0.46
1:A:213:GLY:HA3	1:A:227:PHE:O	2.15	0.46
1:A:280:ILE:HD11	1:A:287:ILE:HD11	1.97	0.46
2:B:168:GLN:HE21	2:B:172:GLU:HB3	1.79	0.46
4:H:70:VAL:O	4:H:74:PRO:HD2	2.16	0.46
1:A:243:TYR:CG	1:A:386:VAL:HG21	2.51	0.46
1:A:277:PRO:CD	1:A:320:ARG:HG3	2.45	0.46
1:A:278:THR:HG22	1:A:382:VAL:HG21	1.97	0.46
2:B:42:ARG:HG3	2:B:55:GLN:HE21	1.80	0.46
2:F:76:LYS:HG2	2:F:81:PRO:HA	1.96	0.46
1:A:437:SER:HB3	6:A:702:FAD:N1	2.30	0.46
1:A:99:TRP:CH2	1:A:120:HIS:CE1	3.04	0.46
3:G:96:LEU:O	3:G:97:PRO:C	2.53	0.46
4:D:54:SER:OG	4:D:55:HIS:O	2.30	0.46
2:F:227:LEU:HD22	2:F:266:LEU:CD1	2.46	0.46
2:B:239:CYS:SG	2:B:259:ILE:HG21	2.56	0.45
1:A:99:TRP:HH2	1:A:120:HIS:CE1	2.34	0.45
1:E:117:ASN:HD22	1:E:117:ASN:N	2.14	0.45
1:A:94:MET:HG2	1:A:150:GLN:HB2	1.99	0.45
1:A:424:CYS:SG	1:A:426:SER:HB2	2.56	0.45
11:C:202:UQ1:HM51	11:C:202:UQ1:H71	1.69	0.45
1:A:567:LYS:HB3	1:A:578:PHE:CE1	2.52	0.45
2:B:90:ARG:HH11	2:B:90:ARG:HG3	1.82	0.45
1:A:343:HIS:HB2	1:A:382:VAL:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:88:ASN:ND2	1:A:169:THR:OG1	2.47	0.45
1:A:534:ASP:HB2	2:B:82:THR:HG22	1.98	0.45
3:C:74:LEU:HD23	3:C:130:PHE:CE1	2.52	0.45
2:B:100:ASN:HD21	2:B:103:GLY:HA2	1.80	0.44
10:G:201:HEM:HHD	10:G:201:HEM:HBC2	1.99	0.44
1:A:534:ASP:CB	2:B:82:THR:HG22	2.46	0.44
1:E:74:PHE:CD2	1:E:76:THR:HB	2.53	0.44
1:E:577:ASP:OD2	1:E:577:ASP:N	2.48	0.44
1:E:148:ILE:H	2:F:165:GLN:HE22	1.65	0.44
4:D:112:VAL:HG13	4:D:113:LEU:HG	2.00	0.44
1:A:477:LEU:C	1:A:477:LEU:HD12	2.38	0.44
4:D:55:HIS:CD2	4:D:56:GLY:H	2.35	0.44
1:E:83:ALA:HA	6:E:702:FAD:C5X	2.47	0.44
1:A:42:TYR:O	1:A:229:SER:HA	2.18	0.44
1:E:547:LEU:HD12	1:E:550:GLN:OE1	2.18	0.44
3:G:178:ARG:HA	3:G:181:LYS:HB2	2.00	0.44
1:E:73:MET:SD	1:E:251:MET:HG3	2.58	0.43
1:A:577:ASP:O	1:A:578:PHE:CD2	2.71	0.43
2:B:105:ASN:HD21	2:B:127:PRO:HD3	1.84	0.43
1:E:517:VAL:O	1:E:521:MET:HG2	2.18	0.43
4:H:85:ASP:OD2	4:H:147:THR:HG23	2.19	0.43
2:B:89:CYS:HB3	2:B:94:CYS:HB3	2.01	0.43
1:E:45:VAL:HG23	1:E:229:SER:HB3	2.00	0.43
1:E:276:HIS:O	1:E:384:PRO:HA	2.19	0.43
4:H:145:GLY:O	4:H:149:ALA:HB2	2.18	0.43
1:A:46:ILE:HG12	1:A:233:ILE:HD12	2.00	0.43
1:A:236:THR:HA	6:A:702:FAD:O4B	2.19	0.43
1:A:73:MET:SD	1:A:251:MET:HG3	2.59	0.43
3:G:69:TRP:CE3	11:G:202:UQ1:HM53	2.53	0.43
1:E:174:ASP:HB2	1:E:361:PRO:HD2	2.01	0.42
1:A:117:ASN:HD22	1:A:118:ALA:N	2.16	0.42
3:C:87:LEU:HD22	4:D:128:PHE:CE1	2.55	0.42
1:E:147:LYS:HD3	2:F:282:PHE:CE1	2.55	0.42
2:B:68:VAL:HG23	2:B:111:CYS:O	2.19	0.42
1:A:344:ILE:HG12	1:A:345:TYR:N	2.34	0.42
2:F:155:LYS:NZ	2:F:219:ARG:O	2.53	0.42
1:E:610:LYS:O	1:E:618:ILE:HA	2.20	0.42
3:G:94:SER:HB2	4:H:138:TYR:CD2	2.55	0.42
1:A:236:THR:OG1	1:A:256:GLY:HA3	2.20	0.41
3:G:101:THR:HA	4:H:152:MET:HE1	2.02	0.41
1:E:313:LYS:CG	1:E:314:ALA:N	2.79	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:150:PHE:O	4:H:153:VAL:HG22	2.20	0.41
1:A:172:VAL:O	1:A:172:VAL:HG12	2.19	0.41
1:E:330:GLU:OE1	1:E:335:ARG:NH2	2.53	0.41
1:E:104:TYR:HA	1:E:638:ILE:HD13	2.01	0.41
1:E:476:ASN:HD21	1:E:550:GLN:HE22	1.67	0.41
2:F:227:LEU:HD22	2:F:266:LEU:HD13	2.02	0.41
1:E:352:PRO:HD2	1:E:355:GLN:HE21	1.85	0.41
1:E:583:ASP:OD1	1:E:604:ARG:HG3	2.21	0.41
1:A:344:ILE:HD13	1:A:382:VAL:HG23	2.03	0.41
3:C:103:PHE:O	3:C:107:ILE:HG23	2.20	0.41
1:A:604:ARG:HH22	1:A:627:ASP:CG	2.24	0.41
1:E:281:TYR:OH	1:E:342:ASP:OD2	2.31	0.41
1:A:523:LEU:HA	1:A:523:LEU:HD12	1.95	0.41
1:A:629:THR:HG21	1:A:635:VAL:HG13	2.02	0.41
1:E:253:THR:HG21	1:E:548:GLU:HB3	2.02	0.41
2:B:135:LEU:O	2:B:137:PRO:HD3	2.20	0.41
2:B:191:SER:O	2:B:193:PRO:HD3	2.21	0.41
3:C:74:LEU:HD23	3:C:130:PHE:CE2	2.55	0.41
1:A:327:GLU:OE2	1:A:344:ILE:HD11	2.21	0.40
1:A:438:LEU:HG	6:A:702:FAD:C2	2.51	0.40
1:A:433:LEU:O	1:A:436:ASN:HB2	2.21	0.40
4:D:101:TRP:CH2	4:D:122:ARG:HG2	2.57	0.40
1:E:236:THR:HA	6:E:702:FAD:O4B	2.22	0.40
2:F:188:CYS:SG	2:F:206:ALA:HB2	2.61	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	614/645 (95%)	577 (94%)	35 (6%)	2 (0%)	46 79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	614/645 (95%)	577 (94%)	36 (6%)	1 (0%)	52	84
2	B	248/282 (88%)	231 (93%)	15 (6%)	2 (1%)	24	58
2	F	248/282 (88%)	233 (94%)	14 (6%)	1 (0%)	39	74
3	C	151/188 (80%)	141 (93%)	9 (6%)	1 (1%)	26	62
3	G	151/188 (80%)	134 (89%)	10 (7%)	7 (5%)	3	9
4	D	127/156 (81%)	121 (95%)	6 (5%)	0	100	100
4	H	127/156 (81%)	119 (94%)	7 (6%)	1 (1%)	24	58
All	All	2280/2542 (90%)	2133 (94%)	132 (6%)	15 (1%)	26	62

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	G	185	PRO
1	A	485	GLY
2	B	116	ASN
1	E	485	GLY
3	G	97	PRO
3	G	99	ASP
3	G	173	TYR
1	A	489	THR
3	C	185	PRO
3	G	111	GLY
3	G	113	PRO
3	G	183	THR
4	H	51	PRO
2	B	89	CYS
2	F	273	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	502/527 (95%)	463 (92%)	39 (8%)	16	41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	502/527 (95%)	463 (92%)	39 (8%)	16	41
2	B	220/242 (91%)	205 (93%)	15 (7%)	20	49
2	F	220/242 (91%)	198 (90%)	22 (10%)	9	27
3	C	127/158 (80%)	114 (90%)	13 (10%)	9	26
3	G	127/158 (80%)	113 (89%)	14 (11%)	8	23
4	D	98/119 (82%)	84 (86%)	14 (14%)	4	12
4	H	98/119 (82%)	90 (92%)	8 (8%)	14	38
All	All	1894/2092 (90%)	1730 (91%)	164 (9%)	13	35

All (164) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	ILE
1	A	44	VAL
1	A	62	GLU
1	A	71	THR
1	A	117	ASN
1	A	153	PHE
1	A	159	ASN
1	A	175	ARG
1	A	179	SER
1	A	191	CYS
1	A	194	THR
1	A	205	LEU
1	A	241	ARG
1	A	298	LEU
1	A	335	ARG
1	A	337	VAL
1	A	344	ILE
1	A	351	LEU
1	A	356	LEU
1	A	359	ARG
1	A	390	MET
1	A	422	CYS
1	A	436	ASN
1	A	439	LEU
1	A	440	ASP
1	A	453	LYS
1	A	461	LYS
1	A	477	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	518	LYS
1	A	523	LEU
1	A	528	LYS
1	A	535	ARG
1	A	539	TRP
1	A	584	GLU
1	A	601	LYS
1	A	609	THR
1	A	610	LYS
1	A	614	ARG
1	A	619	THR
2	B	37	THR
2	B	69	LEU
2	B	87	ARG
2	B	90	ARG
2	B	91	GLU
2	B	115	GLN
2	B	116	ASN
2	B	148	SER
2	B	156	LYS
2	B	171	LYS
2	B	173	GLN
2	B	176	LEU
2	B	184	LEU
2	B	213	ARG
2	B	278	THR
3	C	53	LYS
3	C	67	MET
3	C	68	THR
3	C	96	LEU
3	C	105	GLU
3	C	107	ILE
3	C	133	LEU
3	C	136	ILE
3	C	159	VAL
3	C	165	LEU
3	C	170	VAL
3	C	172	VAL
3	C	175	ARG
4	D	46	GLU
4	D	49	PHE
4	D	50	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	57	THR
4	D	61	ILE
4	D	72	LEU
4	D	79	ILE
4	D	84	MET
4	D	86	LEU
4	D	92	LEU
4	D	115	ASP
4	D	117	LEU
4	D	148	ARG
4	D	154	TRP
1	E	44	VAL
1	E	81	THR
1	E	117	ASN
1	E	153	PHE
1	E	162	LYS
1	E	170	CYS
1	E	179	SER
1	E	194	THR
1	E	205	LEU
1	E	210	ARG
1	E	226	ARG
1	E	230	LYS
1	E	241	ARG
1	E	252	ASN
1	E	257	THR
1	E	259	LEU
1	E	291	SER
1	E	298	LEU
1	E	335	ARG
1	E	337	VAL
1	E	344	ILE
1	E	358	GLN
1	E	359	ARG
1	E	390	MET
1	E	436	ASN
1	E	439	LEU
1	E	440	ASP
1	E	453	LYS
1	E	456	LEU
1	E	471	GLU
1	E	484	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	500	MET
1	E	518	LYS
1	E	528	LYS
1	E	535	ARG
1	E	539	TRP
1	E	547	LEU
1	E	584	GLU
1	E	601	LYS
2	F	33	LYS
2	F	37	THR
2	F	69	LEU
2	F	87	ARG
2	F	89	CYS
2	F	90	ARG
2	F	116	ASN
2	F	129	MET
2	F	131	VAL
2	F	148	SER
2	F	156	LYS
2	F	159	ILE
2	F	173	GLN
2	F	176	LEU
2	F	179	LEU
2	F	184	LEU
2	F	194	SER
2	F	213	ARG
2	F	218	SER
2	F	247	LYS
2	F	266	LEU
2	F	278	THR
3	G	67	MET
3	G	69	TRP
3	G	98	LEU
3	G	99	ASP
3	G	107	ILE
3	G	110	LEU
3	G	112	ILE
3	G	114	TRP
3	G	117	LEU
3	G	133	LEU
3	G	158	LEU
3	G	162	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	G	181	LYS
3	G	186	THR
4	H	58	LEU
4	H	61	ILE
4	H	72	LEU
4	H	79	ILE
4	H	83	GLU
4	H	86	LEU
4	H	122	ARG
4	H	136	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (47) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	GLN
1	A	88	ASN
1	A	117	ASN
1	A	120	HIS
1	A	125	ASN
1	A	159	ASN
1	A	250	HIS
1	A	349	HIS
1	A	355	GLN
1	A	358	GLN
1	A	436	ASN
1	A	451	ASN
1	A	476	ASN
1	A	497	GLN
1	A	551	ASN
2	B	55	GLN
2	B	100	ASN
2	B	105	ASN
2	B	116	ASN
2	B	145	GLN
2	B	165	GLN
2	B	168	GLN
4	D	55	HIS
4	D	140	ASN
1	E	88	ASN
1	E	117	ASN
1	E	120	HIS
1	E	182	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	250	HIS
1	E	252	ASN
1	E	355	GLN
1	E	389	ASN
1	E	436	ASN
1	E	497	GLN
1	E	503	HIS
1	E	551	ASN
1	E	573	HIS
1	E	594	GLN
2	F	55	GLN
2	F	100	ASN
2	F	105	ASN
2	F	116	ASN
2	F	145	GLN
2	F	165	GLN
4	H	53	HIS
4	H	80	HIS
4	H	140	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	MLI	A	701	-	0,6,6	0.00	-	0,7,7	0.00	-
6	FAD	A	702	-	52,58,58	1.21	6 (11%)	52,89,89	2.26	13 (25%)
7	FES	B	301	2	0,4,4	0.00	-	0,4,4	0.00	-
8	SF4	B	302	2	0,12,12	0.00	-	0,24,24	0.00	-
9	F3S	B	303	2	0,9,9	0.00	-	0,15,15	0.00	-
10	HEM	C	201	3,4	24,50,50	0.93	1 (4%)	16,82,82	1.25	2 (12%)
11	UQ1	C	202	-	18,18,18	2.01	5 (27%)	24,25,25	1.19	1 (4%)
12	EPH	D	201	-	42,43,48	1.06	2 (4%)	43,48,53	1.24	4 (9%)
5	MLI	E	701	-	0,6,6	0.00	-	0,7,7	0.00	-
6	FAD	E	702	-	52,58,58	1.32	7 (13%)	52,89,89	2.34	13 (25%)
7	FES	F	301	2	0,4,4	0.00	-	0,4,4	0.00	-
8	SF4	F	302	2	0,12,12	0.00	-	0,24,24	0.00	-
9	F3S	F	303	2	0,9,9	0.00	-	0,15,15	0.00	-
10	HEM	G	201	3,4	24,50,50	0.91	1 (4%)	16,82,82	2.01	2 (12%)
11	UQ1	G	202	-	18,18,18	2.02	5 (27%)	24,25,25	0.97	1 (4%)
12	EPH	H	201	-	42,43,48	1.10	2 (4%)	43,48,53	1.23	4 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MLI	A	701	-	-	0/0/4/4	0/0/0/0
6	FAD	A	702	-	-	0/30/50/50	0/6/6/6
7	FES	B	301	2	-	0/0/4/4	0/1/1/1
8	SF4	B	302	2	-	0/0/48/48	0/6/5/5
9	F3S	B	303	2	-	0/0/24/24	0/0/3/3
10	HEM	C	201	3,4	-	0/6/54/54	0/0/8/8
11	UQ1	C	202	-	-	0/9/33/33	0/1/1/1
12	EPH	D	201	-	-	0/47/47/52	0/0/0/0
5	MLI	E	701	-	-	0/0/4/4	0/0/0/0
6	FAD	E	702	-	-	0/30/50/50	0/6/6/6
7	FES	F	301	2	-	0/0/4/4	0/1/1/1
8	SF4	F	302	2	-	0/0/48/48	0/6/5/5
9	F3S	F	303	2	-	0/0/24/24	0/0/3/3
10	HEM	G	201	3,4	-	0/6/54/54	0/0/8/8
11	UQ1	G	202	-	-	0/9/33/33	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	EPH	H	201	-	-	0/47/47/52	0/0/0/0

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	C	202	UQ1	CM5-C5	-5.36	1.39	1.50
11	G	202	UQ1	CM5-C5	-4.65	1.41	1.50
10	G	201	HEM	C3B-C2B	-2.69	1.36	1.40
6	A	702	FAD	C8M-C8	-2.58	1.45	1.51
6	A	702	FAD	C1'-N10	-2.51	1.45	1.48
10	C	201	HEM	C3B-C2B	-2.44	1.37	1.40
6	E	702	FAD	C8M-C8	-2.15	1.46	1.51
11	C	202	UQ1	C6-C5	2.17	1.40	1.35
6	A	702	FAD	C4-C4X	2.22	1.45	1.41
6	E	702	FAD	O4B-C1B	2.51	1.44	1.41
6	E	702	FAD	C4-C4X	2.53	1.46	1.41
11	C	202	UQ1	C7-C6	2.57	1.56	1.51
11	G	202	UQ1	C7-C6	2.62	1.56	1.51
6	A	702	FAD	C8-C7	2.68	1.48	1.41
11	G	202	UQ1	C6-C5	2.69	1.41	1.35
6	E	702	FAD	C5A-C4A	2.75	1.46	1.40
6	E	702	FAD	C8-C7	2.81	1.48	1.41
11	C	202	UQ1	C6-C1	2.87	1.54	1.46
6	A	702	FAD	C9A-C5X	2.90	1.48	1.42
11	C	202	UQ1	C7-C8	2.97	1.55	1.50
11	G	202	UQ1	C6-C1	3.05	1.55	1.46
6	E	702	FAD	C4X-C10	3.21	1.46	1.40
11	G	202	UQ1	C7-C8	3.24	1.55	1.50
6	A	702	FAD	C4X-C10	3.38	1.47	1.40
6	E	702	FAD	C9A-C5X	3.52	1.50	1.42
12	D	201	EPH	O1-C3	4.18	1.46	1.34
12	H	201	EPH	O2-C4	4.47	1.46	1.33
12	H	201	EPH	O1-C3	4.47	1.47	1.34
12	D	201	EPH	O2-C4	4.53	1.46	1.33

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	E	702	FAD	N3A-C2A-N1A	-9.50	121.41	128.87
6	A	702	FAD	N3A-C2A-N1A	-8.34	122.32	128.87
6	E	702	FAD	C4X-C4-N3	-4.06	118.21	123.52
6	A	702	FAD	C4X-C4-N3	-3.76	118.61	123.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	702	FAD	C1B-N9A-C4A	-3.42	122.99	126.81
6	E	702	FAD	C4-C4X-C10	-3.41	117.76	119.94
10	C	201	HEM	CBD-CAD-C3D	-3.35	106.58	112.47
6	E	702	FAD	N3-C2-N1	-2.98	122.68	127.69
6	A	702	FAD	N3-C2-N1	-2.85	122.90	127.69
11	C	202	UQ1	CM3-O3-C3	-2.83	106.55	116.64
12	D	201	EPH	O2-C4-O4	-2.72	116.37	123.51
11	G	202	UQ1	CM3-O3-C3	-2.68	107.09	116.64
6	A	702	FAD	C4-C4X-C10	-2.65	118.25	119.94
10	G	201	HEM	CAD-C3D-C2D	-2.43	122.07	129.00
6	A	702	FAD	C8M-C8-C7	-2.37	115.63	120.73
12	H	201	EPH	O2-C4-O4	-2.25	117.60	123.51
10	C	201	HEM	C3C-C4C-NC	-2.14	106.90	110.94
6	A	702	FAD	C6-C5X-N5	-2.06	116.34	118.92
6	E	702	FAD	C5X-C9A-N10	2.19	119.22	117.58
6	E	702	FAD	O4B-C1B-N9A	2.22	112.30	108.11
6	A	702	FAD	C9-C8-C7	2.23	124.33	119.97
6	E	702	FAD	N6A-C6A-N1A	2.25	122.29	118.52
6	E	702	FAD	C2A-N1A-C6A	2.26	122.80	118.77
6	E	702	FAD	C6-C5X-C9A	2.31	121.66	119.11
6	E	702	FAD	C1'-C2'-C3'	2.58	117.19	109.82
6	A	702	FAD	O4B-C1B-N9A	2.59	113.00	108.11
12	H	201	EPH	C1-O2-C4	3.05	126.09	117.00
6	A	702	FAD	C6-C5X-C9A	3.19	122.62	119.11
12	D	201	EPH	C1-O2-C4	3.22	126.59	117.00
6	A	702	FAD	C4X-N5-C5X	3.24	120.55	116.72
6	E	702	FAD	C4X-N5-C5X	3.27	120.57	116.72
12	H	201	EPH	O2-C4-C18	3.72	123.30	111.85
12	D	201	EPH	O2-C4-C18	3.95	124.01	111.85
12	D	201	EPH	O1-C3-C5	4.20	120.37	111.53
12	H	201	EPH	O1-C3-C5	4.43	120.86	111.53
6	E	702	FAD	C1'-N10-C9A	4.51	124.06	118.83
6	A	702	FAD	C1'-N10-C9A	4.74	124.33	118.83
10	G	201	HEM	CBD-CAD-C3D	6.90	124.57	112.47
6	A	702	FAD	C4-N3-C2	7.02	121.02	115.16
6	E	702	FAD	C4-N3-C2	7.66	121.55	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

10 monomers are involved in 34 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	701	MLI	1	0
6	A	702	FAD	9	0
10	C	201	HEM	2	0
11	C	202	UQ1	6	0
12	D	201	EPH	1	0
5	E	701	MLI	1	0
6	E	702	FAD	7	0
10	G	201	HEM	4	0
11	G	202	UQ1	2	0
12	H	201	EPH	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	616/645 (95%)	-0.39	4 (0%) 90 86	26, 46, 71, 98	1 (0%)
1	E	616/645 (95%)	-0.42	11 (1%) 71 61	24, 45, 71, 98	1 (0%)
2	B	250/282 (88%)	-0.37	5 (2%) 68 58	28, 44, 74, 93	0
2	F	250/282 (88%)	-0.46	4 (1%) 74 66	24, 42, 66, 83	0
3	C	153/188 (81%)	-0.18	4 (2%) 59 47	36, 59, 89, 121	0
3	G	153/188 (81%)	0.52	19 (12%) 5 2	34, 64, 153, 181	0
4	D	129/156 (82%)	-0.16	5 (3%) 43 31	45, 60, 96, 118	0
4	H	129/156 (82%)	-0.08	6 (4%) 35 24	38, 59, 104, 131	0
All	All	2296/2542 (90%)	-0.30	58 (2%) 61 48	24, 48, 84, 181	2 (0%)

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	G	185	PRO	10.2
3	G	115	VAL	10.0
3	G	184	LEU	9.4
3	G	178	ARG	8.5
3	G	183	THR	7.4
3	G	186	THR	7.2
3	G	182	ALA	7.0
3	G	176	TRP	6.4
3	G	114	TRP	6.1
3	G	110	LEU	6.0
4	D	48	GLY	5.4
3	G	179	HIS	5.3
3	G	116	ILE	5.1
4	H	49	PHE	4.9
1	E	32	ILE	4.4
3	G	109	GLY	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	G	180	LYS	4.2
1	E	30	SER	3.6
3	C	186	THR	3.5
2	F	280	ALA	3.5
4	H	78	PHE	3.2
2	B	281	ASN	3.1
1	E	614	ARG	2.9
4	H	52	LEU	2.9
3	G	173	TYR	2.9
1	E	31	ASN	2.9
2	F	281	ASN	2.9
2	B	158	LYS	2.8
4	H	50	LYS	2.8
2	F	48	PRO	2.7
1	A	459	ASP	2.7
1	E	408	GLY	2.7
4	D	53	HIS	2.6
2	B	48	PRO	2.6
3	C	109	GLY	2.5
3	C	185	PRO	2.5
1	E	459	ASP	2.5
4	D	36	ALA	2.5
2	B	280	ALA	2.5
1	E	592	GLU	2.4
1	A	499	THR	2.4
1	E	407	GLU	2.3
3	C	97	PRO	2.3
1	E	467	GLU	2.3
4	D	47	LYS	2.3
1	A	614	ARG	2.2
2	F	49	GLY	2.2
3	G	105	GLU	2.2
3	G	168	LEU	2.2
4	D	52	LEU	2.2
1	A	464	GLU	2.2
3	G	107	ILE	2.1
1	E	409	GLY	2.1
3	G	120	PHE	2.1
2	B	116	ASN	2.1
1	E	208	LYS	2.1
4	H	46	GLU	2.0
4	H	35	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
12	EPH	D	201	44/49	0.69	0.44	10.28	42,56,72,75	44
12	EPH	H	201	44/49	0.54	0.59	8.26	56,72,103,105	44
11	UQ1	C	202	18/18	0.78	0.31	4.36	63,68,71,72	18
11	UQ1	G	202	18/18	0.79	0.29	3.92	52,63,67,68	18
10	HEM	G	201	43/43	0.95	0.18	1.04	50,66,75,84	0
10	HEM	C	201	43/43	0.96	0.17	0.82	49,65,74,83	0
6	FAD	E	702	53/53	0.97	0.12	-0.33	25,28,33,35	0
6	FAD	A	702	53/53	0.98	0.12	-0.59	21,24,31,33	0
9	F3S	B	303	7/7	0.98	0.13	-0.61	36,40,46,46	0
8	SF4	B	302	8/8	0.99	0.10	-0.63	27,29,31,33	0
5	MLI	E	701	7/7	0.96	0.11	-0.83	31,33,34,35	0
8	SF4	F	302	8/8	0.98	0.10	-1.06	25,27,30,30	0
9	F3S	F	303	7/7	0.97	0.11	-1.30	30,37,43,47	0
7	FES	F	301	4/4	0.99	0.08	-1.41	29,29,32,34	0
5	MLI	A	701	7/7	0.98	0.09	-1.43	42,43,44,44	0
7	FES	B	301	4/4	0.98	0.08	-2.17	29,30,33,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.