



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 10:22 PM GMT

PDB ID : 5CB4  
Title : Crystal structure of T2R-TTL-Tivantinib complex  
Authors : Wang, Y.; Yu, Y.; Chen, Q.; Yang, J.  
Deposited on : 2015-06-30  
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026982  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20026982




# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	450	<div> <div>10%</div> <div>94%</div> <div>• •</div> </div>
1	C	450	<div> <div>3%</div> <div>95%</div> <div>• •</div> </div>
2	B	445	<div> <div>9%</div> <div>94%</div> <div>• •</div> </div>
2	D	445	<div> <div>18%</div> <div>89%</div> <div>5% • 5%</div> </div>
3	E	143	<div> <div>13%</div> <div>82%</div> <div>• 15%</div> </div>

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	F	384	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	MG	A	502	-	-	-	X



## 2 Entry composition [i](#)

There are 13 unique types of molecules in this entry. The entry contains 35199 atoms, of which 16873 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	437	Total	C	H	N	O	S	0	0	0
			6733	2163	3317	581	650	22			
1	C	440	Total	C	H	N	O	S	0	0	0
			6772	2175	3335	584	656	22			

- Molecule 2 is a protein called Tubulin beta.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	427	Total	C	H	N	O	S	0	0	0
			6589	2110	3228	576	649	26			
2	D	421	Total	C	H	N	O	S	0	0	0
			6488	2080	3179	562	640	27			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	E	121	Total	C	H	N	O	S	0	0	0
			2014	617	1014	181	197	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	-	expression tag	UNP P63043
E	4	ALA	-	expression tag	UNP P63043

- Molecule 4 is a protein called Uncharacterized protein.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
4	F	334	Total	C	H	N	O	S	0	0	0
			5442	1761	2698	470	499	14			

There are 6 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP E1BQ43
F	380	HIS	-	expression tag	UNP E1BQ43
F	381	HIS	-	expression tag	UNP E1BQ43
F	382	HIS	-	expression tag	UNP E1BQ43
F	383	HIS	-	expression tag	UNP E1BQ43
F	384	HIS	-	expression tag	UNP E1BQ43

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	H	N	O	P	0	0
			42	10	10	5	14	3		
5	C	1	Total	C	H	N	O	P	0	0
			42	10	10	5	14	3		

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Mg	0	0
			1	1		
6	A	1	Total	Mg	0	0
			1	1		
6	C	1	Total	Mg	0	0
			1	1		

- Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Ca	0	0
			1	1		
7	C	1	Total	Ca	0	0
			1	1		


- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	H	O	0	0
			14	3	8	3		


- Molecule 9 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula:  $C_{10}H_{15}N_5O_{11}P_2$ ).





Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
9	B	1	Total	C	H	N	O	P	0	0
			38	10	10	5	11	2		
9	D	1	Total	C	H	N	O	P	0	0
			38	10	10	5	11	2		

- Molecule 10 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
10	B	1	Total	C	H	N	O	S	0	0
			24	6	12	1	4	1		



- 

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	B	1	Total 47	C 23	H 19	N 3	O 2	0	0
11	D	1	Total 47	C 23	H 19	N 3	O 2	0	0



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
12	F	1	Total	C	H	N	O	P	0	0
			35	11	4	5	12	3		

- Molecule 13 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	185	Total	O	0	0
			185	185		
13	B	164	Total	O	0	0
			164	164		
13	C	273	Total	O	0	0
			273	273		
13	D	92	Total	O	0	0
			92	92		
13	E	31	Total	O	0	0
			31	31		
13	F	84	Total	O	0	0
			84	84		




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Tubulin alpha




#### • Molecule 1: Tubulin alpha




#### • Molecule 2: Tubulin beta





#### • Molecule 2: Tubulin beta












● Molecule 3: Stathmin-4



● Molecule 4: Uncharacterized protein





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	105.06Å 158.44Å 181.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.82 – 2.19 39.82 – 2.19	Depositor EDS
% Data completeness (in resolution range)	99.3 (39.82-2.19) 99.3 (39.82-2.19)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.26 (at 2.20Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.4_1496)	Depositor
R, $R_{free}$	0.207 , 0.232 0.219 , 0.231	Depositor DCC
$R_{free}$ test set	7564 reflections (5.15%)	DCC
Wilson B-factor (Å <sup>2</sup> )	41.5	Xtriage
Anisotropy	0.222	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 46.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 154428 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	35199	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.40% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, GOL, MG, TIV, GTP, ACP, MES, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.23	0/3494	0.40	0/4743
1	C	0.23	0/3515	0.40	0/4772
2	B	0.23	0/3436	0.39	0/4654
2	D	0.23	0/3382	0.39	0/4581
3	E	0.22	0/1008	0.35	0/1337
4	F	0.22	0/2806	0.38	0/3791
All	All	0.23	0/17641	0.39	0/23878

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3416	3317	3330	7	0
1	C	3437	3335	3348	6	0
2	B	3361	3228	3238	4	0
2	D	3309	3179	3189	12	0
3	E	1000	1014	1018	3	0
4	F	2744	2698	2709	13	0
5	A	32	10	12	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	32	10	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
7	A	1	0	0	0	0
7	C	1	0	0	0	0
8	A	6	8	8	0	0
9	B	28	10	12	0	0
9	D	28	10	12	1	0
10	B	12	12	12	0	0
11	B	28	19	19	0	0
11	D	28	19	19	1	0
12	F	31	4	14	2	0
13	A	185	0	0	2	0
13	B	164	0	0	0	0
13	C	273	0	0	3	0
13	D	92	0	0	1	0
13	E	31	0	0	2	0
13	F	84	0	0	3	0
All	All	18326	16873	16952	43	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (43) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:196:HIS:NE2	13:F:502:HOH:O	2.30	0.65
2:B:145:SER:OG	2:B:188:SER:OG	2.16	0.62
1:A:221:ARG:NH2	2:B:327:ASP:OD2	2.34	0.61
4:F:126:ASP:N	13:F:510:HOH:O	2.34	0.59
4:F:252:ASN:N	13:F:508:HOH:O	2.35	0.58
2:D:404:ASP:OD1	2:D:405:GLU:N	2.36	0.58
1:C:128:GLN:NE2	13:C:615:HOH:O	2.39	0.55
4:F:184:LYS:NZ	4:F:185:TYR:O	2.41	0.52
3:E:109:LYS:NZ	13:E:202:HOH:O	2.43	0.51
2:D:156:ARG:NH1	2:D:197:ASP:OD2	2.44	0.51
1:C:245:ASP:N	1:C:245:ASP:OD1	2.44	0.50
4:F:209:HIS:HB2	4:F:310:GLN:HG2	1.94	0.50
4:F:126:ASP:OD1	4:F:127:GLU:N	2.45	0.49
1:A:253:THR:OG1	13:A:601:HOH:O	2.20	0.49

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:372:GLN:NE2	13:C:620:HOH:O	2.45	0.49
4:F:178:GLN:OE1	4:F:178:GLN:N	2.46	0.49
1:A:433:GLU:OE2	4:F:46:ARG:NH2	2.46	0.49
1:A:85:GLN:NE2	13:A:621:HOH:O	2.45	0.48
2:D:145:SER:HG	2:D:188:SER:HG	1.63	0.47
3:E:84:GLN:NE2	13:E:204:HOH:O	2.47	0.46
4:F:200:ASP:OD1	4:F:241:THR:OG1	2.27	0.45
2:D:73:MET:HG3	2:D:92:PHE:HB3	1.99	0.45
9:D:501:GDP:O3B	13:D:601:HOH:O	2.21	0.45
1:C:71:GLU:O	13:C:601:HOH:O	2.21	0.44
2:B:301:ALA:O	2:B:303:CYS:N	2.47	0.44
4:F:202:ARG:NH2	12:F:401:ACP:O3G	2.51	0.43
4:F:338:CYS:SG	4:F:339:ALA:N	2.92	0.43
2:D:156:ARG:HG2	3:E:123:LEU:HD11	2.00	0.43
12:F:401:ACP:H3B2	12:F:401:ACP:O2A	2.19	0.43
2:D:177:ASP:N	2:D:177:ASP:OD1	2.51	0.43
2:D:301:ALA:O	2:D:303:CYS:N	2.52	0.42
2:B:219:THR:HG21	1:C:326:LYS:HA	2.01	0.42
4:F:189:PRO:HA	4:F:322:ASP:HA	2.00	0.42
2:D:31:ASP:HB2	2:D:32:PRO:HD2	2.02	0.42
2:D:181:GLU:N	2:D:182:PRO:HD2	2.35	0.42
2:D:137:HIS:ND1	2:D:144:GLY:O	2.41	0.41
1:A:3:GLU:N	1:A:3:GLU:OE1	2.52	0.41
4:F:299:GLU:N	4:F:300:PRO:HD2	2.37	0.40
2:D:316:ILE:HG13	11:D:502:TIV:H11	2.02	0.40
2:D:286:VAL:HB	2:D:287:PRO:HD3	2.03	0.40
1:C:335:ILE:HG23	1:C:339:ARG:HG3	2.03	0.40
1:A:183:GLU:N	1:A:184:PRO:CD	2.85	0.40
1:A:39:ASP:OD2	1:A:61:HIS:NE2	2.43	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	435/450 (97%)	422 (97%)	12 (3%)	1 (0%)	52	59
1	C	438/450 (97%)	430 (98%)	8 (2%)	0	100	100
2	B	425/445 (96%)	413 (97%)	12 (3%)	0	100	100
2	D	417/445 (94%)	407 (98%)	9 (2%)	1 (0%)	52	59
3	E	117/143 (82%)	116 (99%)	1 (1%)	0	100	100
4	F	324/384 (84%)	312 (96%)	12 (4%)	0	100	100
All	All	2156/2317 (93%)	2100 (97%)	54 (2%)	2 (0%)	56	64

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	95	SER
1	A	89	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	368/378 (97%)	362 (98%)	6 (2%)	70	82
1	C	371/378 (98%)	364 (98%)	7 (2%)	65	77
2	B	369/383 (96%)	365 (99%)	4 (1%)	80	89
2	D	364/383 (95%)	357 (98%)	7 (2%)	65	77
3	E	109/127 (86%)	108 (99%)	1 (1%)	84	92
4	F	301/342 (88%)	298 (99%)	3 (1%)	82	91
All	All	1882/1991 (94%)	1854 (98%)	28 (2%)	72	84

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	177	VAL
1	A	251	ASP
1	A	256	GLN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	279	GLU
1	A	420	GLU
1	A	433	GLU
2	B	19	LYS
2	B	137	HIS
2	B	190	HIS
2	B	245	GLN
1	C	2	ARG
1	C	48	SER
1	C	71	GLU
1	C	245	ASP
1	C	251	ASP
1	C	347	CYS
1	C	384	ILE
2	D	41	ASP
2	D	137	HIS
2	D	177	ASP
2	D	245	GLN
2	D	246	LEU
2	D	316	ILE
2	D	323	MET
3	E	92	ASN
4	F	242	ASN
4	F	296	MET
4	F	310	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.



## 5.6 Ligand geometry

Of 14 ligands modelled in this entry, 5 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
5	GTP	A	501	6	26,34,34	1.08	1 (3%)	26,54,54	0.83	0
8	GOL	A	504	-	5,5,5	0.37	0	5,5,5	0.29	0
9	GDP	B	501	6	24,30,30	1.39	4 (16%)	23,47,47	1.02	1 (4%)
10	MES	B	503	-	12,12,12	1.89	1 (8%)	15,16,16	2.50	4 (26%)
11	TIV	B	504	-	28,33,33	2.19	7 (25%)	27,50,50	1.98	4 (14%)
5	GTP	C	501	6	26,34,34	1.07	1 (3%)	26,54,54	0.81	0
9	GDP	D	501	-	24,30,30	1.38	5 (20%)	23,47,47	0.96	1 (4%)
11	TIV	D	502	-	28,33,33	1.99	6 (21%)	27,50,50	2.06	5 (18%)
12	ACP	F	401	-	29,33,33	1.68	7 (24%)	29,52,52	1.77	5 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GTP	A	501	6	-	0/18/38/38	0/3/3/3
8	GOL	A	504	-	-	0/4/4/4	0/0/0/0
9	GDP	B	501	6	-	0/12/32/32	0/3/3/3
10	MES	B	503	-	-	0/6/14/14	0/1/1/1
11	TIV	B	504	-	-	0/0/30/30	0/5/6/6
5	GTP	C	501	6	-	0/18/38/38	0/3/3/3
9	GDP	D	501	-	-	0/12/32/32	0/3/3/3
11	TIV	D	502	-	-	0/0/30/30	0/5/6/6
12	ACP	F	401	-	-	0/15/38/38	0/3/3/3

All (32) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B	503	MES	C8-S	-6.16	1.66	1.78
12	F	401	ACP	PB-O2B	-4.65	1.45	1.56
11	D	502	TIV	C4-C1	-3.96	1.46	1.52
11	D	502	TIV	C2-C6	-3.51	1.46	1.52
12	F	401	ACP	C2'-C1'	-3.20	1.48	1.53
11	B	504	TIV	C4-C1	-3.18	1.47	1.52
11	B	504	TIV	C2-C6	-3.08	1.47	1.52
12	F	401	ACP	C4-N3	-2.54	1.31	1.35
9	B	501	GDP	C6-N1	-2.19	1.33	1.36
12	F	401	ACP	PG-O1G	-2.16	1.45	1.50
9	D	501	GDP	C6-N1	-2.01	1.33	1.36
11	B	504	TIV	C22-C23	2.16	1.43	1.38
12	F	401	ACP	C5-C4	2.16	1.45	1.40
12	F	401	ACP	PG-O2G	2.20	1.60	1.54
9	D	501	GDP	C2-N3	2.21	1.36	1.33
12	F	401	ACP	PB-O1B	2.48	1.58	1.51
9	D	501	GDP	C2-N2	2.68	1.36	1.32
9	B	501	GDP	C2-N2	2.76	1.36	1.32
9	B	501	GDP	C5-C4	2.80	1.46	1.40
11	B	504	TIV	C7-N2	2.84	1.41	1.37
9	D	501	GDP	C5-C4	2.91	1.47	1.40
11	B	504	TIV	C8-N2	3.03	1.41	1.37
11	D	502	TIV	C8-N2	3.23	1.41	1.37
11	D	502	TIV	C7-N2	3.28	1.41	1.37
9	D	501	GDP	C6-C5	3.53	1.47	1.40
9	B	501	GDP	C6-C5	3.57	1.47	1.40
5	C	501	GTP	C2-N3	4.04	1.38	1.33
5	A	501	GTP	C2-N3	4.05	1.38	1.33
11	D	502	TIV	C2-C20	4.06	1.45	1.40
11	D	502	TIV	C4-C10	5.30	1.46	1.40
11	B	504	TIV	C2-C20	5.87	1.47	1.40
11	B	504	TIV	C4-C10	5.88	1.47	1.40

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	F	401	ACP	N3-C2-N1	-6.27	123.95	128.87
11	D	502	TIV	C7-N2-C8	-5.29	109.55	113.81
11	B	504	TIV	C7-N2-C8	-5.17	109.66	113.81
11	D	502	TIV	C23-C15-C19	-4.74	113.88	118.49
11	B	504	TIV	C23-C15-C19	-4.46	114.16	118.49
9	B	501	GDP	C1'-N9-C4	-3.53	122.86	126.81
10	B	503	MES	C6-C5-N4	-3.43	104.86	110.11

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	D	502	TIV	C4-C1-C6	-3.18	109.03	114.56
12	F	401	ACP	O2'-C2'-C3'	-3.16	101.64	111.86
12	F	401	ACP	O3G-PG-O1G	-2.88	104.57	112.32
9	D	501	GDP	C1'-N9-C4	-2.67	123.83	126.81
12	F	401	ACP	O2'-C2'-C1'	-2.09	105.07	111.61
10	B	503	MES	C7-N4-C3	2.23	116.11	111.25
11	B	504	TIV	C17-C16-C15	2.37	117.84	112.50
11	D	502	TIV	C17-C16-C15	2.39	117.87	112.50
12	F	401	ACP	O3G-PG-C3B	2.84	112.86	106.13
10	B	503	MES	C5-N4-C3	4.71	119.41	108.87
11	D	502	TIV	C16-C15-C23	5.24	131.84	120.90
11	B	504	TIV	C16-C15-C23	5.36	132.08	120.90
10	B	503	MES	C7-N4-C5	6.05	124.43	111.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	D	501	GDP	1	0
11	D	502	TIV	1	0
12	F	401	ACP	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	437/450 (97%)	0.71	46 (10%) 8 7	26, 42, 66, 96	0
1	C	440/450 (97%)	0.18	14 (3%) 51 50	20, 34, 54, 70	0
2	B	427/445 (95%)	0.56	40 (9%) 11 10	24, 42, 71, 121	0
2	D	421/445 (94%)	1.00	80 (19%) 2 1	27, 54, 88, 108	0
3	E	121/143 (84%)	0.83	19 (15%) 3 2	32, 56, 84, 98	0
4	F	334/384 (86%)	1.47	92 (27%) 1 1	33, 64, 119, 142	0
All	All	2180/2317 (94%)	0.75	291 (13%) 4 4	20, 46, 89, 142	0

All (291) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	F	173	ILE	11.8
4	F	161	LEU	9.4
4	F	138	ARG	8.7
4	F	169	LEU	8.6
2	D	55	THR	7.4
2	B	279	GLN	7.2
4	F	177	GLY	7.2
1	A	282	TYR	7.1
4	F	175	GLU	7.0
3	E	139	LEU	6.9
2	D	390	ARG	6.9
2	D	285	THR	6.7
4	F	236	LYS	6.7
4	F	103	THR	6.6
2	D	394	PHE	6.5
4	F	231	ALA	6.5
4	F	139	ARG	6.5
2	B	56	GLY	6.5
4	F	143	GLU	6.4

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	55	THR	6.4
2	D	284	LEU	6.3
4	F	102	PRO	6.2
4	F	178	GLN	6.2
4	F	176	GLN	6.1
2	D	219	THR	6.1
4	F	142	ARG	6.1
4	F	132	LEU	6.0
4	F	101	TYR	6.0
2	B	57	ASN	6.0
4	F	130	VAL	6.0
4	F	372	THR	5.9
2	D	397	TRP	5.7
4	F	253	TYR	5.7
4	F	134	ALA	5.5
4	F	234	GLN	5.4
4	F	88	SER	5.4
2	D	391	ARG	5.3
4	F	225	SER	5.3
4	F	149	ALA	5.2
4	F	137	ARG	5.2
4	F	131	PHE	5.0
4	F	232	ASN	5.0
1	A	281	ALA	4.9
4	F	362	ALA	4.9
4	F	135	TYR	4.8
4	F	361	LEU	4.7
4	F	20	LEU	4.7
4	F	182	ILE	4.7
4	F	194	PRO	4.7
2	D	167	PHE	4.6
4	F	170	LEU	4.6
2	B	428	ALA	4.6
2	D	245	GLN	4.6
4	F	144	GLY	4.5
4	F	247	LYS	4.5
4	F	172	PHE	4.4
2	D	395	LEU	4.3
4	F	100	ILE	4.2
1	A	346	TRP	4.2
4	F	24	THR	4.2
2	D	94	GLN	4.2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	E	140	LYS	4.2
3	E	27	PRO	4.2
2	D	359	ARG	4.2
2	D	168	SER	4.2
4	F	180	HIS	4.2
4	F	233	PHE	4.1
4	F	167	SER	4.1
4	F	244	CYS	4.1
2	D	135	LEU	4.1
4	F	25	GLY	4.1
2	D	166	THR	4.1
2	D	54	ALA	4.0
1	A	365	GLY	4.0
4	F	128	ARG	4.0
3	E	7	GLU	4.0
2	D	137	HIS	4.0
4	F	240	LEU	3.9
1	A	235	VAL	3.9
1	A	262	TYR	3.9
4	F	99	VAL	3.9
2	D	360	GLY	3.9
1	A	201	ALA	3.9
2	B	58	LYS	3.9
2	D	286	VAL	3.9
4	F	140	GLU	3.8
2	D	136	THR	3.8
1	A	202	PHE	3.8
2	B	280	GLN	3.8
2	D	56	GLY	3.7
1	C	440	VAL	3.6
2	D	125	GLU	3.6
2	D	356	ILE	3.6
4	F	21	LEU	3.6
4	F	22	LEU	3.6
4	F	90	SER	3.6
2	D	1	MET	3.6
2	D	362	LYS	3.5
4	F	1	MET	3.5
2	D	405	GLU	3.5
4	F	166	ALA	3.5
2	D	177	ASP	3.4
1	A	169	PHE	3.4

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	D	200	TYR	3.4
4	F	145	ASN	3.4
1	A	238	ILE	3.4
2	D	388	MET	3.4
1	C	200	CYS	3.4
2	D	217	LEU	3.4
1	A	171	ILE	3.4
1	A	200	CYS	3.4
4	F	146	VAL	3.3
2	D	7	ILE	3.3
2	D	37	HIS	3.3
2	D	126	SER	3.3
4	F	46	ARG	3.3
3	E	6	MET	3.3
1	A	20	CYS	3.3
2	D	30	ILE	3.3
3	E	24	LEU	3.3
4	F	17	VAL	3.3
3	E	26	PRO	3.2
2	B	166	THR	3.2
1	A	203	MET	3.2
2	B	142	GLY	3.2
1	A	163	LYS	3.2
2	D	320	ARG	3.2
4	F	179	VAL	3.2
4	F	133	ALA	3.2
4	F	181	VAL	3.1
1	A	58	ALA	3.1
2	B	54	ALA	3.1
4	F	136	ASN	3.1
3	E	25	LYS	3.0
2	B	38	GLY	3.0
4	F	162	ILE	3.0
4	F	254	GLY	3.0
2	D	199	THR	3.0
1	A	234	ILE	2.9
2	D	81	PHE	2.9
2	D	323	MET	2.9
1	A	416	GLY	2.9
2	B	277	GLY	2.9
2	D	216	LYS	2.9
3	E	135	LYS	2.9

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	282	ARG	2.9
1	A	172	TYR	2.9
2	D	179	VAL	2.8
2	D	95	SER	2.8
3	E	46	SER	2.8
1	A	88	HIS	2.8
4	F	141	GLY	2.8
4	F	226	GLU	2.8
4	F	174	ASP	2.8
1	C	340	SER	2.8
2	B	41	ASP	2.8
1	A	170	SER	2.8
2	B	37	HIS	2.8
3	E	136	ASN	2.8
4	F	344	ALA	2.7
4	F	126	ASP	2.7
1	A	348	PRO	2.7
1	A	430	LYS	2.7
4	F	171	ASP	2.7
1	C	201	ALA	2.7
4	F	239	HIS	2.7
4	F	256	TYR	2.7
2	B	320	ARG	2.7
4	F	9	GLU	2.7
2	D	165	ASN	2.7
2	D	396	HIS	2.7
2	B	72	THR	2.7
2	D	192	LEU	2.7
2	D	175	VAL	2.7
4	F	168	GLU	2.7
2	B	266	PHE	2.7
2	D	218	THR	2.7
2	D	201	CYS	2.6
2	D	220	PRO	2.6
1	A	141	PHE	2.6
1	A	237	SER	2.6
3	E	121	GLU	2.6
2	B	167	PHE	2.6
2	B	362	LYS	2.6
2	D	289	LEU	2.6
4	F	255	ARG	2.6
2	D	9	ALA	2.6

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	E	138	GLU	2.6
2	B	200	TYR	2.6
3	E	28	SER	2.6
4	F	380	HIS	2.6
1	A	167	LEU	2.6
4	F	229	ASN	2.6
2	B	276	ARG	2.6
2	B	427	ASP	2.6
4	F	89	GLU	2.6
1	A	136	LEU	2.6
2	D	149	THR	2.5
2	D	57	ASN	2.5
2	D	266	PHE	2.5
1	A	236	SER	2.5
2	D	145	SER	2.5
2	D	53	GLU	2.5
2	B	201	CYS	2.5
2	D	399	THR	2.5
2	D	202	ILE	2.5
3	E	48	GLU	2.5
2	D	92	PHE	2.5
1	A	137	VAL	2.5
2	D	59	TYR	2.5
2	B	139	LEU	2.5
2	D	169	VAL	2.5
3	E	53	LYS	2.5
2	B	283	ALA	2.5
4	F	379	HIS	2.4
2	D	13	GLY	2.4
2	D	58	LYS	2.4
4	F	360	PRO	2.4
1	C	202	PHE	2.4
2	D	265	PHE	2.4
4	F	258	GLU	2.4
1	A	209	ILE	2.4
2	D	393	ALA	2.4
2	D	214	THR	2.4
2	B	275	SER	2.4
2	D	215	LEU	2.4
2	B	278	SER	2.4
2	D	389	PHE	2.4
4	F	31	ARG	2.3

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	33	THR	2.3
2	B	199	THR	2.3
1	A	42	ILE	2.3
4	F	245	ILE	2.3
4	F	147	TRP	2.3
2	D	138	SER	2.3
2	D	363	MET	2.3
2	B	83	GLN	2.3
1	A	138	PHE	2.3
4	F	165	GLU	2.3
4	F	10	ASN	2.3
2	B	274	THR	2.3
2	B	125	GLU	2.3
2	D	134	GLN	2.3
2	B	219	THR	2.3
1	A	142	GLY	2.3
1	C	190	THR	2.2
1	A	139	HIS	2.2
1	A	180	ALA	2.2
1	A	303	VAL	2.2
2	B	165	ASN	2.2
1	C	341	ILE	2.2
2	D	210	ILE	2.2
1	C	270	ALA	2.2
2	B	265	PHE	2.2
1	A	173	PRO	2.2
2	D	146	GLY	2.2
2	D	213	ARG	2.2
1	C	266	HIS	2.2
1	A	17	GLY	2.2
2	D	188	SER	2.2
2	D	196	THR	2.2
4	F	243	HIS	2.2
1	A	204	VAL	2.1
1	C	260	VAL	2.1
2	B	39	ASP	2.1
1	A	270	ALA	2.1
1	C	167	LEU	2.1
4	F	45	ASN	2.1
4	F	259	GLY	2.1
1	A	240	ALA	2.1
3	E	62	LYS	2.1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	D	39	ASP	2.1
2	B	36	TYR	2.1
1	A	239	THR	2.1
4	F	191	LEU	2.1
1	A	24	TYR	2.1
1	A	140	SER	2.1
1	A	231	ILE	2.1
3	E	23	ILE	2.1
2	B	253	LEU	2.1
3	E	59	GLU	2.1
2	D	386	THR	2.1
1	A	434	GLU	2.0
2	B	322	SER	2.0
2	D	267	MET	2.0
2	D	10	GLY	2.0
1	C	357	TYR	2.0
4	F	230	SER	2.0
1	C	268	PRO	2.0
4	F	148	ILE	2.0
1	C	46	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
6	MG	A	502	1/1	0.90	0.21	2.06	35,35,35,35	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
6	MG	C	502	1/1	0.98	0.17	1.58	26,26,26,26	0
11	TIV	D	502	28/28	0.88	0.19	1.29	28,48,63,70	0
5	GTP	C	501	32/32	0.97	0.18	1.14	20,29,38,44	0
11	TIV	B	504	28/28	0.97	0.19	0.87	23,35,44,53	0
9	GDP	B	501	28/28	0.95	0.19	0.60	25,32,41,49	0
8	GOL	A	504	6/6	0.92	0.15	0.48	39,56,65,78	0
5	GTP	A	501	32/32	0.97	0.19	0.23	23,32,41,52	0
9	GDP	D	501	28/28	0.94	0.16	-0.51	42,54,73,87	0
10	MES	B	503	12/12	0.95	0.14	-0.55	44,56,63,72	0
12	ACP	F	401	31/31	0.90	0.17	-0.85	70,84,103,107	0
7	CA	A	503	1/1	0.90	0.07	-1.96	56,56,56,56	0
7	CA	C	503	1/1	0.97	0.04	-2.46	44,44,44,44	0
6	MG	B	502	1/1	0.99	0.22	-	28,28,28,28	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.