



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 06:50 PM GMT

PDB ID : 1CQX
Title : Crystal structure of the flavohemoglobin from *Alcaligenes eutrophus* at 1.75 Å resolution
Authors : Ermler, U.; Siddiqui, R.A.; Cramm, R.; Friedrich, B.
Deposited on : 1999-08-12
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1609 (1.76-1.76)
Clashscore	102246	1730 (1.76-1.76)
Ramachandran outliers	100387	1711 (1.76-1.76)
Sidechain outliers	100360	1711 (1.76-1.76)
RSRZ outliers	91569	1610 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	403	
1	B	403	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NA	A	490	-	-	-	X
5	DGG	A	406	-	-	-	X
5	DGG	B	406	X	-	-	X


In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 2 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	403	Total 3158	C 2012	N 543	O 589	S 14	0	0	0
1	B	403	Total 3158	C 2012	N 543	O 589	S 14	0	0	0

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Na 1 1	0	0

- mula: C₃₄H₃₂FeN₄O₄).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 4 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
4	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 5 is 1-[GLYCEROLYLPHOSPHONYL]-2-[8-(2-HEXYL-CYCLOPROPYL)-OCTANAL-1-YL]-3-[HEXADECANAL-1-YL]-GLYCEROL (three-letter code: DGG) (formula: $C_{39}H_{75}O_{10}P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O	P	0	0
			45	36	8	1		
5	B	1	Total	C	O	P	0	0
			45	36	8	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	267	Total	O	0	0
			267	267		
6	B	314	Total	O	0	0
			314	314		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: FLAVOHEMOPROTEIN



• Molecule 1: FLAVOHEMOPROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	52.20 Å 85.80 Å 103.90 Å 90.00° 81.80° 90.00°	Depositor
Resolution (Å)	10.00 – 1.75 9.99 – 1.76	Depositor EDS
% Data completeness (in resolution range)	89.7 (10.00-1.75) 89.8 (9.99-1.76)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.85 (at 1.76 Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, R_{free}	0.182 , 0.215 0.182 , 0.213	Depositor DCC
R_{free} test set	4066 reflections (5.30%)	DCC
Wilson B-factor (Å ²)	20.6	Xtriage
Anisotropy	0.104	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 66.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 80753 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7180	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, DGG, FAD, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/3235	0.63	1/4395 (0.0%)
1	B	0.33	0/3235	0.63	0/4395
All	All	0.33	0/6470	0.63	1/8790 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	292	PRO	C-N-CD	6.38	141.81	128.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3158	0	3114	68	0
1	B	3158	0	3114	58	0
2	A	1	0	0	0	0
3	A	43	0	30	0	0
3	B	43	0	30	1	0
4	A	53	0	31	1	0
4	B	53	0	31	1	0
5	A	45	0	67	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	45	0	67	4	0
6	A	267	0	0	7	0
6	B	314	0	0	4	0
All	All	7180	0	6484	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:175:GLU:HG2	1:B:218:THR:HG22	1.27	1.13
1:A:175:GLU:HG2	1:A:218:THR:HG22	1.48	0.95
1:A:292:PRO:HB2	1:A:293:PRO:CD	1.99	0.93
1:B:227:GLY:HA3	1:B:233:PRO:HA	1.53	0.91
1:A:292:PRO:HB2	1:A:293:PRO:HD2	1.54	0.88
1:A:131:ASP:O	1:B:1:MET:HG3	1.80	0.81
1:A:44:ASN:ND2	1:A:46:ALA:H	1.80	0.80
1:A:266:LYS:N	1:A:266:LYS:HD3	1.98	0.79
1:A:174:LEU:HD13	1:A:252:LEU:HD11	1.69	0.75
1:B:145:ALA:CB	1:B:152:LYS:HE3	2.20	0.71
1:B:1:MET:C	1:B:1:MET:HE2	2.12	0.70
1:A:80:ASN:HB2	6:A:594:HOH:O	1.91	0.69
1:B:145:ALA:HB2	1:B:152:LYS:HE3	1.74	0.68
1:B:145:ALA:HB2	1:B:152:LYS:HG3	1.79	0.65
1:A:356:LYS:HD3	1:A:356:LYS:H	1.61	0.65
1:B:240:LEU:HD23	1:B:244:VAL:HG21	1.77	0.64
5:A:406:DGG:HC81	5:A:406:DGG:H351	1.80	0.64
1:A:44:ASN:HD22	1:A:45:MET:N	1.97	0.63
1:B:175:GLU:CG	1:B:218:THR:HG22	2.16	0.63
1:A:338:VAL:O	1:A:341:ARG:HG2	1.99	0.63
1:B:1:MET:HE2	1:B:1:MET:O	1.99	0.63
1:A:71:PRO:O	1:A:75:MET:HG2	2.00	0.62
1:A:224:LYS:HD3	1:A:398:PRO:O	2.00	0.62
5:A:406:DGG:HC91	5:A:406:DGG:H131	1.81	0.62
1:B:79:LYS:HA	1:B:136:MET:HE1	1.81	0.62
1:B:81:ILE:HD11	5:B:406:DGG:HC42	1.82	0.61
1:A:321:TYR:HD2	1:A:324:LEU:HB2	1.66	0.60
1:A:175:GLU:CG	1:A:218:THR:HG22	2.27	0.60
1:A:338:VAL:HB	1:A:341:ARG:HE	1.66	0.59
1:B:1:MET:SD	6:B:1546:HOH:O	2.57	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:44:ASN:C	1:A:44:ASN:HD22	2.06	0.57
1:A:280:PRO:HD2	1:A:396:PHE:CE2	2.40	0.57
1:B:60:ALA:HB3	5:B:406:DGG:H361	1.85	0.57
1:A:337:ASP:HA	1:A:342:ASP:OD1	2.05	0.57
1:A:265:ALA:C	1:A:266:LYS:HD3	2.26	0.56
6:A:698:HOH:O	1:B:1:MET:HB2	2.04	0.56
1:B:80:ASN:HB2	6:B:1688:HOH:O	2.06	0.56
1:A:280:PRO:HD2	1:A:396:PHE:CZ	2.41	0.56
1:A:49:GLU:HG3	1:A:49:GLU:O	2.04	0.55
1:A:198:PRO:HD2	6:A:660:HOH:O	2.06	0.55
1:B:79:LYS:HG2	1:B:136:MET:HE1	1.89	0.55
1:A:329:PHE:HA	1:A:345:TYR:O	2.07	0.55
1:B:45:MET:HA	1:B:45:MET:CE	2.37	0.55
1:A:304:ASN:HA	1:A:330:TYR:CD2	2.41	0.55
1:A:227:GLY:HA3	1:A:233:PRO:HA	1.89	0.54
1:A:159:ILE:HD13	1:A:174:LEU:HD23	1.89	0.54
1:B:60:ALA:CB	5:B:406:DGG:H361	2.37	0.54
1:B:271:LEU:HD23	1:B:366:TYR:HB2	1.89	0.54
1:A:154:TRP:HB3	1:A:251:LYS:HB3	1.89	0.53
1:A:173:ILE:N	1:A:173:ILE:HD12	2.23	0.53
1:A:44:ASN:HD22	1:A:46:ALA:H	1.54	0.53
6:A:562:HOH:O	1:B:5:LYS:HG3	2.08	0.53
1:B:275:GLY:O	1:B:402:ALA:HB3	2.08	0.53
1:B:79:LYS:HA	1:B:136:MET:CE	2.38	0.53
1:A:338:VAL:HB	1:A:341:ARG:NE	2.24	0.52
1:A:62:TYR:O	1:A:66:GLU:HG3	2.10	0.52
1:B:335:PRO:HD2	1:B:336:GLU:OE2	2.10	0.52
1:A:311:ARG:HD2	1:A:311:ARG:C	2.29	0.52
1:B:90:VAL:HG13	3:B:404:HEM:HAC	1.92	0.51
1:A:303:ARG:HA	1:A:331:ASP:OD2	2.10	0.51
1:A:331:ASP:HA	1:A:347:GLY:CA	2.41	0.51
1:A:386:ILE:HD11	6:A:753:HOH:O	2.11	0.51
1:A:102:LEU:HD22	5:A:406:DGG:H321	1.92	0.50
4:A:405:FAD:H8A	6:A:518:HOH:O	2.11	0.50
1:A:231:GLN:NE2	1:A:231:GLN:HA	2.26	0.49
1:B:75:MET:O	1:B:79:LYS:HG3	2.13	0.49
1:B:1:MET:HE2	1:B:2:LEU:HA	1.93	0.49
1:A:159:ILE:HD13	1:A:174:LEU:CD2	2.42	0.49
1:A:353:GLN:O	1:A:356:LYS:NZ	2.46	0.49
1:B:175:GLU:HG2	1:B:218:THR:CG2	2.19	0.48
1:A:85:HIS:ND1	1:A:137:GLU:OE2	2.44	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:145:ALA:HB2	1:A:152:LYS:HE3	1.95	0.48
1:A:131:ASP:O	1:B:1:MET:CG	2.58	0.48
5:A:406:DGG:H311	5:A:406:DGG:H281	1.59	0.48
1:B:358:ILE:C	1:B:358:ILE:HD12	2.35	0.47
1:A:240:LEU:HD23	1:A:244:VAL:HG21	1.95	0.47
1:A:310:MET:HE2	1:A:314:LEU:HG	1.95	0.47
5:A:406:DGG:C18	5:A:406:DGG:O21	2.60	0.47
5:B:406:DGG:H311	5:B:406:DGG:H281	1.55	0.47
1:B:278:LEU:HD23	1:B:310:MET:CE	2.46	0.46
1:B:79:LYS:HG2	1:B:136:MET:CE	2.45	0.46
1:B:231:GLN:OE1	1:B:232:PRO:HD2	2.16	0.46
1:A:45:MET:HA	1:A:45:MET:CE	2.46	0.46
1:B:85:HIS:ND1	1:B:137:GLU:OE2	2.42	0.46
1:A:305:SER:O	1:A:306:ALA:C	2.53	0.46
1:A:158:VAL:HG22	1:A:249:GLN:HG2	1.98	0.45
1:B:27:CYS:SG	1:B:108:GLU:OE1	2.74	0.45
1:B:143:ARG:O	1:B:147:GLN:HG2	2.17	0.45
1:B:173:ILE:HD12	1:B:173:ILE:N	2.31	0.45
1:B:1:MET:CE	1:B:2:LEU:HD12	2.47	0.45
1:A:318:ALA:HA	1:A:324:LEU:HD23	1.99	0.45
1:B:143:ARG:NH2	1:B:143:ARG:HG2	2.31	0.44
1:A:160:ARG:NH1	6:A:735:HOH:O	2.44	0.44
1:A:331:ASP:HA	1:A:347:GLY:HA2	2.00	0.44
1:A:74:LEU:O	1:A:77:VAL:HG22	2.17	0.44
1:A:356:LYS:HD3	1:A:356:LYS:N	2.29	0.44
1:A:356:LYS:CD	1:A:356:LYS:H	2.30	0.43
4:B:405:FAD:H8A	6:B:1545:HOH:O	2.17	0.43
1:A:266:LYS:CD	1:A:266:LYS:N	2.71	0.43
1:B:336:GLU:H	1:B:336:GLU:CD	2.22	0.43
1:A:311:ARG:O	1:A:311:ARG:HD2	2.17	0.43
1:B:332:GLN:N	1:B:333:PRO:HD3	2.33	0.43
1:A:231:GLN:HE21	1:A:231:GLN:HA	1.83	0.43
1:A:143:ARG:CZ	1:A:147:GLN:OE1	2.67	0.43
1:B:280:PRO:HB2	1:B:396:PHE:CZ	2.54	0.43
1:A:374:MET:HB3	1:A:393:TYR:CD2	2.54	0.43
1:B:338:VAL:HG23	1:B:341:ARG:HH11	1.83	0.43
1:A:48:GLN:HG2	1:A:49:GLU:N	2.33	0.42
1:A:145:ALA:CB	1:A:152:LYS:HE3	2.49	0.42
1:B:1:MET:CE	1:B:1:MET:O	2.67	0.42
1:A:143:ARG:NH1	1:A:147:GLN:OE1	2.52	0.42
1:B:1:MET:HE2	1:B:2:LEU:N	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:223:VAL:O	1:B:241:HIS:HE1	2.02	0.42
1:B:313:ARG:HD2	1:B:313:ARG:HA	1.90	0.41
1:B:283:SER:HA	1:B:286:LYS:CE	2.50	0.41
1:B:308:HIS:ND1	1:B:312:ASP:OD2	2.53	0.41
1:A:160:ARG:HA	1:A:160:ARG:HD3	1.89	0.41
1:A:135:GLY:HA3	1:B:1:MET:HG2	2.01	0.41
1:A:79:LYS:HA	1:A:136:MET:HE2	2.03	0.41
1:A:310:MET:CE	1:A:310:MET:HA	2.51	0.41
1:A:160:ARG:HE	1:A:175:GLU:HB2	1.85	0.41
1:B:358:ILE:HD12	1:B:359:LEU:N	2.36	0.41
1:B:359:LEU:HA	1:B:359:LEU:HD23	1.97	0.41
1:B:143:ARG:HH21	1:B:143:ARG:HG2	1.86	0.40
1:B:232:PRO:HA	1:B:233:PRO:HD2	1.82	0.40
1:B:303:ARG:HH21	1:B:303:ARG:HG2	1.85	0.40
1:B:79:LYS:CA	1:B:136:MET:HE1	2.48	0.40
1:A:20:HIS:O	1:A:24:ILE:HG13	2.20	0.40
1:B:283:SER:HA	1:B:286:LYS:HE3	2.03	0.40
1:B:293:PRO:HD2	6:B:1669:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	401/403 (100%)	385 (96%)	15 (4%)	1 (0%)	52	32
1	B	401/403 (100%)	388 (97%)	11 (3%)	2 (0%)	34	14
All	All	802/806 (100%)	773 (96%)	26 (3%)	3 (0%)	39	19

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	292	PRO
1	B	230	PRO
1	B	232	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	334/334 (100%)	323 (97%)	11 (3%)	45	19
1	B	334/334 (100%)	326 (98%)	8 (2%)	57	31
All	All	668/668 (100%)	649 (97%)	19 (3%)	51	25

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LYS
1	A	44	ASN
1	A	49	GLU
1	A	84	LYS
1	A	91	LYS
1	A	266	LYS
1	A	285	LEU
1	A	320	THR
1	A	356	LYS
1	A	360	LEU
1	A	362	ASP
1	B	1	MET
1	B	80	ASN
1	B	84	LYS
1	B	200	LEU
1	B	281	MET
1	B	282	VAL
1	B	285	LEU
1	B	362	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4	GLN
1	A	44	ASN
1	A	184	ASN
1	A	231	GLN
1	A	241	HIS
1	A	249	GLN
1	A	290	GLN
1	A	323	ASN
1	A	353	GLN
1	A	377	GLN
1	B	4	GLN
1	B	48	GLN
1	B	52	GLN
1	B	53	GLN
1	B	80	ASN
1	B	184	ASN
1	B	241	HIS
1	B	249	GLN
1	B	339	GLN
1	B	377	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HEM	A	404	1	30,50,50	2.94	12 (40%)	24,82,82	2.23	7 (29%)
4	FAD	A	405	-	48,58,58	1.36	5 (10%)	54,89,89	1.87	9 (16%)
5	DGG	A	406	-	44,45,50	1.23	4 (9%)	46,53,59	1.08	4 (8%)
3	HEM	B	404	1	30,50,50	3.28	11 (36%)	24,82,82	2.39	9 (37%)
4	FAD	B	405	-	48,58,58	1.50	8 (16%)	54,89,89	2.11	11 (20%)
5	DGG	B	406	-	44,45,50	1.17	5 (11%)	46,53,59	1.06	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	404	1	-	0/10/54/54	0/0/8/8
4	FAD	A	405	-	-	0/30/50/50	0/6/6/6
5	DGG	A	406	-	-	0/46/51/59	0/0/1/1
3	HEM	B	404	1	-	0/10/54/54	0/0/8/8
4	FAD	B	405	-	-	0/30/50/50	0/6/6/6
5	DGG	B	406	-	1/1/6/7	0/46/51/59	0/0/1/1

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	404	HEM	C3B-C4B	-10.73	1.42	1.51
3	A	404	HEM	C3C-CAC	-6.78	1.38	1.51
3	A	404	HEM	C2D-C3D	-6.65	1.34	1.54
3	B	404	HEM	C3C-CAC	-5.65	1.40	1.51
3	B	404	HEM	C2D-C3D	-5.50	1.38	1.54
3	B	404	HEM	C3B-CAB	-5.29	1.41	1.51
5	A	406	DGG	O17-C17	-5.24	1.33	1.45
3	B	404	HEM	C2C-C1C	-5.17	1.42	1.52
3	A	404	HEM	C3B-CAB	-4.87	1.42	1.51
3	A	404	HEM	C3B-C4B	-4.30	1.48	1.51
3	A	404	HEM	C2C-C1C	-4.23	1.44	1.52
3	A	404	HEM	C3D-C4D	-3.83	1.46	1.51
5	B	406	DGG	P-OP2	-3.19	1.49	1.60
5	B	406	DGG	C18-C19	-3.18	1.41	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	406	DGG	C18-C19	-3.03	1.42	1.50
4	B	405	FAD	P-O2P	-2.76	1.43	1.54
3	B	404	HEM	C2B-C1B	-2.74	1.42	1.51
5	B	406	DGG	P-OP1	-2.64	1.45	1.54
5	A	406	DGG	P-OP2	-2.59	1.51	1.60
4	B	405	FAD	PA-O2A	-2.45	1.44	1.54
3	B	404	HEM	C2D-C1D	-2.39	1.44	1.51
4	B	405	FAD	P-O1P	-2.36	1.42	1.51
3	A	404	HEM	C2B-C1B	-2.30	1.44	1.51
5	A	406	DGG	O19-C19	-2.28	1.40	1.46
5	B	406	DGG	O19-C19	-2.26	1.40	1.46
4	A	405	FAD	P-O2P	-2.17	1.45	1.54
4	B	405	FAD	PA-O5B	-2.12	1.49	1.59
4	A	405	FAD	P-O1P	-2.07	1.43	1.51
3	A	404	HEM	FE-NC	2.35	2.05	1.95
4	B	405	FAD	C4-N3	2.36	1.37	1.33
4	B	405	FAD	C4A-N3A	2.41	1.39	1.35
4	A	405	FAD	O4B-C1B	2.46	1.44	1.41
5	B	406	DGG	O17-C1	2.64	1.41	1.33
4	B	405	FAD	C4-C4X	2.79	1.46	1.41
4	A	405	FAD	C4-N3	2.81	1.38	1.33
4	A	405	FAD	O5'-C5'	3.04	1.57	1.44
4	B	405	FAD	C9A-N10	3.08	1.43	1.38
3	B	404	HEM	C4C-NC	3.87	1.40	1.36
3	A	404	HEM	C1C-NC	3.91	1.40	1.36
3	A	404	HEM	CBC-CAC	3.93	1.52	1.29
3	B	404	HEM	CBC-CAC	4.04	1.52	1.29
3	A	404	HEM	CBB-CAB	4.11	1.53	1.29
3	B	404	HEM	CBB-CAB	4.25	1.53	1.29
3	B	404	HEM	C1C-NC	4.45	1.41	1.36
3	A	404	HEM	C4C-NC	4.68	1.41	1.36

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	405	FAD	C1B-N9A-C4A	-6.31	117.42	126.94
4	A	405	FAD	C4X-C4-N3	-5.22	116.45	123.59
4	B	405	FAD	C4X-C4-N3	-4.90	116.89	123.59
4	B	405	FAD	C4A-C5A-N7A	-4.44	105.39	109.48
4	A	405	FAD	C4A-C5A-N7A	-4.25	105.57	109.48
4	B	405	FAD	C4B-O4B-C1B	-3.17	106.23	109.72
4	A	405	FAD	C4X-C10-N10	-3.09	118.70	120.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	405	FAD	C4-C4X-C10	-2.91	118.08	119.94
4	A	405	FAD	O4'-C4'-C5'	-2.86	103.96	110.19
4	B	405	FAD	C4X-C10-N10	-2.86	118.84	120.52
3	B	404	HEM	CMA-C3A-C4A	-2.59	124.09	128.36
5	A	406	DGG	O17-C1-O1	-2.16	117.91	123.49
4	A	405	FAD	C9A-C5X-N5	-2.02	119.37	122.36
4	B	405	FAD	C5X-C9A-N10	2.13	119.24	117.62
3	B	404	HEM	CBD-CAD-C3D	2.16	119.85	113.55
5	A	406	DGG	OP2-P-OP3	2.18	112.68	107.14
5	A	406	DGG	O19-C21-C22	2.20	116.30	111.53
5	B	406	DGG	O17-C17-C19	2.21	114.63	108.69
5	B	406	DGG	O19-C19-C18	2.27	116.36	108.36
4	B	405	FAD	C1'-N10-C9A	2.41	121.56	118.86
3	A	404	HEM	C3B-CAB-CBB	2.63	128.50	124.46
3	A	404	HEM	CMD-C2D-C3D	2.71	126.33	114.35
4	B	405	FAD	C6-C5X-C9A	2.89	122.79	118.98
5	B	406	DGG	O19-C21-C22	2.91	117.86	111.53
5	A	406	DGG	O17-C17-C19	2.94	116.61	108.69
3	B	404	HEM	C3B-CAB-CBB	3.06	129.15	124.46
4	A	405	FAD	C6-C5X-C9A	3.20	123.19	118.98
4	A	405	FAD	C4X-N5-C5X	3.27	120.53	116.76
3	B	404	HEM	CMD-C2D-C3D	3.29	128.89	114.35
4	B	405	FAD	C4X-N5-C5X	3.30	120.56	116.76
3	A	404	HEM	C2D-C3D-C4D	3.32	107.14	101.50
3	B	404	HEM	CAD-C3D-C4D	3.59	125.15	112.47
3	A	404	HEM	CAD-C3D-C4D	3.83	125.96	112.47
3	B	404	HEM	C2D-C3D-C4D	3.98	108.25	101.50
4	A	405	FAD	C1'-N10-C9A	4.05	123.41	118.86
3	A	404	HEM	CMB-C2B-C3B	4.12	126.82	116.53
3	B	404	HEM	CMC-C2C-C3C	4.34	127.37	116.53
3	B	404	HEM	CAD-C3D-C2D	4.58	126.39	113.22
3	A	404	HEM	CMC-C2C-C3C	4.63	128.09	116.53
3	A	404	HEM	CAD-C3D-C2D	4.74	126.86	113.22
3	B	404	HEM	CMB-C2B-C3B	5.21	129.53	116.53
4	A	405	FAD	C4-N3-C2	6.60	120.95	115.25
4	B	405	FAD	C4-N3-C2	7.71	121.91	115.25

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	B	406	DGG	C19

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	405	FAD	1	0
5	A	406	DGG	5	0
3	B	404	HEM	1	0
4	B	405	FAD	1	0
5	B	406	DGG	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	403/403 (100%)	0.25	26 (6%)	22 27	11, 26, 55, 63	0
1	B	403/403 (100%)	0.07	17 (4%)	40 46	11, 23, 46, 69	0
All	All	806/806 (100%)	0.16	43 (5%)	30 36	11, 24, 52, 69	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	230	PRO	8.8
1	A	229	GLY	6.8
1	A	338	VAL	6.8
1	A	230	PRO	6.1
1	A	279	THR	5.7
1	B	229	GLY	5.6
1	A	292	PRO	5.1
1	B	278	LEU	4.8
1	B	228	GLY	4.7
1	B	402	ALA	4.6
1	A	291	ALA	4.5
1	A	323	ASN	4.5
1	A	228	GLY	4.3
1	A	321	TYR	4.3
1	B	279	THR	4.2
1	B	47	HIS	4.0
1	A	303	ARG	3.7
1	A	319	LYS	3.7
1	B	276	VAL	3.6
1	B	231	GLN	3.6
1	A	293	PRO	3.3
1	B	1	MET	3.2
1	A	1	MET	3.2
1	B	401	PHE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	278	LEU	3.1
1	A	316	GLU	3.0
1	A	231	GLN	2.9
1	A	320	THR	2.8
1	A	334	LEU	2.8
1	B	112	ASN	2.8
1	B	282	VAL	2.6
1	B	227	GLY	2.5
1	A	52	GLN	2.5
1	A	143	ARG	2.4
1	A	322	GLU	2.4
1	A	333	PRO	2.3
1	A	341	ARG	2.3
1	A	343	TYR	2.3
1	A	356	LYS	2.3
1	B	400	LEU	2.2
1	B	316	GLU	2.1
1	B	232	PRO	2.1
1	A	264	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NA	A	490	1/1	0.46	0.36	14.12	41,41,41,41	0
5	DGG	B	406	45/50	0.90	0.13	4.92	24,28,35,37	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	DGG	A	406	45/50	0.88	0.13	2.92	24,28,37,40	0
3	HEM	A	404	43/43	0.98	0.07	-0.24	9,14,33,36	0
3	HEM	B	404	43/43	0.99	0.06	-0.65	9,12,27,33	0
4	FAD	B	405	53/53	0.98	0.07	-0.67	10,15,52,52	0
4	FAD	A	405	53/53	0.98	0.07	-0.86	10,15,46,47	0

6.5 Other polymers [i](#)

There are no such residues in this entry.