



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 06:57 PM GMT

PDB ID : 1DDT
Title : THE REFINED STRUCTURE OF DIMERIC DIPHTHERIA TOXIN AT 2.0
ANGSTROMS RESOLUTION
Authors : Bennett, M.J.; Eisenberg, D.
Deposited on : 1994-03-01
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	535	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 4469 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DIPHTHERIA TOXIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	523	Total	C	N	O	S	0	0	0
			4021	2531	683	795	12			


- Molecule 2 is ADENYLYL-3'-5'-PHOSPHO-URIDINE-3'-MONOPHOSPHATE (three-letter code: APU) (formula: $C_{19}H_{25}N_7O_{15}P_2$).



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DIPHTHERIA TOXIN



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	105.64 Å 92.56 Å 65.58 Å 90.00° 94.60° 90.00°	Depositor
Resolution (Å)	10.00 – 2.00 69.52 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (10.00-2.00) 92.1 (69.52-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.85 (at 2.00 Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, R_{free}	0.195 , (Not available) 0.222 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	27.7	Xtriage
Anisotropy	0.273	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 115.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 39447 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4469	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: APU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.85	0/4102	1.25	13/5556 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	458	ARG	NE-CZ-NH1	-10.13	115.24	120.30
1	A	97	ASP	CB-CG-OD1	7.63	125.17	118.30
1	A	526	LYS	CD-CE-NZ	7.44	128.82	111.70
1	A	385	LYS	CD-CE-NZ	6.33	126.26	111.70
1	A	133	ARG	NE-CZ-NH2	-6.17	117.22	120.30
1	A	47	ASP	CB-CG-OD1	5.50	123.25	118.30
1	A	338	LEU	CB-CG-CD1	-5.35	101.91	111.00
1	A	176	ASP	CB-CG-OD1	5.33	123.10	118.30
1	A	456	LYS	CD-CE-NZ	-5.14	99.89	111.70
1	A	176	ASP	CB-CG-OD2	-5.13	113.68	118.30
1	A	125	LYS	CD-CE-NZ	5.11	123.46	111.70
1	A	108	LEU	CA-CB-CG	5.10	127.02	115.30
1	A	15	GLU	OE1-CD-OE2	5.03	129.34	123.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	246	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4021	0	3951	120	0
2	A	43	0	22	0	0
3	A	405	0	0	9	0
All	All	4469	0	3973	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:353:ILE:HG13	1:A:354:GLY:N	1.90	0.85
1:A:436:THR:O	1:A:467:ASP:HB3	1.78	0.84
1:A:283:VAL:O	1:A:287:GLN:HG3	1.78	0.83
1:A:216:LYS:O	1:A:220:LEU:HD22	1.82	0.79
1:A:344:ILE:HB	1:A:352:ASP:HB3	1.66	0.77
1:A:351:VAL:HG22	1:A:353:ILE:HG12	1.69	0.75
1:A:30:SER:HA	1:A:33:LYS:HE2	1.69	0.74
1:A:470:PHE:HE1	1:A:512:LEU:HD22	1.53	0.72
1:A:104:LYS:HE3	1:A:105:GLU:OE2	1.90	0.72
1:A:240:GLU:OE1	1:A:283:VAL:HG21	1.89	0.71
1:A:85:TYR:CE1	1:A:133:ARG:HD2	2.25	0.71
1:A:238:VAL:HG12	1:A:346:LEU:HB3	1.73	0.70
1:A:18:SER:HB2	3:A:822:HOH:O	1.92	0.70
1:A:223:HIS:CD2	1:A:225:PRO:HD2	2.28	0.69
1:A:344:ILE:HD13	1:A:352:ASP:HA	1.75	0.69
1:A:94:LEU:HD11	1:A:136:LEU:HD13	1.75	0.67
1:A:344:ILE:CD1	1:A:352:ASP:HA	2.26	0.66
1:A:240:GLU:HA	1:A:243:ALA:HB3	1.78	0.65
1:A:263:LEU:H	1:A:331:GLN:HE22	1.43	0.65
1:A:133:ARG:HD3	3:A:677:HOH:O	1.98	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:PHE:O	1:A:170:ARG:HB2	1.99	0.62
1:A:518:VAL:HB	1:A:523:VAL:CG1	2.31	0.61
1:A:315:GLY:HA3	1:A:323:HIS:CD2	2.37	0.60
1:A:351:VAL:O	1:A:351:VAL:HG13	2.03	0.59
1:A:183:ALA:HB1	1:A:203:ASN:HD22	1.67	0.59
1:A:349:GLU:O	1:A:350:LEU:HB3	2.01	0.59
1:A:220:LEU:O	1:A:226:ILE:HG21	2.02	0.58
1:A:269:THR:HG23	3:A:916:HOH:O	2.03	0.58
1:A:344:ILE:CB	1:A:352:ASP:HB3	2.34	0.58
1:A:238:VAL:HG22	1:A:242:LYS:HB3	1.85	0.58
1:A:398:TRP:HH2	1:A:509:ILE:HD12	1.67	0.58
1:A:85:TYR:CD1	1:A:133:ARG:HD2	2.41	0.55
1:A:230:MET:O	1:A:233:SER:HB3	2.06	0.55
1:A:518:VAL:HB	1:A:523:VAL:HG12	1.87	0.55
1:A:470:PHE:CE1	1:A:512:LEU:HD22	2.37	0.55
1:A:435:PRO:HB2	1:A:504:ILE:HD11	1.88	0.55
1:A:216:LYS:NZ	1:A:259:GLU:O	2.40	0.55
1:A:260:LEU:HA	1:A:331:GLN:NE2	2.21	0.55
1:A:263:LEU:H	1:A:331:GLN:NE2	2.05	0.54
1:A:120:THR:O	1:A:124:ILE:HG13	2.07	0.54
1:A:500:HIS:HD2	1:A:502:ASN:H	1.56	0.54
1:A:516:LYS:HG3	1:A:523:VAL:HG13	1.90	0.54
1:A:462:ARG:HG3	1:A:470:PHE:O	2.08	0.54
1:A:289:ILE:O	1:A:350:LEU:HD22	2.08	0.53
1:A:504:ILE:HD12	3:A:684:HOH:O	2.09	0.53
1:A:286:ALA:HB1	1:A:344:ILE:HA	1.89	0.53
1:A:204:LEU:HG	1:A:209:ILE:HD11	1.90	0.53
1:A:233:SER:HB2	1:A:246:TYR:CZ	2.45	0.52
1:A:102:ILE:O	1:A:106:LEU:HB2	2.08	0.52
1:A:220:LEU:HD12	1:A:257:HIS:CD2	2.45	0.52
1:A:18:SER:OG	1:A:82:LYS:HE2	2.10	0.52
1:A:500:HIS:CD2	1:A:502:ASN:H	2.28	0.51
1:A:475:SER:HB2	1:A:476:PRO:CD	2.40	0.51
1:A:240:GLU:O	1:A:244:LYS:N	2.36	0.51
1:A:240:GLU:O	1:A:244:LYS:HB3	2.10	0.51
1:A:261:SER:O	1:A:264:LYS:HB3	2.10	0.51
1:A:472:ARG:HD3	3:A:750:HOH:O	2.10	0.51
1:A:217:ILE:O	1:A:221:LYS:HG3	2.11	0.50
1:A:398:TRP:CH2	1:A:509:ILE:HD12	2.47	0.50
1:A:223:HIS:HB3	1:A:226:ILE:HD12	1.94	0.49
1:A:421:THR:HA	1:A:479:VAL:HB	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:CYS:SG	1:A:203:ASN:ND2	2.83	0.49
1:A:445:LYS:HB3	1:A:445:LYS:HE2	1.47	0.48
1:A:238:VAL:CG1	1:A:346:LEU:HB3	2.43	0.48
1:A:344:ILE:HB	1:A:345:PRO:HD3	1.95	0.48
1:A:230:MET:HA	1:A:246:TYR:OH	2.14	0.48
1:A:314:MET:HB3	1:A:316:ILE:HG13	1.96	0.48
1:A:344:ILE:CG2	1:A:352:ASP:HB3	2.43	0.48
1:A:451:SER:O	1:A:485:ALA:HA	2.14	0.48
1:A:517:THR:HG22	1:A:522:LYS:HG2	1.96	0.47
1:A:345:PRO:HD3	1:A:352:ASP:HB3	1.96	0.47
1:A:177:ALA:HA	1:A:180:GLU:HG2	1.97	0.47
1:A:342:GLN:HG2	3:A:718:HOH:O	2.14	0.47
1:A:229:LYS:HD2	1:A:229:LYS:HA	1.44	0.47
1:A:202:ILE:HG22	1:A:204:LEU:HD22	1.96	0.46
1:A:172:LYS:NZ	1:A:176:ASP:HB3	2.30	0.46
1:A:516:LYS:HG3	1:A:523:VAL:O	2.16	0.46
1:A:315:GLY:HA3	1:A:323:HIS:CG	2.50	0.46
1:A:335:LEU:O	1:A:339:MET:HG3	2.15	0.46
1:A:353:ILE:CG1	1:A:354:GLY:N	2.73	0.46
1:A:398:TRP:CE2	1:A:529:LEU:HB3	2.51	0.46
1:A:349:GLU:O	1:A:350:LEU:CB	2.64	0.46
1:A:104:LYS:HE2	1:A:104:LYS:HB3	1.52	0.46
1:A:74:SER:HB2	1:A:297:LEU:HD13	1.98	0.46
1:A:516:LYS:HB2	1:A:518:VAL:HG23	1.97	0.45
1:A:428:PRO:HA	1:A:477:VAL:O	2.16	0.45
1:A:257:HIS:HA	1:A:258:PRO:HD2	1.70	0.45
1:A:407:ARG:O	1:A:493:ARG:NH2	2.48	0.45
1:A:264:LYS:NZ	1:A:264:LYS:HB3	2.32	0.44
1:A:349:GLU:O	1:A:350:LEU:HD23	2.17	0.44
1:A:255:LEU:O	3:A:739:HOH:O	2.21	0.44
1:A:439:GLY:HA2	1:A:494:SER:OG	2.17	0.44
1:A:526:LYS:HE3	3:A:806:HOH:O	2.17	0.43
1:A:269:THR:HG23	3:A:753:HOH:O	2.17	0.43
1:A:83:VAL:HA	1:A:160:SER:O	2.19	0.43
1:A:181:TYR:O	1:A:184:GLN:HB2	2.19	0.43
1:A:214:LYS:HA	1:A:214:LYS:HD2	1.65	0.42
1:A:183:ALA:HB1	1:A:203:ASN:ND2	2.34	0.42
1:A:344:ILE:HD12	1:A:352:ASP:HA	2.02	0.42
1:A:112:GLU:HA	1:A:113:PRO:HD3	1.83	0.42
1:A:353:ILE:HG13	1:A:354:GLY:H	1.78	0.42
1:A:241:GLU:O	1:A:244:LYS:HD2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:407:ARG:HA	1:A:534:LYS:O	2.19	0.41
1:A:449:HIS:HB2	1:A:457:ILE:O	2.20	0.41
1:A:273:PHE:CD1	1:A:273:PHE:N	2.84	0.41
1:A:113:PRO:HB2	1:A:116:GLU:HG3	2.02	0.41
1:A:23:THR:HG22	1:A:27:TYR:HB2	2.02	0.41
1:A:315:GLY:CA	1:A:323:HIS:CD2	3.04	0.41
1:A:349:GLU:O	1:A:350:LEU:CD2	2.69	0.41
1:A:464:ILE:HB	1:A:468:VAL:O	2.21	0.41
1:A:228:ASN:O	1:A:231:SER:HB2	2.21	0.41
1:A:349:GLU:O	1:A:349:GLU:HG3	2.20	0.41
1:A:518:VAL:O	1:A:519:ASP:HB2	2.21	0.40
1:A:227:LYS:HE2	1:A:227:LYS:HB3	1.81	0.40
1:A:377:ARG:HA	1:A:378:PRO:HD3	1.91	0.40
1:A:518:VAL:O	1:A:521:THR:O	2.39	0.40
1:A:163:LEU:HD12	1:A:163:LEU:HA	1.75	0.40
1:A:369:GLN:HB2	1:A:369:GLN:HE21	1.66	0.40
1:A:52:GLY:HA2	1:A:153:TRP:CD1	2.57	0.40
1:A:458:ARG:HD2	1:A:458:ARG:HH11	1.67	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	519/535 (97%)	498 (96%)	18 (4%)	3 (1%)	30	22

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	350	LEU
1	A	201	CYS
1	A	352	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	442/452 (98%)	411 (93%)	31 (7%)	19	12

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	GLN
1	A	45	ASN
1	A	88	LEU
1	A	96	VAL
1	A	133	ARG
1	A	162	GLU
1	A	172	LYS
1	A	204	LEU
1	A	214	LYS
1	A	220	LEU
1	A	228	ASN
1	A	232	GLU
1	A	235	ASN
1	A	240	GLU
1	A	244	LYS
1	A	245	GLN
1	A	252	GLN
1	A	269	THR
1	A	284	ASN
1	A	297	LEU
1	A	313	VAL
1	A	338	LEU
1	A	350	LEU
1	A	352	ASP
1	A	353	ILE
1	A	462	ARG
1	A	465	ASP
1	A	512	LEU
1	A	516	LYS
1	A	518	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	519	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	36	GLN
1	A	151	ASN
1	A	203	ASN
1	A	228	ASN
1	A	235	ASN
1	A	331	GLN
1	A	369	GLN
1	A	449	HIS
1	A	500	HIS
1	A	515	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	APU	A	950	-	36,47,47	1.38	5 (13%)	43,72,72	1.97	10 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	APU	A	950	-	-	0/18/58/58	0/5/5/5

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	950	APU	C8A-N7A	-2.47	1.29	1.34
2	A	950	APU	O2D-C2D	2.26	1.48	1.43
2	A	950	APU	O4B-C1B	2.36	1.44	1.41
2	A	950	APU	O2B-C2B	2.58	1.49	1.43
2	A	950	APU	C4U-N3U	3.98	1.40	1.33

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	950	APU	C5U-C4U-N3U	-3.50	114.15	123.12
2	A	950	APU	C5B-C4B-C3B	-2.47	106.50	114.82
2	A	950	APU	O3B-C3B-C2B	-2.25	102.75	111.51
2	A	950	APU	C4A-C5A-N7A	2.74	112.00	109.48
2	A	950	APU	C6U-C5U-C4U	2.80	122.51	117.28
2	A	950	APU	N6A-C6A-N1A	2.89	125.41	119.20
2	A	950	APU	O4B-C4B-C5B	2.95	115.55	109.17
2	A	950	APU	O3X-PU-O2X	3.23	119.67	107.38
2	A	950	APU	PU-O3D-C3D	4.22	131.69	121.56
2	A	950	APU	C4U-N3U-C2U	7.64	121.70	114.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	523/535 (97%)	0.36	35 (6%) 21 22	10, 24, 59, 75	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	518	VAL	10.0
1	A	238	VAL	7.3
1	A	352	ASP	7.2
1	A	353	ILE	7.1
1	A	350	LEU	4.4
1	A	187	ALA	3.5
1	A	347	VAL	3.2
1	A	517	THR	3.2
1	A	240	GLU	3.2
1	A	225	PRO	3.1
1	A	243	ALA	3.0
1	A	344	ILE	3.0
1	A	232	GLU	3.0
1	A	229	LYS	2.8
1	A	462	ARG	2.8
1	A	236	LYS	2.8
1	A	346	LEU	2.8
1	A	246	TYR	2.7
1	A	234	PRO	2.7
1	A	343	ALA	2.7
1	A	226	ILE	2.6
1	A	519	ASP	2.6
1	A	228	ASN	2.5
1	A	200	SER	2.5
1	A	108	LEU	2.3
1	A	520	HIS	2.3
1	A	255	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	130	GLY	2.2
1	A	466	GLY	2.2
1	A	223	HIS	2.2
1	A	125	LYS	2.2
1	A	227	LYS	2.2
1	A	230	MET	2.1
1	A	106	LEU	2.1
1	A	358	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	APU	A	950	43/43	0.97	0.10	-0.89	8,17,21,22	0

6.5 Other polymers [i](#)

There are no such residues in this entry.