



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 28, 2016 – 03:31 AM EDT

PDB ID : 5E2N  
Title : Crystal structure of human carbonic anhydrase isozyme XIII with 3-(cyclooctylamino)-2,5,6-trifluoro-4-[(2-hydroxyethyl)sulfonyl]benzenesulfonamide  
Authors : Manakova, E.; Smirnov, A.; Grazulis, S.  
Deposited on : 2015-10-01  
Resolution : 1.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---


The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20027939  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027939

**i**

## X-RAY DIFFRACTION

A.



$R_{free}$
Clashscore
Ramachandran outliers
Sidechain outliers
BSRZ outliers

1	A	263
1	B	263

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ZN	B	301	-	-	-	X
3	PEG	A	302	-	-	X	X
4	EDO	A	303	-	-	-	X
4	EDO	A	304	-	-	-	X
4	EDO	B	303	-	-	-	X
4	EDO	B	304	-	-	-	X
5	V14	A	307	-	-	X	X
5	V14	B	306	-	-	X	X
6	CIT	B	302	-	-	-	X

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 4795 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carbonic anhydrase 13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	258	Total	C	N	O	S	0	10	0
			2119	1351	362	405	1			
1	B	258	Total	C	N	O	S	0	6	0
			2087	1327	364	395	1			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP Q8N1Q1
B	1	MET	-	initiating methionine	UNP Q8N1Q1

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			7	4	3		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is 3-(cyclooctylamino)-2,5,6-trifluoro-4-[(2-hydroxyethyl)sulfonyl]benzenesulfonamide (three-letter code: V14) (formula: C<sub>16</sub>H<sub>23</sub>F<sub>3</sub>N<sub>2</sub>O<sub>5</sub>S<sub>2</sub>).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	F	N	O	S	0	0
			28	16	3	2	5	2		
5	B	1	Total	C	F	N	O	S	0	0
			28	16	3	2	5	2		

- Molecule 6 is CITRIC ACID (three-letter code: CIT) (formula: C<sub>6</sub>H<sub>8</sub>O<sub>7</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			13	6	7		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	224	Total	O	0	0
			224	224		
7	B	259	Total	O	0	0
			259	259		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Carbonic anhydrase 13



- Molecule 1: Carbonic anhydrase 13





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	56.09 Å 57.60 Å 159.75 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	54.18 – 1.53 54.18 – 1.53	Depositor EDS
% Data completeness (in resolution range)	98.7 (54.18-1.53) 98.7 (54.18-1.53)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.05	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.76 (at 1.53 Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.176 , 0.212 0.173 , 0.208	Depositor DCC
$R_{free}$ test set	7856 reflections (11.21%)	DCC
Wilson B-factor (Å <sup>2</sup> )	18.2	Xtriage
Anisotropy	0.429	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 45.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.025 for k,h,-l	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	4795	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.23% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, PEG, EDO, V14, CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.21	0/2182	1.19	0/2971
1	B	1.18	0/2148	1.14	0/2923
All	All	1.19	0/4330	1.16	0/5894

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2119	0	2023	46	0
1	B	2087	0	2011	52	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	7	0	9	4	0
4	A	16	0	24	5	0
4	B	12	0	18	2	0
5	A	28	0	23	24	0
5	B	28	0	23	24	0
6	B	13	0	4	2	0
7	A	224	0	0	6	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	259	0	0	11	1
All	All	4795	0	4135	115	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:307:V14:H18	5:A:307:V14:N19	1.45	1.17
1:A:69:ASN:HD21	5:A:307:V14:C25	1.66	1.07
5:A:307:V14:H8	5:A:307:V14:C24	1.72	1.02
1:A:69:ASN:HD21	5:A:307:V14:H16	1.26	0.99
1:A:76:GLU:HG3	7:A:405:HOH:O	1.68	0.93
1:A:69:ASN:ND2	5:A:307:V14:H16	1.82	0.93
5:A:307:V14:C24	5:A:307:V14:O17	2.17	0.93
1:B:158[A]:GLN:NE2	7:B:401:HOH:O	2.02	0.91
1:B:202:VAL:HG21	5:B:306:V14:H9	1.55	0.89
5:A:307:V14:H18	5:A:307:V14:O17	1.73	0.88
1:A:69:ASN:HD21	5:A:307:V14:H17	1.43	0.83
1:A:69:ASN:ND2	5:A:307:V14:C25	2.40	0.83
5:A:307:V14:H19	5:A:307:V14:O17	1.82	0.79
1:A:256:ARG:HG3	3:A:302:PEG:H11	1.69	0.75
1:A:176[A]:THR:CG2	7:A:491:HOH:O	2.36	0.72
1:A:202:VAL:HG21	5:A:307:V14:H9	1.70	0.71
5:A:307:V14:N19	5:A:307:V14:C24	2.39	0.71
1:B:202:VAL:HG21	5:B:306:V14:C14	2.20	0.71
1:A:224:GLN:HA	1:A:227:LYS:HE2	1.73	0.70
1:A:69:ASN:CG	5:A:307:V14:H16	2.11	0.70
5:B:306:V14:C18	5:B:306:V14:H20	2.22	0.70
1:A:69:ASN:OD1	5:A:307:V14:H16	1.91	0.69
1:B:104:ASP:CG	7:B:402:HOH:O	2.31	0.69
1:B:66:HIS:CD2	5:B:306:V14:H19	2.26	0.69
1:B:66:HIS:HD2	5:B:306:V14:C24	2.06	0.68
5:A:307:V14:N19	5:A:307:V14:O17	2.24	0.68
1:B:19[B]:LYS:HG2	1:B:20:GLU:N	2.10	0.66
1:B:202:VAL:HG21	5:B:306:V14:H23	1.78	0.66
1:B:64:SER:CB	5:B:306:V14:H17	2.26	0.65
1:A:154:GLU:HB3	7:A:567:HOH:O	1.96	0.65
1:B:19[A]:LYS:HE2	7:B:450:HOH:O	1.97	0.65
5:B:306:V14:H16	5:B:306:V14:O21	1.98	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:16:ILE:O	1:B:19[A]:LYS:HE3	1.99	0.63
5:B:306:V14:H5	5:B:306:V14:H20	1.79	0.63
5:B:306:V14:F20	5:B:306:V14:H9	1.88	0.63
4:A:303:EDO:H21	7:B:440:HOH:O	1.97	0.63
1:B:66:HIS:HD2	5:B:306:V14:H19	1.63	0.62
1:A:177[B]:ARG:NH1	7:A:403:HOH:O	2.35	0.59
1:A:58:ALA:O	1:A:59:LYS:HE3	2.03	0.59
1:A:182:ASP:HB3	4:A:304:EDO:H11	1.84	0.59
1:B:104:ASP:OD2	7:B:402:HOH:O	2.16	0.58
1:A:146:LEU:HD12	1:A:212:ILE:HB	1.84	0.58
1:A:67:SER:HB3	5:A:307:V14:H13	1.86	0.58
1:B:158[B]:GLN:HG3	1:B:186:LEU:CD1	2.33	0.58
6:B:302:CIT:C6	6:B:302:CIT:O3	2.50	0.57
5:B:306:V14:C18	5:B:306:V14:H8	2.19	0.55
1:B:158[B]:GLN:HG2	7:B:555:HOH:O	2.07	0.55
1:B:190:SER:H	1:B:216:GLN:NE2	2.05	0.54
1:B:202:VAL:HG21	5:B:306:V14:C22	2.36	0.54
1:B:99:TRP:O	1:B:247:HIS:HD2	1.90	0.54
1:A:29:GLN:OE1	3:A:302:PEG:H22	2.07	0.54
1:B:254:LYS:HE2	7:B:444:HOH:O	2.07	0.53
1:A:29:GLN:HG2	3:A:302:PEG:H12	1.90	0.53
1:A:69:ASN:ND2	5:A:307:V14:H17	2.15	0.53
4:A:303:EDO:H11	1:B:48:PRO:HD3	1.92	0.52
1:B:158[B]:GLN:HG3	1:B:186:LEU:HD13	1.92	0.51
1:A:135[B]:GLU:OE2	1:A:139[B]:GLU:OE2	2.27	0.51
1:B:132:SER:HA	4:B:304:EDO:H12	1.92	0.51
1:B:130:TYR:CE1	1:B:139:GLU:HG3	2.46	0.51
1:A:64:SER:CB	5:A:307:V14:H17	2.41	0.50
1:B:104:ASP:OD1	7:B:402:HOH:O	2.20	0.50
1:A:64:SER:OG	5:A:307:V14:H15	2.11	0.50
5:A:307:V14:H18	5:A:307:V14:H8	0.76	0.50
1:B:19[B]:LYS:O	1:B:20:GLU:C	2.49	0.50
1:B:69:ASN:HD21	5:B:306:V14:H17	1.75	0.49
1:B:202:VAL:CG2	5:B:306:V14:H9	2.37	0.49
1:B:136:ALA:O	1:B:142:GLY:HA3	2.12	0.49
1:B:66:HIS:CD2	5:B:306:V14:C24	2.88	0.49
1:B:28:ASP:HA	1:B:254:LYS:HD2	1.95	0.48
1:B:76:GLU:HB2	7:B:478:HOH:O	2.13	0.48
1:B:200:LEU:HD22	5:B:306:V14:C3	2.44	0.48
4:B:304:EDO:H11	7:B:575:HOH:O	2.13	0.48
1:A:202:VAL:HG21	5:A:307:V14:C14	2.42	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:74[B]:ASP:CG	1:A:125:TRP:HE1	2.18	0.47
1:A:136:ALA:O	1:A:142:GLY:HA3	2.15	0.47
1:B:105:HIS:HD2	6:B:302:CIT:O5	1.98	0.47
1:B:158[B]:GLN:HG3	1:B:186:LEU:HD12	1.97	0.47
1:B:158[B]:GLN:HG2	1:B:158[B]:GLN:H	1.54	0.47
1:B:64:SER:HB3	5:B:306:V14:H17	1.97	0.46
1:A:53[B]:TYR:OH	1:A:181:PHE:O	2.23	0.46
1:A:74[A]:ASP:O	1:A:91:ARG:HD2	2.15	0.46
1:B:219[B]:ASN:H	1:B:219[B]:ASN:ND2	2.13	0.46
1:A:64:SER:OG	5:A:307:V14:C26	2.64	0.46
1:B:158[A]:GLN:NE2	1:B:182:ASP:H	2.14	0.45
1:A:224:GLN:HA	1:A:227:LYS:CE	2.45	0.45
1:A:74[A]:ASP:O	1:A:91:ARG:CD	2.64	0.45
1:B:69:ASN:HD21	5:B:306:V14:C25	2.30	0.45
1:B:161:LYS:HG2	1:B:178:PHE:CE1	2.52	0.45
1:B:16:ILE:O	1:B:19[A]:LYS:CE	2.64	0.45
1:B:66:HIS:HD2	5:B:306:V14:H18	1.78	0.45
1:B:227:LYS:HE3	1:B:227:LYS:HB3	1.77	0.45
1:B:67:SER:HB3	5:B:306:V14:H13	1.99	0.44
1:A:53[B]:TYR:HD2	7:A:434:HOH:O	2.00	0.43
1:B:158[B]:GLN:CG	7:B:555:HOH:O	2.66	0.43
1:B:66:HIS:HB2	5:B:306:V14:H19	1.98	0.43
1:A:192:ASP:OD1	4:A:303:EDO:H22	2.19	0.43
1:A:74[A]:ASP:C	1:A:91:ARG:HD3	2.39	0.43
5:B:306:V14:C14	5:B:306:V14:F20	2.57	0.43
1:A:186:LEU:O	1:A:218:ILE:HD13	2.19	0.43
1:B:171:GLU:HG3	1:B:232:LEU:HD12	2.01	0.43
1:A:176[A]:THR:HG22	7:A:491:HOH:O	2.14	0.42
1:A:186:LEU:O	1:A:218:ILE:HG21	2.20	0.42
1:B:69:ASN:OD1	5:B:306:V14:H14	2.19	0.42
1:A:8:GLY:O	1:A:14:GLY:HA2	2.20	0.42
1:B:38:LYS:HE2	1:B:38:LYS:HB3	1.95	0.42
1:A:171:GLU:OE2	1:A:174:LYS:NZ	2.51	0.42
1:A:256:ARG:HG3	3:A:302:PEG:C1	2.43	0.42
1:A:186:LEU:HA	1:A:186:LEU:HD23	1.96	0.42
1:A:67:SER:CB	5:A:307:V14:H13	2.50	0.41
1:A:181:PHE:CD1	4:A:304:EDO:H22	2.56	0.41
1:A:66:HIS:HD2	5:A:307:V14:H21	1.85	0.41
1:A:158:GLN:NE2	1:A:185[B]:SER:OG	2.54	0.40
1:B:190:SER:H	1:B:216:GLN:HE21	1.68	0.40
1:B:219[B]:ASN:H	1:B:219[B]:ASN:HD22	1.70	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:410:HOH:O	7:B:457:HOH:O[1_545]	2.13	0.07

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	266/263 (101%)	257 (97%)	9 (3%)	0	100	100
1	B	262/263 (100%)	251 (96%)	11 (4%)	0	100	100
All	All	528/526 (100%)	508 (96%)	20 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/232 (100%)	229 (99%)	3 (1%)	76	48
1	B	230/232 (99%)	223 (97%)	7 (3%)	48	15
All	All	462/464 (100%)	452 (98%)	10 (2%)	63	26

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	94	GLN
1	A	184	LEU
1	A	263	HIS
1	B	6	SER
1	B	94	GLN
1	B	104	ASP
1	B	154	GLU
1	B	158[A]	GLN
1	B	158[B]	GLN
1	B	263	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	HIS
1	A	69	ASN
1	A	158	GLN
1	B	66	HIS
1	B	105	HIS
1	B	175	GLN
1	B	216	GLN
1	B	247	HIS
1	B	251	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 2 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	PEG	A	302	-	6,6,6	0.97	0	5,5,5	4.39	5 (100%)
4	EDO	A	303	-	3,3,3	0.56	0	2,2,2	1.67	0
4	EDO	A	304	-	3,3,3	0.63	0	2,2,2	0.74	0
4	EDO	A	305	-	3,3,3	0.69	0	2,2,2	1.27	0
4	EDO	A	306	-	3,3,3	0.83	0	2,2,2	1.54	0
5	V14	A	307	-	28,29,29	3.38	10 (35%)	34,43,43	5.05	20 (58%)
6	CIT	B	302	-	3,12,12	2.93	2 (66%)	3,17,17	4.84	3 (100%)
4	EDO	B	303	-	3,3,3	0.51	0	2,2,2	0.16	0
4	EDO	B	304	-	3,3,3	0.54	0	2,2,2	0.74	0
4	EDO	B	305	-	3,3,3	0.61	0	2,2,2	0.94	0
5	V14	B	306	2	28,29,29	3.74	8 (28%)	34,43,43	5.31	18 (52%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PEG	A	302	-	-	0/4/4/4	0/0/0/0
4	EDO	A	303	-	-	0/1/1/1	0/0/0/0
4	EDO	A	304	-	-	0/1/1/1	0/0/0/0
4	EDO	A	305	-	-	0/1/1/1	0/0/0/0
4	EDO	A	306	-	-	0/1/1/1	0/0/0/0
5	V14	A	307	-	-	0/20/30/30	0/2/2/2
6	CIT	B	302	-	-	0/6/16/16	0/0/0/0
4	EDO	B	303	-	-	0/1/1/1	0/0/0/0
4	EDO	B	304	-	-	0/1/1/1	0/0/0/0
4	EDO	B	305	-	-	0/1/1/1	0/0/0/0
5	V14	B	306	2	-	2/20/30/30	0/2/2/2

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	307	V14	C4-S7	-4.68	1.70	1.79

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	307	V14	O9-S7	-4.67	1.37	1.43
6	B	302	CIT	O7-C3	-4.35	1.36	1.43
5	B	306	V14	C3-C4	-3.55	1.35	1.39
5	A	307	V14	O8-S7	-3.25	1.39	1.43
5	B	306	V14	C4-S7	-2.81	1.74	1.79
6	B	302	CIT	C2-C3	-2.63	1.50	1.54
5	A	307	V14	C2-C1	-2.34	1.36	1.39
5	A	307	V14	C5-C4	-2.17	1.36	1.39
5	B	306	V14	C6-C5	2.03	1.42	1.39
5	B	306	V14	C28-C14	2.23	1.55	1.52
5	A	307	V14	F13-C2	2.26	1.38	1.35
5	B	306	V14	C22-C14	2.91	1.56	1.52
5	B	306	V14	O17-S11	3.44	1.49	1.44
5	B	306	V14	O16-S11	4.97	1.52	1.44
5	A	307	V14	O16-S11	5.14	1.52	1.44
5	A	307	V14	C22-C14	5.28	1.60	1.52
5	A	307	V14	O17-S11	6.26	1.54	1.44
5	A	307	V14	S7-N10	11.91	1.81	1.60
5	B	306	V14	S7-N10	17.17	1.90	1.60

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	306	V14	O8-S7-O9	-20.04	91.94	118.87
5	A	307	V14	O8-S7-O9	-16.01	97.36	118.87
5	A	307	V14	O16-S11-O17	-11.20	106.96	118.44
5	B	306	V14	O9-S7-N10	-10.78	93.86	107.25
5	B	306	V14	O16-S11-O17	-9.85	108.35	118.44
6	B	302	CIT	C3-C2-C1	-6.41	104.94	114.95
5	A	307	V14	O17-S11-C1	-5.00	92.23	106.48
6	B	302	CIT	C3-C4-C5	-4.40	108.08	114.95
5	B	306	V14	C2-C3-C4	-4.12	117.21	121.60
5	B	306	V14	O21-C18-C15	-4.06	102.16	109.84
5	A	307	V14	C2-C3-C4	-3.71	117.64	121.60
5	A	307	V14	C6-C5-C4	-3.66	115.56	121.78
5	A	307	V14	O9-S7-C4	-3.58	102.09	107.32
5	B	306	V14	F12-C3-C4	-3.40	116.65	121.05
5	B	306	V14	O16-S11-C1	-3.37	96.88	106.48
5	A	307	V14	C3-C2-C1	-3.27	118.11	121.60
5	B	306	V14	F20-C5-C4	-3.04	117.12	121.05
5	A	307	V14	F12-C3-C4	-2.96	117.22	121.05
5	B	306	V14	C28-C14-C22	-2.96	107.63	115.28

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	306	V14	F13-C2-C3	-2.85	113.21	119.26
5	A	307	V14	C24-C23-C22	-2.68	105.45	117.66
5	A	307	V14	O21-C18-C15	-2.35	105.40	109.84
5	A	307	V14	O9-S7-N10	-2.15	104.58	107.25
5	B	306	V14	F13-C2-C1	2.08	123.74	121.05
5	B	306	V14	C22-C14-N19	2.26	118.15	109.59
5	A	307	V14	C28-C14-N19	2.45	118.87	109.59
5	A	307	V14	F12-C3-C2	2.77	125.13	119.26
5	B	306	V14	C28-C14-N19	2.96	120.80	109.59
6	B	302	CIT	C4-C3-C2	3.13	117.62	109.85
5	B	306	V14	F12-C3-C2	3.24	126.13	119.26
5	A	307	V14	C6-C1-C2	3.26	124.79	120.03
3	A	302	PEG	O1-C1-C2	3.32	132.42	112.18
3	A	302	PEG	O2-C2-C1	3.39	124.43	110.25
5	A	307	V14	O16-S11-C15	3.54	112.75	108.18
3	A	302	PEG	O4-C4-C3	4.12	137.30	112.18
5	A	307	V14	C4-S7-N10	4.89	116.52	108.43
5	A	307	V14	O17-S11-C15	4.99	114.63	108.18
3	A	302	PEG	O2-C3-C4	5.25	132.19	110.25
3	A	302	PEG	C3-O2-C2	5.42	136.47	113.31
5	B	306	V14	C4-S7-N10	5.79	118.00	108.43
5	A	307	V14	O8-S7-C4	5.96	116.03	107.32
5	B	306	V14	C3-C4-C5	6.79	121.47	116.62
5	A	307	V14	O8-S7-N10	7.13	116.10	107.25
5	B	306	V14	O8-S7-C4	8.04	119.06	107.32
5	B	306	V14	O8-S7-N10	8.49	117.79	107.25
5	A	307	V14	C3-C4-C5	13.97	126.59	116.62

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	306	V14	C6-C1-S11-C15
5	B	306	V14	C2-C1-S11-C15

There are no ring outliers.

7 monomers are involved in 61 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	302	PEG	4	0
4	A	303	EDO	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	304	EDO	2	0
5	A	307	V14	24	0
6	B	302	CIT	2	0
4	B	304	EDO	2	0
5	B	306	V14	24	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	258/263 (98%)	-0.23	5 (1%) 70 72	10, 19, 34, 55	0
1	B	258/263 (98%)	-0.34	2 (0%) 87 88	11, 18, 35, 55	0
All	All	516/526 (98%)	-0.28	7 (1%) 78 80	10, 19, 35, 55	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	12	HIS	4.6
1	B	239	ALA	2.9
1	A	21	PHE	2.8
1	B	21	PHE	2.7
1	A	263	HIS	2.4
1	A	75	THR	2.3
1	A	74[A]	ASP	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	EDO	A	303	4/4	0.94	0.21	17.06	26,29,31,35	0
5	V14	B	306	28/28	0.89	0.29	16.56	24,39,67,72	0
6	CIT	B	302	13/13	0.81	0.21	9.75	26,48,70,77	0
5	V14	A	307	28/28	0.91	0.24	8.99	19,31,57,63	0
4	EDO	B	303	4/4	0.82	0.19	5.97	31,32,34,38	0
3	PEG	A	302	7/7	0.94	0.15	5.44	23,26,29,30	0
4	EDO	B	304	4/4	0.80	0.23	4.74	39,42,44,50	0
4	EDO	A	304	4/4	0.81	0.16	4.63	30,34,37,40	0
2	ZN	B	301	1/1	1.00	0.07	2.20	13,13,13,13	0
2	ZN	A	301	1/1	1.00	0.07	1.10	11,11,11,11	0
4	EDO	A	306	4/4	0.85	0.10	0.92	26,34,35,35	0
4	EDO	A	305	4/4	0.92	0.10	0.54	26,31,31,32	0
4	EDO	B	305	4/4	0.80	0.11	-	40,43,43,50	0

## 6.5 Other polymers

There are no such residues in this entry.