



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:43 AM GMT

PDB ID : 2E5M
Title : Crystal structure of isocitrate dehydrogenase from Sulfolobus tokodaii strain 7
Authors : Kouyama, T.; Kondo, H.
Deposited on : 2006-12-22
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	409	 66% 30% ..
1	B	409	 63% 33% ..

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 6947 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 409aa long hypothetical NADP-dependent isocitrate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	403	Total	C	N	O	S	0	0	0
			3223	2063	545	600	15			
1	B	403	Total	C	N	O	S	0	0	0
			3223	2063	545	600	15			

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	213	Total 213	O 213	0	0
3	B	192	Total 192	O 192	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 409aa long hypothetical NADP-dependent isocitrate dehydrogenase



- Molecule 1: 409aa long hypothetical NADP-dependent isocitrate dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.78Å 88.11Å 75.67Å 90.00° 91.36° 90.00°	Depositor
Resolution (Å)	15.00 – 2.40 45.93 – 2.40	Depositor EDS
% Data completeness (in resolution range)	98.8 (15.00-2.40) 92.3 (45.93-2.40)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.66 (at 2.39Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.217 , 0.279 0.217 , 0.279	Depositor DCC
R_{free} test set	1883 reflections (4.97%)	DCC
Wilson B-factor (Å ²)	33.6	Xtriage
Anisotropy	0.176	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 31.3	EDS
Estimated twinning fraction	0.027 for l,k,-h 0.196 for h,-k,-l 0.035 for l,-k,h	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 38072 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6947	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/3279	0.62	0/4410
1	B	0.35	0/3279	0.60	0/4410
All	All	0.36	0/6558	0.61	0/8820

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3223	0	3299	122	0
1	B	3223	0	3299	125	0
2	A	48	0	25	0	0
2	B	48	0	25	2	0
3	A	213	0	0	12	0
3	B	192	0	0	8	0
All	All	6947	0	6648	243	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (243) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:49:LYS:HG3	1:B:403:ILE:HG23	1.47	0.96
1:A:162:PRO:HG2	1:A:165:SER:HB3	1.53	0.90
1:A:49:LYS:HG3	1:A:403:ILE:HG23	1.54	0.88
1:A:279:GLN:HE22	1:A:282:ILE:HD11	1.38	0.88
1:A:149:ARG:HG3	1:A:297:GLY:HA3	1.55	0.87
1:B:79:ARG:HD3	1:B:79:ARG:H	1.40	0.84
1:B:12:ILE:HD12	1:B:93:VAL:HG21	1.60	0.82
1:B:162:PRO:HG2	1:B:165:SER:HB3	1.60	0.81
1:A:223:LYS:HG3	1:A:226:VAL:HG22	1.62	0.81
1:A:313:MET:HE2	1:A:345:THR:HG21	1.66	0.78
1:B:130:ILE:HG21	1:B:375:ILE:HD12	1.67	0.77
1:A:100:GLU:HG3	1:A:332:THR:HG21	1.67	0.76
1:B:124:ILE:HG23	1:B:146:ILE:HD11	1.67	0.75
1:B:28:LEU:HB2	1:B:94:VAL:HG22	1.67	0.75
1:A:279:GLN:NE2	1:A:282:ILE:HD11	2.01	0.75
1:B:100:GLU:HG3	1:B:332:THR:HG21	1.69	0.75
1:B:137:LEU:HD21	1:B:307:LEU:HD22	1.67	0.75
1:A:96:LYS:HE3	1:A:111:ASN:HD21	1.53	0.74
1:B:223:LYS:HG3	1:B:226:VAL:HG22	1.68	0.74
1:B:29:TYR:CZ	1:B:65:GLU:HB2	2.23	0.73
1:B:88:LEU:CD2	1:B:94:VAL:HG21	2.20	0.72
1:A:125:ARG:HB3	1:A:125:ARG:HH21	1.54	0.71
1:B:74:LYS:HE3	3:B:527:HOH:O	1.89	0.71
1:B:271:ARG:HD2	1:B:275:ASN:ND2	2.06	0.71
1:A:279:GLN:NE2	1:A:283:ARG:HE	1.89	0.70
1:A:210:ALA:HA	1:A:215:ARG:HB2	1.74	0.69
1:B:149:ARG:HG3	1:B:297:GLY:HA3	1.74	0.69
1:A:319:ILE:HD13	1:A:357:TRP:CE2	2.28	0.69
1:A:130:ILE:HB	1:A:133:LEU:HD12	1.73	0.69
1:A:229:TYR:HD1	1:B:160:GLU:HG3	1.59	0.68
1:A:149:ARG:CG	1:A:297:GLY:HA3	2.25	0.67
1:A:96:LYS:HE3	1:A:111:ASN:ND2	2.09	0.67
1:B:22:PRO:HD2	1:B:25:PRO:HB3	1.76	0.67
1:A:279:GLN:HE22	1:A:283:ARG:HE	1.43	0.66
1:A:308:ILE:HD13	1:A:314:LEU:HD21	1.77	0.66
1:B:100:GLU:HG3	1:B:332:THR:CG2	2.25	0.66
1:A:365:ASP:HB3	1:A:369:LYS:HE2	1.77	0.65
1:A:282:ILE:HG13	1:A:283:ARG:N	2.10	0.65
1:A:250:ILE:HG22	1:A:266:ILE:HB	1.77	0.65
1:B:263:GLN:H	1:B:263:GLN:NE2	1.94	0.64
1:A:201:ARG:HD3	3:A:564:HOH:O	1.97	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:115:ARG:HD2	1:A:318:ASN:CG	2.19	0.63
1:A:130:ILE:HG21	1:A:375:ILE:HD12	1.80	0.63
1:A:8:ASP:HB3	1:A:62:LYS:HE3	1.81	0.62
1:B:313:MET:CE	1:B:345:THR:HG21	2.30	0.62
1:B:82:LYS:O	1:B:86:GLU:HG3	1.99	0.62
1:B:308:ILE:HD11	1:B:314:LEU:HD21	1.81	0.62
1:A:176:ARG:NH1	1:A:182:GLU:HG2	2.14	0.62
1:B:124:ILE:CG2	1:B:146:ILE:HD11	2.29	0.62
1:B:24:LYS:HA	1:B:60:GLU:O	2.01	0.61
1:B:204:ARG:O	1:B:208:GLN:HG3	2.00	0.61
1:A:115:ARG:HD2	1:A:318:ASN:ND2	2.16	0.60
1:A:282:ILE:HD13	3:A:607:HOH:O	2.02	0.60
1:B:341:VAL:HG13	1:B:382:GLN:HG2	1.82	0.60
1:B:397:GLU:HA	3:B:602:HOH:O	2.02	0.59
1:B:313:MET:HE3	1:B:345:THR:HG21	1.84	0.59
1:B:45:LYS:HG2	1:B:403:ILE:HD11	1.85	0.58
1:B:79:ARG:N	1:B:79:ARG:HD3	2.16	0.58
1:A:201:ARG:NH1	3:A:564:HOH:O	2.35	0.58
1:A:172:ARG:HA	1:A:183:ILE:HD11	1.85	0.58
1:A:226:VAL:HG23	1:A:227:MET:HG3	1.85	0.58
1:B:146:ILE:C	1:B:146:ILE:HD13	2.23	0.58
1:B:215:ARG:HD2	1:B:288:ASP:OD2	2.03	0.58
1:A:200:GLN:O	1:A:204:ARG:HG3	2.04	0.57
1:B:88:LEU:HD23	1:B:94:VAL:HG21	1.85	0.57
1:A:335:LYS:HD2	1:A:335:LYS:H	1.69	0.57
1:A:329:ILE:HG22	1:A:329:ILE:O	2.03	0.56
1:B:123:ASN:HB3	1:B:149:ARG:HB3	1.88	0.56
1:A:196:LYS:O	1:A:200:GLN:HG3	2.03	0.56
1:B:43:ALA:O	1:B:47:ILE:HG13	2.06	0.56
1:A:115:ARG:HH11	1:A:115:ARG:HG2	1.71	0.56
1:B:200:GLN:O	1:B:204:ARG:HG3	2.05	0.56
1:A:33:ASP:OD2	1:A:70:GLU:HG2	2.06	0.55
1:A:319:ILE:HD13	1:A:357:TRP:CD2	2.41	0.55
1:B:96:LYS:HE3	1:B:99:LEU:HD12	1.89	0.55
1:B:22:PRO:O	1:B:25:PRO:HD3	2.07	0.55
1:B:373:MET:O	1:B:376:ARG:HG2	2.07	0.54
1:B:147:ILE:HD13	1:B:300:ILE:HG23	1.88	0.54
1:B:216:LYS:HD2	1:B:288:ASP:OD1	2.07	0.54
1:B:99:LEU:HD13	1:B:110:VAL:HB	1.89	0.54
1:A:222:HIS:CE1	1:A:235:ARG:HE	2.24	0.54
1:A:125:ARG:NH2	1:A:125:ARG:HB3	2.23	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:162:PRO:HA	3:B:484:HOH:O	2.08	0.54
1:B:129:TYR:CD1	1:B:141:GLU:HA	2.43	0.53
1:B:256:ILE:HD11	1:B:267:ILE:HG12	1.88	0.53
1:B:379:LYS:HA	3:B:598:HOH:O	2.09	0.53
1:A:149:ARG:HG3	1:A:297:GLY:CA	2.33	0.53
1:B:5:GLU:HG2	1:B:87:MET:HE1	1.91	0.53
1:B:89:LEU:HG	1:B:117:MET:CE	2.39	0.52
1:A:45:LYS:HG2	1:A:403:ILE:HD11	1.90	0.52
1:A:229:TYR:CD1	1:B:160:GLU:HG3	2.42	0.52
1:A:43:ALA:HB2	1:A:347:ILE:HG23	1.91	0.52
1:B:146:ILE:HD13	1:B:147:ILE:N	2.24	0.52
1:A:176:ARG:HH11	1:A:182:GLU:HG2	1.72	0.52
1:B:271:ARG:HD2	1:B:275:ASN:HD22	1.75	0.52
1:A:147:ILE:HD13	1:A:300:ILE:HG23	1.92	0.52
1:A:223:LYS:HG3	1:A:226:VAL:CG2	2.35	0.51
1:B:276:MET:O	1:B:280:ILE:HG12	2.10	0.51
1:B:146:ILE:O	1:B:146:ILE:HG23	2.10	0.51
1:B:341:VAL:CG1	1:B:382:GLN:HG2	2.40	0.51
1:B:253:GLU:HB2	1:B:269:ASN:HB3	1.93	0.51
1:A:171:ILE:HG21	1:A:189:ILE:HG21	1.92	0.51
1:A:49:LYS:O	1:A:49:LYS:HD3	2.11	0.51
1:A:313:MET:CE	1:A:345:THR:HG21	2.38	0.51
1:B:28:LEU:CB	1:B:94:VAL:HG22	2.38	0.51
1:A:43:ALA:O	1:A:46:VAL:HG22	2.11	0.51
1:B:81:PRO:HG2	1:B:84:THR:OG1	2.11	0.50
1:B:343:ASN:HB2	1:B:383:ASP:OD1	2.11	0.50
1:B:149:ARG:HD3	1:B:294:ASN:O	2.11	0.50
1:A:274:ASP:HB3	1:B:302:ASP:OD2	2.11	0.50
1:B:88:LEU:HD21	1:B:94:VAL:HG21	1.93	0.50
1:B:210:ALA:HA	1:B:215:ARG:HB2	1.93	0.50
1:A:137:LEU:HG	3:A:478:HOH:O	2.12	0.50
1:A:149:ARG:HD3	1:A:294:ASN:O	2.12	0.50
1:A:214:LYS:NZ	1:A:214:LYS:HB2	2.26	0.50
1:B:231:GLU:OE1	1:B:296:ASN:ND2	2.43	0.50
1:B:313:MET:HG2	1:B:345:THR:HB	1.95	0.49
1:A:335:LYS:H	1:A:335:LYS:CD	2.24	0.49
1:A:274:ASP:CB	1:B:302:ASP:OD2	2.61	0.49
1:B:133:LEU:CD2	1:B:384:ILE:HD12	2.42	0.49
1:A:81:PRO:O	1:A:85:GLN:HG3	2.12	0.49
1:A:125:ARG:NH2	3:A:459:HOH:O	2.44	0.49
1:B:5:GLU:HG2	1:B:87:MET:CE	2.42	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:279:GLN:HA	1:A:282:ILE:HG12	1.95	0.49
1:B:146:ILE:HD12	1:B:148:PHE:CE2	2.47	0.49
1:B:263:GLN:H	1:B:263:GLN:HE21	1.58	0.49
1:A:115:ARG:NH1	1:A:151:ASN:ND2	2.60	0.49
1:A:70:GLU:O	1:A:74:LYS:HG3	2.12	0.49
1:A:125:ARG:HD3	3:A:454:HOH:O	2.12	0.48
1:A:253:GLU:HB2	1:A:269:ASN:HB3	1.94	0.48
1:A:396:LYS:HE3	3:A:537:HOH:O	2.12	0.48
1:A:129:TYR:CZ	1:A:131:GLU:HA	2.48	0.48
1:B:126:PRO:HB3	1:B:146:ILE:HG12	1.96	0.48
1:A:250:ILE:C	1:A:250:ILE:HD12	2.33	0.48
1:A:178:GLU:C	1:A:179:LEU:HD12	2.34	0.48
1:A:235:ARG:HH11	1:A:235:ARG:HG2	1.77	0.48
1:B:73:GLU:O	1:B:77:ASN:HA	2.13	0.48
1:A:52:GLU:O	1:A:56:GLY:N	2.46	0.48
1:B:313:MET:HE3	1:B:345:THR:CB	2.43	0.48
1:A:172:ARG:HG2	1:A:183:ILE:HD12	1.96	0.48
1:A:250:ILE:HD12	1:A:250:ILE:O	2.13	0.48
1:B:87:MET:HE1	1:B:91:TYR:HE1	1.79	0.48
1:A:29:TYR:CZ	1:A:65:GLU:HB2	2.48	0.48
1:A:42:ALA:O	1:A:46:VAL:HG13	2.13	0.48
1:A:282:ILE:HG13	1:A:283:ARG:HG2	1.95	0.47
1:B:133:LEU:HD21	1:B:384:ILE:HD12	1.96	0.47
1:B:28:LEU:HA	1:B:64:LEU:O	2.15	0.47
1:A:368:GLU:HG3	3:A:477:HOH:O	2.15	0.47
1:B:134:GLU:OE2	1:B:387:PHE:HB3	2.14	0.47
1:B:128:LYS:O	1:B:130:ILE:HD12	2.15	0.47
1:B:319:ILE:HD12	1:B:319:ILE:N	2.29	0.47
1:A:373:MET:HB3	1:A:376:ARG:HH21	1.80	0.47
1:B:153:ASP:HB3	3:B:546:HOH:O	2.14	0.47
1:A:78:ASP:O	1:A:81:PRO:HD3	2.15	0.47
1:B:6:PRO:C	1:B:8:ASP:H	2.17	0.47
1:B:115:ARG:HA	1:B:120:LEU:HD12	1.97	0.47
1:B:130:ILE:HD12	1:B:130:ILE:N	2.31	0.46
1:A:335:LYS:HD2	1:A:335:LYS:N	2.30	0.46
1:A:177:LYS:HE3	1:A:178:GLU:OE2	2.15	0.46
1:A:10:GLU:O	1:A:25:PRO:HA	2.15	0.46
1:B:15:ASP:OD2	1:B:16:LYS:N	2.47	0.46
1:A:258:GLN:HE21	1:A:260:LYS:NZ	2.14	0.46
1:B:124:ILE:HG13	1:B:319:ILE:HD13	1.98	0.46
1:A:141:GLU:CD	1:A:141:GLU:H	2.18	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:LYS:HB3	1:A:288:ASP:HB3	1.98	0.46
1:B:147:ILE:CD1	1:B:301:SER:HA	2.45	0.46
1:B:141:GLU:CD	1:B:141:GLU:H	2.18	0.46
1:B:293:PRO:HG2	3:B:545:HOH:O	2.16	0.46
1:A:354:MET:O	1:A:358:MET:HG3	2.15	0.46
1:B:177:LYS:HE3	1:B:178:GLU:OE2	2.15	0.46
1:A:303:ALA:O	1:A:306:ALA:HB3	2.16	0.46
1:A:339:LYS:O	1:A:341:VAL:HG23	2.16	0.46
1:A:43:ALA:O	1:A:47:ILE:HG13	2.16	0.46
1:A:408:THR:O	1:A:408:THR:HG22	2.16	0.46
1:A:153:ASP:HB3	3:A:527:HOH:O	2.16	0.46
1:B:133:LEU:HD11	1:B:313:MET:SD	2.56	0.45
1:B:21:VAL:HA	1:B:22:PRO:HD3	1.78	0.45
1:B:43:ALA:HB2	1:B:347:ILE:HG23	1.97	0.45
1:B:401:GLU:O	1:B:405:ILE:HG13	2.15	0.45
1:B:369:LYS:HA	1:B:369:LYS:HD2	1.71	0.45
1:B:254:GLU:O	1:B:258:GLN:HB2	2.16	0.45
1:B:49:LYS:O	1:B:53:ARG:HB2	2.16	0.45
1:A:35:ILE:O	1:A:39:ILE:HG12	2.16	0.45
1:B:100:GLU:HG2	2:B:451:NAP:H4D	1.99	0.45
1:B:35:ILE:HA	3:B:512:HOH:O	2.16	0.45
1:A:72:ALA:HB1	1:A:78:ASP:O	2.17	0.45
1:A:123:ASN:HB3	1:A:149:ARG:HB3	1.98	0.45
1:B:310:ASN:ND2	1:B:312:GLY:H	2.14	0.45
1:A:326:PHE:CE2	1:A:354:MET:HA	2.52	0.45
1:B:326:PHE:CE2	1:B:354:MET:HA	2.52	0.45
1:B:382:GLN:HG3	3:B:550:HOH:O	2.17	0.44
1:A:112:VAL:HG13	1:A:113:ALA:N	2.32	0.44
1:A:258:GLN:HE21	1:A:260:LYS:HZ3	1.65	0.44
1:B:45:LYS:HG2	1:B:403:ILE:CD1	2.48	0.44
1:A:45:LYS:HG2	1:A:403:ILE:CD1	2.47	0.44
1:B:14:PHE:CD2	1:B:322:GLU:HA	2.52	0.44
1:B:146:ILE:CG2	1:B:289:ILE:HG12	2.48	0.44
1:A:308:ILE:HG13	1:A:310:ASN:H	1.83	0.44
1:B:383:ASP:HB3	2:B:451:NAP:H2A	1.99	0.44
1:A:4:LYS:N	1:A:4:LYS:HD3	2.33	0.44
1:B:35:ILE:HG12	1:B:332:THR:O	2.18	0.43
1:A:356:ARG:HG2	1:A:356:ARG:HH11	1.83	0.43
1:A:53:ARG:O	1:A:53:ARG:HD3	2.19	0.43
1:A:199:THR:O	1:A:202:ILE:HG22	2.19	0.43
1:A:235:ARG:HG2	3:A:600:HOH:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:172:ARG:HA	1:A:183:ILE:CD1	2.49	0.42
1:A:255:GLU:O	1:A:258:GLN:HB3	2.19	0.42
1:B:385:ALA:C	1:B:387:PHE:H	2.22	0.42
1:A:39:ILE:HG13	1:A:40:THR:N	2.34	0.42
1:B:355:LEU:HA	1:B:355:LEU:HD12	1.93	0.42
1:A:157:ARG:HD3	1:A:193:VAL:HB	2.02	0.42
1:A:373:MET:HB3	1:A:376:ARG:NH2	2.34	0.42
1:B:28:LEU:HD12	1:B:64:LEU:HB3	2.01	0.42
1:B:385:ALA:HB3	1:B:392:ALA:HB2	2.01	0.42
1:B:217:LYS:HG2	1:B:218:VAL:N	2.34	0.42
1:A:223:LYS:HA	1:A:223:LYS:HD2	1.79	0.42
1:A:100:GLU:O	1:A:102:PRO:HD3	2.20	0.42
1:B:313:MET:HE3	1:B:345:THR:CG2	2.48	0.42
1:B:308:ILE:CD1	1:B:314:LEU:HD21	2.46	0.41
1:A:179:LEU:N	1:A:179:LEU:HD12	2.35	0.41
1:B:313:MET:HE1	1:B:375:ILE:HD11	2.02	0.41
1:A:355:LEU:HB3	1:A:364:ALA:HB2	2.02	0.41
1:B:29:TYR:HA	1:B:95:LEU:O	2.20	0.41
1:B:3:TYR:CE1	1:B:66:VAL:HA	2.55	0.41
1:B:18:LYS:HD3	1:B:19:TRP:O	2.20	0.41
1:A:365:ASP:O	1:A:369:LYS:HG3	2.21	0.41
1:B:53:ARG:NH1	1:B:407:ASP:O	2.52	0.41
1:B:388:MET:HG3	1:B:390:VAL:HG22	2.01	0.41
1:B:47:ILE:O	1:B:51:VAL:HG23	2.21	0.41
1:B:14:PHE:N	1:B:14:PHE:CD1	2.88	0.41
1:A:217:LYS:HB3	1:A:288:ASP:CB	2.50	0.41
1:A:208:GLN:HG2	3:A:541:HOH:O	2.21	0.41
1:B:136:PRO:HG2	1:B:137:LEU:CD1	2.51	0.41
1:B:156:TYR:HB2	1:B:294:ASN:ND2	2.35	0.41
1:B:140:PRO:HD2	1:B:141:GLU:OE2	2.21	0.41
1:B:146:ILE:CD1	1:B:146:ILE:C	2.89	0.41
1:A:129:TYR:OH	1:A:131:GLU:HA	2.21	0.40
1:B:313:MET:HE3	1:B:345:THR:OG1	2.21	0.40
1:A:118:LEU:HB2	1:A:120:LEU:HG	2.03	0.40
1:A:137:LEU:CD2	1:A:307:LEU:HD22	2.51	0.40
1:A:356:ARG:HG2	1:A:356:ARG:NH1	2.36	0.40
1:A:355:LEU:HA	1:A:355:LEU:HD12	1.86	0.40
1:A:17:GLY:N	3:A:542:HOH:O	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	399/409 (98%)	371 (93%)	27 (7%)	1 (0%)	46	63
1	B	399/409 (98%)	367 (92%)	30 (8%)	2 (0%)	34	48
All	All	798/818 (98%)	738 (92%)	57 (7%)	3 (0%)	39	56

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	251	VAL
1	B	386	ARG
1	A	81	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	339/343 (99%)	322 (95%)	17 (5%)	30	48
1	B	339/343 (99%)	325 (96%)	14 (4%)	37	57
All	All	678/686 (99%)	647 (95%)	31 (5%)	33	51

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	ARG
1	A	62	LYS
1	A	64	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	115	ARG
1	A	125	ARG
1	A	149	ARG
1	A	194	MET
1	A	212	GLU
1	A	216	LYS
1	A	243	LEU
1	A	244	LYS
1	A	260	LYS
1	A	274	ASP
1	A	291	LEU
1	A	335	LYS
1	A	355	LEU
1	A	357	TRP
1	B	1	MET
1	B	14	PHE
1	B	28	LEU
1	B	53	ARG
1	B	79	ARG
1	B	101	THR
1	B	127	VAL
1	B	146	ILE
1	B	194	MET
1	B	216	LYS
1	B	263	GLN
1	B	291	LEU
1	B	355	LEU
1	B	357	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	85	GLN
1	A	111	ASN
1	A	123	ASN
1	A	151	ASN
1	A	208	GLN
1	A	257	ASN
1	A	258	GLN
1	A	263	GLN
1	A	275	ASN
1	A	279	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	85	GLN
1	B	151	ASN
1	B	200	GLN
1	B	258	GLN
1	B	263	GLN
1	B	275	ASN
1	B	278	GLN
1	B	310	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAP	A	450	-	42,52,52	1.93	9 (21%)	54,80,80	2.52	11 (20%)
2	NAP	B	451	-	42,52,52	1.88	11 (26%)	54,80,80	2.38	9 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical

component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	450	-	-	0/27/67/67	0/5/5/5
2	NAP	B	451	-	-	0/27/67/67	0/5/5/5

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	450	NAP	C6N-N1N	2.04	1.40	1.35
2	B	451	NAP	PN-O5D	2.21	1.69	1.59
2	A	450	NAP	C6N-C5N	2.22	1.43	1.38
2	B	451	NAP	C6N-N1N	2.25	1.41	1.35
2	B	451	NAP	C6N-C5N	2.32	1.43	1.38
2	B	451	NAP	O2B-C2B	2.34	1.51	1.44
2	A	450	NAP	PN-O5D	2.40	1.70	1.59
2	B	451	NAP	C2A-N3A	2.43	1.36	1.32
2	B	451	NAP	C3B-C4B	2.66	1.60	1.53
2	A	450	NAP	C3B-C2B	2.79	1.59	1.53
2	A	450	NAP	C2A-N3A	2.80	1.37	1.32
2	B	451	NAP	C3B-C2B	2.82	1.59	1.53
2	A	450	NAP	C2N-C3N	3.51	1.44	1.39
2	A	450	NAP	C4N-C3N	3.62	1.45	1.39
2	B	451	NAP	C2N-C3N	3.68	1.44	1.39
2	A	450	NAP	O4D-C1D	3.85	1.46	1.41
2	B	451	NAP	C4N-C3N	3.85	1.45	1.39
2	B	451	NAP	O4D-C1D	3.91	1.46	1.41
2	B	451	NAP	O4B-C1B	4.96	1.47	1.41
2	A	450	NAP	O4B-C1B	5.91	1.48	1.41

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	451	NAP	N3A-C2A-N1A	-10.91	120.54	128.89
2	A	450	NAP	N3A-C2A-N1A	-10.89	120.56	128.89
2	A	450	NAP	PN-O3-PA	-5.28	117.90	132.73
2	B	451	NAP	PN-O3-PA	-5.19	118.15	132.73
2	A	450	NAP	P2B-O2B-C2B	-2.81	114.83	121.56
2	B	451	NAP	O5D-PN-O1N	-2.73	99.01	109.62
2	A	450	NAP	O5D-PN-O1N	-2.70	99.15	109.62
2	A	450	NAP	O7N-C7N-N7N	-2.39	119.23	122.59
2	A	450	NAP	C4D-O4D-C1D	-2.34	107.14	109.72
2	B	451	NAP	O7N-C7N-N7N	-2.18	119.52	122.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	A	450	NAP	O4B-C1B-N9A	2.04	112.37	108.10
2	B	451	NAP	O2A-PA-O5B	2.18	119.43	108.46
2	A	450	NAP	C3N-C7N-N7N	2.31	120.34	117.82
2	B	451	NAP	O5B-PA-O1A	2.52	119.39	109.62
2	A	450	NAP	O5B-PA-O1A	2.83	120.61	109.62
2	B	451	NAP	O4B-C1B-N9A	3.00	114.39	108.10
2	B	451	NAP	O2N-PN-O3	3.05	118.93	105.09
2	A	450	NAP	O2N-PN-O3	3.08	119.07	105.09
2	B	451	NAP	O4D-C1D-N1N	8.69	117.68	108.13
2	A	450	NAP	O4D-C1D-N1N	9.98	119.09	108.13

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	451	NAP	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	403/409 (98%)	-0.26	2 (0%) 91 91	13, 30, 51, 68	0
1	B	403/409 (98%)	-0.24	5 (1%) 81 81	16, 32, 55, 81	0
All	All	806/818 (98%)	-0.25	7 (0%) 85 85	13, 32, 53, 81	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	263	GLN	3.0
1	B	102	PRO	2.9
1	A	263	GLN	2.6
1	B	129	TYR	2.5
1	B	264	GLY	2.4
1	B	7	GLU	2.1
1	A	17	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	NAP	B	451	48/48	0.87	0.19	1.62	59,72,78,78	0
2	NAP	A	450	48/48	0.86	0.16	0.54	47,60,77,79	0

6.5 Other polymers [i](#)

There are no such residues in this entry.