



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 10:50 PM GMT

PDB ID : 5EAH
Title : Saccharomyces cerevisiae CYP51 complexed with the plant pathogen inhibitor Difenconazole
Authors : Tyndall, J.D.A.; Sabherwal, M.; Keniya, M.V.; Wilson, R.K.; Woods, M.V.; Monk, B.C.
Deposited on : 2015-10-16
Resolution : 2.54 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026982
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20026982


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4549 (2.58-2.50)
Clashscore	102246	5292 (2.58-2.50)
Ramachandran outliers	100387	5194 (2.58-2.50)
Sidechain outliers	100360	5196 (2.58-2.50)
RSRZ outliers	91569	4561 (2.58-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	539	

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 4465 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Lanosterol 14-alpha demethylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	529	Total	C	N	O	S	0	0	0
			4277	2769	723	764	21			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	531	GLY	-	expression tag	UNP A6ZSR0
A	532	GLY	-	expression tag	UNP A6ZSR0
A	533	ARG	-	expression tag	UNP A6ZSR0
A	534	HIS	-	expression tag	UNP A6ZSR0
A	535	HIS	-	expression tag	UNP A6ZSR0
A	536	HIS	-	expression tag	UNP A6ZSR0
A	537	HIS	-	expression tag	UNP A6ZSR0
A	538	HIS	-	expression tag	UNP A6ZSR0
A	539	HIS	-	expression tag	UNP A6ZSR0


- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



-
- ORTEP diagram of the molecular structure of 5LZ. The structure features a central chiral carbon atom (C15) bonded to a 4-chlorophenyl group, a 4-chlorophenyl ether group, a 1H-imidazole ring, and a 1,3-dioxolane ring. The 1,3-dioxolane ring is substituted with a methyl group (C22) and a 2-methyl-2H-imidazole-5-yl group (C30, N31, N32). Thermal ellipsoids are shown at the 50% probability level. Displacement ellipsoid coefficients are provided in the table below.
- | Atom | U ¹ | U ² | U ³ | V ¹ | V ² | V ³ |
|------|----------------|----------------|----------------|----------------|----------------|----------------|
| C1 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C2 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C3 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C4 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C5 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C6 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C7 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C8 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C9 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C10 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C11 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C12 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C13 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C14 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C15 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C16 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C17 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C18 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C19 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C20 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C21 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C22 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C23 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C24 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C25 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C26 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C27 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C28 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C29 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C30 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C31 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C32 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C33 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C34 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C35 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C36 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C37 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C38 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C39 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C40 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C41 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C42 | 0.0251 | 0.0251 | 0.0251 | 0.0000 | 0.0000 | 0.0000 |
| C43 | 0.0251 | 0.0251 | 0 | | | |


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	O	0	1
			27	19	2	3	3		

- Molecule 4 is 1-[[2-(4-chlorophenoxy)-4-chlorophenyl]-4-methyl-1,3-dioxolan-2-yl]methyl-1,2,4-triazole (three-letter code: 5LW) (formula: $\text{C}_{19}\text{H}_{17}\text{Cl}_2\text{N}_3\text{O}_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Cl	N	O	0	1
			27	19	2	3	3		

- Molecule 5 is 1-[[[(2 {R},4 {S})-2-[2-chloranyl-4-(4-chloranylphenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl]methyl]-1,2,4-triazole (three-letter code: 5LX) (formula: C₁₉H₁₇Cl₂N₃O₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Cl	N	O	27	1
			27	19	2	3	3		

- Molecule 6 is 1-[[[(2 {R},4 {R})-2-[2-chloranyl-4-(4-chloranylphenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl]methyl]-1,2,4-triazole (three-letter code: 5LY) (formula: C₁₉H₁₇Cl₂N₃O₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	Cl	N	O	0	1
			27	19	2	3	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	37	Total	O	0	0
			37	37		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lanosterol 14-alpha demethylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	78.02Å 67.33Å 80.90Å 90.00° 98.58° 90.00°	Depositor
Resolution (Å)	79.99 – 2.54 79.99 – 2.54	Depositor EDS
% Data completeness (in resolution range)	99.1 (79.99-2.54) 99.1 (79.99-2.54)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 2.55Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.195 , 0.251 0.203 , 0.254	Depositor DCC
R_{free} test set	1385 reflections (5.33%)	DCC
Wilson B-factor (Å ²)	48.4	Xtriage
Anisotropy	0.487	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 62.6	EDS
Estimated twinning fraction	0.027 for l,-k,h	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	4 of 27360 reflections (0.015%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4465	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 5LZ, HEM, 5LX, 5LY, 5LW

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	1/4395 (0.0%)	0.59	0/5954

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	246	LEU	C-N	7.69	1.48	1.34

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4277	0	4264	54	0
2	A	43	0	30	6	0
3	A	27	0	17	2	0
4	A	27	0	17	1	0
5	A	27	0	17	0	0
6	A	27	0	17	1	0
7	A	37	0	0	0	0
All	All	4465	0	4362	58	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 7.

All (58) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:PHE:HB3	1:A:246:LEU:HD22	1.64	0.77
1:A:237:THR:HG22	1:A:239:ILE:H	1.51	0.75
1:A:242:VAL:HG12	1:A:243:PHE:HD1	1.56	0.71
1:A:368:GLN:HG2	1:A:431:TRP:HB2	1.74	0.69
1:A:120:VAL:HB	1:A:385:ARG:HB3	1.77	0.66
1:A:193:THR:HG22	1:A:518:LYS:HE2	1.82	0.61
1:A:90:ILE:HD13	1:A:393:VAL:HG11	1.81	0.61
1:A:237:THR:O	1:A:240:ASN:HB2	2.02	0.59
1:A:497:GLU:CD	1:A:497:GLU:H	2.05	0.59
1:A:57:PRO:HG2	1:A:87:TYR:HB3	1.85	0.58
2:A:601:HEM:HMB2	2:A:601:HEM:HBB2	1.87	0.57
1:A:325:TRP:CE2	1:A:513:PRO:HD3	2.41	0.55
1:A:229:TYR:O	1:A:233:ASP:HB2	2.06	0.55
1:A:35:ILE:O	1:A:38:PRO:HD2	2.06	0.55
1:A:242:VAL:HG12	1:A:243:PHE:CD1	2.41	0.55
1:A:134:PHE:HE1	1:A:313:MET:HG2	1.72	0.54
1:A:33:LEU:O	1:A:37:ILE:HG22	2.07	0.53
2:A:601:HEM:HBD2	2:A:601:HEM:HHA	1.91	0.52
1:A:268:LEU:HD23	1:A:284:ILE:HD13	1.92	0.52
1:A:122:ALA:HB3	1:A:468:HIS:CE1	2.44	0.52
1:A:101:THR:HG21	1:A:400:ILE:HD12	1.92	0.51
1:A:183:ASN:HB3	1:A:194:ILE:HG22	1.93	0.51
1:A:113:PHE:HZ	1:A:383:LEU:HD12	1.76	0.51
1:A:270:LYS:NZ	1:A:301:ASP:OD2	2.44	0.50
1:A:197:MET:SD	1:A:513:PRO:HG2	2.51	0.50
1:A:467:ARG:HG3	1:A:468:HIS:CD2	2.49	0.48
2:A:601:HEM:NC	6:A:605[D]:5LY:H9	2.27	0.48
1:A:245:ASN:OD1	1:A:254:ARG:NH2	2.46	0.47
1:A:184:PHE:O	1:A:189:ARG:HD3	2.14	0.47
1:A:126:TYR:CE1	3:A:602[A]:5LZ:H15	2.50	0.47
1:A:243:PHE:HB3	1:A:246:LEU:CD2	2.40	0.46
1:A:146:ARG:HD2	1:A:293:TYR:CZ	2.51	0.46
1:A:470:CYS:HA	2:A:601:HEM:C4D	2.50	0.46
1:A:130:THR:HB	1:A:134:PHE:CE2	2.50	0.46
1:A:37:ILE:HG22	1:A:38:PRO:HD3	1.98	0.46
1:A:30:ARG:O	1:A:34:ILE:HG13	2.15	0.46
1:A:10:GLU:O	1:A:14:TYR:HD2	1.99	0.46
1:A:133:VAL:HG21	1:A:236:PHE:HD1	1.80	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:273:ARG:NH2	1:A:301:ASP:OD2	2.49	0.45
1:A:22:PHE:O	1:A:25:LEU:HD12	2.17	0.44
1:A:181:SER:O	1:A:185:ARG:HG2	2.18	0.43
1:A:92:SER:HA	1:A:100:MET:O	2.19	0.43
1:A:212:LEU:O	1:A:282:ASP:HB2	2.19	0.43
1:A:470:CYS:HB2	2:A:601:HEM:NA	2.34	0.43
1:A:37:ILE:CG2	1:A:38:PRO:HD3	2.48	0.43
1:A:230:SER:O	1:A:234:LYS:HG3	2.18	0.43
1:A:126:TYR:CZ	3:A:602[A]:5LZ:H15	2.53	0.42
1:A:371:LYS:HE2	1:A:431:TRP:CE3	2.54	0.42
1:A:416:ARG:HA	1:A:416:ARG:HD2	1.89	0.42
1:A:103:TYR:O	1:A:108:GLY:HA3	2.19	0.42
1:A:339:GLU:HG2	1:A:365:LEU:HD13	2.02	0.42
1:A:52:ARG:HE	1:A:52:ARG:HB3	1.66	0.41
1:A:101:THR:HG21	1:A:400:ILE:CD1	2.50	0.41
1:A:109:HIS:HA	1:A:408:VAL:HG21	2.02	0.40
2:A:601:HEM:NC	4:A:603[B]:5LW:H13	2.36	0.40
1:A:130:THR:HB	1:A:134:PHE:CD2	2.57	0.40
1:A:359:LEU:HD23	1:A:362:GLU:OE1	2.22	0.40
1:A:63:ILE:HD12	1:A:63:ILE:N	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	527/539 (98%)	500 (95%)	25 (5%)	2 (0%)	39 60

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	139	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	434	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	464/473 (98%)	455 (98%)	9 (2%)	65 86

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	68	SER
1	A	103	TYR
1	A	220	LYS
1	A	240	ASN
1	A	360	LEU
1	A	457	SER
1	A	461	LEU
1	A	483	LEU
1	A	487	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	A	601	1,3,5,4,6	24,50,50	2.00	6 (25%)	16,82,82	1.47	3 (18%)
3	5LZ	A	602[A]	2	27,30,30	1.09	2 (7%)	35,43,43	0.77	1 (2%)
4	5LW	A	603[B]	2	27,30,30	1.15	2 (7%)	35,43,43	0.81	1 (2%)
5	5LX	A	604[C]	2	27,30,30	1.02	2 (7%)	35,43,43	1.04	3 (8%)
6	5LY	A	605[D]	2	27,30,30	1.37	2 (7%)	35,43,43	0.96	2 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	601	1,3,5,4,6	-	0/6/54/54	0/0/8/8
3	5LZ	A	602[A]	2	-	1/13/26/26	0/4/4/4
4	5LW	A	603[B]	2	-	1/13/26/26	0/4/4/4
5	5LX	A	604[C]	2	-	1/13/26/26	0/4/4/4
6	5LY	A	605[D]	2	-	1/13/26/26	0/4/4/4

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	605[D]	5LY	C15-C12	-5.84	1.49	1.53
3	A	602[A]	5LZ	C15-C12	-4.88	1.50	1.53
4	A	603[B]	5LW	C15-C12	-4.66	1.50	1.53
2	A	601	HEM	C3C-C2C	-4.10	1.35	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	HEM	C3B-C2B	-3.85	1.35	1.40
5	A	604[C]	5LX	C15-C12	-2.69	1.51	1.53
2	A	601	HEM	CMC-C2C	2.43	1.56	1.51
3	A	602[A]	5LZ	C25-C15	2.53	1.55	1.53
2	A	601	HEM	CAD-C3D	3.03	1.56	1.52
2	A	601	HEM	C3C-CAC	3.22	1.54	1.47
4	A	603[B]	5LW	C25-C15	3.41	1.56	1.53
6	A	605[D]	5LY	C25-C15	3.81	1.56	1.53
2	A	601	HEM	C3B-CAB	4.05	1.56	1.47
5	A	604[C]	5LX	C25-C15	4.33	1.57	1.53

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	604[C]	5LX	C15-C12-C7	-2.74	121.76	123.66
2	A	601	HEM	CAD-CBD-CGD	-2.57	107.79	112.78
5	A	604[C]	5LX	O16-C15-C25	-2.54	105.73	109.47
2	A	601	HEM	C3C-CAC-CBC	-2.52	121.33	126.40
6	A	605[D]	5LY	O8-C5-C4	2.02	126.83	119.41
2	A	601	HEM	CMC-C2C-C3C	2.32	129.63	125.09
6	A	605[D]	5LY	C25-C15-C12	2.71	112.54	109.26
3	A	602[A]	5LZ	C25-C15-C12	2.82	112.68	109.26
4	A	603[B]	5LW	C25-C15-C12	3.02	112.91	109.26
5	A	604[C]	5LX	C3-C12-C15	3.45	120.84	119.12

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	605[D]	5LY	O16-C15-C25-N28
5	A	604[C]	5LX	O16-C15-C25-N28
3	A	602[A]	5LZ	O17-C15-C25-N28
4	A	603[B]	5LW	O17-C15-C25-N28

There are no ring outliers.

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	HEM	6	0
3	A	602[A]	5LZ	2	0
4	A	603[B]	5LW	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	605[D]	5LY	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	529/539 (98%)	0.44	24 (4%)	37 43	34, 57, 96, 111	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	439	TYR	5.1
1	A	509	MET	4.3
1	A	241	PHE	4.0
1	A	47	LEU	3.9
1	A	239	ILE	3.7
1	A	6	SER	3.3
1	A	243	PHE	3.0
1	A	62	TRP	3.0
1	A	238	PRO	2.9
1	A	51	LEU	2.8
1	A	23	LEU	2.7
1	A	274	LYS	2.7
1	A	53	LYS	2.6
1	A	252	ARG	2.5
1	A	8	VAL	2.5
1	A	532	GLY	2.4
1	A	534	HIS	2.4
1	A	441	VAL	2.4
1	A	30	ARG	2.4
1	A	242	VAL	2.3
1	A	237	THR	2.3
1	A	225	PHE	2.3
1	A	510	VAL	2.2
1	A	227	TYR	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	HEM	A	601	43/43	0.98	0.21	0.87	30,41,47,64	0
6	5LY	A	605[D]	27/27	0.99	0.18	-0.19	38,42,45,48	27
4	5LW	A	603[B]	27/27	0.98	0.18	-0.23	38,42,45,48	27
3	5LZ	A	602[A]	27/27	0.98	0.17	-0.56	38,42,45,48	27
5	5LX	A	604[C]	27/27	-	-	-	38,42,44,47	27

6.5 Other polymers [i](#)

There are no such residues in this entry.