



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:46 PM GMT

PDB ID : 4G0U
Title : Human topoisomerase IIbeta in complex with DNA and amsacrine
Authors : Wu, C.C.; Li, T.K.; Li, Y.C.; Chan, N.L.
Deposited on : 2012-07-10
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	803	<div> <div>0%</div> <div>72% 9% 18%</div> </div>
1	B	803	<div> <div>2%</div> <div>73% 10% 17%</div> </div>
2	C	8	<div> <div>13%</div> <div>63% 38%</div> </div>
2	E	8	<div> <div>63% 38%</div> </div>
3	D	12	<div> <div>17% 75% 8%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	12	<div><div style="width: 33%; background-color: green;"></div><div style="width: 67%; background-color: yellow;"></div></div> <div>33%67%</div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	MG	A	1302	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 12054 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA topoisomerase 2-beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	655	Total	C	N	O	S	0	4	0
			5310	3374	922	991	23			
1	B	668	Total	C	N	O	S	0	6	0
			5436	3457	945	1010	24			

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	419	MET	-	EXPRESSION TAG	UNP Q02880
A	420	ALA	-	EXPRESSION TAG	UNP Q02880
A	421	SER	-	EXPRESSION TAG	UNP Q02880
A	422	TRP	-	EXPRESSION TAG	UNP Q02880
A	423	SER	-	EXPRESSION TAG	UNP Q02880
A	424	HIS	-	EXPRESSION TAG	UNP Q02880
A	425	PRO	-	EXPRESSION TAG	UNP Q02880
A	426	GLN	-	EXPRESSION TAG	UNP Q02880
A	427	PHE	-	EXPRESSION TAG	UNP Q02880
A	428	GLU	-	EXPRESSION TAG	UNP Q02880
A	429	LYS	-	EXPRESSION TAG	UNP Q02880
A	430	GLY	-	EXPRESSION TAG	UNP Q02880
A	431	ALA	-	EXPRESSION TAG	UNP Q02880
A	432	ASP	-	EXPRESSION TAG	UNP Q02880
A	433	ASP	-	EXPRESSION TAG	UNP Q02880
A	434	ASP	-	EXPRESSION TAG	UNP Q02880
A	435	ASP	-	EXPRESSION TAG	UNP Q02880
A	436	LYS	-	EXPRESSION TAG	UNP Q02880
A	437	VAL	-	EXPRESSION TAG	UNP Q02880
A	438	PRO	-	EXPRESSION TAG	UNP Q02880
A	439	ASP	-	EXPRESSION TAG	UNP Q02880
A	440	PRO	-	EXPRESSION TAG	UNP Q02880
A	441	THR	-	EXPRESSION TAG	UNP Q02880
A	442	SER	-	EXPRESSION TAG	UNP Q02880
A	443	VAL	-	EXPRESSION TAG	UNP Q02880

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	444	ASP	-	EXPRESSION TAG	UNP Q02880
A	1202	GLY	-	EXPRESSION TAG	UNP Q02880
A	1203	ALA	-	EXPRESSION TAG	UNP Q02880
A	1204	PRO	-	EXPRESSION TAG	UNP Q02880
A	1205	GLY	-	EXPRESSION TAG	UNP Q02880
A	1206	PHE	-	EXPRESSION TAG	UNP Q02880
A	1207	SER	-	EXPRESSION TAG	UNP Q02880
A	1208	SER	-	EXPRESSION TAG	UNP Q02880
A	1209	ILE	-	EXPRESSION TAG	UNP Q02880
A	1210	SER	-	EXPRESSION TAG	UNP Q02880
A	1211	ALA	-	EXPRESSION TAG	UNP Q02880
A	1212	HIS	-	EXPRESSION TAG	UNP Q02880
A	1213	HIS	-	EXPRESSION TAG	UNP Q02880
A	1214	HIS	-	EXPRESSION TAG	UNP Q02880
A	1215	HIS	-	EXPRESSION TAG	UNP Q02880
A	1216	HIS	-	EXPRESSION TAG	UNP Q02880
A	1217	HIS	-	EXPRESSION TAG	UNP Q02880
A	1218	HIS	-	EXPRESSION TAG	UNP Q02880
A	1219	HIS	-	EXPRESSION TAG	UNP Q02880
A	1220	HIS	-	EXPRESSION TAG	UNP Q02880
A	1221	HIS	-	EXPRESSION TAG	UNP Q02880
B	419	MET	-	EXPRESSION TAG	UNP Q02880
B	420	ALA	-	EXPRESSION TAG	UNP Q02880
B	421	SER	-	EXPRESSION TAG	UNP Q02880
B	422	TRP	-	EXPRESSION TAG	UNP Q02880
B	423	SER	-	EXPRESSION TAG	UNP Q02880
B	424	HIS	-	EXPRESSION TAG	UNP Q02880
B	425	PRO	-	EXPRESSION TAG	UNP Q02880
B	426	GLN	-	EXPRESSION TAG	UNP Q02880
B	427	PHE	-	EXPRESSION TAG	UNP Q02880
B	428	GLU	-	EXPRESSION TAG	UNP Q02880
B	429	LYS	-	EXPRESSION TAG	UNP Q02880
B	430	GLY	-	EXPRESSION TAG	UNP Q02880
B	431	ALA	-	EXPRESSION TAG	UNP Q02880
B	432	ASP	-	EXPRESSION TAG	UNP Q02880
B	433	ASP	-	EXPRESSION TAG	UNP Q02880
B	434	ASP	-	EXPRESSION TAG	UNP Q02880
B	435	ASP	-	EXPRESSION TAG	UNP Q02880
B	436	LYS	-	EXPRESSION TAG	UNP Q02880
B	437	VAL	-	EXPRESSION TAG	UNP Q02880
B	438	PRO	-	EXPRESSION TAG	UNP Q02880
B	439	ASP	-	EXPRESSION TAG	UNP Q02880

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	440	PRO	-	EXPRESSION TAG	UNP Q02880
B	441	THR	-	EXPRESSION TAG	UNP Q02880
B	442	SER	-	EXPRESSION TAG	UNP Q02880
B	443	VAL	-	EXPRESSION TAG	UNP Q02880
B	444	ASP	-	EXPRESSION TAG	UNP Q02880
B	1202	GLY	-	EXPRESSION TAG	UNP Q02880
B	1203	ALA	-	EXPRESSION TAG	UNP Q02880
B	1204	PRO	-	EXPRESSION TAG	UNP Q02880
B	1205	GLY	-	EXPRESSION TAG	UNP Q02880
B	1206	PHE	-	EXPRESSION TAG	UNP Q02880
B	1207	SER	-	EXPRESSION TAG	UNP Q02880
B	1208	SER	-	EXPRESSION TAG	UNP Q02880
B	1209	ILE	-	EXPRESSION TAG	UNP Q02880
B	1210	SER	-	EXPRESSION TAG	UNP Q02880
B	1211	ALA	-	EXPRESSION TAG	UNP Q02880
B	1212	HIS	-	EXPRESSION TAG	UNP Q02880
B	1213	HIS	-	EXPRESSION TAG	UNP Q02880
B	1214	HIS	-	EXPRESSION TAG	UNP Q02880
B	1215	HIS	-	EXPRESSION TAG	UNP Q02880
B	1216	HIS	-	EXPRESSION TAG	UNP Q02880
B	1217	HIS	-	EXPRESSION TAG	UNP Q02880
B	1218	HIS	-	EXPRESSION TAG	UNP Q02880
B	1219	HIS	-	EXPRESSION TAG	UNP Q02880
B	1220	HIS	-	EXPRESSION TAG	UNP Q02880
B	1221	HIS	-	EXPRESSION TAG	UNP Q02880

- Molecule 2 is a DNA chain called DNA (5'-D(P*AP*GP*CP*CP*GP*AP*GP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	8	Total 165	C 77	N 34	O 46	P 8	0	0	0
2	E	8	Total 165	C 77	N 34	O 46	P 8	0	0	0


- Molecule 3 is a DNA chain called DNA (5'-D(P*TP*GP*CP*AP*GP*CP*TP*CP*GP*GP*CP*T)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	12	Total 245	C 116	N 43	O 74	P 12	0	0	0
3	F	12	Total 245	C 116	N 43	O 74	P 12	0	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	2	Total	Mg	0	0
			2	2		
4	A	2	Total	Mg	0	0
			2	2		
4	D	1	Total	Mg	0	0
			1	1		
4	F	1	Total	Mg	0	0
			1	1		

- Molecule 5 is N-[4-(ACRIDIN-9-YLAMINO)-3-METHOXYPHENYL]METHANESULFONAMIDE (three-letter code: ASW) (formula: C₂₁H₁₉N₃O₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	S	0	0
			28	21	3	3	1		
5	F	1	Total	C	N	O	S	0	0
			28	21	3	3	1		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	168	Total	O	0	0
			168	168		
6	B	179	Total	O	0	0
			179	179		


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	C	19	Total 19	O 19	0	0
6	D	24	Total 24	O 24	0	0
6	E	18	Total 18	O 18	0	0
6	F	18	Total 18	O 18	0	0

- Molecule 1: DNA topoisomerase 2-beta






- Molecule 2: DNA (5'-D(P*AP*GP*CP*CP*GP*AP*GP*C)-3')



- Molecule 2: DNA (5'-D(P*AP*GP*CP*CP*GP*AP*GP*C)-3')



- Molecule 3: DNA (5'-D(P*TP*GP*CP*AP*GP*CP*TP*CP*GP*GP*CP*T)-3')



- Molecule 3: DNA (5'-D(P*TP*GP*CP*AP*GP*CP*TP*CP*GP*GP*CP*T)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	80.92Å 175.80Å 93.13Å 90.00° 113.61° 90.00°	Depositor
Resolution (Å)	28.23 – 2.70 28.23 – 2.70	Depositor EDS
% Data completeness (in resolution range)	97.2 (28.23-2.70) 97.2 (28.23-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.94 (at 2.68Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1069)	Depositor
R, R_{free}	0.156 , 0.213 0.165 , 0.217	Depositor DCC
R_{free} test set	3232 reflections (5.36%)	DCC
Wilson B-factor (Å ²)	42.7	Xtriage
Anisotropy	0.066	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 49.1	EDS
Estimated twinning fraction	0.017 for h,-k,-h-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 63613 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12054	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ASW

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.41	0/5421	0.55	0/7302
1	B	0.42	0/5553	0.56	0/7477
2	C	0.79	0/185	1.51	3/283 (1.1%)
2	E	0.77	0/185	1.47	3/283 (1.1%)
3	D	0.93	0/273	1.93	15/419 (3.6%)
3	F	0.72	0/273	1.55	6/419 (1.4%)
All	All	0.46	0/11890	0.72	27/16183 (0.2%)

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	D	20	DT	O4'-C4'-C3'	-11.88	98.87	106.00
3	D	19	DC	O4'-C1'-C2'	-11.36	96.81	105.90
2	C	4	DC	O4'-C4'-C3'	-10.83	99.50	106.00
2	E	8	DC	O4'-C1'-N1	7.76	113.43	108.00
3	D	11	DC	O4'-C1'-N1	7.61	113.33	108.00
3	D	20	DT	C1'-O4'-C4'	-7.53	102.57	110.10
3	D	19	DC	C1'-O4'-C4'	-7.20	102.90	110.10
3	D	20	DT	O5'-P-OP2	-7.01	99.39	105.70
3	D	19	DC	P-O5'-C5'	-6.82	109.99	120.90
3	F	19	DC	O4'-C1'-N1	6.79	112.75	108.00
3	F	17	DG	O4'-C1'-N9	-6.61	103.37	108.00
3	F	9	DT	O4'-C4'-C3'	-6.53	101.89	104.50
2	E	1	DA	C3'-C2'-C1'	-6.35	94.88	102.50
2	E	1	DA	C1'-O4'-C4'	-6.25	103.85	110.10
3	D	17	DG	O4'-C1'-N9	-6.08	103.74	108.00
3	D	20	DT	C5'-C4'-O4	-5.93	120.75	124.90
3	F	19	DC	C4'-C3'-C2'	5.90	108.41	103.10
3	D	13	DG	P-O5'-C5'	-5.87	111.52	120.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	20	DT	N3-C4-O4	5.79	123.37	119.90
3	F	20	DT	N3-C4-O4	5.75	123.35	119.90
3	D	16	DC	O4'-C4'-C3'	-5.64	102.24	104.50
2	C	2	DG	O4'-C1'-N9	5.63	111.94	108.00
3	D	9	DT	O4'-C4'-C3'	-5.46	102.32	104.50
3	D	18	DG	O4'-C1'-N9	-5.16	104.39	108.00
3	D	16	DC	C1'-O4'-C4'	-5.10	105.00	110.10
2	C	1	DA	O4'-C1'-N9	5.05	111.54	108.00
3	F	15	DT	N3-C4-O4	5.03	122.92	119.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5310	0	5344	44	0
1	B	5436	0	5474	52	0
2	C	165	0	89	0	0
2	E	165	0	89	1	0
3	D	245	0	136	3	0
3	F	245	0	136	4	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	D	1	0	0	0	0
4	F	1	0	0	0	0
5	B	28	0	19	5	0
5	F	28	0	19	4	0
6	A	168	0	0	0	0
6	B	179	0	0	4	0
6	C	19	0	0	0	0
6	D	24	0	0	0	0
6	E	18	0	0	0	0
6	F	18	0	0	0	0
All	All	12054	0	11306	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:732:PRO:HG2	1:B:869:ALA:HB1	1.61	0.82
1:B:687:ASP:OD1	1:B:691:ARG:NH1	2.14	0.81
1:A:732:PRO:HG3	1:A:869:ALA:HB1	1.71	0.73
1:A:801:GLN:NE2	1:A:826:LEU:O	2.30	0.64
1:A:462:ASP:OD2	1:A:496:ARG:NH1	2.30	0.63
1:B:846:TYR:CZ	1:B:851:ARG:HG3	2.33	0.63
1:A:579[B]:SER:HA	1:A:582:LYS:HD2	1.80	0.62
1:B:739:LYS:HD3	2:E:6:DA:H5''	1.83	0.61
1:B:894:ARG:NH1	1:B:900:ASP:O	2.34	0.60
1:B:1173[B]:ARG:NH1	6:B:1563:HOH:O	2.26	0.60
1:A:579[A]:SER:HA	1:A:582:LYS:HD2	1.83	0.59
1:B:751:LYS:HB3	1:B:770:MET:HE1	1.85	0.59
3:F:12:DA:H2'	5:F:101:ASW:H18	1.85	0.58
1:A:1092:MET:HE3	1:A:1096:ARG:HD3	1.85	0.58
1:A:678:LYS:HE3	1:A:876:TRP:CD1	2.38	0.58
3:F:12:DA:H2'	5:F:101:ASW:C26	2.34	0.58
1:B:457:LEU:HD22	1:B:529:ILE:HG12	1.86	0.58
5:B:1301:ASW:C26	3:D:12:DA:H2'	2.34	0.57
1:A:810:LEU:HD12	1:A:948:THR:HB	1.85	0.57
1:A:678:LYS:NZ	3:F:18:DG:OP1	2.36	0.57
1:A:820:ARG:NH2	3:F:10:DG:OP2	2.39	0.56
1:B:768:ALA:HA	1:B:773:TYR:HB3	1.88	0.56
1:A:687:ASP:HB3	1:A:691:ARG:HH21	1.71	0.54
1:B:944:VAL:HG12	1:B:945:ARG:HG2	1.89	0.54
1:B:1170:ASP:OD1	1:B:1173[B]:ARG:NH2	2.41	0.54
1:A:844:PHE:HA	1:A:854:PRO:HA	1.90	0.54
1:B:490:GLY:O	1:B:494[B]:ARG:HG2	2.08	0.54
5:B:1301:ASW:H18	3:D:12:DA:H2'	1.90	0.53
1:A:858:ILE:HG13	1:A:1042:ARG:HD2	1.89	0.53
1:B:587:GLU:HG2	1:B:653:LEU:HD23	1.92	0.52
1:B:1056:MET:HG2	1:B:1106:TRP:CZ3	2.45	0.52
1:B:646:ASP:OD2	1:B:649:ARG:NH1	2.43	0.52
1:B:1057:LEU:HD13	1:B:1167:GLU:HG2	1.92	0.52
1:A:1002:HIS:HB3	1:A:1008:GLN:HG3	1.92	0.52
1:A:846:TYR:CZ	1:A:851:ARG:HG3	2.45	0.52
1:A:482:LYS:HD2	1:A:501:PRO:HD3	1.91	0.51
1:A:751:LYS:HB3	1:A:770:MET:HE1	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:883:TYR:CZ	1:A:1031:VAL:HG21	2.47	0.49
1:A:1075:ILE:HD13	1:B:1083:ASN:HB2	1.94	0.49
1:B:807:GLY:HA3	1:B:813:GLY:HA2	1.94	0.49
1:A:457:LEU:HD22	1:A:529:ILE:HG12	1.94	0.49
1:B:730:SER:O	1:B:871:GLY:HA3	2.12	0.48
1:B:566:LYS:NZ	1:B:588:GLU:OE1	2.31	0.48
1:B:751:LYS:HD3	1:B:770:MET:HE3	1.95	0.48
1:A:461:ASN:HB2	1:A:495:ASP:HA	1.96	0.48
1:B:644:PHE:CD2	1:B:647:MET:HE3	2.48	0.48
1:B:503:ARG:O	5:B:1301:ASW:H12	2.14	0.48
1:B:1081:ILE:HG22	1:B:1089:LEU:HD11	1.95	0.48
1:B:554:ILE:HG21	1:B:566:LYS:HG2	1.96	0.47
1:B:655[A]:ARG:HG3	1:B:710:THR:HG22	1.97	0.47
1:B:881:PRO:HB3	1:B:1011:LEU:HD21	1.95	0.47
5:B:1301:ASW:C13	5:B:1301:ASW:H19	2.45	0.47
1:B:1164:LYS:O	1:B:1168:VAL:HG23	2.15	0.46
1:A:503:ARG:O	5:F:101:ASW:H12	2.16	0.46
1:B:482:LYS:HD2	1:B:501:PRO:HG3	1.98	0.46
1:A:1170:ASP:OD1	1:A:1173:ARG:NH2	2.48	0.46
1:B:494[A]:ARG:NH2	6:B:1443:HOH:O	2.48	0.46
1:B:796:ASN:ND2	1:B:882:ASN:HB3	2.30	0.46
1:A:944:VAL:O	1:A:945:ARG:HB2	2.17	0.45
1:A:556:THR:OG1	1:A:566:LYS:HE3	2.17	0.45
1:B:773:TYR:CD1	1:B:780:LEU:HD22	2.50	0.45
1:B:846:TYR:CE2	1:B:851:ARG:HG3	2.51	0.45
1:A:771:SER:HA	1:A:852:VAL:HG12	1.98	0.44
1:B:869:ALA:HA	6:B:1559:HOH:O	2.18	0.44
1:A:883:TYR:OH	1:A:1031:VAL:HG21	2.18	0.44
1:B:881:PRO:HD3	1:B:1013:CYS:SG	2.58	0.44
5:F:101:ASW:H19	5:F:101:ASW:C13	2.47	0.44
1:A:807:GLY:HA3	1:A:813:GLY:HA2	2.00	0.44
1:B:489:LEU:HB3	1:B:493:GLY:HA3	1.99	0.44
1:B:1074:LYS:HA	1:B:1079:ILE:HG13	1.99	0.43
3:D:10:DG:H2'	3:D:11:DC:C6	2.53	0.43
1:A:687:ASP:O	1:A:691:ARG:HB2	2.19	0.43
1:A:1063:LYS:HG3	1:A:1140:TYR:CD1	2.54	0.43
1:B:484:LEU:HD23	1:B:484:LEU:HA	1.84	0.43
1:B:858:ILE:O	1:B:858:ILE:HG23	2.18	0.43
1:A:937:VAL:HG22	1:A:986:VAL:HB	2.00	0.43
1:B:580:LEU:HD23	1:B:580:LEU:HA	1.90	0.43
1:B:912:LYS:HE2	1:B:912:LYS:HB3	1.89	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:757:GLU:HB2	1:B:823:PHE:HB3	2.01	0.42
1:B:522:GLU:OE2	5:B:1301:ASW:H4	2.20	0.42
1:B:844:PHE:HA	1:B:854:PRO:HA	2.01	0.42
1:A:768:ALA:HA	1:A:773:TYR:HB3	2.02	0.42
1:B:810:LEU:HD12	1:B:948:THR:HB	2.01	0.42
1:B:820:ARG:NE	6:B:1556:HOH:O	2.52	0.42
1:A:780:LEU:HD23	1:A:780:LEU:HA	1.86	0.42
1:A:832:LEU:HD23	1:A:832:LEU:HA	1.89	0.42
1:B:858:ILE:HG13	1:B:1042:ARG:HD2	2.02	0.42
1:A:1025:LEU:HA	1:A:1025:LEU:HD12	1.92	0.42
1:A:1106:TRP:O	1:A:1110:GLN:HG2	2.20	0.41
1:B:1025:LEU:HA	1:B:1025:LEU:HD12	1.86	0.41
1:A:763:LEU:O	1:A:767:VAL:HG23	2.20	0.41
1:A:580:LEU:HD23	1:A:580:LEU:HA	1.88	0.41
1:A:482:LYS:O	1:A:486:VAL:HG23	2.21	0.41
1:A:560:GLN:HB3	1:A:722:PHE:HA	2.03	0.41
1:B:972:ASP:OD2	1:B:974:LYS:HE2	2.20	0.41
1:A:942:LEU:HG	1:A:982:VAL:HG11	2.02	0.41
1:B:456:LYS:HD3	1:B:456:LYS:HA	1.89	0.41
1:A:818:SER:HA	1:A:819:PRO:HD3	1.97	0.41
1:B:482:LYS:O	1:B:486:VAL:HG23	2.21	0.40
1:B:731:ILE:HA	1:B:732:PRO:HD3	1.76	0.40
1:A:848:ASP:C	1:A:850:GLN:H	2.25	0.40
1:A:801:GLN:HE21	1:A:827:SER:HA	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	651/803 (81%)	621 (95%)	27 (4%)	3 (0%)	34 63

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	666/803 (83%)	638 (96%)	27 (4%)	1 (0%)	52	80
All	All	1317/1606 (82%)	1259 (96%)	54 (4%)	4 (0%)	46	75

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	794	SER
1	A	852	VAL
1	B	852	VAL
1	A	868	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	581/704 (82%)	577 (99%)	4 (1%)	88	96
1	B	592/704 (84%)	589 (100%)	3 (0%)	92	98
All	All	1173/1408 (83%)	1166 (99%)	7 (1%)	90	97

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	491	VAL
1	A	653	LEU
1	A	880	LEU
1	A	979	ASP
1	B	636	THR
1	B	693	LEU
1	B	1079	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	801	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 6 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	ASW	B	1301	-	30,31,31	1.15	4 (13%)	45,45,45	2.33	5 (11%)
5	ASW	F	101	-	30,31,31	1.21	3 (10%)	45,45,45	2.15	7 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ASW	B	1301	-	-	0/11/11/11	0/4/4/4
5	ASW	F	101	-	-	0/11/11/11	0/4/4/4

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	101	ASW	C16-C21	-3.52	1.37	1.42
5	B	1301	ASW	C16-C21	-3.01	1.38	1.42
5	F	101	ASW	C28-C23	-2.85	1.38	1.42
5	B	1301	ASW	C28-C23	-2.21	1.39	1.42
5	B	1301	ASW	C23-N22	2.10	1.38	1.35
5	B	1301	ASW	C21-N22	2.27	1.38	1.35
5	F	101	ASW	C23-N22	2.27	1.38	1.35

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	1301	ASW	O9-S7-O10	-12.31	100.89	118.77
5	F	101	ASW	O9-S7-O10	-10.81	103.06	118.77
5	F	101	ASW	O2-C3-C4	-3.20	118.74	124.21
5	B	1301	ASW	O2-C3-C4	-2.95	119.17	124.21
5	F	101	ASW	C16-C21-N22	-2.19	121.45	123.45
5	B	1301	ASW	C28-C15-N14	2.12	123.82	119.98
5	F	101	ASW	C1-O2-C3	2.26	120.97	117.54
5	F	101	ASW	C8-S7-N6	2.29	109.72	106.83
5	F	101	ASW	O10-S7-N6	2.44	112.34	107.17
5	B	1301	ASW	C8-S7-N6	3.22	110.89	106.83
5	B	1301	ASW	O2-C3-C13	4.60	120.74	114.87
5	F	101	ASW	O2-C3-C13	5.09	121.37	114.87

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	1301	ASW	5	0
5	F	101	ASW	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	655/803 (81%)	-0.39	12 (1%) 71 72	13, 29, 61, 84	0
1	B	668/803 (83%)	-0.39	16 (2%) 62 62	13, 27, 56, 94	0
2	C	8/8 (100%)	-0.43	1 (12%) 5 4	19, 24, 44, 62	0
2	E	8/8 (100%)	-0.73	0 100 100	17, 20, 38, 64	0
3	D	12/12 (100%)	-0.91	0 100 100	16, 24, 33, 35	0
3	F	12/12 (100%)	-0.79	0 100 100	21, 25, 34, 47	0
All	All	1363/1646 (82%)	-0.40	29 (2%) 67 68	13, 28, 60, 94	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	849	ASN	4.6
1	B	848	ASP	3.6
1	B	965	LYS	3.4
1	B	642	GLU	3.3
1	A	657	ALA	3.3
1	B	643	TYR	3.2
1	A	466	LYS	3.1
1	B	692	ARG	3.0
1	A	849	ASN	2.9
1	A	568	LEU	2.8
1	B	454	ILE	2.7
2	C	1	DA	2.6
1	A	465	GLY	2.5
1	B	641	LYS	2.5
1	A	591	THR	2.5
1	B	964	ASP	2.4
1	B	1108	GLU	2.4
1	A	492	ILE	2.4
1	A	848	ASP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	569	LEU	2.3
1	B	1201	ASP	2.3
1	A	649	ARG	2.2
1	A	455	PRO	2.2
1	B	639	GLU	2.1
1	B	1200	GLU	2.1
1	B	706	THR	2.1
1	B	640	ALA	2.1
1	B	568	LEU	2.1
1	A	515	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	MG	A	1302	1/1	0.98	0.26	4.47	44,44,44,44	0
4	MG	B	1303	1/1	0.98	0.19	0.19	42,42,42,42	0
5	ASW	F	101	28/28	0.96	0.15	-0.07	16,26,46,63	0
5	ASW	B	1301	28/28	0.98	0.13	-0.48	15,20,36,39	0
4	MG	D	101	1/1	0.99	0.03	-3.91	23,23,23,23	0
4	MG	A	1301	1/1	0.94	0.07	-	18,18,18,18	0
4	MG	B	1302	1/1	0.99	0.10	-	21,21,21,21	0
4	MG	F	102	1/1	0.94	0.05	-	36,36,36,36	0

6.5 Other polymers

There are no such residues in this entry.