



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:16 AM GMT

PDB ID : 2GFW
Title : Structure of wild type E. coli FabF (KASII)
Authors : Soisson, S.M.; Parthasarathy, G.
Deposited on : 2006-03-23
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	427	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3101 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-oxoacyl-[acyl-carrier-protein] synthase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	411	Total	C	N	O	S	0	0	0
			3004	1875	527	585	17			

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-14	MET	-	EXPRESSION TAG	UNP P0AAI5
A	-13	ARG	-	EXPRESSION TAG	UNP P0AAI5
A	-12	GLY	-	EXPRESSION TAG	UNP P0AAI5
A	-11	SER	-	EXPRESSION TAG	UNP P0AAI5
A	-10	HIS	-	EXPRESSION TAG	UNP P0AAI5
A	-9	HIS	-	EXPRESSION TAG	UNP P0AAI5
A	-8	HIS	-	EXPRESSION TAG	UNP P0AAI5
A	-7	HIS	-	EXPRESSION TAG	UNP P0AAI5
A	-6	HIS	-	EXPRESSION TAG	UNP P0AAI5
A	-5	HIS	-	EXPRESSION TAG	UNP P0AAI5
A	-4	GLY	-	EXPRESSION TAG	UNP P0AAI5
A	-3	SER	-	EXPRESSION TAG	UNP P0AAI5
A	-2	ALA	-	EXPRESSION TAG	UNP P0AAI5
A	-1	CYS	-	EXPRESSION TAG	UNP P0AAI5
A	0	VAL	-	EXPRESSION TAG	UNP P0AAI5

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	97	Total	O	0	0
			97	97		

i

- Molecule 1: 3-oxoacyl-[acyl-carrier-protein] synthase 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	75.37Å 75.37Å 145.70Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	65.94 – 2.40 31.81 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.3 (65.94-2.40) 99.5 (31.81-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.31 (at 2.39Å)	Xtriage
Refinement program	BUSTER-TNT V. 1.1.0	Depositor
R, R_{free}	0.202 , 0.268 0.204 , 0.274	Depositor DCC
R_{free} test set	987 reflections (5.39%)	DCC
Wilson B-factor (Å ²)	60.0	Xtriage
Anisotropy	0.301	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 61.3	EDS
Estimated twinning fraction	0.027 for -h,-k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 19295 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3101	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	0/3056	0.82	2/4133 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	381	PRO	N-CA-C	7.58	131.82	112.10
1	A	226	ARG	CB-CA-C	-5.33	99.73	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3004	0	2970	133	0
2	A	97	0	0	15	2
All	All	3101	0	2970	133	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:268:HIS:HD2	1:A:271:SER:H	1.10	0.95
1:A:128:LYS:HE2	1:A:128:LYS:HA	1.48	0.92
1:A:91:GLU:H	1:A:249:ARG:NH1	1.69	0.90
1:A:100:ILE:HG22	1:A:152:LEU:HD22	1.55	0.88
1:A:91:GLU:HB2	1:A:249:ARG:HH22	1.39	0.87
1:A:243:TYR:CZ	1:A:247:LYS:HE3	2.09	0.87
1:A:298:GLY:HA3	1:A:390:MET:HG3	1.58	0.85
1:A:91:GLU:H	1:A:249:ARG:HH12	1.23	0.84
1:A:91:GLU:HB2	1:A:249:ARG:NH2	1.92	0.84
1:A:100:ILE:CG2	1:A:152:LEU:HD22	2.08	0.83
1:A:326:ALA:HB3	2:A:502:HOH:O	1.84	0.78
1:A:220:ARG:HD3	1:A:223:ASP:OD2	1.84	0.77
1:A:90:LEU:HD21	1:A:100:ILE:HD13	1.69	0.74
1:A:392:TYR:CE1	1:A:410:LYS:HG3	2.22	0.74
1:A:281:LEU:HD22	1:A:285:ASN:HD21	1.51	0.74
1:A:120:SER:HB3	1:A:128:LYS:HB3	1.70	0.73
1:A:238:LEU:HD23	1:A:238:LEU:N	2.03	0.73
1:A:210:THR:HB	2:A:473:HOH:O	1.88	0.72
1:A:257:LEU:HD21	1:A:407:LEU:HD22	1.71	0.72
1:A:138:ILE:HD12	1:A:140:ASN:OD1	1.89	0.71
1:A:242:GLU:HG2	2:A:504:HOH:O	1.91	0.70
1:A:66:GLU:OE1	1:A:69:LYS:HD2	1.92	0.70
1:A:71:ASP:HA	1:A:113:LEU:HD22	1.74	0.69
1:A:243:TYR:CE1	1:A:247:LYS:HE3	2.27	0.69
1:A:229:PHE:HE1	1:A:231:LEU:HD13	1.58	0.69
1:A:220:ARG:NH1	1:A:223:ASP:OD2	2.25	0.68
1:A:265:ASP:OD1	1:A:278:GLY:HA3	1.93	0.68
1:A:385:ARG:NH1	2:A:480:HOH:O	2.25	0.68
1:A:331:VAL:O	1:A:379:PHE:HA	1.93	0.68
1:A:211:ARG:NH1	2:A:477:HOH:O	2.20	0.67
1:A:237:MET:C	1:A:238:LEU:HD23	2.16	0.67
1:A:195:THR:HB	1:A:196:PRO:HD2	1.77	0.66
1:A:226:ARG:NH1	1:A:311:ASP:HB2	2.11	0.65
1:A:297:ILE:O	1:A:329:VAL:HG23	1.97	0.64
1:A:308:PRO:O	1:A:312:LYS:HG3	1.97	0.64
1:A:128:LYS:HE2	1:A:128:LYS:CA	2.23	0.63
1:A:301:ASN:ND2	2:A:464:HOH:O	2.24	0.62
1:A:177:ILE:HG12	2:A:507:HOH:O	1.98	0.62
1:A:71:ASP:CA	1:A:113:LEU:HD22	2.29	0.62
1:A:91:GLU:N	1:A:249:ARG:HH12	1.96	0.61
1:A:268:HIS:CD2	1:A:270:THR:H	2.18	0.61
1:A:161:THR:OG1	1:A:168:HIS:HD2	1.84	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:268:HIS:CD2	1:A:271:SER:H	2.03	0.60
1:A:281:LEU:HD22	1:A:285:ASN:ND2	2.15	0.60
1:A:97:ALA:HB1	1:A:153:ARG:HG3	1.82	0.60
1:A:93:THR:H	1:A:96:ASN:HB2	1.67	0.59
1:A:42:THR:O	1:A:48:LYS:HD3	2.03	0.57
1:A:115:GLU:HG2	1:A:197:LEU:HD22	1.87	0.57
1:A:73:PHE:CE1	1:A:74:ILE:HG13	2.39	0.57
1:A:337:MET:HG3	1:A:366:ILE:HG12	1.86	0.57
1:A:90:LEU:HD21	1:A:100:ILE:CD1	2.34	0.56
1:A:10:LEU:HD22	1:A:351:ILE:HG12	1.87	0.56
1:A:177:ILE:CD1	2:A:507:HOH:O	2.53	0.56
1:A:68:ARG:HG2	1:A:68:ARG:O	2.06	0.56
1:A:93:THR:H	1:A:96:ASN:CB	2.20	0.55
1:A:220:ARG:HG3	1:A:220:ARG:O	2.07	0.55
1:A:59:GLU:HA	1:A:59:GLU:OE1	2.07	0.54
1:A:206:ARG:NH1	2:A:495:HOH:O	2.26	0.54
1:A:2:LYS:O	1:A:2:LYS:HG3	2.07	0.54
1:A:298:GLY:HA3	1:A:390:MET:CG	2.35	0.54
1:A:134:VAL:HB	1:A:135:PRO:HD3	1.90	0.53
1:A:138:ILE:HG13	1:A:141:MET:HG2	1.91	0.53
1:A:277:ALA:HA	2:A:501:HOH:O	2.07	0.52
1:A:299:TYR:HB3	1:A:393:THR:HG22	1.91	0.52
1:A:4:ARG:NH2	1:A:243:TYR:CE2	2.77	0.52
1:A:360:GLN:O	1:A:387:VAL:HG22	2.09	0.52
1:A:335:LYS:HA	1:A:338:THR:HG22	1.92	0.52
1:A:91:GLU:O	1:A:96:ASN:ND2	2.42	0.52
1:A:226:ARG:HH22	1:A:312:LYS:HE2	1.74	0.52
1:A:90:LEU:HD12	1:A:249:ARG:HH11	1.75	0.51
1:A:210:THR:O	1:A:210:THR:HG22	2.09	0.51
1:A:12:MET:HE3	1:A:20:VAL:HA	1.93	0.51
1:A:385:ARG:HG3	1:A:386:GLN:N	2.25	0.51
1:A:314:GLU:O	1:A:318:VAL:HG23	2.11	0.51
1:A:222:TRP:CD1	1:A:311:ASP:HB3	2.46	0.50
1:A:273:PRO:HB2	1:A:275:ASN:HB3	1.92	0.50
1:A:238:LEU:CD2	1:A:238:LEU:N	2.74	0.50
1:A:222:TRP:CE2	1:A:379:PHE:CE1	3.00	0.50
1:A:4:ARG:N	2:A:504:HOH:O	2.45	0.50
1:A:307:THR:OG1	1:A:310:GLY:HA3	2.12	0.50
1:A:184:VAL:CA	2:A:507:HOH:O	2.60	0.49
1:A:226:ARG:HH11	1:A:311:ASP:HB2	1.75	0.49
1:A:69:LYS:HE2	1:A:132:PHE:CE1	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:GLY:O	1:A:189:GLY:HA2	2.13	0.48
1:A:115:GLU:OE2	1:A:197:LEU:HB2	2.13	0.48
1:A:57:ASN:OD1	1:A:59:GLU:HB2	2.14	0.47
1:A:134:VAL:HB	1:A:135:PRO:CD	2.44	0.47
1:A:205:ALA:O	1:A:206:ARG:HB2	2.14	0.47
1:A:195:THR:HB	1:A:196:PRO:CD	2.45	0.47
1:A:74:ILE:HA	1:A:142:VAL:HG22	1.96	0.47
1:A:287:LEU:HD21	1:A:297:ILE:HD12	1.96	0.47
1:A:120:SER:HB3	1:A:128:LYS:CB	2.43	0.47
1:A:184:VAL:HA	2:A:507:HOH:O	2.14	0.47
1:A:287:LEU:HD21	1:A:297:ILE:CD1	2.45	0.47
1:A:264:SER:HA	1:A:402:GLY:O	2.15	0.47
1:A:411:LYS:HG2	1:A:412:ILE:HG13	1.97	0.47
1:A:232:GLY:HA3	1:A:341:LEU:HD22	1.96	0.46
1:A:90:LEU:HD23	1:A:92:ILE:CD1	2.46	0.46
1:A:108:ILE:O	1:A:108:ILE:HG22	2.16	0.46
1:A:135:PRO:O	1:A:141:MET:HG3	2.15	0.46
1:A:394:LEU:HD12	1:A:408:ILE:HG13	1.98	0.45
1:A:362:VAL:HA	1:A:363:PRO:HD3	1.81	0.45
1:A:164:THR:O	1:A:164:THR:HG22	2.17	0.45
1:A:392:TYR:CE1	1:A:410:LYS:NZ	2.85	0.45
1:A:217:ALA:HA	1:A:367:ASN:ND2	2.32	0.45
1:A:100:ILE:HG12	1:A:184:VAL:HB	1.99	0.44
1:A:134:VAL:N	1:A:135:PRO:HD2	2.33	0.44
1:A:176:ILE:HG23	1:A:181:ASP:HB2	2.00	0.44
1:A:380:VAL:N	1:A:381:PRO:CD	2.80	0.44
1:A:269:MET:CB	2:A:458:HOH:O	2.65	0.44
1:A:355:LEU:HD23	1:A:355:LEU:HA	1.77	0.44
1:A:305:THR:HG22	1:A:335:LYS:HE2	1.99	0.44
1:A:52:LEU:O	1:A:54:LYS:HE2	2.17	0.43
1:A:263:SER:HB2	1:A:281:LEU:HD13	1.99	0.43
1:A:300:VAL:HG13	1:A:394:LEU:HD23	2.01	0.43
1:A:223:ASP:O	1:A:226:ARG:HG3	2.18	0.42
1:A:301:ASN:ND2	1:A:349:GLU:HB3	2.34	0.42
1:A:100:ILE:HG21	1:A:152:LEU:HD22	1.94	0.42
1:A:68:ARG:HH11	1:A:68:ARG:HG3	1.85	0.41
1:A:63:SER:O	1:A:65:LYS:N	2.53	0.41
1:A:103:ALA:HB3	1:A:173:ALA:HB2	2.01	0.41
1:A:275:ASN:C	1:A:275:ASN:HD22	2.22	0.41
1:A:93:THR:OG1	1:A:96:ASN:HB2	2.21	0.41
1:A:174:ALA:HB2	1:A:257:LEU:HD13	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:TRP:CZ3	1:A:363:PRO:HG3	2.56	0.41
1:A:387:VAL:HG21	1:A:390:MET:HE2	2.02	0.41
1:A:97:ALA:O	1:A:99:ARG:N	2.54	0.41
1:A:232:GLY:C	1:A:341:LEU:HD22	2.42	0.40
1:A:106:SER:HB3	1:A:139:VAL:HG22	2.04	0.40
1:A:248:LYS:HE3	1:A:248:LYS:HB2	1.75	0.40
1:A:113:LEU:HD23	1:A:136:SER:HB2	2.03	0.40
1:A:31:GLN:O	1:A:337:MET:HB3	2.21	0.40
1:A:373:GLU:N	2:A:503:HOH:O	2.55	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:485:HOH:O	2:A:485:HOH:O[5_555]	0.96	1.24
2:A:474:HOH:O	2:A:474:HOH:O[5_555]	1.39	0.81

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	409/427 (96%)	376 (92%)	25 (6%)	8 (2%)	 

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	371	PRO
1	A	373	GLU
1	A	98	THR
1	A	304	GLY
1	A	97	ALA
1	A	306	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	64	ARG
1	A	381	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	307/320 (96%)	278 (91%)	29 (9%)	11	16

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	LYS
1	A	54	LYS
1	A	59	GLU
1	A	70	MET
1	A	113	LEU
1	A	114	ILE
1	A	192	LYS
1	A	197	LEU
1	A	208	LEU
1	A	213	ASP
1	A	214	ASN
1	A	216	GLN
1	A	238	LEU
1	A	252	LYS
1	A	264	SER
1	A	271	SER
1	A	275	ASN
1	A	281	LEU
1	A	324	GLU
1	A	328	ARG
1	A	338	THR
1	A	340	HIS
1	A	341	LEU
1	A	372	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	377	LEU
1	A	385	ARG
1	A	390	MET
1	A	394	LEU
1	A	410	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	123	ASN
1	A	168	HIS
1	A	214	ASN
1	A	216	GLN
1	A	268	HIS
1	A	275	ASN
1	A	301	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	411/427 (96%)	0.29	41 (9%) 9 9	39, 60, 96, 128	0

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	326	ALA	4.2
1	A	347	ALA	4.0
1	A	170	ILE	4.0
1	A	167	VAL	3.9
1	A	169	ASN	3.4
1	A	373	GLU	3.4
1	A	345	ALA	3.3
1	A	188	GLY	3.1
1	A	236	GLY	3.1
1	A	374	GLY	3.1
1	A	348	VAL	3.1
1	A	159	ILE	3.0
1	A	375	CYS	3.0
1	A	249	ARG	3.0
1	A	346	GLY	3.0
1	A	353	SER	2.9
1	A	295	SER	2.6
1	A	166	GLY	2.6
1	A	315	ALA	2.5
1	A	2	LYS	2.5
1	A	157	ILE	2.5
1	A	165	SER	2.4
1	A	324	GLU	2.4
1	A	351	ILE	2.4
1	A	187	ALA	2.4
1	A	350	SER	2.4
1	A	352	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	301	ASN	2.3
1	A	327	SER	2.3
1	A	93	THR	2.3
1	A	377	LEU	2.3
1	A	103	ALA	2.3
1	A	344	ALA	2.2
1	A	164	THR	2.2
1	A	163	CYS	2.1
1	A	189	GLY	2.1
1	A	238	LEU	2.1
1	A	323	GLY	2.1
1	A	235	ALA	2.0
1	A	168	HIS	2.0
1	A	92	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.