



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:46 PM GMT

PDB ID : 1H21  
Title : A NOVEL IRON CENTRE IN THE SPLIT-SORET CYTOCHROME C FROM DESULFOVIBRIO DESULFURICANS ATCC 27774  
Authors : Abreu, I.A.; Lourenco, A.I.; Xavier, A.V.; Legall, J.; Coelho, A.V.; Matias, P.M.; Pinto, D.M.; Carrondo, M.A.; Teixeira, M.; Saraiva, L.M.  
Deposited on : 2002-07-30  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	247	<div> <div>2%</div> <div> <div></div> <div>81%</div> <div>15%</div> <div>• •</div> </div> </div>
1	B	247	<div> <div></div> <div> <div>83%</div> <div>12%</div> <div>• •</div> </div> </div>
1	C	247	<div> <div>•</div> <div> <div>82%</div> <div>15%</div> <div>•</div> </div> </div>
1	D	247	<div> <div>2%</div> <div> <div>78%</div> <div>17%</div> <div>• •</div> </div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7916 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called SPLIT-SORET CYTOCHROME C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	240	Total	C	N	O	S	6	0	0
			1846	1175	314	340	17			
1	B	240	Total	C	N	O	S	10	0	0
			1846	1175	314	340	17			
1	C	240	Total	C	N	O	S	3	0	0
			1846	1175	314	340	17			
1	D	240	Total	C	N	O	S	6	0	0
			1846	1175	314	340	17			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	86	CYS	TYR	CONFLICT SEE REMARK 9	UNP P81040
A	171	CYS	ALA	CONFLICT SEE REMARK 9	UNP P81040
B	86	CYS	TYR	CONFLICT SEE REMARK 9	UNP P81040
B	171	CYS	ALA	CONFLICT SEE REMARK 9	UNP P81040
C	86	CYS	TYR	CONFLICT SEE REMARK 9	UNP P81040
C	171	CYS	ALA	CONFLICT SEE REMARK 9	UNP P81040
D	86	CYS	TYR	CONFLICT SEE REMARK 9	UNP P81040
D	171	CYS	ALA	CONFLICT SEE REMARK 9	UNP P81040

- Molecule 2 is HEME C (three-letter code: HEC) (formula:  $C_{34}H_{34}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	38	Total O 38 38	0	0
3	B	46	Total O 46 46	0	0
3	C	51	Total O 51 51	0	0
3	D	53	Total O 53 53	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: SPLIT-SORET CYTOCHROME C




#### • Molecule 1: SPLIT-SORET CYTOCHROME C



#### • Molecule 1: SPLIT-SORET CYTOCHROME C



#### • Molecule 1: SPLIT-SORET CYTOCHROME C





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	96.06 Å 100.13 Å 109.30 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.50 19.90 – 2.50	Depositor EDS
% Data completeness (in resolution range)	92.8 (20.00-2.50) 92.1 (19.90-2.50)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	8.78 (at 2.50 Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, $R_{free}$	0.199 , 0.264 0.193 , 0.253	Depositor DCC
$R_{free}$ test set	1688 reflections (5.20%)	DCC
Wilson B-factor (Å <sup>2</sup> )	37.6	Xtriage
Anisotropy	0.340	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 44.9	EDS
Estimated twinning fraction	0.008 for k,h,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 34126 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7916	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.91% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.56	0/1900	0.69	0/2565
1	B	0.57	0/1900	0.72	1/2565 (0.0%)
1	C	0.57	0/1900	0.73	1/2565 (0.0%)
1	D	0.59	0/1900	0.70	2/2565 (0.1%)
All	All	0.57	0/7600	0.71	4/10260 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	72	LEU	CA-CB-CG	-6.64	100.03	115.30
1	B	72	LEU	CA-CB-CG	-6.43	100.52	115.30
1	D	72	LEU	CA-CB-CG	-6.26	100.89	115.30
1	D	43	GLY	N-CA-C	5.11	125.88	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1846	0	1753	24	0
1	B	1846	0	1753	21	0
1	C	1846	0	1753	23	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1846	0	1753	30	0
2	A	86	0	60	2	0
2	B	86	0	60	5	0
2	C	43	0	30	5	0
2	D	129	0	90	5	0
3	A	38	0	0	4	0
3	B	46	0	0	1	0
3	C	51	0	0	4	0
3	D	53	0	0	3	0
All	All	7916	0	7252	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:220:ALA:HB2	2:D:1248:HEC:HMD3	1.58	0.86
1:C:12:GLN:HE22	1:D:70:ALA:H	1.23	0.85
1:A:70:ALA:H	1:B:12:GLN:HE22	1.29	0.80
1:C:12:GLN:NE2	1:D:70:ALA:H	1.92	0.68
1:D:27:LYS:HD3	1:D:180:PHE:HE1	1.57	0.68
3:A:2016:HOH:O	1:B:224:LYS:HG3	1.94	0.67
1:A:102:ARG:HB2	1:B:73:GLU:OE2	2.01	0.60
1:C:121:LEU:HB3	1:C:122:PRO:HA	1.83	0.60
1:B:121:LEU:HB3	1:B:122:PRO:HA	1.83	0.58
1:A:70:ALA:H	1:B:12:GLN:NE2	1.98	0.58
1:B:106:HIS:HB2	3:B:2016:HOH:O	2.05	0.57
1:C:203:GLN:NE2	3:C:2046:HOH:O	2.37	0.56
1:D:236:THR:O	1:D:240:GLN:HG2	2.07	0.55
2:D:1248:HEC:HBC3	2:D:1248:HEC:HMC1	1.89	0.55
1:B:220:ALA:HB2	2:B:1248:HEC:HMD3	1.87	0.55
2:C:1248:HEC:HBA2	1:D:156:TYR:CG	2.41	0.55
1:A:163:THR:HG21	1:B:216:LYS:HG3	1.89	0.54
1:D:52:ILE:O	1:D:56:MET:HG3	2.08	0.54
1:B:206:VAL:HG22	2:B:1249:HEC:HBB1	1.91	0.52
1:A:130:ALA:HB3	1:A:134:LYS:HG3	1.91	0.52
1:A:27:LYS:HD3	1:A:180:PHE:HE1	1.74	0.52
1:A:49:PHE:HB2	1:A:72:LEU:HD22	1.90	0.52
1:A:12:GLN:HE22	1:B:70:ALA:H	1.56	0.52
1:D:49:PHE:HB2	1:D:72:LEU:HD22	1.92	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:154:TRP:CE2	1:D:170:ARG:HD2	2.45	0.52
1:C:206:VAL:HG22	2:C:1248:HEC:HBB1	1.92	0.51
1:D:8:GLY:N	3:D:2001:HOH:O	2.44	0.50
1:C:164:SER:HB2	3:C:2036:HOH:O	2.10	0.50
1:A:105:VAL:HG11	3:A:2017:HOH:O	2.12	0.50
1:D:74:ALA:O	1:D:79:ILE:HA	2.11	0.50
1:C:227:MET:HG3	1:D:82:TRP:O	2.11	0.50
1:D:99:PHE:HB2	1:D:100:TRP:CE3	2.47	0.50
1:C:144:SER:HA	3:C:2034:HOH:O	2.12	0.50
2:B:1248:HEC:HHA	2:B:1248:HEC:HBA1	1.95	0.48
1:B:214:MET:CE	1:B:223:ALA:HB3	2.44	0.48
1:C:202:MET:SD	1:C:207:SER:HB3	2.54	0.48
1:D:206:VAL:HG22	2:D:1250:HEC:HBB1	1.96	0.48
1:D:34:TYR:OH	1:D:130:ALA:HA	2.14	0.48
1:A:34:TYR:OH	1:A:130:ALA:HA	2.14	0.47
1:A:121:LEU:HB3	1:A:122:PRO:HA	1.96	0.47
1:B:214:MET:HE3	1:B:223:ALA:HB3	1.97	0.47
1:C:28:GLU:O	1:C:32:VAL:HG23	2.15	0.47
1:B:203:GLN:HG3	1:B:206:VAL:CG2	2.45	0.47
1:C:156:TYR:CG	2:D:1250:HEC:HBA2	2.49	0.47
1:B:86:CYS:SG	1:B:147:CYS:HB2	2.55	0.47
1:C:103:LYS:HB2	3:C:2027:HOH:O	2.15	0.47
1:D:203:GLN:HE21	1:D:203:GLN:H	1.62	0.47
1:C:214:MET:HE1	2:C:1248:HEC:HMB2	1.95	0.46
1:A:74:ALA:O	1:A:79:ILE:HA	2.16	0.46
1:B:99:PHE:HB2	1:B:100:TRP:CE3	2.51	0.46
1:B:192:GLN:HE21	1:B:196:PHE:HA	1.79	0.46
2:C:1248:HEC:HMD2	1:D:149:ILE:CD1	2.46	0.46
1:A:43:GLY:HA3	1:A:76:LYS:HG3	1.97	0.46
1:C:12:GLN:HE22	1:D:70:ALA:N	2.02	0.45
1:D:105:VAL:HG11	3:D:2026:HOH:O	2.16	0.45
2:A:1248:HEC:HMB3	2:A:1249:HEC:HMB3	1.98	0.45
1:A:223:ALA:HA	1:B:152:SER:OG	2.16	0.45
1:A:80:SER:HB3	1:B:106:HIS:HD2	1.82	0.44
1:A:203:GLN:HB2	1:A:206:VAL:HG23	1.98	0.44
1:D:223:ALA:HB1	3:D:2049:HOH:O	2.18	0.43
1:C:155:CYS:HB3	1:C:160:ILE:O	2.17	0.43
1:C:106:HIS:HD2	1:D:80:SER:HB3	1.83	0.43
1:D:9:ARG:O	1:D:10:PHE:HB2	2.18	0.43
1:C:124:PHE:O	1:C:173:ARG:HD3	2.18	0.43
1:D:220:ALA:HB2	2:D:1249:HEC:HMD3	2.01	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:9:ARG:O	1:B:10:PHE:HB2	2.18	0.42
1:C:121:LEU:HD23	1:C:123:ILE:HG13	2.01	0.42
2:B:1248:HEC:HAA1	2:B:1249:HEC:HBA1	2.00	0.42
1:D:216:LYS:HA	1:D:221:ASN:ND2	2.34	0.42
1:A:45:GLY:N	3:A:2011:HOH:O	2.52	0.42
1:A:52:ILE:O	1:A:56:MET:HG3	2.20	0.42
1:C:12:GLN:HE22	1:D:70:ALA:CB	2.33	0.41
1:A:102:ARG:HB2	1:B:73:GLU:CD	2.41	0.41
1:A:8:GLY:N	3:A:2001:HOH:O	2.52	0.41
1:A:44:CYS:HB2	1:A:88:ALA:N	2.35	0.41
1:D:114:ARG:O	1:D:118:VAL:HG22	2.20	0.41
2:B:1248:HEC:HMC1	2:B:1248:HEC:HBC3	2.01	0.41
2:C:1248:HEC:HBB3	2:C:1248:HEC:HMB1	2.01	0.41
2:A:1248:HEC:HAA2	2:A:1249:HEC:HBA1	2.01	0.41
1:A:33:ALA:HB1	1:A:175:THR:HG22	2.02	0.41
1:A:99:PHE:HB2	1:A:100:TRP:CE3	2.56	0.41
1:B:169:GLU:O	1:B:173:ARG:HG3	2.21	0.41
1:C:70:ALA:H	1:D:12:GLN:HE22	1.67	0.41
1:A:133:VAL:HG13	1:A:165:LYS:HB3	2.03	0.40
1:D:50:TYR:O	1:D:54:GLY:N	2.53	0.40
1:D:134:LYS:HE3	1:D:134:LYS:HB2	1.99	0.40
1:C:241:ASN:HA	1:D:234:SER:HA	2.03	0.40
1:C:10:PHE:HB3	1:D:39:TYR:CD2	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	238/247 (96%)	226 (95%)	10 (4%)	2 (1%)	24	41
1	B	238/247 (96%)	227 (95%)	9 (4%)	2 (1%)	24	41

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	238/247 (96%)	227 (95%)	9 (4%)	2 (1%)	24	41
1	D	238/247 (96%)	226 (95%)	10 (4%)	2 (1%)	24	41
All	All	952/988 (96%)	906 (95%)	38 (4%)	8 (1%)	24	41

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	84	THR
1	A	79	ILE
1	A	84	THR
1	B	79	ILE
1	B	84	THR
1	C	79	ILE
1	D	79	ILE
1	D	84	THR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/192 (98%)	180 (96%)	8 (4%)	35	61
1	B	188/192 (98%)	177 (94%)	11 (6%)	24	44
1	C	188/192 (98%)	177 (94%)	11 (6%)	24	44
1	D	188/192 (98%)	179 (95%)	9 (5%)	31	55
All	All	752/768 (98%)	713 (95%)	39 (5%)	29	51

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	CYS
1	A	72	LEU
1	A	86	CYS
1	A	136	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	147	CYS
1	A	163	THR
1	A	167	ARG
1	A	219	ASP
1	B	44	CYS
1	B	72	LEU
1	B	81	ASP
1	B	86	CYS
1	B	103	LYS
1	B	133	VAL
1	B	167	ARG
1	B	174	LEU
1	B	203	GLN
1	B	214	MET
1	B	219	ASP
1	C	24	LEU
1	C	44	CYS
1	C	64	TYR
1	C	72	LEU
1	C	81	ASP
1	C	86	CYS
1	C	133	VAL
1	C	134	LYS
1	C	167	ARG
1	C	174	LEU
1	C	219	ASP
1	D	44	CYS
1	D	72	LEU
1	D	134	LYS
1	D	136	ASP
1	D	145	VAL
1	D	147	CYS
1	D	163	THR
1	D	167	ARG
1	D	203	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	B	12	GLN
1	B	31	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	75	ASN
1	B	106	HIS
1	B	192	GLN
1	C	12	GLN
1	C	31	GLN
1	C	75	ASN
1	C	106	HIS
1	C	192	GLN
1	D	12	GLN
1	D	203	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	HEC	A	1248	1	24,50,50	1.68	4 (16%)	19,82,82	1.63	5 (26%)
2	HEC	A	1249	1	24,50,50	1.31	4 (16%)	19,82,82	1.83	5 (26%)
2	HEC	B	1248	1	24,50,50	1.81	7 (29%)	19,82,82	1.70	6 (31%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	HEC	B	1249	1	24,50,50	1.24	1 (4%)	19,82,82	1.55	4 (21%)
2	HEC	C	1248	1	24,50,50	1.72	5 (20%)	19,82,82	1.88	5 (26%)
2	HEC	D	1248	1	24,50,50	2.04	8 (33%)	19,82,82	2.63	6 (31%)
2	HEC	D	1249	1	24,50,50	1.73	5 (20%)	19,82,82	2.12	5 (26%)
2	HEC	D	1250	1	24,50,50	1.50	6 (25%)	19,82,82	1.92	5 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEC	A	1248	1	-	0/6/54/54	0/0/8/8
2	HEC	A	1249	1	-	0/6/54/54	0/0/8/8
2	HEC	B	1248	1	-	0/6/54/54	0/0/8/8
2	HEC	B	1249	1	-	0/6/54/54	0/0/8/8
2	HEC	C	1248	1	-	0/6/54/54	0/0/8/8
2	HEC	D	1248	1	-	0/6/54/54	0/0/8/8
2	HEC	D	1249	1	-	0/6/54/54	0/0/8/8
2	HEC	D	1250	1	-	0/6/54/54	0/0/8/8

All (40) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1248	HEC	C3C-C2C	-3.72	1.36	1.40
2	D	1248	HEC	C3B-C2B	-3.43	1.37	1.40
2	D	1250	HEC	C3B-C2B	-2.73	1.37	1.40
2	B	1248	HEC	C3C-C2C	-2.69	1.37	1.40
2	A	1249	HEC	C3C-C2C	-2.67	1.38	1.40
2	A	1248	HEC	C3C-C2C	-2.31	1.38	1.40
2	D	1249	HEC	C3C-C2C	-2.28	1.38	1.40
2	A	1249	HEC	C3B-C2B	-2.26	1.38	1.40
2	D	1250	HEC	C3C-C2C	-2.21	1.38	1.40
2	D	1250	HEC	CAA-C2A	2.01	1.56	1.52
2	B	1248	HEC	C3B-C4B	2.03	1.47	1.42
2	C	1248	HEC	C4A-NA	2.11	1.39	1.36
2	A	1249	HEC	C3B-C4B	2.18	1.47	1.42
2	C	1248	HEC	C4C-NC	2.19	1.39	1.36
2	D	1248	HEC	C4B-NB	2.36	1.39	1.36
2	D	1249	HEC	C3B-C4B	2.44	1.48	1.42
2	A	1249	HEC	C4C-NC	2.66	1.40	1.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1250	HEC	C1A-NA	2.66	1.40	1.36
2	D	1250	HEC	C3B-C4B	2.78	1.49	1.42
2	B	1248	HEC	C3C-C4C	2.92	1.49	1.42
2	B	1249	HEC	C4A-NA	3.00	1.40	1.36
2	D	1248	HEC	C1A-NA	3.06	1.40	1.36
2	D	1248	HEC	C3B-C4B	3.06	1.49	1.42
2	B	1248	HEC	C1A-NA	3.08	1.40	1.36
2	B	1248	HEC	C4C-NC	3.10	1.40	1.36
2	D	1250	HEC	C4B-NB	3.12	1.40	1.36
2	D	1248	HEC	CAD-C3D	3.25	1.57	1.52
2	D	1248	HEC	C4A-NA	3.43	1.41	1.36
2	B	1248	HEC	C4A-NA	3.43	1.41	1.36
2	A	1248	HEC	C4C-NC	3.46	1.41	1.36
2	C	1248	HEC	C3B-C4B	3.56	1.50	1.42
2	D	1249	HEC	C4A-NA	3.56	1.41	1.36
2	B	1248	HEC	C4B-NB	3.58	1.41	1.36
2	D	1248	HEC	C3C-C4C	3.63	1.51	1.42
2	D	1249	HEC	C4B-NB	3.65	1.41	1.36
2	A	1248	HEC	C3B-C4B	3.68	1.51	1.42
2	C	1248	HEC	C1A-NA	3.91	1.42	1.36
2	A	1248	HEC	C4A-NA	4.44	1.42	1.36
2	C	1248	HEC	C4B-NB	4.76	1.43	1.36
2	D	1249	HEC	C4C-NC	4.98	1.43	1.36

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1248	HEC	CAD-C3D-C4D	-4.22	122.42	127.01
2	D	1250	HEC	C4B-C3B-C2B	-3.94	102.10	106.35
2	A	1249	HEC	CMB-C2B-C1B	-3.93	121.86	128.36
2	C	1248	HEC	CBB-CAB-C3B	-3.89	118.70	127.35
2	D	1250	HEC	CMB-C2B-C1B	-3.69	122.27	128.36
2	D	1249	HEC	CMB-C2B-C1B	-3.49	122.58	128.36
2	D	1249	HEC	CAA-C2A-C3A	-3.36	119.42	129.00
2	B	1249	HEC	C4C-C3C-C2C	-3.23	102.87	106.35
2	C	1248	HEC	CMD-C2D-C1D	-3.09	123.25	128.36
2	B	1249	HEC	CBB-CAB-C3B	-3.01	120.66	127.35
2	A	1248	HEC	CBC-CAC-C3C	-2.99	120.71	127.35
2	D	1249	HEC	CMC-C2C-C1C	-2.85	123.65	128.36
2	B	1249	HEC	CMC-C2C-C1C	-2.85	123.65	128.36
2	A	1248	HEC	CMB-C2B-C1B	-2.69	123.92	128.36
2	A	1248	HEC	CAA-C2A-C1A	-2.65	124.13	127.01

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1248	HEC	C4B-C3B-C2B	-2.62	103.52	106.35
2	D	1248	HEC	CMC-C2C-C1C	-2.62	124.04	128.36
2	D	1248	HEC	CAD-C3D-C2D	-2.59	121.61	129.00
2	C	1248	HEC	CMB-C2B-C1B	-2.49	124.25	128.36
2	B	1248	HEC	CMC-C2C-C1C	-2.45	124.31	128.36
2	A	1249	HEC	CBC-CAC-C3C	-2.41	122.00	127.35
2	B	1248	HEC	CMB-C2B-C1B	-2.24	124.66	128.36
2	D	1248	HEC	CBB-CAB-C3B	-2.22	122.42	127.35
2	A	1249	HEC	C4B-C3B-C2B	-2.14	104.04	106.35
2	B	1248	HEC	CAA-C2A-C3A	-2.09	123.05	129.00
2	A	1248	HEC	C4B-C3B-C2B	-2.00	104.19	106.35
2	B	1249	HEC	CAD-C3D-C4D	2.25	129.45	127.01
2	C	1248	HEC	CMD-C2D-C3D	2.50	130.46	125.24
2	D	1250	HEC	CBA-CAA-C2A	2.81	117.57	112.53
2	B	1248	HEC	CAD-C3D-C4D	2.85	130.10	127.01
2	B	1248	HEC	CBD-CAD-C3D	3.28	118.41	112.53
2	D	1250	HEC	CAA-C2A-C1A	3.35	130.65	127.01
2	D	1249	HEC	CAA-C2A-C1A	3.38	130.68	127.01
2	A	1248	HEC	CBA-CAA-C2A	3.54	118.87	112.53
2	D	1250	HEC	CBD-CAD-C3D	3.54	118.88	112.53
2	A	1249	HEC	CAA-C2A-C1A	3.54	130.85	127.01
2	A	1249	HEC	CBA-CAA-C2A	3.74	119.23	112.53
2	D	1248	HEC	CBD-CAD-C3D	4.65	120.86	112.53
2	D	1249	HEC	CBA-CAA-C2A	5.53	122.44	112.53
2	D	1248	HEC	CBA-CAA-C2A	5.82	122.97	112.53
2	D	1248	HEC	CAD-C3D-C4D	6.85	134.44	127.01

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1248	HEC	2	0
2	A	1249	HEC	2	0
2	B	1248	HEC	4	0
2	B	1249	HEC	2	0
2	C	1248	HEC	5	0
2	D	1248	HEC	2	0
2	D	1249	HEC	1	0
2	D	1250	HEC	2	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	240/247 (97%)	-0.03	6 (2%) 61 65	21, 38, 55, 75	2 (0%)
1	B	240/247 (97%)	-0.21	1 (0%) 93 93	20, 33, 50, 62	3 (1%)
1	C	240/247 (97%)	-0.19	2 (0%) 87 89	22, 34, 50, 66	2 (0%)
1	D	240/247 (97%)	-0.04	6 (2%) 61 65	22, 35, 54, 72	2 (0%)
All	All	960/988 (97%)	-0.12	15 (1%) 74 78	20, 35, 53, 75	9 (0%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	128	ASP	4.7
1	D	244	VAL	4.4
1	A	128	ASP	4.1
1	C	244	VAL	4.0
1	A	129	ALA	3.9
1	B	245	ASN	3.3
1	A	134	LYS	3.1
1	D	163	THR	2.9
1	D	247	PRO	2.8
1	A	211	GLU	2.4
1	D	136	ASP	2.3
1	A	247	PRO	2.3
1	D	245	ASN	2.1
1	C	219	ASP	2.1
1	A	171	CYS	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	HEC	D	1250	43/43	0.97	0.15	0.91	21,28,37,39	0
2	HEC	A	1249	43/43	0.98	0.14	0.36	18,28,33,37	0
2	HEC	B	1248	43/43	0.95	0.15	0.19	23,42,45,55	0
2	HEC	D	1249	43/43	0.94	0.16	0.14	31,40,54,60	0
2	HEC	B	1249	43/43	0.97	0.14	0.12	12,28,35,42	0
2	HEC	A	1248	43/43	0.95	0.15	0.00	34,42,54,56	0
2	HEC	D	1248	43/43	0.95	0.15	-0.11	38,45,49,54	0
2	HEC	C	1248	43/43	0.97	0.14	-0.24	22,32,36,39	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.