



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:45 PM GMT

PDB ID : 1H3P
Title : STRUCTURAL CHARACTERISATION OF A MONOCLONAL ANTI-BODY SPECIFIC FOR THE PRES1 REGION OF THE HEPATITIS B VIRUS
Authors : Pizarro, J.C.; Vulliez-Le-Normand, B.; Riottot, M.M.; Budkowska, A.; Bentley, G.A.
Deposited on : 2002-09-12
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	219	
2	L	240	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3450 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ANTIBODY FAB FRAGMENT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	215	Total	C	N	O	S	0	1	1
			1626	1031	264	322	9			

- Molecule 2 is a protein called ANTIBODY FAB FRAGMENT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	220	Total	C	N	O	S	0	0	1
			1692	1054	287	343	8			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	H	53	Total	O	0	0
			53	53		
3	L	79	Total	O	0	0
			79	79		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ANTIBODY FAB FRAGMENT



• Molecule 2: ANTIBODY FAB FRAGMENT



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	47.01Å 88.46Å 111.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.60 14.94 – 2.61	Depositor EDS
% Data completeness (in resolution range)	98.0 (15.00-2.60) 99.6 (14.94-2.61)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.33 (at 2.61Å)	Xtriage
Refinement program	X-PLOR 3.581	Depositor
R, R_{free}	0.213 , 0.291 0.208 , 0.279	Depositor DCC
R_{free} test set	741 reflections (5.36%)	DCC
Wilson B-factor (Å ²)	32.9	Xtriage
Anisotropy	0.220	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 57.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 14558 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3450	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	H	0.35	0/1672	0.59	2/2282 (0.1%)
2	L	0.33	0/1728	0.55	0/2342
All	All	0.34	0/3400	0.57	2/4624 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	98[A]	TRP	CB-CA-C	5.45	121.29	110.40
1	H	98[B]	TRP	CB-CA-C	5.45	121.29	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1626	0	1571	108	0
2	L	1692	0	1634	76	0
3	H	53	0	0	11	0
3	L	79	0	0	4	0
All	All	3450	0	3205	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:89:MET:HB3	3:H:2031:HOH:O	1.39	1.20
1:H:98[B]:TRP:CZ2	3:H:2034:HOH:O	2.06	1.06
1:H:98[B]:TRP:CE2	3:H:2034:HOH:O	2.09	1.05
1:H:98[B]:TRP:NE1	3:H:2034:HOH:O	1.91	1.03
1:H:89:MET:CB	3:H:2031:HOH:O	2.05	0.92
1:H:91:TYR:CE2	3:H:2031:HOH:O	2.24	0.90
1:H:89:MET:CG	3:H:2031:HOH:O	2.15	0.89
2:L:198:HIS:HB3	2:L:200:THR:HG22	1.61	0.81
1:H:124:LEU:HD13	2:L:133:VAL:HG21	1.66	0.77
1:H:19:LYS:HG2	1:H:81:GLU:HG3	1.67	0.76
1:H:195:THR:HB	1:H:210:LYS:HA	1.68	0.76
1:H:185:PRO:O	1:H:188:PRO:HD2	1.90	0.70
1:H:12:VAL:HG11	1:H:82(C):LEU:HD13	1.75	0.69
1:H:39:GLN:HE22	2:L:38:GLN:HE22	1.39	0.68
1:H:138:LEU:HD12	1:H:211:ILE:HG21	1.75	0.68
2:L:46:MET:CE	2:L:55:GLU:HB2	2.24	0.67
2:L:190:ASN:HA	2:L:211:ARG:HG3	1.76	0.67
1:H:122:TYR:CE1	2:L:124:GLN:HG3	2.31	0.66
1:H:189:ARG:HG2	1:H:192:GLU:O	1.95	0.66
1:H:178:LEU:HD23	1:H:178:LEU:C	2.16	0.65
1:H:36:TRP:O	1:H:48:VAL:HG22	1.97	0.64
2:L:118:PHE:HB2	2:L:133:VAL:HG22	1.77	0.64
1:H:18:LEU:HB3	1:H:82:MET:HE3	1.79	0.64
1:H:48:VAL:HA	1:H:63:LEU:HD23	1.79	0.63
1:H:185:PRO:C	1:H:188:PRO:HD2	2.18	0.63
1:H:124:LEU:HD12	1:H:139:GLY:HA3	1.81	0.63
1:H:189:ARG:HD3	1:H:194:VAL:HG22	1.80	0.63
1:H:156:SER:H	1:H:197:ASN:HD21	1.48	0.62
1:H:136:VAL:HG23	1:H:186:SER:HA	1.82	0.62
1:H:185:PRO:HD2	1:H:188:PRO:HG2	1.80	0.62
2:L:163:TRP:CD1	2:L:175:MET:HB2	2.34	0.62
1:H:123:PRO:HG3	1:H:209:LYS:HG3	1.83	0.61
2:L:108:ARG:HD3	2:L:109:ALA:O	2.00	0.60
1:H:43:LYS:HD2	1:H:43:LYS:N	2.17	0.60
1:H:136:VAL:CG2	1:H:186:SER:HA	2.32	0.59
2:L:149:LYS:HA	2:L:153:SER:O	2.02	0.59
1:H:60:PRO:HG2	1:H:63:LEU:HD22	1.85	0.58
1:H:185:PRO:HB2	1:H:188:PRO:CD	2.34	0.58
2:L:155:ARG:HD2	2:L:157:ASN:O	2.04	0.58
1:H:174:ASP:O	1:H:175:LEU:HD23	2.04	0.57
2:L:118:PHE:HB2	2:L:133:VAL:CG2	2.34	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:138:LEU:CD1	1:H:211:ILE:HG21	2.35	0.57
1:H:89:MET:HG2	3:H:2031:HOH:O	1.94	0.56
2:L:151:ASP:OD1	2:L:191:SER:HB3	2.05	0.56
1:H:125:ALA:HB1	1:H:126:PRO:HD2	1.87	0.56
2:L:115:VAL:HA	2:L:135:PHE:O	2.06	0.56
1:H:82(A):THR:HG22	3:H:2005:HOH:O	2.05	0.56
2:L:28:THR:O	2:L:29:ARG:HB2	2.06	0.56
2:L:24:ARG:HG3	2:L:69:THR:O	2.06	0.56
1:H:22:CYS:HB3	1:H:78:LEU:HB3	1.88	0.55
1:H:67:PHE:CE2	1:H:82:MET:HG2	2.42	0.54
1:H:39:GLN:O	1:H:88:ALA:HB1	2.07	0.54
1:H:142:VAL:HB	1:H:178:LEU:HD22	1.89	0.54
1:H:67:PHE:CD2	1:H:82:MET:HG2	2.43	0.54
2:L:130:ALA:HB3	2:L:181:LEU:O	2.08	0.54
1:H:181:SER:OG	3:H:2053:HOH:O	2.19	0.53
2:L:54:ARG:HG2	2:L:58:VAL:HB	1.90	0.52
2:L:193:THR:HA	2:L:208:SER:HB3	1.91	0.52
1:H:60:PRO:O	1:H:61:ASP:C	2.48	0.52
1:H:124:LEU:HB2	1:H:139:GLY:CA	2.40	0.52
1:H:48:VAL:O	1:H:60:PRO:HD3	2.10	0.52
1:H:60:PRO:HD2	1:H:63:LEU:HB2	1.92	0.51
2:L:83:LEU:HD11	2:L:166:GLN:HE21	1.74	0.51
2:L:151:ASP:HA	2:L:191:SER:HB3	1.92	0.51
1:H:189:ARG:NH1	1:H:211:ILE:HG22	2.24	0.51
1:H:83:ARG:O	1:H:111:VAL:HG11	2.11	0.51
2:L:136:LEU:N	2:L:136:LEU:HD12	2.25	0.51
1:H:211:ILE:HD12	1:H:211:ILE:N	2.26	0.51
2:L:189:HIS:O	2:L:211:ARG:HG3	2.11	0.51
2:L:117:ILE:HD11	2:L:148:TRP:HZ3	1.75	0.50
2:L:108:ARG:NH1	2:L:109:ALA:O	2.40	0.50
1:H:171:LEU:HD13	1:H:176:TYR:CZ	2.46	0.50
1:H:214:ARG:CZ	2:L:119:PRO:HG2	2.42	0.50
2:L:119:PRO:HB3	2:L:209:PHE:CE1	2.47	0.50
2:L:37:GLN:HB2	2:L:47:LEU:HD22	1.93	0.50
1:H:47:TRP:CH2	2:L:94:LEU:HD22	2.46	0.49
2:L:46:MET:HE1	2:L:55:GLU:HB2	1.92	0.49
1:H:11:LEU:HB2	1:H:147:PRO:HG3	1.93	0.49
2:L:167:ASP:O	2:L:171:SER:HA	2.13	0.49
2:L:24:ARG:NH2	3:L:2016:HOH:O	2.28	0.49
1:H:59:TYR:CZ	1:H:69:ILE:HG22	2.48	0.48
1:H:123:PRO:HG3	1:H:209:LYS:CG	2.43	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:206:VAL:HG13	2:L:206:VAL:O	2.13	0.48
2:L:83:LEU:HD11	2:L:166:GLN:NE2	2.29	0.48
1:H:163:GLY:O	1:H:182:VAL:HA	2.14	0.48
1:H:19:LYS:CG	1:H:81:GLU:HG3	2.40	0.48
1:H:18:LEU:HD23	1:H:82:MET:HE1	1.96	0.48
1:H:29:PHE:CE1	1:H:34:MET:HG3	2.49	0.48
2:L:113:PRO:HB3	2:L:139:PHE:HB3	1.96	0.48
1:H:125:ALA:HB3	1:H:214:ARG:HG2	1.94	0.47
1:H:189:ARG:HG3	1:H:194:VAL:HG13	1.95	0.47
1:H:212:VAL:HG13	1:H:213:PRO:HD2	1.96	0.47
2:L:146:VAL:HA	2:L:195:GLU:O	2.14	0.47
1:H:42:GLU:O	1:H:43:LYS:HB2	2.14	0.47
2:L:161:ASN:ND2	2:L:177:SER:OG	2.47	0.47
2:L:29:ARG:HA	2:L:29:ARG:HD2	1.67	0.47
2:L:116:SER:O	2:L:134:CYS:HA	2.14	0.47
2:L:155:ARG:HG2	2:L:179:LEU:HD11	1.97	0.47
2:L:49:TYR:O	2:L:50:TRP:HB2	2.15	0.46
2:L:83:LEU:O	2:L:84:ALA:HB2	2.15	0.46
1:H:124:LEU:HB2	1:H:139:GLY:HA3	1.97	0.46
1:H:136:VAL:O	1:H:183:THR:HA	2.16	0.46
1:H:34:MET:HB3	1:H:78:LEU:HD22	1.97	0.46
2:L:193:THR:HG22	2:L:208:SER:HB3	1.98	0.46
1:H:18:LEU:HB3	1:H:82:MET:CE	2.44	0.45
1:H:114:ALA:HB3	1:H:146:PHE:CE2	2.51	0.45
2:L:108:ARG:HD2	2:L:140:TYR:CB	2.47	0.45
1:H:119:PRO:HB3	1:H:145:TYR:HB3	1.97	0.45
1:H:200:HIS:HB3	1:H:205:THR:HB	1.98	0.45
2:L:90:GLN:O	2:L:96:TYR:HA	2.17	0.45
2:L:46:MET:HE2	2:L:55:GLU:HB2	1.96	0.45
2:L:151:ASP:C	2:L:153:SER:H	2.21	0.45
2:L:17:GLU:OE2	3:L:2011:HOH:O	2.21	0.45
2:L:3:VAL:O	2:L:26:SER:HB3	2.17	0.45
1:H:195:THR:HB	1:H:210:LYS:CA	2.42	0.44
2:L:146:VAL:HG21	2:L:175:MET:CE	2.47	0.44
1:H:154:TRP:CH2	1:H:196:CYS:HB3	2.52	0.44
2:L:50:TRP:O	2:L:51:ALA:HB3	2.17	0.44
1:H:3:GLN:HB2	1:H:25:SER:OG	2.17	0.44
2:L:207:LYS:HD3	2:L:207:LYS:HA	1.72	0.44
1:H:107:THR:O	1:H:107:THR:HG23	2.16	0.44
2:L:38:GLN:O	2:L:84:ALA:HB1	2.18	0.44
1:H:188:PRO:HA	1:H:192:GLU:HG3	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:83:LEU:HD21	2:L:166:GLN:HB3	2.00	0.44
1:H:20:LEU:HG	1:H:82:MET:HE1	2.00	0.44
2:L:2:ILE:O	2:L:97:THR:HG21	2.17	0.44
1:H:18:LEU:HD23	1:H:82:MET:CE	2.48	0.44
2:L:145:ASN:O	2:L:196:ALA:HA	2.18	0.44
1:H:150:VAL:O	1:H:150:VAL:HG12	2.17	0.44
2:L:161:ASN:HD22	2:L:177:SER:HA	1.83	0.43
1:H:182:VAL:HG13	1:H:182:VAL:O	2.18	0.43
2:L:193:THR:CB	2:L:208:SER:HB3	2.48	0.43
1:H:212:VAL:O	1:H:214:ARG:N	2.44	0.43
2:L:116:SER:HB2	2:L:135:PHE:HB2	2.01	0.43
1:H:137:THR:O	2:L:118:PHE:HZ	2.02	0.43
2:L:93:SER:O	2:L:94:LEU:HB2	2.18	0.43
1:H:22:CYS:N	1:H:78:LEU:O	2.52	0.43
2:L:71:PHE:HB3	3:L:2041:HOH:O	2.19	0.43
2:L:113:PRO:HB3	2:L:139:PHE:CD1	2.54	0.43
1:H:185:PRO:HB2	1:H:188:PRO:HD3	1.99	0.43
1:H:51:VAL:HB	1:H:69:ILE:HG12	2.02	0.42
1:H:60:PRO:O	1:H:62:THR:N	2.52	0.42
1:H:143:LYS:CG	1:H:144:GLY:N	2.81	0.42
1:H:61:ASP:O	1:H:64:THR:HB	2.19	0.42
2:L:193:THR:CA	2:L:208:SER:HB3	2.50	0.42
1:H:6:GLU:HA	1:H:21:SER:O	2.20	0.42
1:H:14:PRO:C	1:H:16:GLY:H	2.22	0.42
1:H:185:PRO:HB2	1:H:188:PRO:HD2	2.01	0.42
1:H:126:PRO:HB2	1:H:127:GLY:H	1.66	0.42
2:L:130:ALA:CB	2:L:186:TYR:HB2	2.50	0.42
1:H:98[B]:TRP:HZ2	3:H:2034:HOH:O	1.67	0.42
1:H:59:TYR:CE2	1:H:69:ILE:HG22	2.55	0.42
1:H:214:ARG:NH1	2:L:119:PRO:HG2	2.35	0.42
2:L:19:VAL:HG12	2:L:75:ILE:HB	2.01	0.41
2:L:79:GLN:OE1	3:L:2046:HOH:O	2.22	0.41
1:H:2:VAL:HA	1:H:26:GLY:HA3	2.02	0.41
1:H:36:TRP:HD1	1:H:69:ILE:HD12	1.85	0.41
2:L:200:THR:HG23	2:L:201:SER:N	2.34	0.41
1:H:154:TRP:HZ3	1:H:211:ILE:HD13	1.86	0.41
2:L:213:GLU:O	2:L:215:GLU:N	2.53	0.41
1:H:87:THR:O	1:H:88:ALA:HB2	2.20	0.41
1:H:154:TRP:CZ3	1:H:196:CYS:HB3	2.55	0.41
1:H:20:LEU:HD12	1:H:80:LEU:HD23	2.02	0.41
2:L:46:MET:HE1	2:L:49:TYR:HD1	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:159:VAL:HA	2:L:178:THR:O	2.20	0.41
1:H:47:TRP:CE3	1:H:60:PRO:HG3	2.56	0.40
2:L:138:ASN:HA	2:L:173:TYR:O	2.21	0.40
1:H:156:SER:N	1:H:197:ASN:HD21	2.14	0.40
1:H:58:TYR:HB3	2:L:94:LEU:HD21	2.04	0.40
1:H:144:GLY:HA2	1:H:175:LEU:HD13	2.02	0.40
1:H:114:ALA:HB3	1:H:146:PHE:CZ	2.56	0.40
1:H:189:ARG:HE	1:H:189:ARG:HB3	1.31	0.40
1:H:29:PHE:HE1	1:H:34:MET:HG3	1.86	0.40
2:L:66:GLY:HA3	2:L:71:PHE:HA	2.04	0.40
1:H:35:SER:OG	1:H:50:GLU:HB2	2.22	0.40
2:L:125:LEU:C	2:L:127:SER:H	2.25	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	210/219 (96%)	189 (90%)	14 (7%)	7 (3%)	5	7
2	L	218/240 (91%)	197 (90%)	16 (7%)	5 (2%)	8	14
All	All	428/459 (93%)	386 (90%)	30 (7%)	12 (3%)	6	10

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	126	PRO
2	L	214	CYS
1	H	61	ASP
1	H	188	PRO
2	L	127	SER
2	L	212	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	L	152	GLY
1	H	114	ALA
2	L	211	ARG
1	H	213	PRO
1	H	182	VAL
1	H	127	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	184/188 (98%)	155 (84%)	29 (16%)	3	5
2	L	193/212 (91%)	166 (86%)	27 (14%)	4	7
All	All	377/400 (94%)	321 (85%)	56 (15%)	4	6

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	1	GLU
1	H	2	VAL
1	H	19	LYS
1	H	21	SER
1	H	31	SER
1	H	43	LYS
1	H	62	THR
1	H	63	LEU
1	H	82(A)	THR
1	H	82(B)	SER
1	H	84	SER
1	H	105	GLN
1	H	108	LEU
1	H	115	LYS
1	H	117	THR
1	H	140	CYS
1	H	141	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	150	VAL
1	H	178	LEU
1	H	179	SER
1	H	183	THR
1	H	187	SER
1	H	189	ARG
1	H	191	SER
1	H	195	THR
1	H	197	ASN
1	H	209	LYS
1	H	210	LYS
1	H	215	ASP
2	L	5	THR
2	L	23	CYS
2	L	27(E)	THR
2	L	29	ARG
2	L	43	SER
2	L	46	MET
2	L	47	LEU
2	L	67	SER
2	L	108	ARG
2	L	117	ILE
2	L	131	SER
2	L	132	VAL
2	L	143	ASP
2	L	149	LYS
2	L	153	SER
2	L	175	MET
2	L	182	THR
2	L	183	LYS
2	L	184	ASP
2	L	193	THR
2	L	195	GLU
2	L	199	LYS
2	L	202	THR
2	L	203	SER
2	L	205	ILE
2	L	208	SER
2	L	210	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	76	ASN
1	H	197	ASN
2	L	38	GLN
2	L	42	GLN
2	L	138	ASN
2	L	161	ASN
2	L	166	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	H	215/219 (98%)	0.07	7 (3%) 50 43	11, 33, 69, 91	0
2	L	220/240 (91%)	-0.05	8 (3%) 46 38	11, 30, 67, 95	0
All	All	435/459 (94%)	0.01	15 (3%) 49 41	11, 33, 68, 95	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	214	CYS	7.6
2	L	215	GLU	7.4
1	H	133	ASN	5.2
1	H	216	CYS	5.2
1	H	128	SER	4.6
1	H	215	ASP	3.5
1	H	214	ARG	3.3
2	L	212	ASN	3.1
2	L	192	TYR	3.0
2	L	126	THR	3.0
1	H	61	ASP	2.8
1	H	64	THR	2.2
2	L	210	ASN	2.2
2	L	203	SER	2.1
2	L	153	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.