



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:44 AM GMT

PDB ID : 2IA5  
Title : T4 polynucleotide kinase/phosphatase with bound sulfate and magnesium.  
Authors : Zhu, H.; Smith, P.C.; Wang, L.K.; Lima, C.D.; Shuman, S.  
Deposited on : 2006-09-07  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1451 (2.90-2.90)
Clashscore	102246	1668 (2.90-2.90)
Ramachandran outliers	100387	1630 (2.90-2.90)
Sidechain outliers	100360	1632 (2.90-2.90)
RSRZ outliers	91569	1456 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	<div> <div>2%</div> <div>86%</div> <div>12%</div> <div>..</div> </div>
1	B	301	<div> <div>%</div> <div>92%</div> <div>7%</div> <div>.</div> </div>
1	C	301	<div> <div>2%</div> <div>89%</div> <div>10%</div> <div>..</div> </div>
1	D	301	<div> <div>3%</div> <div>87%</div> <div>10%</div> <div>..</div> </div>
1	E	301	<div> <div>5%</div> <div>90%</div> <div>7%</div> <div>..</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	301	
1	G	301	
1	H	301	
1	I	301	
1	J	301	
1	K	301	
1	L	301	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MG	A	901	-	-	-	X
2	MG	C	903	-	-	-	X
2	MG	D	904	-	-	-	X
3	SO4	C	919	-	-	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 29589 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polynucleotide kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	297	Total	C	N	O	S	0	0	0
			2383	1519	412	436	16			
1	B	300	Total	C	N	O	S	0	0	0
			2403	1529	415	443	16			
1	C	299	Total	C	N	O	S	0	0	0
			2399	1528	414	441	16			
1	D	296	Total	C	N	O	S	0	0	0
			2373	1513	411	433	16			
1	E	294	Total	C	N	O	S	0	0	1
			2351	1497	406	432	16			
1	F	298	Total	C	N	O	S	0	0	0
			2402	1531	413	442	16			
1	G	294	Total	C	N	O	S	0	0	0
			2353	1499	405	434	15			
1	H	301	Total	C	N	O	S	0	0	0
			2416	1538	418	444	16			
1	I	289	Total	C	N	O	S	0	0	0
			2304	1471	398	419	16			
1	J	296	Total	C	N	O	S	0	0	0
			2364	1508	409	431	16			
1	K	288	Total	C	N	O	S	0	0	0
			2318	1479	401	422	16			
1	L	291	Total	C	N	O	S	0	0	0
			2349	1499	405	429	16			

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	J	1	Total	Mg	0	0
			1	1		
2	D	1	Total	Mg	0	0
			1	1		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	E	1	Total	Mg	0	0
			1	1		
2	H	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		
2	C	1	Total	Mg	0	0
			1	1		
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	I	1	Total	O	S	0	0
			5	4	1		
3	I	1	Total	O	S	0	0
			5	4	1		
3	I	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	J	1	Total	O	S	0	0
			5	4	1		
3	J	1	Total	O	S	0	0
			5	4	1		
3	J	1	Total	O	S	0	0
			5	4	1		
3	K	1	Total	O	S	0	0
			5	4	1		
3	K	1	Total	O	S	0	0
			5	4	1		
3	K	1	Total	O	S	0	0
			5	4	1		
3	L	1	Total	O	S	0	0
			5	4	1		
3	L	1	Total	O	S	0	0
			5	4	1		
3	L	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is ARSENIC (three-letter code: ARS) (formula: As).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	G	1	Total	As	0	0
			1	1		
4	J	1	Total	As	0	0
			1	1		
4	D	1	Total	As	0	0
			1	1		
4	K	1	Total	As	0	0
			1	1		
4	E	1	Total	As	0	0
			1	1		
4	H	1	Total	As	0	0
			1	1		
4	B	1	Total	As	0	0
			1	1		
4	I	1	Total	As	0	0
			1	1		
4	C	1	Total	As	0	0
			1	1		
4	A	1	Total	As	0	0
			1	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	F	1	Total	As	0	0
			1	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	142	Total	O	0	0
			142	142		
5	B	116	Total	O	0	0
			116	116		
5	C	88	Total	O	0	0
			88	88		
5	D	136	Total	O	0	0
			136	136		
5	E	56	Total	O	0	0
			56	56		
5	F	81	Total	O	0	0
			81	81		
5	G	65	Total	O	0	0
			65	65		
5	H	58	Total	O	0	0
			58	58		
5	I	70	Total	O	0	0
			70	70		
5	J	48	Total	O	0	0
			48	48		
5	K	74	Total	O	0	0
			74	74		
5	L	42	Total	O	0	0
			42	42		




### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Polynucleotide kinase




- Molecule 1: Polynucleotide kinase




- Molecule 1: Polynucleotide kinase




- Molecule 1: Polynucleotide kinase




- Molecule 1: Polynucleotide kinase




- Molecule 1: Polynucleotide kinase




- Molecule 1: Polynucleotide kinase




- Molecule 1: Polynucleotide kinase





- Molecule 1: Polynucleotide kinase









- Molecule 1: Polynucleotide kinase



- Molecule 1: Polynucleotide kinase



- Molecule 1: Polynucleotide kinase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	124.63Å 128.05Å 357.12Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.99 – 2.90 19.98 – 2.90	Depositor EDS
% Data completeness (in resolution range)	88.0 (19.99-2.90) 88.0 (19.98-2.90)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.09 (at 2.88Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.240 , 0.286 0.236 , 0.279	Depositor DCC
$R_{free}$ test set	3179 reflections (2.92%)	DCC
Wilson B-factor (Å <sup>2</sup> )	50.3	Xtriage
Anisotropy	0.327	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.27 , 44.4	EDS
Estimated twinning fraction	0.013 for k,h,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	7 of 126665 reflections (0.006%)	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	29589	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 24.36 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 3.8919e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ARS, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.70	1/2434 (0.0%)	0.75	2/3280 (0.1%)
1	B	0.72	1/2455 (0.0%)	0.72	2/3311 (0.1%)
1	C	0.72	1/2452 (0.0%)	0.72	2/3306 (0.1%)
1	D	0.73	1/2425 (0.0%)	0.73	2/3269 (0.1%)
1	E	0.73	1/2400 (0.0%)	0.72	2/3237 (0.1%)
1	F	0.73	1/2455 (0.0%)	0.73	2/3311 (0.1%)
1	G	0.72	1/2404 (0.0%)	0.75	3/3244 (0.1%)
1	H	0.73	1/2470 (0.0%)	0.72	2/3332 (0.1%)
1	I	0.72	1/2352 (0.0%)	0.74	2/3171 (0.1%)
1	J	0.71	1/2415 (0.0%)	0.72	2/3258 (0.1%)
1	K	0.73	1/2368 (0.0%)	0.73	2/3192 (0.1%)
1	L	0.73	1/2400 (0.0%)	0.72	2/3235 (0.1%)
All	All	0.72	12/29030 (0.0%)	0.73	25/39146 (0.1%)

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	293	CYS	CB-SG	-9.36	1.66	1.82
1	G	293	CYS	CB-SG	-8.32	1.68	1.82
1	D	293	CYS	CB-SG	-8.26	1.68	1.82
1	E	293	CYS	CB-SG	-7.63	1.69	1.82
1	H	293	CYS	CB-SG	-7.56	1.69	1.82
1	A	293	CYS	CB-SG	-7.45	1.69	1.82
1	B	293	CYS	CB-SG	-7.08	1.70	1.82
1	K	293	CYS	CB-SG	-6.47	1.71	1.82
1	J	293	CYS	CB-SG	-6.38	1.71	1.82
1	C	293	CYS	CB-SG	-6.07	1.72	1.82
1	L	293	CYS	CB-SG	-6.05	1.72	1.82
1	I	293	CYS	CB-SG	-5.95	1.72	1.81

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	K	301	PHE	CG-CD1-CE1	6.27	127.69	120.80
1	A	301	PHE	CG-CD1-CE1	6.23	127.65	120.80
1	A	301	PHE	CG-CD2-CE2	6.22	127.65	120.80
1	G	301	PHE	CG-CD1-CE1	6.20	127.62	120.80
1	J	301	PHE	CG-CD2-CE2	6.19	127.60	120.80
1	B	301	PHE	CG-CD2-CE2	6.16	127.58	120.80
1	J	301	PHE	CG-CD1-CE1	6.16	127.57	120.80
1	I	301	PHE	CG-CD1-CE1	6.15	127.56	120.80
1	L	301	PHE	CG-CD2-CE2	6.14	127.56	120.80
1	H	301	PHE	CG-CD2-CE2	6.13	127.54	120.80
1	I	301	PHE	CG-CD2-CE2	6.12	127.54	120.80
1	D	301	PHE	CG-CD2-CE2	6.10	127.51	120.80
1	E	301	PHE	CG-CD2-CE2	6.09	127.50	120.80
1	H	301	PHE	CG-CD1-CE1	6.09	127.50	120.80
1	C	301	PHE	CG-CD1-CE1	6.08	127.48	120.80
1	D	301	PHE	CG-CD1-CE1	6.08	127.48	120.80
1	E	301	PHE	CG-CD1-CE1	6.08	127.48	120.80
1	C	301	PHE	CG-CD2-CE2	6.07	127.47	120.80
1	B	301	PHE	CG-CD1-CE1	6.06	127.47	120.80
1	L	301	PHE	CG-CD1-CE1	6.06	127.47	120.80
1	K	301	PHE	CG-CD2-CE2	6.03	127.44	120.80
1	G	301	PHE	CG-CD2-CE2	6.00	127.40	120.80
1	F	301	PHE	CG-CD1-CE1	5.83	127.21	120.80
1	F	301	PHE	CG-CD2-CE2	5.74	127.11	120.80
1	G	104	GLY	N-CA-C	5.30	126.34	113.10

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2383	0	2382	18	0
1	B	2403	0	2393	12	0
1	C	2399	0	2386	18	0
1	D	2373	0	2357	19	0
1	E	2351	0	2336	10	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2402	0	2395	15	0
1	G	2353	0	2329	10	1
1	H	2416	0	2403	16	0
1	I	2304	0	2285	14	0
1	J	2364	0	2351	13	0
1	K	2318	0	2315	13	0
1	L	2349	0	2342	8	1
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	H	1	0	0	0	0
2	J	1	0	0	0	0
3	A	15	0	0	0	0
3	B	15	0	0	0	0
3	C	15	0	0	1	0
3	D	15	0	0	0	0
3	E	15	0	0	0	0
3	F	15	0	0	0	0
3	G	15	0	0	0	0
3	H	15	0	0	0	0
3	I	15	0	0	0	0
3	J	15	0	0	0	0
3	K	15	0	0	0	0
3	L	15	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	1	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	1	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
4	I	1	0	0	0	0
4	J	1	0	0	0	0
4	K	1	0	0	0	0
5	A	142	0	0	8	0
5	B	116	0	0	6	0
5	C	88	0	0	5	0
5	D	136	0	0	7	0
5	E	56	0	0	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	F	81	0	0	3	0
5	G	65	0	0	2	0
5	H	58	0	0	5	0
5	I	70	0	0	2	0
5	J	48	0	0	2	0
5	K	74	0	0	7	0
5	L	42	0	0	1	0
All	All	29589	0	28274	161	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:214:GLU:C	1:D:215:SER:CA	2.46	0.84
1:D:123:ASN:HD21	1:D:131:VAL:H	1.38	0.70
1:A:123:ASN:HD21	1:A:131:VAL:H	1.37	0.70
1:K:123:ASN:HD21	1:K:131:VAL:H	1.39	0.68
1:J:123:ASN:HD21	1:J:131:VAL:H	1.42	0.68
1:E:123:ASN:HD21	1:E:131:VAL:H	1.42	0.67
1:F:123:ASN:HD21	1:F:131:VAL:H	1.41	0.67
1:C:123:ASN:HD21	1:C:131:VAL:H	1.43	0.67
1:B:123:ASN:HD21	1:B:131:VAL:H	1.41	0.67
1:C:244:CYS:SG	5:C:2804:HOH:O	2.52	0.66
1:I:123:ASN:HD21	1:I:131:VAL:H	1.43	0.66
1:H:123:ASN:HD21	1:H:131:VAL:H	1.42	0.65
1:C:293:CYS:HB3	5:C:2967:HOH:O	1.97	0.64
1:L:123:ASN:HD21	1:L:131:VAL:H	1.43	0.64
1:G:123:ASN:HD21	1:G:131:VAL:H	1.44	0.63
1:E:221:PRO:HG3	1:E:248:GLN:HE21	1.68	0.59
1:C:286:TRP:HB2	1:C:293:CYS:SG	2.43	0.58
1:L:286:TRP:HB2	1:L:293:CYS:SG	2.42	0.58
1:B:286:TRP:HB2	1:B:293:CYS:SG	2.44	0.58
1:I:286:TRP:HB2	1:I:293:CYS:SG	2.45	0.57
5:A:2879:HOH:O	1:D:193:VAL:HG23	2.03	0.57
1:K:46:GLU:HG2	1:K:128:THR:HG21	1.87	0.57
1:L:293:CYS:HB3	5:L:2637:HOH:O	2.03	0.56
1:H:286:TRP:HB2	1:H:293:CYS:SG	2.46	0.56
1:D:286:TRP:HB2	1:D:293:CYS:SG	2.45	0.56
1:A:283:VAL:HG22	5:A:2658:HOH:O	2.06	0.56

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:293:CYS:HB3	5:B:2667:HOH:O	2.06	0.56
1:I:160:LYS:HE2	5:I:2838:HOH:O	2.05	0.56
1:C:184:CYS:SG	4:C:953:ARS:AS	3.24	0.56
1:J:286:TRP:HB2	1:J:293:CYS:SG	2.46	0.56
1:K:286:TRP:HB2	1:K:293:CYS:SG	2.46	0.56
1:K:41:ILE:HG21	5:K:2924:HOH:O	2.05	0.55
1:F:287:ARG:NH2	5:F:2721:HOH:O	2.39	0.55
1:E:244:CYS:SG	5:E:2692:HOH:O	2.58	0.54
1:K:63:MET:HB3	5:K:2680:HOH:O	2.08	0.54
1:B:244:CYS:HB2	5:B:2708:HOH:O	2.07	0.54
1:H:287:ARG:NH2	5:H:2525:HOH:O	2.38	0.54
1:J:169:THR:HG22	1:J:193:VAL:HG11	1.90	0.53
1:C:244:CYS:HB2	5:C:2649:HOH:O	2.08	0.53
1:A:286:TRP:HB2	1:A:293:CYS:SG	2.48	0.53
1:E:286:TRP:HB2	1:E:293:CYS:SG	2.48	0.53
1:F:301:PHE:CE2	1:F:301:PHE:CE1	2.96	0.53
1:E:137:ARG:NH2	1:H:300:ASP:OD1	2.42	0.52
1:L:56:LYS:O	1:L:60:VAL:HG23	2.09	0.52
1:H:190:ASN:ND2	5:H:2490:HOH:O	2.42	0.52
1:G:286:TRP:HB2	1:G:293:CYS:SG	2.49	0.52
1:F:286:TRP:HB2	1:F:293:CYS:SG	2.50	0.52
1:I:41:ILE:HA	1:J:31:ASN:O	2.10	0.51
1:A:137:ARG:NH2	1:D:300:ASP:OD1	2.43	0.51
1:A:54:LYS:HD3	1:A:54:LYS:H	1.76	0.51
1:H:97:GLU:HG2	1:H:107:VAL:HG21	1.91	0.51
1:A:293:CYS:HB3	5:A:2701:HOH:O	2.11	0.51
5:A:2879:HOH:O	1:D:193:VAL:CG2	2.57	0.50
1:K:59:ILE:HG22	5:K:2924:HOH:O	2.09	0.50
1:D:176:ARG:HE	1:D:301:PHE:HB3	1.76	0.50
1:D:301:PHE:CE2	1:D:301:PHE:CE1	2.99	0.50
1:H:293:CYS:HB3	5:H:2375:HOH:O	2.11	0.50
1:A:100:ALA:HB1	1:A:105:TRP:O	2.11	0.50
1:D:100:ALA:HB1	1:D:105:TRP:O	2.11	0.50
1:H:301:PHE:CE2	1:H:301:PHE:CE1	3.00	0.50
1:F:295:GLN:NE2	5:F:2721:HOH:O	2.44	0.50
1:F:228:THR:O	1:F:232:VAL:HG23	2.11	0.50
1:C:53:THR:HG22	1:C:55:LYS:H	1.77	0.50
1:E:301:PHE:CE1	1:E:301:PHE:CE2	2.99	0.49
1:L:301:PHE:CE2	1:L:301:PHE:CE1	3.00	0.49
1:B:301:PHE:CE1	1:B:301:PHE:CE2	3.00	0.49
1:I:301:PHE:CE1	1:I:301:PHE:CE2	3.00	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:287:ARG:NH2	5:C:2489:HOH:O	2.44	0.49
1:B:69:LYS:HE2	5:B:2527:HOH:O	2.12	0.49
1:J:199:MET:HB3	1:K:199:MET:SD	2.52	0.49
1:L:228:THR:O	1:L:232:VAL:HG23	2.13	0.49
1:K:301:PHE:CE1	1:K:301:PHE:CE2	3.01	0.49
1:I:189:ILE:HG23	1:I:194:VAL:HG21	1.93	0.49
1:D:242:MET:HE2	5:D:2675:HOH:O	2.11	0.49
1:J:125:LYS:NZ	5:J:2302:HOH:O	2.45	0.49
1:C:228:THR:O	1:C:232:VAL:HG23	2.13	0.49
1:G:301:PHE:CE1	1:G:301:PHE:CE2	2.99	0.49
1:A:301:PHE:CE1	1:A:301:PHE:CE2	3.01	0.48
1:C:301:PHE:CE1	1:C:301:PHE:CE2	3.00	0.48
1:C:165:ASP:O	1:C:169:THR:HB	2.14	0.48
1:G:228:THR:O	1:G:232:VAL:HG23	2.13	0.48
1:I:228:THR:O	1:I:232:VAL:HG23	2.14	0.48
1:C:126:ARG:NH2	3:C:917:SO4:O4	2.47	0.48
1:F:184:CYS:SG	4:F:956:ARS:AS	3.32	0.48
1:I:288:ARG:HD3	5:I:2352:HOH:O	2.14	0.47
1:I:155:THR:O	1:I:158:LYS:HB2	2.14	0.47
1:J:301:PHE:CE1	1:J:301:PHE:CE2	3.01	0.47
1:F:287:ARG:HD3	5:G:2125:HOH:O	2.14	0.47
1:J:287:ARG:HD3	5:K:2178:HOH:O	2.13	0.47
1:G:189:ILE:HG23	1:G:194:VAL:HG21	1.96	0.47
1:H:228:THR:O	1:H:232:VAL:HG23	2.15	0.47
1:D:178:PRO:HD3	5:D:2806:HOH:O	2.15	0.47
1:B:189:ILE:HG23	1:B:194:VAL:HG21	1.96	0.47
1:F:56:LYS:O	1:F:60:VAL:HG23	2.15	0.47
1:B:228:THR:O	1:B:232:VAL:HG23	2.15	0.47
1:A:199:MET:SD	5:D:2876:HOH:O	2.61	0.47
1:D:191:PRO:HG2	5:D:2669:HOH:O	2.13	0.47
1:D:56:LYS:O	1:D:60:VAL:HG23	2.15	0.46
1:D:206:GLN:NE2	1:D:241:VAL:HG11	2.29	0.46
1:F:220:ASP:OD2	1:F:223:LYS:HB3	2.14	0.46
1:A:206:GLN:HB3	1:A:241:VAL:HG21	1.97	0.46
1:J:228:THR:O	1:J:232:VAL:HG23	2.15	0.46
1:C:190:ASN:ND2	5:C:2071:HOH:O	2.48	0.46
1:A:228:THR:O	1:A:232:VAL:HG23	2.15	0.46
1:F:97:GLU:HG2	1:F:107:VAL:HG21	1.96	0.46
1:D:228:THR:O	1:D:232:VAL:HG23	2.14	0.46
1:E:228:THR:O	1:E:232:VAL:HG23	2.15	0.46
1:C:169:THR:HG22	1:C:193:VAL:HG11	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:228:THR:O	1:K:232:VAL:HG23	2.16	0.45
1:B:287:ARG:NH2	5:B:2686:HOH:O	2.46	0.45
1:L:46:GLU:HB3	1:L:128:THR:OG1	2.17	0.45
1:E:100:ALA:HB1	1:E:105:TRP:O	2.16	0.45
1:A:189:ILE:HG23	1:A:194:VAL:HG21	1.99	0.45
1:A:196:LEU:HD11	5:A:2870:HOH:O	2.17	0.45
1:A:293:CYS:HB3	5:A:2658:HOH:O	2.17	0.45
1:D:287:ARG:NH2	5:D:2477:HOH:O	2.49	0.44
1:E:287:ARG:NH2	5:E:2586:HOH:O	2.48	0.44
1:C:100:ALA:HB1	1:C:105:TRP:O	2.16	0.44
1:B:190:ASN:ND2	5:B:2518:HOH:O	2.51	0.44
1:G:216:GLY:HA2	1:G:224:TYR:HD2	1.82	0.44
1:G:206:GLN:OE1	1:G:241:VAL:HG11	2.18	0.44
1:A:14:GLY:HA2	5:A:2040:HOH:O	2.17	0.44
1:L:195:GLU:O	1:L:199:MET:HG2	2.18	0.44
1:K:63:MET:HE2	5:K:2680:HOH:O	2.17	0.44
1:F:181:LEU:HD23	1:F:213:ARG:HH11	1.82	0.43
1:I:4:ILE:HD12	1:I:100:ALA:HB2	2.01	0.43
1:A:206:GLN:OE1	1:A:241:VAL:HG11	2.19	0.43
1:H:206:GLN:OE1	1:H:241:VAL:HG11	2.18	0.43
1:H:241:VAL:HG13	5:H:2135:HOH:O	2.17	0.43
1:F:189:ILE:HG23	1:F:194:VAL:HG21	2.00	0.43
1:D:206:GLN:HG2	5:D:2315:HOH:O	2.18	0.43
1:C:203:MET:HG2	1:I:202:LEU:O	2.19	0.43
1:K:169:THR:HG22	1:K:193:VAL:HG11	2.01	0.43
1:F:123:ASN:HB3	5:F:2360:HOH:O	2.19	0.42
1:G:222:THR:O	1:G:226:ARG:HG2	2.18	0.42
1:J:46:GLU:HB2	1:J:128:THR:OG1	2.19	0.42
1:I:54:LYS:O	1:I:56:LYS:N	2.52	0.42
1:I:206:GLN:NE2	1:I:241:VAL:HG11	2.34	0.42
1:A:56:LYS:O	1:A:60:VAL:HG23	2.19	0.42
1:J:124:SER:HA	5:K:2141:HOH:O	2.18	0.42
1:E:46:GLU:HB3	1:E:128:THR:OG1	2.20	0.42
1:H:165:ASP:O	1:H:169:THR:HB	2.20	0.42
5:B:2686:HOH:O	1:C:295:GLN:NE2	2.53	0.42
1:H:100:ALA:HB1	1:H:105:TRP:O	2.20	0.41
1:G:244:CYS:HB2	5:G:2713:HOH:O	2.20	0.41
1:J:165:ASP:O	1:J:169:THR:HB	2.20	0.41
1:B:46:GLU:HB2	1:B:49:GLU:HG3	2.03	0.41
1:J:288:ARG:HD3	5:J:2143:HOH:O	2.20	0.41
1:F:181:LEU:HD23	1:F:213:ARG:NH1	2.35	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:46:GLU:HB3	1:B:128:THR:OG1	2.21	0.41
1:I:169:THR:HG22	1:I:193:VAL:HG11	2.03	0.41
1:K:229:ARG:NH1	5:K:2605:HOH:O	2.53	0.41
1:C:206:GLN:HG3	1:C:241:VAL:HG11	2.01	0.41
1:D:173:MET:HB3	5:D:2908:HOH:O	2.21	0.41
1:D:69:LYS:O	1:D:73:TYR:HB2	2.21	0.41
1:H:230:LYS:HG2	5:H:2410:HOH:O	2.21	0.41
1:K:238:VAL:HA	1:K:239:PRO:HD3	1.96	0.41
1:G:169:THR:HG22	1:G:193:VAL:HG11	2.03	0.40
1:H:226:ARG:O	1:H:230:LYS:HB2	2.21	0.40
1:A:287:ARG:HD3	5:A:2330:HOH:O	2.21	0.40
1:H:238:VAL:HA	1:H:239:PRO:HD3	1.95	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:76:ASP:OD1	1:L:269:HIS:CE1[2_665]	1.85	0.35

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	291/301 (97%)	275 (94%)	13 (4%)	3 (1%)	19	54
1	B	296/301 (98%)	285 (96%)	10 (3%)	1 (0%)	46	79
1	C	295/301 (98%)	283 (96%)	12 (4%)	0	100	100
1	D	291/301 (97%)	272 (94%)	19 (6%)	0	100	100
1	E	287/301 (95%)	277 (96%)	10 (4%)	0	100	100
1	F	294/301 (98%)	280 (95%)	13 (4%)	1 (0%)	46	79
1	G	288/301 (96%)	274 (95%)	12 (4%)	2 (1%)	26	63

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	299/301 (99%)	286 (96%)	11 (4%)	2 (1%)	26	63
1	I	279/301 (93%)	266 (95%)	12 (4%)	1 (0%)	39	74
1	J	290/301 (96%)	274 (94%)	15 (5%)	1 (0%)	46	79
1	K	282/301 (94%)	265 (94%)	16 (6%)	1 (0%)	39	74
1	L	283/301 (94%)	267 (94%)	13 (5%)	3 (1%)	17	51
All	All	3475/3612 (96%)	3304 (95%)	156 (4%)	15 (0%)	39	74

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	180	ASP
1	H	205	TYR
1	K	167	ASP
1	A	248	GLN
1	B	167	ASP
1	G	167	ASP
1	L	167	ASP
1	A	247	GLU
1	F	167	ASP
1	H	167	ASP
1	J	166	VAL
1	L	186	THR
1	L	221	PRO
1	G	78	VAL
1	I	53	THR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	257/263 (98%)	241 (94%)	16 (6%)	23	55
1	B	259/263 (98%)	251 (97%)	8 (3%)	47	82
1	C	258/263 (98%)	248 (96%)	10 (4%)	39	75

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	253/263 (96%)	243 (96%)	10 (4%)	38	74
1	E	253/263 (96%)	245 (97%)	8 (3%)	46	81
1	F	260/263 (99%)	249 (96%)	11 (4%)	36	73
1	G	253/263 (96%)	244 (96%)	9 (4%)	42	78
1	H	259/263 (98%)	249 (96%)	10 (4%)	39	75
1	I	246/263 (94%)	235 (96%)	11 (4%)	34	70
1	J	253/263 (96%)	245 (97%)	8 (3%)	46	81
1	K	250/263 (95%)	240 (96%)	10 (4%)	38	74
1	L	254/263 (97%)	242 (95%)	12 (5%)	32	68
All	All	3055/3156 (97%)	2932 (96%)	123 (4%)	38	74

All (123) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	39	GLN
1	A	48	ASP
1	A	54	LYS
1	A	73	TYR
1	A	167	ASP
1	A	187	ASP
1	A	190	ASN
1	A	199	MET
1	A	200	TYR
1	A	202	LEU
1	A	217	THR
1	A	240	LEU
1	A	254	ASP
1	A	277	ASP
1	A	285	MET
1	B	39	GLN
1	B	73	TYR
1	B	187	ASP
1	B	190	ASN
1	B	203	MET
1	B	240	LEU
1	B	277	ASP
1	B	285	MET
1	C	48	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	73	TYR
1	C	174	ASN
1	C	179	TYR
1	C	190	ASN
1	C	240	LEU
1	C	248	GLN
1	C	254	ASP
1	C	277	ASP
1	C	285	MET
1	D	39	GLN
1	D	73	TYR
1	D	179	TYR
1	D	185	ASP
1	D	187	ASP
1	D	190	ASN
1	D	240	LEU
1	D	254	ASP
1	D	277	ASP
1	D	285	MET
1	E	51	LYS
1	E	185	ASP
1	E	190	ASN
1	E	222	THR
1	E	240	LEU
1	E	254	ASP
1	E	277	ASP
1	E	285	MET
1	F	3	LYS
1	F	48	ASP
1	F	73	TYR
1	F	107	VAL
1	F	165	ASP
1	F	190	ASN
1	F	223	LYS
1	F	240	LEU
1	F	254	ASP
1	F	277	ASP
1	F	285	MET
1	G	73	TYR
1	G	102	GLU
1	G	107	VAL
1	G	167	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	G	190	ASN
1	G	240	LEU
1	G	254	ASP
1	G	277	ASP
1	G	285	MET
1	H	101	LYS
1	H	107	VAL
1	H	179	TYR
1	H	190	ASN
1	H	203	MET
1	H	240	LEU
1	H	248	GLN
1	H	254	ASP
1	H	277	ASP
1	H	285	MET
1	I	3	LYS
1	I	49	GLU
1	I	73	TYR
1	I	102	GLU
1	I	187	ASP
1	I	190	ASN
1	I	203	MET
1	I	240	LEU
1	I	254	ASP
1	I	277	ASP
1	I	285	MET
1	J	48	ASP
1	J	107	VAL
1	J	181	LEU
1	J	190	ASN
1	J	240	LEU
1	J	254	ASP
1	J	277	ASP
1	J	285	MET
1	K	46	GLU
1	K	49	GLU
1	K	54	LYS
1	K	190	ASN
1	K	199	MET
1	K	200	TYR
1	K	240	LEU
1	K	254	ASP

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	K	277	ASP
1	K	285	MET
1	L	54	LYS
1	L	73	TYR
1	L	107	VAL
1	L	173	MET
1	L	185	ASP
1	L	187	ASP
1	L	190	ASN
1	L	240	LEU
1	L	250	ASP
1	L	254	ASP
1	L	277	ASP
1	L	285	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (62) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	ASN
1	A	44	HIS
1	A	123	ASN
1	A	190	ASN
1	A	245	GLN
1	A	295	GLN
1	B	123	ASN
1	B	190	ASN
1	B	245	GLN
1	B	281	GLN
1	B	295	GLN
1	C	26	ASN
1	C	123	ASN
1	C	190	ASN
1	C	245	GLN
1	C	295	GLN
1	D	123	ASN
1	D	206	GLN
1	D	245	GLN
1	D	269	HIS
1	D	295	GLN
1	E	31	ASN
1	E	123	ASN
1	E	190	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	245	GLN
1	E	248	GLN
1	E	295	GLN
1	F	31	ASN
1	F	123	ASN
1	F	245	GLN
1	F	295	GLN
1	G	123	ASN
1	G	245	GLN
1	G	269	HIS
1	G	281	GLN
1	G	295	GLN
1	H	123	ASN
1	H	190	ASN
1	H	245	GLN
1	H	281	GLN
1	H	295	GLN
1	I	123	ASN
1	I	190	ASN
1	I	206	GLN
1	I	245	GLN
1	I	248	GLN
1	I	295	GLN
1	J	31	ASN
1	J	123	ASN
1	J	190	ASN
1	J	245	GLN
1	J	295	GLN
1	K	123	ASN
1	K	190	ASN
1	K	245	GLN
1	K	281	GLN
1	K	295	GLN
1	L	123	ASN
1	L	190	ASN
1	L	245	GLN
1	L	281	GLN
1	L	295	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 54 ligands modelled in this entry, 18 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	SO4	A	911	-	4,4,4	1.15	0	6,6,6	0.53	0
3	SO4	A	912	-	4,4,4	1.08	0	6,6,6	0.16	0
3	SO4	A	913	-	4,4,4	1.11	0	6,6,6	0.09	0
3	SO4	B	914	-	4,4,4	0.99	0	6,6,6	0.10	0
3	SO4	B	915	-	4,4,4	1.10	0	6,6,6	0.25	0
3	SO4	B	916	-	4,4,4	1.07	0	6,6,6	0.14	0
3	SO4	C	917	-	4,4,4	1.14	0	6,6,6	0.22	0
3	SO4	C	918	-	4,4,4	1.04	0	6,6,6	0.11	0
3	SO4	C	919	-	4,4,4	1.07	0	6,6,6	0.09	0
3	SO4	D	920	-	4,4,4	1.06	0	6,6,6	0.24	0
3	SO4	D	921	-	4,4,4	1.10	0	6,6,6	0.28	0
3	SO4	D	922	-	4,4,4	1.04	0	6,6,6	0.12	0
3	SO4	E	923	-	4,4,4	1.07	0	6,6,6	0.13	0
3	SO4	E	924	-	4,4,4	1.02	0	6,6,6	0.29	0
3	SO4	E	925	-	4,4,4	1.14	0	6,6,6	0.09	0
3	SO4	F	926	-	4,4,4	1.10	0	6,6,6	0.24	0
3	SO4	F	927	-	4,4,4	1.07	0	6,6,6	0.16	0
3	SO4	F	928	-	4,4,4	1.02	0	6,6,6	0.15	0
3	SO4	G	929	-	4,4,4	1.06	0	6,6,6	0.14	0
3	SO4	G	930	-	4,4,4	1.08	0	6,6,6	0.15	0
3	SO4	G	931	-	4,4,4	1.04	0	6,6,6	0.07	0
3	SO4	H	932	-	4,4,4	1.14	0	6,6,6	0.26	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SO4	H	933	-	4,4,4	1.09	0	6,6,6	0.13	0
3	SO4	H	934	-	4,4,4	1.09	0	6,6,6	0.07	0
3	SO4	I	935	-	4,4,4	1.02	0	6,6,6	0.08	0
3	SO4	I	936	-	4,4,4	1.08	0	6,6,6	0.10	0
3	SO4	I	937	-	4,4,4	1.07	0	6,6,6	0.12	0
3	SO4	J	938	-	4,4,4	1.15	0	6,6,6	0.20	0
3	SO4	J	939	-	4,4,4	1.03	0	6,6,6	0.13	0
3	SO4	J	940	-	4,4,4	1.10	0	6,6,6	0.14	0
3	SO4	K	941	-	4,4,4	1.11	0	6,6,6	0.22	0
3	SO4	K	942	-	4,4,4	1.03	0	6,6,6	0.11	0
3	SO4	K	943	-	4,4,4	1.10	0	6,6,6	0.10	0
3	SO4	L	944	-	4,4,4	1.10	0	6,6,6	0.15	0
3	SO4	L	945	-	4,4,4	1.02	0	6,6,6	0.13	0
3	SO4	L	946	-	4,4,4	1.08	0	6,6,6	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SO4	A	911	-	-	0/0/0/0	0/0/0/0
3	SO4	A	912	-	-	0/0/0/0	0/0/0/0
3	SO4	A	913	-	-	0/0/0/0	0/0/0/0
3	SO4	B	914	-	-	0/0/0/0	0/0/0/0
3	SO4	B	915	-	-	0/0/0/0	0/0/0/0
3	SO4	B	916	-	-	0/0/0/0	0/0/0/0
3	SO4	C	917	-	-	0/0/0/0	0/0/0/0
3	SO4	C	918	-	-	0/0/0/0	0/0/0/0
3	SO4	C	919	-	-	0/0/0/0	0/0/0/0
3	SO4	D	920	-	-	0/0/0/0	0/0/0/0
3	SO4	D	921	-	-	0/0/0/0	0/0/0/0
3	SO4	D	922	-	-	0/0/0/0	0/0/0/0
3	SO4	E	923	-	-	0/0/0/0	0/0/0/0
3	SO4	E	924	-	-	0/0/0/0	0/0/0/0
3	SO4	E	925	-	-	0/0/0/0	0/0/0/0
3	SO4	F	926	-	-	0/0/0/0	0/0/0/0
3	SO4	F	927	-	-	0/0/0/0	0/0/0/0
3	SO4	F	928	-	-	0/0/0/0	0/0/0/0
3	SO4	G	929	-	-	0/0/0/0	0/0/0/0
3	SO4	G	930	-	-	0/0/0/0	0/0/0/0
3	SO4	G	931	-	-	0/0/0/0	0/0/0/0
3	SO4	H	932	-	-	0/0/0/0	0/0/0/0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SO4	H	933	-	-	0/0/0/0	0/0/0/0
3	SO4	H	934	-	-	0/0/0/0	0/0/0/0
3	SO4	I	935	-	-	0/0/0/0	0/0/0/0
3	SO4	I	936	-	-	0/0/0/0	0/0/0/0
3	SO4	I	937	-	-	0/0/0/0	0/0/0/0
3	SO4	J	938	-	-	0/0/0/0	0/0/0/0
3	SO4	J	939	-	-	0/0/0/0	0/0/0/0
3	SO4	J	940	-	-	0/0/0/0	0/0/0/0
3	SO4	K	941	-	-	0/0/0/0	0/0/0/0
3	SO4	K	942	-	-	0/0/0/0	0/0/0/0
3	SO4	K	943	-	-	0/0/0/0	0/0/0/0
3	SO4	L	944	-	-	0/0/0/0	0/0/0/0
3	SO4	L	945	-	-	0/0/0/0	0/0/0/0
3	SO4	L	946	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	917	SO4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	297/301 (98%)	-0.26	6 (2%) 68 64	7, 40, 100, 144	0
1	B	300/301 (99%)	-0.28	3 (1%) 84 82	10, 45, 97, 165	0
1	C	299/301 (99%)	-0.18	5 (1%) 73 70	13, 50, 106, 140	0
1	D	296/301 (98%)	-0.12	9 (3%) 54 47	10, 43, 103, 149	0
1	E	294/301 (97%)	0.14	16 (5%) 29 23	24, 63, 121, 175	0
1	F	298/301 (99%)	-0.17	8 (2%) 58 52	9, 44, 103, 134	0
1	G	294/301 (97%)	-0.10	5 (1%) 73 70	7, 51, 102, 171	0
1	H	301/301 (100%)	0.22	18 (5%) 25 18	28, 65, 121, 153	0
1	I	289/301 (96%)	0.32	17 (5%) 26 19	35, 70, 109, 148	0
1	J	296/301 (98%)	0.13	7 (2%) 62 57	32, 63, 106, 140	0
1	K	288/301 (95%)	0.17	14 (4%) 33 27	33, 62, 119, 148	0
1	L	291/301 (96%)	0.27	13 (4%) 37 31	34, 73, 121, 146	0
All	All	3543/3612 (98%)	0.01	121 (3%) 49 41	7, 57, 112, 175	0

All (121) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	L	183	LYS	5.7
1	J	48	ASP	5.4
1	D	175	GLY	5.2
1	I	230	LYS	4.9
1	E	175	GLY	4.8
1	H	182	GLU	4.5
1	I	157	GLY	4.4
1	I	183	LYS	4.2
1	K	157	GLY	4.2
1	K	226	ARG	4.1
1	E	48	ASP	4.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	178	PRO	4.1
1	E	76	ASP	4.0
1	E	249	GLY	3.7
1	L	250	ASP	3.7
1	H	177	GLY	3.7
1	H	176	ARG	3.6
1	L	179	TYR	3.6
1	A	179	TYR	3.6
1	B	182	GLU	3.5
1	H	249	GLY	3.5
1	I	216	GLY	3.5
1	I	184	CYS	3.5
1	A	226	ARG	3.5
1	A	219	GLU	3.4
1	F	249	GLY	3.4
1	A	180	ASP	3.4
1	I	301	PHE	3.4
1	L	221	PRO	3.3
1	D	174	ASN	3.3
1	D	176	ARG	3.3
1	G	77	SER	3.2
1	L	222	THR	3.2
1	L	249	GLY	3.2
1	F	178	PRO	3.1
1	E	1	MET	3.1
1	K	184	CYS	3.1
1	A	178	PRO	3.0
1	D	48	ASP	3.0
1	L	165	ASP	3.0
1	G	76	ASP	3.0
1	I	174	ASN	3.0
1	L	157	GLY	2.9
1	K	45	GLU	2.9
1	F	101	LYS	2.9
1	I	165	ASP	2.9
1	J	157	GLY	2.8
1	I	249	GLY	2.8
1	J	49	GLU	2.8
1	K	249	GLY	2.8
1	J	76	ASP	2.8
1	F	179	TYR	2.7
1	E	301	PHE	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	L	177	GLY	2.7
1	E	54	LYS	2.7
1	K	230	LYS	2.7
1	H	223	LYS	2.7
1	H	48	ASP	2.7
1	L	251	THR	2.7
1	K	46	GLU	2.6
1	E	224	TYR	2.6
1	L	48	ASP	2.6
1	C	179	TYR	2.6
1	J	184	CYS	2.6
1	F	45	GLU	2.6
1	I	153	ASN	2.6
1	L	226	ARG	2.6
1	H	220	ASP	2.6
1	D	101	LYS	2.5
1	B	76	ASP	2.5
1	K	234	ASP	2.5
1	H	216	GLY	2.5
1	K	222	THR	2.5
1	I	47	ARG	2.4
1	K	233	GLU	2.4
1	H	187	ASP	2.4
1	H	185	ASP	2.4
1	G	181	LEU	2.3
1	F	46	GLU	2.3
1	K	224	TYR	2.3
1	I	94	LEU	2.3
1	E	226	ARG	2.3
1	E	187	ASP	2.3
1	D	177	GLY	2.3
1	G	48	ASP	2.3
1	H	157	GLY	2.3
1	I	221	PRO	2.3
1	F	54	LYS	2.2
1	E	216	GLY	2.2
1	I	268	PRO	2.2
1	E	234	ASP	2.2
1	K	48	ASP	2.2
1	I	278	ASP	2.2
1	D	186	THR	2.2
1	C	301	PHE	2.2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	H	1	MET	2.2
1	J	165	ASP	2.2
1	E	78	VAL	2.2
1	D	215	SER	2.2
1	A	234	ASP	2.2
1	C	157	GLY	2.2
1	J	46	GLU	2.1
1	E	186	THR	2.1
1	E	217	THR	2.1
1	H	52	TYR	2.1
1	K	165	ASP	2.1
1	B	180	ASP	2.1
1	H	175	GLY	2.1
1	H	179	TYR	2.1
1	E	233	GLU	2.1
1	H	222	THR	2.1
1	I	251	THR	2.1
1	H	219	GLU	2.1
1	L	230	LYS	2.0
1	D	25	LYS	2.0
1	C	175	GLY	2.0
1	K	235	ILE	2.0
1	G	106	LYS	2.0
1	I	156	PRO	2.0
1	F	180	ASP	2.0
1	H	76	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	MG	A	901	1/1	0.96	0.47	7.66	66,66,66,66	0
3	SO4	C	919	5/5	0.95	0.25	3.67	62,64,67,68	5
2	MG	D	904	1/1	0.99	0.25	3.65	52,52,52,52	0
2	MG	C	903	1/1	0.98	0.32	2.47	57,57,57,57	0
2	MG	E	905	1/1	0.94	0.27	1.73	51,51,51,51	0
2	MG	J	907	1/1	0.84	0.28	0.81	64,64,64,64	0
3	SO4	B	915	5/5	0.95	0.15	-0.25	48,55,58,65	0
3	SO4	I	937	5/5	0.79	0.26	-0.26	54,57,60,62	5
3	SO4	C	918	5/5	0.94	0.15	-0.43	59,66,71,72	0
3	SO4	A	913	5/5	0.92	0.15	-0.64	53,54,56,57	5
3	SO4	E	924	5/5	0.94	0.15	-0.66	65,66,69,72	0
3	SO4	G	931	5/5	0.92	0.17	-0.83	53,56,59,62	5
3	SO4	D	922	5/5	0.94	0.16	-0.98	49,51,57,58	5
3	SO4	J	940	5/5	0.96	0.17	-1.02	54,58,61,63	5
2	MG	B	902	1/1	0.95	0.17	-1.07	43,43,43,43	0
3	SO4	F	926	5/5	0.99	0.09	-1.12	31,31,36,39	0
3	SO4	L	946	5/5	0.90	0.19	-1.16	52,53,56,57	5
3	SO4	F	928	5/5	0.95	0.13	-1.39	44,51,53,54	5
3	SO4	G	929	5/5	0.98	0.11	-1.44	39,42,51,52	0
3	SO4	K	942	5/5	0.97	0.11	-1.47	53,54,62,63	0
3	SO4	A	911	5/5	0.99	0.08	-1.63	32,32,38,38	0
3	SO4	K	941	5/5	0.98	0.10	-1.64	42,42,48,49	0
3	SO4	H	934	5/5	0.96	0.16	-1.66	50,50,52,52	5
3	SO4	H	932	5/5	0.97	0.12	-1.68	46,48,52,55	0
4	ARS	A	951	1/1	0.96	0.08	-1.77	103,103,103,103	0
3	SO4	K	943	5/5	0.95	0.12	-1.80	48,49,52,52	5
3	SO4	J	938	5/5	0.98	0.09	-1.92	45,46,52,55	0
4	ARS	D	954	1/1	0.96	0.08	-1.94	103,103,103,103	0
3	SO4	G	930	5/5	0.96	0.12	-1.94	57,63,69,70	0
3	SO4	A	912	5/5	0.97	0.12	-1.97	47,51,60,61	0
2	MG	H	906	1/1	0.97	0.12	-2.12	81,81,81,81	0
3	SO4	I	935	5/5	0.98	0.08	-2.12	54,57,63,65	0
3	SO4	E	925	5/5	0.95	0.12	-2.16	45,48,49,50	5
3	SO4	E	923	5/5	0.98	0.09	-2.34	49,52,53,59	0
3	SO4	H	933	5/5	0.97	0.10	-2.36	69,70,75,76	0
3	SO4	J	939	5/5	0.93	0.15	-2.44	54,58,65,66	0
3	SO4	D	920	5/5	0.99	0.09	-2.51	23,31,37,44	0
3	SO4	C	917	5/5	0.99	0.06	-2.54	27,30,38,51	0
3	SO4	L	945	5/5	0.96	0.10	-2.77	64,65,65,70	0
3	SO4	L	944	5/5	0.98	0.09	-2.79	60,60,62,62	0
3	SO4	B	914	5/5	0.99	0.08	-2.79	26,29,35,41	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	SO4	D	921	5/5	0.97	0.12	-2.82	52,57,62,64	0
3	SO4	F	927	5/5	0.96	0.12	-2.85	52,57,67,68	0
3	SO4	I	936	5/5	0.96	0.09	-3.08	54,60,64,65	0
3	SO4	B	916	5/5	0.97	0.12	-3.36	47,50,54,55	5
4	ARS	H	958	1/1	0.97	0.07	-	113,113,113,113	0
4	ARS	C	953	1/1	0.86	0.10	-	98,98,98,98	0
4	ARS	B	952	1/1	0.94	0.10	-	95,95,95,95	0
4	ARS	I	959	1/1	0.85	0.20	-	134,134,134,134	0
4	ARS	E	955	1/1	0.87	0.11	-	117,117,117,117	0
4	ARS	K	961	1/1	0.92	0.13	-	124,124,124,124	0
4	ARS	F	956	1/1	0.93	0.09	-	85,85,85,85	0
4	ARS	G	957	1/1	0.95	0.07	-	83,83,83,83	0
4	ARS	J	960	1/1	0.92	0.08	-	104,104,104,104	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.