



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:07 PM GMT

PDB ID : 1ISV
Title : Crystal structure of xylanase from *Streptomyces olivaceoviridis* E-86 complexed with xylose
Authors : Fujimoto, Z.; Kuno, A.; Kaneko, S.; Kobayashi, H.; Kusakabe, I.; Mizuno, H.
Deposited on : 2001-12-27
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	436	<div> <div>5%</div> <div>84%</div> <div>16%</div> </div>
1	B	436	<div> <div>12%</div> <div>82%</div> <div>17%</div> </div>

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7491 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called endo-1,4-beta-D-xylanase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	436	Total	C	N	O	S	0	5	0
			3295	2022	597	659	17			
1	B	436	Total	C	N	O	S	0	7	0
			3299	2024	598	660	17			

- Molecule 2 is SUGAR (XYLOPYRANOSE) (three-letter code: XYP) (formula: C₅H₁₀O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			10	5	5		
2	A	1	Total	C	O	0	0
			10	5	5		
2	A	1	Total	C	O	0	0
			10	5	5		
2	B	1	Total	C	O	0	0
			10	5	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			10	5	5		
2	B	1	Total	C	O	0	0
			10	5	5		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	407	Total	O	0	0
			407	407		
3	B	430	Total	O	0	0
			430	430		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: endo-1,4-beta-D-xylanase



- Molecule 1: endo-1,4-beta-D-xylanase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.80 Å 93.87 Å 137.92 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.71 – 2.10 44.61 – 1.99	Depositor EDS
% Data completeness (in resolution range)	99.1 (29.71-2.10) 98.3 (44.61-1.99)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.93 (at 1.98 Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.180 , 0.226 0.187 , 0.229	Depositor DCC
R_{free} test set	5765 reflections (10.13%)	DCC
Wilson B-factor (Å ²)	20.8	Xtriage
Anisotropy	0.184	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 56.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Outliers	2 of 66557 reflections (0.003%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7491	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: XYP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/3390	0.60	0/4601
1	B	0.31	0/3406	0.60	0/4624
All	All	0.31	0/6796	0.60	0/9225

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3295	0	3095	53	0
1	B	3299	0	3093	61	0
2	A	30	0	30	3	0
2	B	30	0	30	1	0
3	A	407	0	0	10	0
3	B	430	0	0	3	0
All	All	7491	0	6248	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:50:ASP:HA	1:A:90:PRO:HG3	1.41	1.02
1:A:209:ASN:HB3	1:A:275:ARG:HH22	1.36	0.91
1:A:48:LYS:HZ3	1:A:88:GLN:HE22	1.31	0.79
1:B:816:LYS:HG2	1:B:823:CYS:SG	2.26	0.76
1:A:1:ALA:HB3	1:A:7:ALA:HB1	1.69	0.74
1:B:822:ARG:HD3	1:B:916:ASN:OD1	1.88	0.73
1:A:116:TYR:HA	1:A:119:LYS:NZ	2.09	0.67
1:B:840:TYR:CE2	2:B:961:XYP:H1B	2.31	0.66
1:B:926:SER:O	1:B:927:ASN:HB2	1.95	0.66
1:A:209:ASN:HB3	1:A:275:ARG:NH2	2.10	0.66
1:B:502:GLU:HG3	1:B:511:GLN:OE1	1.97	0.65
1:A:48:LYS:NZ	1:A:88:GLN:HE22	1.95	0.64
1:B:719:ARG:O	1:B:723:GLN:HG3	1.99	0.62
1:A:116:TYR:HA	1:A:119:LYS:HZ1	1.66	0.61
1:B:829:ALA:HA	1:B:847:ASN:HB3	1.82	0.61
1:A:1:ALA:CB	1:A:7:ALA:HB1	2.32	0.60
1:B:597:SER:O	1:B:600[B]:THR:HG22	2.01	0.60
1:B:831:THR:O	1:B:831:THR:HG22	2.02	0.58
1:A:278:ASP:O	1:A:279:THR:C	2.44	0.56
1:A:426:SER:O	1:A:427:ASN:HB2	2.06	0.56
1:A:336:GLN:HB2	1:A:376:LYS:HE3	1.87	0.55
1:A:275:ARG:HD2	3:A:1651:HOH:O	2.06	0.55
1:A:1:ALA:HB1	3:A:1795:HOH:O	2.07	0.55
1:B:910:VAL:HG23	1:B:919:LEU:O	2.08	0.54
1:A:294:THR:OG1	1:A:391:ARG:HD2	2.08	0.54
1:A:332[A]:THR:HG21	3:A:1885:HOH:O	2.08	0.53
1:B:736:GLU:HG2	1:B:766:TRP:CE3	2.43	0.53
1:A:239:ILE:HD13	1:A:246:THR:HG22	1.91	0.53
1:A:49:ILE:HD12	3:A:1711:HOH:O	2.09	0.53
1:B:816:LYS:HE2	1:B:936:THR:HG21	1.91	0.51
1:A:340:TYR:CE1	2:A:1461:XYP:H5B2	2.45	0.51
1:B:935:ARG:HH11	1:B:935:ARG:HG2	1.76	0.51
1:A:238:ASP:HB2	1:A:280:PRO:HB2	1.93	0.51
1:B:928:GLY:O	1:B:932:ARG:HG3	2.10	0.51
1:B:818:VAL:HG21	1:B:932:ARG:HE	1.75	0.51
1:B:836:GLN:HB2	1:B:876:LYS:HE3	1.93	0.50
1:A:340:TYR:CE2	2:A:1461:XYP:H1B	2.46	0.50
1:B:925:CYS:HA	1:B:931:GLN:OE1	2.11	0.50
1:B:822:ARG:HG2	1:B:841:ASP:HA	1.94	0.50
1:A:374:GLY:HA2	1:A:421:GLN:OE1	2.11	0.49
1:A:142:ASN:O	1:A:146:THR:HG23	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:779:THR:N	1:B:780:PRO:HD3	2.27	0.49
1:B:822:ARG:HG2	1:B:841:ASP:N	2.27	0.49
1:B:778:ASP:O	1:B:779:THR:C	2.50	0.49
1:B:502:GLU:HG2	1:B:801:ASN:OD1	2.13	0.49
1:B:827:PRO:HG2	3:B:1261:HOH:O	2.12	0.49
1:B:671:ASP:HB3	1:B:674:ILE:HD13	1.94	0.48
1:B:842:CYS:HA	1:B:848:GLN:OE1	2.12	0.48
1:A:190:ARG:O	1:A:194:GLN:HG3	2.13	0.48
1:A:186:TYR:HE2	1:A:190:ARG:HH21	1.61	0.48
1:B:812:GLY:HA3	3:B:1113:HOH:O	2.12	0.48
1:B:822:ARG:NH2	1:B:915:ALA:HA	2.28	0.48
1:B:822:ARG:HH21	1:B:915:ALA:HA	1.77	0.48
1:B:874:GLY:HA2	1:B:921:GLN:OE1	2.13	0.47
1:B:738:ASP:HB2	1:B:780:PRO:HB2	1.96	0.47
1:B:892:LEU:HD13	1:B:935:ARG:NH2	2.30	0.47
1:A:19:ALA:HB2	1:A:266:TRP:CE3	2.49	0.47
1:A:329:ALA:HA	1:A:347:ASN:HB3	1.97	0.47
1:B:899:VAL:HG22	1:B:906:CYS:SG	2.55	0.47
1:B:818:VAL:CG2	1:B:932:ARG:HB2	2.45	0.46
1:B:585:TRP:CE2	1:B:587:SER:HB3	2.50	0.46
1:A:338:GLN:OE1	1:A:417:GLY:HA2	2.16	0.46
1:A:2:GLU:CB	1:A:301:ASN:OD1	2.63	0.46
1:A:389:LYS:HB3	1:A:401:VAL:HG21	1.98	0.46
1:A:2:GLU:HB2	1:A:301:ASN:OD1	2.16	0.46
1:A:409:ALA:HB3	1:A:430:ASN:HB2	1.98	0.46
1:A:209:ASN:HD22	1:A:275:ARG:NH1	2.14	0.45
1:A:368:ALA:HB1	1:A:422:LEU:HD11	1.98	0.45
1:A:337:VAL:HG23	1:A:420:ILE:HB	1.99	0.45
1:A:314:GLN:NE2	3:A:1797:HOH:O	2.48	0.45
1:A:119:LYS:HB2	1:A:119:LYS:NZ	2.32	0.45
1:B:809:PRO:HG2	1:B:935:ARG:HB3	1.99	0.45
1:A:279:THR:N	1:A:280:PRO:HD3	2.32	0.44
1:B:794:THR:OG1	1:B:891:ARG:HD2	2.17	0.44
1:B:535:SER:HA	1:B:576:LYS:HE2	1.99	0.44
1:B:736:GLU:HG2	1:B:766:TRP:CZ3	2.52	0.44
1:B:501:ALA:HB3	1:B:507:ALA:HB1	2.00	0.44
1:B:827:PRO:HG3	1:B:838:GLN:HG2	2.00	0.43
1:A:243:SER:HB2	3:A:1575:HOH:O	2.17	0.43
1:A:2:GLU:N	3:A:1795:HOH:O	2.47	0.43
1:A:236:GLU:HG2	1:A:266:TRP:CE3	2.53	0.43
1:B:836:GLN:OE1	1:B:919:LEU:HD13	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:866:LEU:HD21	1:B:907:LEU:HD11	2.01	0.43
1:B:816:LYS:HE2	1:B:936:THR:CG2	2.48	0.43
1:B:517:GLY:HA2	1:B:538:PHE:HB3	2.01	0.43
1:B:820:SER:C	1:B:822:ARG:H	2.23	0.43
1:A:376:LYS:HE2	1:A:378:GLN:OE1	2.19	0.43
1:B:808:PRO:HA	1:B:809:PRO:HD3	1.93	0.43
1:A:145:ARG:NH2	3:A:1748:HOH:O	2.51	0.42
1:B:839:LEU:HG	1:B:920:ILE:HD11	2.01	0.42
1:A:128:GLU:HA	1:A:171:ASP:CG	2.40	0.42
1:A:340:TYR:O	1:A:341:ASP:C	2.58	0.42
1:A:91:GLY:HA2	1:A:94:GLN:OE1	2.18	0.42
1:B:877:VAL:HG23	1:B:921:GLN:HA	2.00	0.42
1:B:893:ASN:ND2	1:B:899:VAL:HG23	2.34	0.42
1:A:119:LYS:HE3	3:A:1823:HOH:O	2.20	0.42
1:A:50:ASP:HB2	3:A:1712:HOH:O	2.19	0.42
1:B:829:ALA:HA	1:B:847:ASN:CB	2.49	0.42
1:B:501:ALA:HB3	1:B:507:ALA:CB	2.50	0.42
1:A:309:PRO:HG2	1:A:435:ARG:HB3	2.01	0.41
1:B:822:ARG:HD3	1:B:916:ASN:CG	2.40	0.41
1:A:18:THR:HA	1:A:265:VAL:O	2.19	0.41
1:A:80:GLY:HA3	1:A:123:TRP:CE3	2.55	0.41
1:B:818:VAL:HG22	1:B:932:ARG:HB2	2.02	0.40
1:B:566:ARG:NH1	3:B:1105:HOH:O	2.53	0.40
1:A:340:TYR:CZ	2:A:1461:XYP:H5B2	2.56	0.40
1:B:580:GLY:HA3	1:B:623:TRP:CE3	2.56	0.40
1:B:822:ARG:HG2	1:B:841:ASP:CA	2.51	0.40
1:B:935:ARG:HG2	1:B:935:ARG:NH1	2.36	0.40
1:B:641:SER:O	1:B:645:ARG:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	439/436 (101%)	425 (97%)	12 (3%)	2 (0%)	34	30
1	B	441/436 (101%)	422 (96%)	19 (4%)	0	100	100
All	All	880/872 (101%)	847 (96%)	31 (4%)	2 (0%)	52	53

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	312	GLY
1	A	311	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	346/341 (102%)	341 (99%)	5 (1%)	74	80
1	B	348/341 (102%)	343 (99%)	5 (1%)	74	80
All	All	694/682 (102%)	684 (99%)	10 (1%)	72	80

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	GLU
1	A	66	ARG
1	A	247	TYR
1	A	280	PRO
1	A	405	LEU
1	B	601	LEU
1	B	632	ASP
1	B	747	TYR
1	B	780	PRO
1	B	935	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	58	GLN
1	A	60	ASN
1	A	88	GLN
1	A	173	ASN
1	A	284	ASN
1	A	314	GLN
1	B	673	ASN
1	B	814	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	XYP	A	1461	-	10,10,10	0.53	0	12,14,14	0.65	0
2	XYP	A	1471	-	10,10,10	0.61	0	12,14,14	0.64	0
2	XYP	A	1491	-	10,10,10	0.62	0	12,14,14	0.63	0
2	XYP	B	951	-	10,10,10	0.56	0	12,14,14	0.64	0
2	XYP	B	961	-	10,10,10	0.63	0	12,14,14	0.64	0
2	XYP	B	971	-	10,10,10	0.61	0	12,14,14	0.66	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	XYP	A	1461	-	-	0/0/17/17	0/1/1/1
2	XYP	A	1471	-	-	0/0/17/17	0/1/1/1
2	XYP	A	1491	-	-	0/0/17/17	0/1/1/1
2	XYP	B	951	-	-	0/0/17/17	0/1/1/1
2	XYP	B	961	-	-	0/0/17/17	0/1/1/1
2	XYP	B	971	-	-	0/0/17/17	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1461	XYP	3	0
2	B	961	XYP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	436/436 (100%)	0.36	20 (4%) 36 45	11, 19, 34, 84	0
1	B	436/436 (100%)	0.56	54 (12%) 5 7	11, 18, 53, 80	0
All	All	872/872 (100%)	0.46	74 (8%) 13 18	11, 19, 51, 84	0

All (74) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	306	THR	14.1
1	B	806	THR	10.0
1	A	305	SER	9.5
1	B	936	THR	9.5
1	A	436	THR	9.0
1	A	308	PRO	8.3
1	A	303	GLY	8.2
1	B	819	GLY	8.0
1	B	805	SER	7.8
1	A	304	SER	7.5
1	A	311	GLY	7.5
1	B	807	PRO	6.9
1	A	307	PRO	6.6
1	B	844	SER	6.1
1	B	501	ALA	5.5
1	B	810	SER	5.0
1	B	808	PRO	5.0
1	B	809	PRO	5.0
1	A	310	SER	4.9
1	B	840	TYR	4.7
1	B	811	GLY	4.7
1	B	923	TYR	4.6
1	B	839	LEU	4.5
1	B	820	SER	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	927	ASN	4.3
1	B	915	ALA	4.3
1	B	911	GLY	4.2
1	B	822	ARG	4.0
1	A	309	PRO	3.9
1	B	926	SER	3.9
1	B	817	GLY	3.8
1	B	913	GLY	3.7
1	B	925	CYS	3.7
1	B	928	GLY	3.7
1	A	100	THR	3.7
1	A	97	SER	3.6
1	B	818	VAL	3.6
1	B	816	LYS	3.5
1	B	841	ASP	3.4
1	A	344	SER	3.4
1	B	909	ALA	3.4
1	B	845	ALA	3.3
1	B	821	GLY	3.3
1	B	910	VAL	3.3
1	B	932	ARG	3.3
1	B	826	VAL	3.2
1	B	804	SER	3.2
1	B	929	SER	3.1
1	B	934	THR	3.0
1	B	914	THR	2.9
1	B	916	ASN	2.8
1	A	140	ASP	2.8
1	B	814	GLN	2.7
1	B	919	LEU	2.7
1	A	1	ALA	2.7
1	B	823	CYS	2.7
1	B	842	CYS	2.7
1	A	312	GLY	2.7
1	A	95	SER	2.6
1	B	843	HIS	2.6
1	B	502	GLU	2.5
1	B	635	SER	2.5
1	B	917	GLY	2.4
1	B	918	THR	2.4
1	B	829	ALA	2.3
1	B	912	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	908	ASP	2.2
1	A	133	ASP	2.2
1	B	828	ASN	2.2
1	B	838	GLN	2.1
1	A	145	ARG	2.1
1	A	50	ASP	2.0
1	B	640	ASP	2.0
1	B	873	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	XYP	A	1461	10/10	0.93	0.14	0.53	19,22,24,25	0
2	XYP	B	961	10/10	0.72	0.25	0.19	58,60,61,62	0
2	XYP	B	951	10/10	0.96	0.11	0.09	14,16,17,19	0
2	XYP	A	1491	10/10	0.83	0.16	-0.04	46,47,49,49	0
2	XYP	B	971	10/10	0.90	0.27	-0.12	37,39,40,40	0
2	XYP	A	1471	10/10	0.96	0.10	-0.58	14,18,20,20	0

6.5 Other polymers [i](#)

There are no such residues in this entry.