



# wwPDB X-ray Structure Validation Summary Report ⓘ

Jan 31, 2016 – 08:15 PM GMT

PDB ID : 1JDB  
Title : CARBAMOYL PHOSPHATE SYNTHETASE FROM ESCHERICHIA COLI  
Authors : Thoden, J.B.; Holden, H.M.; Wesenberg, G.; Raushel, F.M.; Rayment, I.  
Deposited on : 1997-03-25  
Resolution : 2.10 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)


The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	B	1073	
1	E	1073	
1	H	1073	
1	K	1073	
2	C	382	
2	F	382	
2	I	382	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	L	382	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	PO4	H	1082	-	-	X	-
5	PO4	K	1082	-	-	X	-

## 2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 49731 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CARBAMOYL PHOSPHATE SYNTHETASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	1057	Total	C	N	O	S	0	8	0
			8195	5143	1428	1579	45			
1	E	1057	Total	C	N	O	S	0	13	0
			8223	5160	1440	1577	46			
1	H	1057	Total	C	N	O	S	0	6	0
			8179	5136	1422	1575	46			
1	K	1060	Total	C	N	O	S	0	5	0
			8201	5149	1432	1575	45			

- Molecule 2 is a protein called CARBAMOYL PHOSPHATE SYNTHETASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	379	Total	C	N	O	S	0	0	0
			2895	1825	509	551	10			
2	F	380	Total	C	N	O	S	0	1	0
			2904	1830	510	554	10			
2	I	379	Total	C	N	O	S	0	0	0
			2895	1825	509	551	10			
2	L	379	Total	C	N	O	S	0	0	0
			2895	1825	509	551	10			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	183	GLN	GLU	CONFLICT	UNP P00907
F	183	GLN	GLU	CONFLICT	UNP P00907
I	183	GLN	GLU	CONFLICT	UNP P00907
L	183	GLN	GLU	CONFLICT	UNP P00907


- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	H	4	Total Mn 4 4	0	0
3	B	4	Total Mn 4 4	0	0
3	K	4	Total Mn 4 4	0	0
3	E	4	Total Mn 4 4	0	0

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	K	7	Total K 7 7	0	0
4	E	7	Total K 7 7	0	0
4	H	5	Total K 5 5	0	0
4	B	6	Total K 6 6	0	0
4	I	1	Total K 1 1	0	0
4	C	1	Total K 1 1	0	0
4	L	1	Total K 1 1	0	0
4	F	1	Total K 1 1	0	0

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	P	0	0
			5	4	1		
5	B	1	Total	O	P	0	0
			5	4	1		
5	E	1	Total	O	P	0	0
			5	4	1		
5	E	1	Total	O	P	0	0
			5	4	1		
5	H	1	Total	O	P	0	0
			5	4	1		
5	H	1	Total	O	P	0	0
			5	4	1		
5	K	1	Total	O	P	0	0
			5	4	1		
5	K	1	Total	O	P	0	0
			5	4	1		
5	K	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	K	6	Total	Cl	0	0
			6	6		
6	E	7	Total	Cl	0	0
			7	7		
6	H	6	Total	Cl	0	0
			6	6		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	6	Total	Cl	0	0
			6	6		
6	I	1	Total	Cl	0	0
			1	1		
6	C	1	Total	Cl	0	0
			1	1		
6	L	1	Total	Cl	0	0
			1	1		
6	F	1	Total	Cl	0	0
			1	1		

- Molecule 7 is GLUTAMINE (three-letter code: GLN) (formula:  $C_5H_{10}N_2O_3$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	N	O	0	0
			10	5	2	3		
7	B	1	Total	C	N	O	0	0
			10	5	2	3		
7	E	1	Total	C	N	O	0	0
			10	5	2	3		
7	E	1	Total	C	N	O	0	0
			10	5	2	3		
7	H	1	Total	C	N	O	0	0
			10	5	2	3		
7	H	1	Total	C	N	O	0	0
			10	5	2	3		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	K	1	Total	C	N	O	0	0
			10	5	2	3		
7	K	1	Total	C	N	O	0	0
			10	5	2	3		


- Molecule 8 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
8	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
8	E	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
8	E	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
8	H	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
8	H	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
8	K	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
8	K	1	Total	C	N	O	P	0	0
			27	10	5	10	2		


- Molecule 9 is L-ORNITHINE (three-letter code: ORN) (formula:  $C_5H_{12}N_2O_2$ ).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	B	1	Total 9	C 5	N 2	O 2	0	0
9	E	1	Total 9	C 5	N 2	O 2	0	0
9	H	1	Total 9	C 5	N 2	O 2	0	0
9	K	1	Total 9	C 5	N 2	O 2	0	0

- Molecule 10 is TETRAETHYLAMMONIUM ION (three-letter code: NET) (formula:  $\text{C}_8\text{H}_{20}\text{N}$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	B	1	Total C N 9 8 1	0	0
10	E	1	Total C N 9 8 1	0	0
10	H	1	Total C N 9 8 1	0	0
10	K	1	Total C N 9 8 1	0	0

- Molecule 11 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	B	970	Total O 970 970	0	0
11	C	241	Total O 241 241	0	0
11	E	1022	Total O 1022 1022	0	0
11	F	210	Total O 210 210	0	0
11	H	942	Total O 942 942	0	0
11	I	235	Total O 235 235	0	0
11	K	980	Total O 980 980	0	0
11	L	257	Total O 257 257	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.


#### • Molecule 1: CARBAMOYL PHOSPHATE SYNTHETASE




#### • Molecule 1: CARBAMOYL PHOSPHATE SYNTHETASE

Chain E:  61% 30% 7%






• Molecule 1: CARBAMOYL PHOSPHATE SYNTHETASE








## • Molecule 2: CARBAMOYL PHOSPHATE SYNTHETASE

Chain L: 58% 34% 7% .



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	143.80Å 167.70Å 323.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.10	Depositor
% Data completeness (in resolution range)	90.0 (30.00-2.10)	Depositor
$R_{merge}$	0.06	Depositor
$R_{sym}$	0.06	Depositor
Refinement program	TNT	Depositor
R, $R_{free}$	0.179 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	49731	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP



## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, CL, K, MN, ORN, NET, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	B	1.00	65/8353 (0.8%)	1.58	143/11292 (1.3%)
1	E	1.01	73/8401 (0.9%)	1.55	132/11352 (1.2%)
1	H	1.00	72/8329 (0.9%)	1.56	149/11259 (1.3%)
1	K	1.02	73/8349 (0.9%)	1.59	154/11289 (1.4%)
2	C	0.89	18/2957 (0.6%)	1.49	42/4016 (1.0%)
2	F	0.87	16/2970 (0.5%)	1.50	34/4034 (0.8%)
2	I	0.87	16/2957 (0.5%)	1.47	33/4016 (0.8%)
2	L	0.89	16/2957 (0.5%)	1.56	51/4016 (1.3%)
All	All	0.98	349/45273 (0.8%)	1.55	738/61274 (1.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	1	0

The worst 5 of 349 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	216	GLU	CD-OE2	8.36	1.34	1.25
1	E	1008	GLU	CD-OE1	8.23	1.34	1.25
1	B	682	GLU	CD-OE1	8.10	1.34	1.25
1	H	995	GLU	CD-OE2	7.84	1.34	1.25
1	K	995	GLU	CD-OE2	7.74	1.34	1.25

The worst 5 of 738 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	37	ARG	NE-CZ-NH1	16.23	128.42	120.30
1	E	513	ARG	NE-CZ-NH1	15.09	127.84	120.30
1	K	1003[A]	ARG	NE-CZ-NH1	14.27	127.43	120.30
1	K	1003[B]	ARG	NE-CZ-NH1	14.27	127.43	120.30
1	K	943	ARG	NE-CZ-NH1	14.13	127.37	120.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	E	338	ILE	CA

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	8195	0	8221	207	0
1	E	8223	0	8265	280	0
1	H	8179	0	8215	257	0
1	K	8201	0	8241	225	0
2	C	2895	0	2863	134	0
2	F	2904	0	2868	154	0
2	I	2895	0	2863	153	0
2	L	2895	0	2863	95	0
3	B	4	0	0	0	0
3	E	4	0	0	0	0
3	H	4	0	0	0	0
3	K	4	0	0	0	0
4	B	6	0	0	0	0
4	C	1	0	0	0	0
4	E	7	0	0	0	0
4	F	1	0	0	0	0
4	H	5	0	0	0	0
4	I	1	0	0	0	0
4	K	7	0	0	0	0
4	L	1	0	0	0	0
5	B	10	0	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	E	10	0	0	1	0
5	H	10	0	0	2	0
5	K	15	0	0	2	0
6	B	6	0	0	1	0
6	C	1	0	0	0	0
6	E	7	0	0	1	0
6	F	1	0	0	0	0
6	H	6	0	0	1	0
6	I	1	0	0	1	0
6	K	6	0	0	0	0
6	L	1	0	0	0	0
7	B	20	0	14	0	0
7	E	20	0	14	1	0
7	H	20	0	14	2	0
7	K	20	0	14	1	0
8	B	54	0	24	0	0
8	E	54	0	24	1	0
8	H	54	0	24	0	0
8	K	54	0	24	1	0
9	B	9	0	11	4	0
9	E	9	0	11	3	0
9	H	9	0	11	0	0
9	K	9	0	11	1	0
10	B	9	0	20	1	0
10	E	9	0	20	0	0
10	H	9	0	20	2	0
10	K	9	0	20	0	0
11	B	970	0	0	19	1
11	C	241	0	0	6	0
11	E	1022	0	0	30	1
11	F	210	0	0	6	0
11	H	942	0	0	28	0
11	I	235	0	0	5	0
11	K	980	0	0	21	0
11	L	257	0	0	6	0
All	All	49731	0	44675	1485	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

The worst 5 of 1485 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:0:MET:HB3	1:E:223:LYS:HE3	1.22	1.17
1:H:701:VAL:HG12	1:H:705:LYS:HE3	1.31	1.05
2:I:133:ILE:HG22	2:I:138:PRO:HB3	1.31	1.04
1:B:702:GLU:HA	1:B:705:LYS:HD2	1.38	1.04
1:H:673:ASP:HB3	1:H:676:ARG:HB2	1.37	1.03

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:B:2056:HOH:O	11:E:2344:HOH:O[4_455]	1.95	0.25

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	1059/1073 (99%)	1008 (95%)	48 (4%)	3 (0%)	46	45
1	E	1064/1073 (99%)	1008 (95%)	54 (5%)	2 (0%)	52	53
1	H	1057/1073 (98%)	1016 (96%)	38 (4%)	3 (0%)	46	45
1	K	1059/1073 (99%)	1012 (96%)	43 (4%)	4 (0%)	39	37
2	C	377/382 (99%)	356 (94%)	19 (5%)	2 (0%)	34	30
2	F	379/382 (99%)	359 (95%)	19 (5%)	1 (0%)	46	45
2	I	377/382 (99%)	354 (94%)	21 (6%)	2 (0%)	34	30
2	L	377/382 (99%)	362 (96%)	15 (4%)	0	100	100
All	All	5749/5820 (99%)	5475 (95%)	257 (4%)	17 (0%)	46	45

5 of 17 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	1	PRO

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	C	311	ASN
1	H	974	HIS
1	K	737	PHE
1	K	974	HIS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	873/878 (99%)	805 (92%)	68 (8%)	16	11
1	E	878/878 (100%)	828 (94%)	50 (6%)	25	22
1	H	871/878 (99%)	813 (93%)	58 (7%)	20	16
1	K	872/878 (99%)	809 (93%)	63 (7%)	18	14
2	C	308/310 (99%)	277 (90%)	31 (10%)	9	5
2	F	309/310 (100%)	281 (91%)	28 (9%)	12	7
2	I	308/310 (99%)	275 (89%)	33 (11%)	8	4
2	L	308/310 (99%)	284 (92%)	24 (8%)	16	11
All	All	4727/4752 (100%)	4372 (92%)	355 (8%)	17	13

5 of 355 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	F	175	TRP
1	H	674	ARG
1	K	1026	ARG
2	F	257	LYS
1	H	54	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 87 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	1070	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	H	783	GLN
1	K	1001	GLN
2	F	78	GLN
1	H	104	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 107 ligands modelled in this entry, 74 are monoatomic - leaving 33 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	PO4	B	1078	3,4	4,4,4	1.37	0	6,6,6	0.29	0
5	PO4	B	1082	-	4,4,4	1.71	1 (25%)	6,6,6	0.29	0
7	GLN	B	1091	-	6,9,9	1.93	1 (16%)	5,11,11	1.85	2 (40%)
7	GLN	B	1092	-	6,9,9	2.12	3 (50%)	5,11,11	1.42	1 (20%)
8	ADP	B	1093	3	22,29,29	1.22	2 (9%)	27,45,45	1.29	2 (7%)
8	ADP	B	1094	3	22,29,29	1.15	2 (9%)	27,45,45	0.89	0
9	ORN	B	1095	-	5,8,8	0.74	0	3,9,9	1.25	0
10	NET	B	1096	-	8,8,8	0.61	0	10,10,10	0.64	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	PO4	E	1078	3,4	4,4,4	1.56	1 (25%)	6,6,6	0.29	0
5	PO4	E	1082	-	4,4,4	1.48	0	6,6,6	0.31	0
7	GLN	E	1093	-	6,9,9	1.59	1 (16%)	5,11,11	0.58	0
7	GLN	E	1094	-	6,9,9	2.19	3 (50%)	5,11,11	1.12	0
8	ADP	E	1095	3	22,29,29	1.09	1 (4%)	27,45,45	1.10	2 (7%)
8	ADP	E	1096	3	22,29,29	1.33	4 (18%)	27,45,45	1.14	3 (11%)
9	ORN	E	1097	-	5,8,8	0.47	0	3,9,9	1.02	0
10	NET	E	1098	-	8,8,8	0.70	0	10,10,10	0.37	0
5	PO4	H	1078	3,4	4,4,4	1.55	0	6,6,6	0.28	0
5	PO4	H	1082	-	4,4,4	1.37	1 (25%)	6,6,6	0.31	0
7	GLN	H	1090	-	6,9,9	1.66	1 (16%)	5,11,11	1.00	1 (20%)
7	GLN	H	1091	-	6,9,9	1.49	1 (16%)	5,11,11	0.47	0
8	ADP	H	1092	3	22,29,29	1.06	1 (4%)	27,45,45	1.07	1 (3%)
8	ADP	H	1093	3	22,29,29	1.30	3 (13%)	27,45,45	1.52	5 (18%)
9	ORN	H	1094	-	5,8,8	0.50	0	3,9,9	0.84	0
10	NET	H	1095	-	8,8,8	0.66	0	10,10,10	0.56	0
5	PO4	K	1078	3,4	4,4,4	1.36	0	6,6,6	0.34	0
5	PO4	K	1082	-	4,4,4	1.40	1 (25%)	6,6,6	0.28	0
5	PO4	K	1092	-	4,4,4	0.30	0	6,6,6	0.33	0
7	GLN	K	1093	-	6,9,9	1.54	1 (16%)	5,11,11	1.07	1 (20%)
7	GLN	K	1094	-	6,9,9	1.48	1 (16%)	5,11,11	1.28	0
8	ADP	K	1095	3	22,29,29	1.09	3 (13%)	27,45,45	1.08	1 (3%)
8	ADP	K	1096	3	22,29,29	1.24	3 (13%)	27,45,45	1.12	2 (7%)
9	ORN	K	1097	-	5,8,8	0.61	0	3,9,9	1.06	0
10	NET	K	1098	-	8,8,8	0.55	0	10,10,10	0.83	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PO4	B	1078	3,4	-	0/0/0/0	0/0/0/0
5	PO4	B	1082	-	-	0/0/0/0	0/0/0/0
7	GLN	B	1091	-	-	0/5/9/9	0/0/0/0
7	GLN	B	1092	-	-	0/5/9/9	0/0/0/0
8	ADP	B	1093	3	-	0/12/32/32	0/3/3/3
8	ADP	B	1094	3	-	0/12/32/32	0/3/3/3
9	ORN	B	1095	-	-	0/4/8/8	0/0/0/0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	NET	B	1096	-	-	0/12/12/12	0/0/0/0
5	PO4	E	1078	3,4	-	0/0/0/0	0/0/0/0
5	PO4	E	1082	-	-	0/0/0/0	0/0/0/0
7	GLN	E	1093	-	-	0/5/9/9	0/0/0/0
7	GLN	E	1094	-	-	0/5/9/9	0/0/0/0
8	ADP	E	1095	3	-	0/12/32/32	0/3/3/3
8	ADP	E	1096	3	-	0/12/32/32	0/3/3/3
9	ORN	E	1097	-	-	0/4/8/8	0/0/0/0
10	NET	E	1098	-	-	0/12/12/12	0/0/0/0
5	PO4	H	1078	3,4	-	0/0/0/0	0/0/0/0
5	PO4	H	1082	-	-	0/0/0/0	0/0/0/0
7	GLN	H	1090	-	-	0/5/9/9	0/0/0/0
7	GLN	H	1091	-	-	0/5/9/9	0/0/0/0
8	ADP	H	1092	3	-	0/12/32/32	0/3/3/3
8	ADP	H	1093	3	-	0/12/32/32	0/3/3/3
9	ORN	H	1094	-	-	0/4/8/8	0/0/0/0
10	NET	H	1095	-	-	0/12/12/12	0/0/0/0
5	PO4	K	1078	3,4	-	0/0/0/0	0/0/0/0
5	PO4	K	1082	-	-	0/0/0/0	0/0/0/0
5	PO4	K	1092	-	-	0/0/0/0	0/0/0/0
7	GLN	K	1093	-	-	0/5/9/9	0/0/0/0
7	GLN	K	1094	-	-	0/5/9/9	0/0/0/0
8	ADP	K	1095	3	-	0/12/32/32	0/3/3/3
8	ADP	K	1096	3	-	0/12/32/32	0/3/3/3
9	ORN	K	1097	-	-	0/4/8/8	0/0/0/0
10	NET	K	1098	-	-	0/12/12/12	0/0/0/0

The worst 5 of 35 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	E	1094	GLN	CA-N	-3.85	1.32	1.48
7	H	1090	GLN	CA-N	-3.84	1.32	1.48
7	B	1091	GLN	CA-N	-3.68	1.33	1.48
7	K	1093	GLN	CA-N	-3.63	1.33	1.48
7	E	1093	GLN	CA-N	-3.60	1.33	1.48

The worst 5 of 21 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	H	1093	ADP	O4'-C1'-N9	-2.84	102.15	108.10
8	E	1095	ADP	O3A-PA-O5'	-2.42	96.52	102.94
8	K	1096	ADP	N3-C2-N1	-2.28	127.15	128.89

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	E	1096	ADP	C2'-C3'-C4'	-2.17	98.16	102.61
7	H	1090	GLN	CB-CA-N	2.01	116.24	110.52

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

14 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	1078	PO4	1	0
9	B	1095	ORN	4	0
10	B	1096	NET	1	0
5	E	1082	PO4	1	0
7	E	1093	GLN	1	0
8	E	1096	ADP	1	0
9	E	1097	ORN	3	0
5	H	1082	PO4	2	0
7	H	1090	GLN	2	0
10	H	1095	NET	2	0
5	K	1082	PO4	2	0
7	K	1093	GLN	1	0
8	K	1095	ADP	1	0
9	K	1097	ORN	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.