



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:55 PM GMT

PDB ID : 4JY1  
Title : CRYSTAL STRUCTURE OF HCV NS5B POLYMERASE IN COMPLEX  
WITH COMPOUND 5  
Authors : Coulombe, R.  
Deposited on : 2013-03-28  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	576	
1	B	576	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8731 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Genome polyprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	559	Total	C	N	O	S	0	0	0
			4358	2745	770	811	32			
1	B	558	Total	C	N	O	S	0	0	0
			4346	2737	768	809	32			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	571	HIS	-	EXPRESSION TAG	UNP O92972
A	572	HIS	-	EXPRESSION TAG	UNP O92972
A	573	HIS	-	EXPRESSION TAG	UNP O92972
A	574	HIS	-	EXPRESSION TAG	UNP O92972
A	575	HIS	-	EXPRESSION TAG	UNP O92972
A	576	HIS	-	EXPRESSION TAG	UNP O92972
B	571	HIS	-	EXPRESSION TAG	UNP O92972
B	572	HIS	-	EXPRESSION TAG	UNP O92972
B	573	HIS	-	EXPRESSION TAG	UNP O92972
B	574	HIS	-	EXPRESSION TAG	UNP O92972
B	575	HIS	-	EXPRESSION TAG	UNP O92972
B	576	HIS	-	EXPRESSION TAG	UNP O92972

- Molecule 2 is 3-{ISOPROPYL[(TRANS-4-METHYLCYCLOHEXYL)CARBONYL]AMINO}-5-PHENYLTHIOPHENE-2-CARBOXYLIC ACID (three-letter code: NN3) (formula: C<sub>22</sub>H<sub>27</sub>NO<sub>3</sub>S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			27	22	1	3	1		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Genome polyprotein



#### • Molecule 1: Genome polyprotein





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	106.26Å 108.03Å 135.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.60 39.21 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.6 (40.00-2.60) 99.6 (39.21-2.60)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.92 (at 2.61Å)	Xtriage
Refinement program	CNX 2002	Depositor
R, $R_{free}$	0.252 , 0.299 0.249 , 0.294	Depositor DCC
$R_{free}$ test set	4875 reflections (11.22%)	DCC
Wilson B-factor (Å <sup>2</sup> )	48.0	Xtriage
Anisotropy	0.125	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 36.5	EDS
Estimated twinning fraction	0.018 for k,h,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	1 of 48350 reflections (0.002%)	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	8731	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.38% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NN3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.39	0/4453	0.65	0/6044
1	B	0.36	0/4440	0.65	1/6025 (0.0%)
All	All	0.37	0/8893	0.65	1/12069 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	29	SER	N-CA-C	-5.22	96.91	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4358	0	4369	82	0
1	B	4346	0	4357	161	0
2	A	27	0	26	0	0
All	All	8731	0	8752	241	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.



All (241) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:531:ARG:H	1:B:531:ARG:HD3	1.28	0.98
1:B:461:GLN:HB3	1:B:545:LEU:HD11	1.60	0.84
1:B:31:LEU:HB3	1:B:494:VAL:HG22	1.61	0.83
1:A:485:VAL:O	1:A:489:LEU:HG	1.80	0.81
1:B:31:LEU:HD12	1:B:31:LEU:O	1.81	0.79
1:B:520:THR:HG21	1:B:539:ILE:HD12	1.63	0.79
1:A:40:THR:HB	1:A:157:ALA:HB2	1.65	0.78
1:B:30:LEU:O	1:B:494:VAL:HG22	1.84	0.77
1:A:314:LEU:HB3	1:A:321:VAL:HG12	1.64	0.76
1:B:489:LEU:HD22	1:B:494:VAL:HB	1.66	0.76
1:B:30:LEU:O	1:B:494:VAL:HG13	1.86	0.75
1:B:531:ARG:H	1:B:531:ARG:CD	2.00	0.75
1:B:419:LEU:HD13	1:B:477:TYR:CE1	2.23	0.74
1:B:309:GLN:O	1:B:324:CYS:HB2	1.89	0.73
1:B:531:ARG:HD3	1:B:531:ARG:N	2.04	0.72
1:B:314:LEU:HB3	1:B:321:VAL:HG13	1.72	0.72
1:B:336:LEU:HD23	1:B:356:PRO:HD3	1.72	0.71
1:A:82:LEU:HD13	1:A:249:ALA:HB2	1.73	0.71
1:B:29:SER:O	1:B:30:LEU:HB3	1.90	0.70
1:A:30:LEU:O	1:A:494:VAL:HG13	1.93	0.69
1:A:308:LEU:HD13	1:A:335:ALA:HB1	1.75	0.69
1:B:416:ALA:HB3	1:B:417:PRO:HD3	1.76	0.68
1:B:459:LEU:O	1:B:463:ILE:HG13	1.95	0.66
1:A:423:MET:HE1	1:A:497:LEU:HB2	1.78	0.64
1:A:34:HIS:HD2	1:A:35:ASN:H	1.44	0.64
1:B:489:LEU:CD2	1:B:494:VAL:HB	2.28	0.64
1:A:406:ASN:ND2	1:A:443:LEU:HB3	2.13	0.63
1:B:434:LEU:HG	1:B:439:LEU:HD11	1.79	0.63
1:B:436:GLN:O	1:B:437:GLU:HB3	1.98	0.63
1:B:21:LEU:HG	1:B:22:PRO:HD2	1.82	0.62
1:B:27:SER:C	1:B:29:SER:H	2.02	0.62
1:B:22:PRO:O	1:B:24:ASN:N	2.32	0.62
1:B:208:TRP:CE3	1:B:360:LEU:HD13	2.35	0.62
1:B:376:ALA:HB2	1:B:473:THR:HB	1.80	0.61
1:B:93:PRO:HG3	1:B:561:TYR:HB2	1.81	0.61
1:A:503:ARG:O	1:A:507:VAL:HG23	2.01	0.61
1:A:423:MET:CE	1:A:497:LEU:HD13	2.30	0.61
1:A:233:ILE:HD13	1:A:261:TYR:O	2.00	0.61
1:A:309:GLN:O	1:A:324:CYS:HB2	2.01	0.60
1:B:85:ILE:HD13	1:B:173:MET:SD	2.40	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:30:LEU:HB2	1:A:428:HIS:CE1	2.35	0.60
1:B:479:PRO:O	1:B:482:ILE:HG22	2.01	0.60
1:A:119:ILE:HD13	1:A:169:VAL:HG11	1.82	0.60
1:A:423:MET:HE2	1:A:497:LEU:HD13	1.83	0.59
1:B:124:GLU:O	1:B:128:GLU:HG2	2.01	0.59
1:B:30:LEU:HA	1:B:500:TRP:HZ2	1.66	0.59
1:B:40:THR:HB	1:B:157:ALA:HB2	1.83	0.59
1:B:505:ARG:HD3	1:B:531:ARG:HH12	1.66	0.59
1:B:196:SER:H	1:B:199:GLN:HB2	1.67	0.59
1:B:520:THR:HG21	1:B:539:ILE:CD1	2.32	0.59
1:B:375:ASP:CB	1:B:379:LYS:H	2.16	0.58
1:B:470:SER:HB2	1:B:474:LEU:HD21	1.85	0.58
1:A:24:ASN:HB3	1:A:27:SER:OG	2.03	0.58
1:B:359:ASP:HB3	1:B:362:LEU:CD1	2.34	0.58
1:B:434:LEU:CD1	1:B:507:VAL:HG13	2.34	0.58
1:B:234:ARG:HG3	1:B:262:ILE:HD11	1.85	0.58
1:A:257:THR:O	1:A:262:ILE:HG23	2.04	0.58
1:B:211:LYS:HB2	1:B:214:PRO:HB3	1.85	0.57
1:B:84:SER:OG	1:B:86:GLU:HG2	2.05	0.56
1:B:439:LEU:HB3	1:B:457:LEU:HD21	1.88	0.56
1:B:86:GLU:CD	1:B:86:GLU:H	2.08	0.56
1:B:488:CYS:HA	1:B:491:LYS:HD3	1.87	0.56
1:A:83:LEU:HD22	1:A:176:TYR:HB3	1.87	0.56
1:A:533:LYS:H	1:A:533:LYS:HD2	1.71	0.56
1:A:22:PRO:HG3	1:A:401:ARG:NH2	2.20	0.56
1:B:469:LEU:HD11	1:B:538:PRO:HG3	1.88	0.56
1:B:383:TYR:CE2	1:B:418:THR:HA	2.41	0.56
1:B:505:ARG:HD3	1:B:531:ARG:NH1	2.22	0.55
1:A:34:HIS:CD2	1:A:35:ASN:N	2.75	0.55
1:B:313:MET:SD	1:B:322:VAL:HG22	2.47	0.54
1:B:423:MET:HE3	1:B:500:TRP:HD1	1.72	0.54
1:B:20:LYS:O	1:B:21:LEU:HB2	2.07	0.54
1:B:359:ASP:HB3	1:B:362:LEU:HD12	1.89	0.54
1:B:380:ARG:HB3	1:B:380:ARG:HH11	1.71	0.54
1:A:34:HIS:HD2	1:A:35:ASN:N	2.06	0.54
1:A:541:ALA:O	1:A:544:GLN:HB3	2.08	0.54
1:B:434:LEU:HD12	1:B:507:VAL:HG13	1.89	0.54
1:B:437:GLU:HG2	1:B:438:GLN:N	2.20	0.54
1:A:336:LEU:HD11	1:A:354:PRO:HG2	1.89	0.53
1:A:531:ARG:HE	1:A:531:ARG:H	1.55	0.53
1:B:331:GLU:CD	1:B:331:GLU:H	2.12	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:197:PRO:HB2	1:B:467:HIS:HE1	1.73	0.53
1:B:390:THR:HB	1:B:391:PRO:HD3	1.90	0.53
1:A:336:LEU:HD11	1:A:354:PRO:HB2	1.91	0.53
1:A:457:LEU:HD12	1:A:517:ARG:HH21	1.74	0.52
1:B:526:PHE:HA	1:B:528:TRP:CD1	2.45	0.52
1:A:182:LEU:HB3	1:A:183:PRO:HD3	1.89	0.52
1:B:520:THR:CG2	1:B:539:ILE:HD12	2.39	0.52
1:B:107:ASP:HB3	1:B:112:SER:OG	2.09	0.52
1:B:160:ILE:HG13	1:B:160:ILE:O	2.08	0.52
1:A:388:PRO:HG2	1:A:488:CYS:SG	2.50	0.52
1:A:531:ARG:O	1:A:533:LYS:HD2	2.11	0.51
1:A:515:GLY:O	1:A:519:ALA:HB2	2.10	0.51
1:B:172:LYS:HE3	1:B:560:ILE:HD13	1.91	0.51
1:A:531:ARG:H	1:A:531:ARG:NE	2.08	0.51
1:A:533:LYS:H	1:A:533:LYS:CD	2.23	0.51
1:B:383:TYR:HE2	1:B:418:THR:HA	1.75	0.51
1:B:197:PRO:HB2	1:B:467:HIS:CE1	2.45	0.51
1:A:57:LEU:C	1:A:57:LEU:HD23	2.30	0.51
1:B:487:SER:O	1:B:491:LYS:HG3	2.11	0.51
1:B:33:HIS:HB2	1:B:492:LEU:O	2.11	0.51
1:B:371:SER:HB3	1:B:383:TYR:CE1	2.46	0.51
1:B:433:LEU:HB3	1:B:438:GLN:O	2.11	0.51
1:B:105:ALA:O	1:B:109:ARG:HG3	2.11	0.51
1:A:2:MET:SD	1:A:55:ASP:HB2	2.51	0.50
1:B:375:ASP:HB2	1:B:379:LYS:HB2	1.93	0.50
1:B:526:PHE:HA	1:B:528:TRP:NE1	2.26	0.50
1:B:506:SER:OG	1:B:510:LYS:HE3	2.12	0.50
1:A:56:ARG:HD3	1:A:56:ARG:N	2.26	0.50
1:B:455:GLU:HB2	1:B:458:ASP:OD2	2.12	0.50
1:B:26:LEU:O	1:B:27:SER:HB3	2.12	0.49
1:A:24:ASN:OD1	1:A:26:LEU:N	2.45	0.49
1:B:11:ILE:O	1:B:11:ILE:HG22	2.12	0.49
1:B:395:ALA:HB1	1:B:429:PHE:HZ	1.76	0.49
1:A:106:LYS:HA	1:A:106:LYS:HE2	1.95	0.49
1:B:496:PRO:O	1:B:498:ARG:N	2.43	0.49
1:A:234:ARG:HD3	1:B:247:PRO:HG3	1.93	0.49
1:B:365:SER:O	1:B:366:CYS:HB2	2.12	0.49
1:B:202:GLU:O	1:B:206:ASN:ND2	2.46	0.49
1:A:444:ASP:HA	1:A:452:TYR:O	2.12	0.49
1:B:144:VAL:HB	1:B:394:ARG:HG2	1.95	0.49
1:B:511:LEU:HD13	1:B:521:CYS:HB2	1.93	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:33:HIS:C	1:B:35:ASN:H	2.16	0.48
1:B:202:GLU:HG2	1:B:206:ASN:HD21	1.77	0.48
1:B:118:HIS:O	1:B:122:VAL:HG23	2.13	0.48
1:A:510:LYS:NZ	1:A:510:LYS:HB2	2.27	0.48
1:A:254:ARG:HG2	1:B:251:GLN:NE2	2.29	0.48
1:B:464:GLU:OE1	1:B:539:ILE:HG22	2.12	0.48
1:B:445:CYS:O	1:B:452:TYR:HB2	2.12	0.48
1:B:444:ASP:HA	1:B:452:TYR:O	2.13	0.48
1:A:531:ARG:HG2	1:A:532:THR:N	2.28	0.48
1:B:328:GLY:HA3	1:B:331:GLU:OE2	2.14	0.48
1:B:134:ILE:HG13	1:B:259:ARG:HB3	1.96	0.48
1:B:27:SER:C	1:B:29:SER:N	2.66	0.48
1:B:506:SER:O	1:B:510:LYS:HG3	2.13	0.48
1:A:336:LEU:CD1	1:A:354:PRO:HG2	2.43	0.48
1:A:482:ILE:HG13	1:A:483:ASN:N	2.28	0.48
1:A:542:ALA:C	1:A:544:GLN:H	2.16	0.47
1:A:372:VAL:HG11	1:A:380:ARG:NH2	2.28	0.47
1:A:294:THR:CG2	1:A:298:LYS:HE3	2.44	0.47
1:A:364:THR:HA	1:A:368:SER:O	2.14	0.47
1:A:523:ARG:HG3	1:A:534:LEU:HD12	1.95	0.47
1:B:383:TYR:HH	1:B:477:TYR:HD2	1.63	0.47
1:B:68:LEU:O	1:B:72:LYS:HG3	2.14	0.47
1:B:202:GLU:CG	1:B:206:ASN:HD21	2.28	0.47
1:B:517:ARG:HH11	1:B:517:ARG:HG3	1.80	0.47
1:B:202:GLU:HG2	1:B:206:ASN:ND2	2.30	0.47
1:A:336:LEU:HD11	1:A:354:PRO:CG	2.45	0.47
1:B:383:TYR:OH	1:B:481:GLU:HG2	2.15	0.46
1:B:375:ASP:HB2	1:B:379:LYS:H	1.80	0.46
1:B:160:ILE:HA	1:B:282:SER:OG	2.15	0.46
1:B:504:ALA:C	1:B:506:SER:N	2.68	0.46
1:B:94:PRO:HD3	1:B:561:TYR:CD2	2.51	0.46
1:B:31:LEU:HA	1:B:493:GLY:O	2.15	0.46
1:B:539:ILE:O	1:B:542:ALA:HB2	2.16	0.46
1:A:314:LEU:HB3	1:A:321:VAL:CG1	2.39	0.46
1:B:418:THR:OG1	1:B:421:ALA:HB2	2.16	0.46
1:A:115:ALA:O	1:A:119:ILE:HG13	2.16	0.45
1:A:83:LEU:HA	1:A:83:LEU:HD12	1.73	0.45
1:B:500:TRP:C	1:B:502:HIS:H	2.18	0.45
1:B:421:ALA:HA	1:B:425:LEU:HD12	1.99	0.45
1:B:30:LEU:O	1:B:494:VAL:CG2	2.61	0.45
1:B:144:VAL:HB	1:B:394:ARG:CG	2.47	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:439:LEU:O	1:A:457:LEU:HG	2.17	0.45
1:B:522:GLY:HA2	1:B:526:PHE:HD2	1.82	0.45
1:B:422:ARG:HA	1:B:426:MET:SD	2.57	0.45
1:B:32:ARG:O	1:B:34:HIS:N	2.45	0.45
1:B:5:THR:O	1:B:275:GLY:HA3	2.17	0.44
1:B:29:SER:O	1:B:30:LEU:CB	2.62	0.44
1:B:423:MET:CE	1:B:500:TRP:HD1	2.30	0.44
1:B:533:LYS:O	1:B:534:LEU:HB2	2.17	0.44
1:B:415:TYR:HB3	1:B:418:THR:HG21	1.99	0.44
1:A:83:LEU:HB2	1:A:173:MET:HA	1.99	0.44
1:A:448:TYR:CE2	1:A:551:PHE:HD1	2.36	0.44
1:A:17:GLU:OE1	1:A:41:THR:HB	2.18	0.44
1:B:540:PRO:O	1:B:541:ALA:HB3	2.17	0.44
1:B:423:MET:CE	1:B:500:TRP:CD1	3.00	0.44
1:A:217:PHE:CE1	1:A:322:VAL:HB	2.53	0.44
1:B:93:PRO:HA	1:B:94:PRO:HD3	1.85	0.44
1:A:336:LEU:HD11	1:A:354:PRO:CB	2.48	0.43
1:A:172:LYS:HE3	1:A:560:ILE:HD13	2.00	0.43
1:A:110:ASN:O	1:A:111:LEU:HB2	2.17	0.43
1:B:143:GLU:OE1	1:B:158:ARG:NH1	2.51	0.43
1:B:194:GLN:O	1:B:551:PHE:O	2.37	0.43
1:B:196:SER:O	1:B:197:PRO:C	2.57	0.43
1:B:353:PRO:HA	1:B:354:PRO:HD2	1.90	0.43
1:B:518:ALA:O	1:B:521:CYS:HB2	2.19	0.43
1:B:196:SER:OG	1:B:199:GLN:HG3	2.18	0.42
1:B:39:ALA:HA	1:B:143:GLU:O	2.18	0.42
1:A:508:ARG:CZ	1:A:530:VAL:HG11	2.49	0.42
1:B:465:ARG:NH1	1:B:545:LEU:HB2	2.34	0.42
1:B:172:LYS:HE3	1:B:560:ILE:CD1	2.50	0.42
1:A:434:LEU:C	1:A:436:GLN:H	2.23	0.42
1:B:524:TYR:CE2	1:B:536:LEU:HB3	2.53	0.42
1:B:439:LEU:O	1:B:457:LEU:HG	2.19	0.42
1:B:510:LYS:O	1:B:514:GLN:HG2	2.19	0.42
1:B:22:PRO:HG2	1:B:400:ALA:HB1	2.01	0.42
1:A:531:ARG:HE	1:A:531:ARG:N	2.17	0.42
1:B:29:SER:C	1:B:31:LEU:H	2.22	0.42
1:A:254:ARG:HH12	1:A:258:GLU:CG	2.32	0.42
1:B:398:GLU:OE2	1:B:407:SER:HB3	2.19	0.42
1:B:423:MET:HE1	1:B:424:ILE:HG12	2.02	0.42
1:B:19:SER:CB	1:B:43:ARG:HH22	2.33	0.42
1:A:207:THR:HG22	1:A:323:ILE:HG21	2.02	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:434:LEU:HD22	1:A:510:LYS:HD2	2.02	0.41
1:B:82:LEU:HD12	1:B:173:MET:O	2.21	0.41
1:B:445:CYS:HB3	1:B:454:ILE:HD12	2.02	0.41
1:A:508:ARG:O	1:A:511:LEU:HB2	2.19	0.41
1:B:108:VAL:HG21	1:B:165:LEU:HD21	2.02	0.41
1:A:92:THR:HA	1:A:93:PRO:HD3	1.98	0.41
1:B:419:LEU:HB2	1:B:477:TYR:CZ	2.55	0.41
1:B:418:THR:OG1	1:B:421:ALA:CB	2.68	0.41
1:B:541:ALA:HA	1:B:544:GLN:OE1	2.20	0.41
1:A:346:TYR:O	1:A:347:SER:HB3	2.19	0.41
1:A:319:ASP:CG	1:A:366:CYS:H	2.23	0.41
1:B:264:GLY:HA2	1:B:276:TYR:CZ	2.55	0.41
1:B:504:ALA:C	1:B:506:SER:H	2.24	0.41
1:B:182:LEU:CD2	1:B:293:LEU:HD11	2.51	0.41
1:B:30:LEU:O	1:B:494:VAL:CG1	2.62	0.41
1:A:21:LEU:HA	1:A:22:PRO:HD3	1.86	0.41
1:B:99:SER:HB2	1:B:165:LEU:HB3	2.02	0.41
1:B:537:THR:O	1:B:539:ILE:N	2.54	0.41
1:B:459:LEU:N	1:B:460:PRO:CD	2.83	0.41
1:B:504:ALA:O	1:B:507:VAL:N	2.53	0.41
1:B:213:CYS:HA	1:B:214:PRO:HD2	1.78	0.41
1:B:389:THR:HG23	1:B:492:LEU:HD11	2.02	0.41
1:A:106:LYS:HA	1:A:106:LYS:CE	2.51	0.41
1:B:497:LEU:HG	1:B:497:LEU:O	2.21	0.41
1:B:416:ALA:N	1:B:417:PRO:CD	2.84	0.41
1:B:436:GLN:O	1:B:437:GLU:CB	2.67	0.41
1:A:512:LEU:HA	1:A:519:ALA:HA	2.03	0.41
1:B:499:THR:O	1:B:503:ARG:HG3	2.21	0.41
1:B:207:THR:O	1:B:210:SER:OG	2.23	0.40
1:A:423:MET:HE1	1:A:497:LEU:HD13	2.01	0.40
1:A:165:LEU:O	1:A:169:VAL:HG23	2.21	0.40
1:A:306:ALA:O	1:A:307:LYS:HB2	2.21	0.40
1:A:146:CYS:SG	1:A:492:LEU:HD11	2.61	0.40
1:A:365:SER:O	1:A:366:CYS:HB2	2.21	0.40
1:B:423:MET:CE	1:B:424:ILE:HG12	2.52	0.40
1:A:424:ILE:HG23	1:A:500:TRP:CZ2	2.56	0.40
1:B:38:TYR:CE2	1:B:154:ARG:HG3	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	555/576 (96%)	526 (95%)	25 (4%)	4 (1%)	26	51
1	B	554/576 (96%)	482 (87%)	52 (9%)	20 (4%)	4	6
All	All	1109/1152 (96%)	1008 (91%)	77 (7%)	24 (2%)	8	15

All (24) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	23	ILE
1	B	441	LYS
1	B	495	PRO
1	A	469	LEU
1	B	25	PRO
1	B	193	PHE
1	B	438	GLN
1	B	477	TYR
1	B	534	LEU
1	A	437	GLU
1	B	33	HIS
1	B	34	HIS
1	B	154	ARG
1	B	360	LEU
1	B	497	LEU
1	B	20	LYS
1	B	212	LYS
1	B	330	GLN
1	B	538	PRO
1	A	435	ALA
1	B	21	LEU
1	A	147	VAL
1	B	214	PRO
1	B	496	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	477/491 (97%)	460 (96%)	17 (4%)	42	71
1	B	475/491 (97%)	455 (96%)	20 (4%)	36	65
All	All	952/982 (97%)	915 (96%)	37 (4%)	39	68

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	ASN
1	A	34	HIS
1	A	83	LEU
1	A	106	LYS
1	A	121	SER
1	A	158	ARG
1	A	159	LEU
1	A	182	LEU
1	A	197	PRO
1	A	308	LEU
1	A	372	VAL
1	A	381	VAL
1	A	402	HIS
1	A	498	ARG
1	A	531	ARG
1	A	533	LYS
1	A	547	LEU
1	B	14	CYS
1	B	32	ARG
1	B	57	LEU
1	B	86	GLU
1	B	227	THR
1	B	262	ILE
1	B	310	ASP
1	B	313	MET
1	B	321	VAL
1	B	390	THR

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	403	THR
1	B	430	PHE
1	B	434	LEU
1	B	437	GLU
1	B	443	LEU
1	B	485	VAL
1	B	495	PRO
1	B	508	ARG
1	B	531	ARG
1	B	550	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	ASN
1	A	34	HIS
1	A	251	GLN
1	A	273	ASN
1	A	309	GLN
1	A	406	ASN
1	A	428	HIS
1	A	502	HIS
1	A	514	GLN
1	A	544	GLN
1	A	562	HIS
1	B	24	ASN
1	B	206	ASN
1	B	251	GLN
1	B	273	ASN
1	B	374	HIS
1	B	461	GLN
1	B	467	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NN3	A	601	-	22,29,29	2.18	4 (18%)	25,41,41	1.50	3 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NN3	A	601	-	-	0/16/34/34	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	NN3	C12-C13	2.03	1.40	1.37
2	A	601	NN3	C1-C8	2.55	1.55	1.51
2	A	601	NN3	C12-C11	5.19	1.44	1.39
2	A	601	NN3	C8-N14	5.74	1.44	1.36

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	NN3	O27-C8-C1	-3.48	115.37	120.81
2	A	601	NN3	C6-C1-C8	3.13	115.52	109.69
2	A	601	NN3	C1-C8-N14	4.82	123.99	119.20

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	559/576 (97%)	-0.08	5 (0%) 85 83	21, 38, 64, 89	0
1	B	558/576 (96%)	0.63	67 (12%) 6 4	24, 57, 92, 106	0
All	All	1117/1152 (96%)	0.28	72 (6%) 23 17	21, 44, 88, 106	0

All (72) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	511	LEU	6.8
1	B	532	THR	6.5
1	B	26	LEU	6.0
1	B	25	PRO	5.7
1	B	213	CYS	5.2
1	B	502	HIS	5.2
1	B	153	GLY	4.6
1	B	509	ALA	4.6
1	B	24	ASN	4.5
1	B	530	VAL	4.4
1	B	533	LYS	4.4
1	B	37	VAL	4.4
1	B	23	ILE	4.3
1	B	563	SER	4.2
1	B	541	ALA	4.2
1	B	28	ASN	3.8
1	B	528	TRP	3.7
1	B	523	ARG	3.7
1	B	544	GLN	3.7
1	B	39	ALA	3.6
1	B	529	ALA	3.6
1	B	35	ASN	3.4
1	B	22	PRO	3.4
1	B	27	SER	3.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	512	LEU	3.4
1	A	544	GLN	3.3
1	B	534	LEU	3.3
1	B	531	ARG	3.3
1	B	524	TYR	3.3
1	B	468	GLY	3.2
1	B	212	LYS	3.2
1	B	20	LYS	3.1
1	B	380	ARG	3.0
1	B	309	GLN	3.0
1	B	15	ALA	3.0
1	B	469	LEU	2.9
1	A	545	LEU	2.9
1	B	19	SER	2.8
1	B	106	LYS	2.8
1	B	492	LEU	2.8
1	B	110	ASN	2.8
1	B	504	ALA	2.8
1	B	535	LYS	2.7
1	B	505	ARG	2.7
1	B	370	VAL	2.7
1	B	327	ALA	2.6
1	B	30	LEU	2.6
1	B	308	LEU	2.6
1	A	563	SER	2.6
1	B	470	SER	2.5
1	B	437	GLU	2.5
1	B	433	LEU	2.4
1	B	31	LEU	2.4
1	B	18	GLU	2.4
1	B	494	VAL	2.4
1	B	543	SER	2.4
1	B	330	GLN	2.4
1	B	514	GLN	2.3
1	B	520	THR	2.3
1	B	34	HIS	2.3
1	B	154	ARG	2.3
1	B	525	LEU	2.3
1	B	208	TRP	2.3
1	B	536	LEU	2.3
1	B	359	ASP	2.2
1	A	437	GLU	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	434	LEU	2.2
1	B	217	PHE	2.2
1	B	209	LYS	2.1
1	A	110	ASN	2.1
1	B	360	LEU	2.0
1	B	490	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NN3	A	601	27/27	0.92	0.19	0.53	41,47,50,51	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.