



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:07 PM GMT

PDB ID : 4KL1
Title : HCN4 CNBD in complex with cGMP
Authors : Lolicato, M.; Arrigoni, C.; Zucca, S.; Nardini, M.; Bucci, A.; Schroeder, I.; Simmons, K.; Bolognesi, M.; DiFrancesco, D.; Schwede, F.; Fishwick, C.W.G.; Johnson, A.P.K.; Thiel, G.; Moroni, A.
Deposited on : 2013-05-07
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	199	<div> <div>2%</div> <div>71% 19% 8% .</div> </div>
1	B	199	<div> <div>4%</div> <div>68% 23% 6% .</div> </div>
1	C	199	<div> <div>2%</div> <div>70% 25% . .</div> </div>
1	D	199	<div> <div>2%</div> <div>66% 25% 6% .</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PCG	D	802	-	-	-	X
3	ACT	A	803	-	-	X	X
3	ACT	A	804	-	-	X	X
3	ACT	A	805	-	-	-	X
3	ACT	C	805	-	-	-	X
4	GOL	C	804	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6814 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	193	Total	C	N	O	S	0	2	0
			1615	1021	284	299	11			
1	B	193	Total	C	N	O	S	0	6	0
			1637	1034	287	306	10			
1	C	193	Total	C	N	O	S	0	3	0
			1624	1026	287	301	10			
1	D	193	Total	C	N	O	S	0	1	0
			1607	1015	281	301	10			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	515	GLY	-	EXPRESSION TAG	UNP Q9Y3Q4
A	516	PRO	-	EXPRESSION TAG	UNP Q9Y3Q4
A	517	SER	-	EXPRESSION TAG	UNP Q9Y3Q4
A	518	SER	-	EXPRESSION TAG	UNP Q9Y3Q4
A	519	PRO	-	EXPRESSION TAG	UNP Q9Y3Q4
A	520	MET	-	EXPRESSION TAG	UNP Q9Y3Q4
B	515	GLY	-	EXPRESSION TAG	UNP Q9Y3Q4
B	516	PRO	-	EXPRESSION TAG	UNP Q9Y3Q4
B	517	SER	-	EXPRESSION TAG	UNP Q9Y3Q4
B	518	SER	-	EXPRESSION TAG	UNP Q9Y3Q4
B	519	PRO	-	EXPRESSION TAG	UNP Q9Y3Q4
B	520	MET	-	EXPRESSION TAG	UNP Q9Y3Q4
C	515	GLY	-	EXPRESSION TAG	UNP Q9Y3Q4
C	516	PRO	-	EXPRESSION TAG	UNP Q9Y3Q4
C	517	SER	-	EXPRESSION TAG	UNP Q9Y3Q4
C	518	SER	-	EXPRESSION TAG	UNP Q9Y3Q4
C	519	PRO	-	EXPRESSION TAG	UNP Q9Y3Q4
C	520	MET	-	EXPRESSION TAG	UNP Q9Y3Q4
D	515	GLY	-	EXPRESSION TAG	UNP Q9Y3Q4
D	516	PRO	-	EXPRESSION TAG	UNP Q9Y3Q4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	517	SER	-	EXPRESSION TAG	UNP Q9Y3Q4
D	518	SER	-	EXPRESSION TAG	UNP Q9Y3Q4
D	519	PRO	-	EXPRESSION TAG	UNP Q9Y3Q4
D	520	MET	-	EXPRESSION TAG	UNP Q9Y3Q4

- Molecule 2 is CYCLIC GUANOSINE MONOPHOSPHATE (three-letter code: PCG) (formula: $C_{10}H_{12}N_5O_7P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	C	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	C	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	D	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	D	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 3 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	40	Total	O	0	0
			40	40		
5	B	17	Total	O	0	0
			17	17		
5	C	43	Total	O	0	0
			43	43		
5	D	18	Total	O	0	1
			19	19		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 4



- Molecule 1: Potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 4




- Molecule 1: Potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 4



- Molecule 1: Potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 4





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	97.10Å 99.03Å 109.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	58.62 – 2.70 58.59 – 2.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (58.62-2.70) 100.0 (58.59-2.70)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.73 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.5.0110	Depositor
R, R_{free}	0.210 , 0.272 0.206 , 0.273	Depositor DCC
R_{free} test set	1505 reflections (5.34%)	DCC
Wilson B-factor (Å ²)	41.6	Xtriage
Anisotropy	0.080	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 44.4	EDS
Estimated twinning fraction	0.019 for k,h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 29681 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6814	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CSO, PCG, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.96	1/1646 (0.1%)	0.91	2/2209 (0.1%)
1	B	0.93	3/1681 (0.2%)	0.92	1/2256 (0.0%)
1	C	0.89	1/1658 (0.1%)	0.90	2/2225 (0.1%)
1	D	0.86	1/1635 (0.1%)	0.88	0/2196
All	All	0.91	6/6620 (0.1%)	0.90	5/8886 (0.1%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	662	CYS	CB-SG	-6.80	1.70	1.82
1	B	679	CYS	CB-SG	-6.76	1.70	1.82
1	B	662	CYS	CB-SG	-6.23	1.71	1.82
1	D	662	CYS	CB-SG	-5.33	1.73	1.81
1	B	636	GLN	CD-OE1	5.25	1.35	1.24
1	C	691	GLU	CG-CD	5.13	1.59	1.51

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	593	MET	CG-SD-CE	-6.17	90.32	100.20
1	B	662	CYS	CA-CB-SG	-5.89	103.39	114.00
1	C	558	ARG	NE-CZ-NH2	-5.25	117.67	120.30
1	A	582	ILE	CG1-CB-CG2	-5.24	99.87	111.40
1	C	589	LEU	CA-CB-CG	5.14	127.12	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1615	0	1596	44	0
1	B	1637	0	1617	47	0
1	C	1624	0	1606	35	0
1	D	1607	0	1578	40	0
2	A	46	0	22	1	0
2	B	46	0	22	2	0
2	C	46	0	22	1	0
2	D	46	0	22	1	0
3	A	12	0	9	5	0
3	C	4	0	3	0	0
4	C	12	0	16	3	0
5	A	40	0	0	0	0
5	B	17	0	0	0	0
5	C	43	0	0	3	0
5	D	19	0	0	0	0
All	All	6814	0	6513	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:674:ARG:HG2	1:A:674:ARG:HH11	1.38	0.88
1:D:538:MET:HA	1:D:543:LEU:HD22	1.64	0.80
1:B:593:MET:HE3	1:B:634:PHE:HD2	1.48	0.78
1:D:586:CSO:O	1:D:590:VAL:HG23	1.85	0.76
3:A:803:ACT:H2	1:C:624[A]:ARG:NH1	2.01	0.75
1:A:688:ASN:O	1:A:692:VAL:HG23	1.86	0.75
1:B:587:ARG:CG	1:B:587:ARG:HH11	2.01	0.74
1:D:604:VAL:O	1:D:608:LEU:HD22	1.89	0.73
1:D:582:ILE:CG2	1:D:608:LEU:HB3	2.19	0.73
1:A:638:GLY:HA2	3:A:804:ACT:H2	1.70	0.72
1:B:587:ARG:HG2	1:B:587:ARG:HH11	1.55	0.71
1:A:593:MET:HE3	1:A:634:PHE:HD2	1.57	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:593:MET:CE	1:A:634:PHE:HD2	2.06	0.69
1:C:567:GLU:OE1	1:C:578[B]:ARG:NH2	2.26	0.69
1:C:713:ARG:O	1:C:713:ARG:HG3	1.91	0.68
1:B:627:THR:HG22	1:B:628:ILE:N	2.09	0.68
1:A:531:TYR:OH	1:A:552:HIS:HB2	1.94	0.68
1:A:527:TYR:HA	1:A:563:MET:HG3	1.79	0.64
1:D:521:ASP:HB3	1:D:562:LYS:HZ3	1.62	0.64
1:B:524:ARG:O	1:B:528:GLN:HG2	1.98	0.64
1:D:521:ASP:HB3	1:D:562:LYS:NZ	2.14	0.63
1:B:640:VAL:CG1	1:B:673:VAL:HG13	2.29	0.63
1:B:538:MET:HG2	1:B:543:LEU:CD2	2.27	0.63
4:C:804:GOL:H32	1:D:624:ARG:HH12	1.64	0.62
1:A:575:GLU:OE1	1:A:578[A]:ARG:NH1	2.32	0.62
1:C:632:MET:HB3	1:C:663:LEU:HD22	1.81	0.62
1:B:648:LYS:N	1:B:648:LYS:HD3	2.14	0.62
1:B:593:MET:CE	1:B:634:PHE:HD2	2.13	0.61
1:A:649:GLU:OE1	1:A:651:LYS:NZ	2.34	0.60
1:A:640:VAL:HG13	1:A:673:VAL:HG13	1.83	0.60
1:A:637:HIS:NE2	3:A:804:ACT:H3	2.17	0.60
1:B:538:MET:HG2	1:B:543:LEU:HD23	1.83	0.60
1:D:632:MET:HB3	1:D:663:LEU:HD22	1.83	0.59
1:A:537:TYR:HE1	1:B:566[B]:GLU:HG3	1.68	0.59
1:B:538:MET:SD	1:B:548:ARG:HG2	2.42	0.59
1:D:624:ARG:O	1:D:627:THR:OG1	2.21	0.58
4:C:804:GOL:H31	1:D:621:TYR:O	2.03	0.58
1:A:564:PHE:HD2	1:A:564:PHE:H	1.51	0.58
1:A:538:MET:HA	1:A:543:LEU:HD22	1.86	0.58
1:A:537:TYR:HE1	1:B:566[B]:GLU:CG	2.16	0.58
1:A:593:MET:CE	1:A:634:PHE:CD2	2.87	0.57
1:B:665:THR:O	1:B:667:GLY:N	2.37	0.57
1:D:688:ASN:O	1:D:692:VAL:HG23	2.03	0.57
1:B:694:GLU:O	1:B:697:PRO:HD3	2.05	0.57
1:C:521:ASP:HB2	1:C:524:ARG:HB2	1.86	0.56
1:A:674:ARG:HG2	1:A:674:ARG:NH1	2.14	0.56
1:C:624[B]:ARG:NH2	5:C:912:HOH:O	2.38	0.56
1:C:593:MET:O	1:C:594:PRO:C	2.42	0.56
1:A:564:PHE:CD2	1:A:564:PHE:N	2.75	0.55
1:D:575:GLU:OE1	1:D:578:ARG:NH1	2.37	0.55
1:A:564:PHE:HZ	1:C:540:PHE:CD2	2.23	0.55
1:D:626:GLY:O	1:D:668:ARG:HD3	2.06	0.55
1:A:637:HIS:CE1	3:A:804:ACT:H3	2.41	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:584:PHE:CZ	1:D:544:PRO:HD3	2.42	0.55
1:D:553:ASP:HB3	1:D:678:TYR:OH	2.07	0.55
1:A:564:PHE:HD2	1:A:564:PHE:N	2.06	0.54
1:C:643:LEU:HD23	1:C:649:GLU:HB3	1.89	0.53
1:A:540:PHE:CD2	1:B:564:PHE:HZ	2.26	0.52
1:D:582:ILE:HG21	1:D:608:LEU:HB3	1.91	0.52
1:B:593:MET:HE3	1:B:634:PHE:CD2	2.37	0.52
1:C:595:LEU:O	1:C:595:LEU:HG	2.09	0.52
1:B:658:PHE:CE2	1:B:673:VAL:HG11	2.44	0.52
1:B:575:GLU:OE2	1:B:579:GLU:OE2	2.28	0.52
1:B:627:THR:CG2	1:B:628:ILE:N	2.72	0.51
1:A:713:ARG:NH1	1:A:713:ARG:HB2	2.26	0.51
1:C:665:THR:O	1:C:666:ARG:C	2.48	0.51
1:D:685:SER:OG	1:D:688:ASN:HB2	2.10	0.51
1:B:593:MET:CE	1:B:634:PHE:CD2	2.93	0.51
1:D:589:LEU:O	1:D:593:MET:HG3	2.11	0.51
1:A:552:HIS:CE1	1:A:556:GLU:OE2	2.64	0.51
1:D:701:ARG:HA	1:D:704:GLU:HG3	1.93	0.51
1:D:534:VAL:O	1:D:538:MET:HG3	2.11	0.50
1:C:665:THR:O	1:C:665:THR:OG1	2.26	0.50
1:A:593:MET:HE3	1:A:634:PHE:CD2	2.43	0.50
1:A:537:TYR:HE1	1:B:566[A]:GLU:CD	2.15	0.49
1:B:574:SER:HB2	1:B:576:PRO:HD2	1.93	0.49
1:A:593:MET:HE1	1:A:634:PHE:CD2	2.47	0.49
1:C:521:ASP:O	1:C:525:ARG:NH1	2.45	0.49
1:A:564:PHE:HD1	5:C:921:HOH:O	1.95	0.49
1:C:623:ILE:HG23	1:C:669:ARG:HG3	1.94	0.49
1:C:553:ASP:O	1:C:557:HIS:HD2	1.95	0.49
1:D:564:PHE:N	1:D:564:PHE:CD1	2.80	0.48
1:C:573:LEU:HA	1:D:554:TYR:CE2	2.48	0.48
1:D:521:ASP:CB	1:D:562:LYS:NZ	2.77	0.48
1:D:564:PHE:N	1:D:564:PHE:HD1	2.11	0.48
1:B:544:PRO:HB2	1:B:546[B]:ASP:OD1	2.14	0.48
1:A:566:GLU:CD	1:C:537:TYR:HE1	2.17	0.47
1:D:589:LEU:O	1:D:593:MET:CG	2.63	0.47
1:B:640:VAL:HG11	1:B:673:VAL:HG13	1.97	0.46
1:B:564:PHE:CD2	1:B:564:PHE:N	2.84	0.46
1:B:551:ILE:HD11	1:D:581:ILE:HD11	1.97	0.46
1:B:588:LYS:O	1:B:589:LEU:C	2.54	0.46
1:D:562:LYS:O	2:D:802:PCG:N2	2.38	0.46
1:D:523:SER:HB2	1:D:563:MET:O	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:554:TYR:HB2	1:B:617:GLN:NE2	2.31	0.46
1:C:647:ASN:N	1:C:647:ASN:OD1	2.49	0.45
1:A:713:ARG:HH11	1:A:713:ARG:HB2	1.82	0.45
1:A:589:LEU:O	1:A:593:MET:HG3	2.16	0.45
1:C:581:ILE:HD11	1:D:551:ILE:HD11	1.97	0.45
1:D:674:ARG:HH11	1:D:674:ARG:HG2	1.81	0.45
4:C:804:GOL:H32	1:D:624:ARG:NH1	2.30	0.45
1:C:566:GLU:HA	1:C:569:ILE:HD12	1.98	0.45
1:B:587:ARG:CG	1:B:587:ARG:NH1	2.67	0.44
1:C:701:ARG:HD3	1:C:704[B]:GLU:HB3	2.00	0.44
1:A:627:THR:CG2	1:A:628:ILE:N	2.81	0.44
1:A:547:THR:HA	1:A:550:ARG:NH1	2.33	0.44
1:A:551:ILE:HD11	1:B:581:ILE:HD11	1.99	0.44
1:B:617:GLN:O	1:B:618:PRO:C	2.56	0.44
1:D:665:THR:O	1:D:666:ARG:C	2.55	0.44
1:B:570:LEU:HB3	1:B:578[A]:ARG:HG2	2.00	0.44
1:C:550:ARG:HD3	5:C:903:HOH:O	2.18	0.43
1:A:539:SER:C	1:A:541:HIS:H	2.21	0.43
1:C:701:ARG:NH1	1:C:704[A]:GLU:OE1	2.52	0.43
1:C:546:ASP:O	1:C:549:GLN:HB3	2.18	0.43
1:B:640:VAL:HG11	1:B:673:VAL:CG1	2.49	0.43
1:C:671:ALA:HB3	2:C:801:PCG:H5'1	2.00	0.43
1:A:569:ILE:HG23	1:C:534:VAL:HG22	2.00	0.43
1:A:666:ARG:HH11	1:A:666:ARG:CG	2.32	0.43
3:A:803:ACT:H2	1:C:624[A]:ARG:CZ	2.49	0.43
1:A:641:SER:OG	1:A:651:LYS:NZ	2.44	0.43
1:C:612:ARG:HH11	1:C:612:ARG:HB3	1.84	0.42
1:A:550:ARG:O	1:A:617:GLN:NE2	2.39	0.42
1:B:584:PHE:O	1:B:585:ASN:C	2.58	0.42
1:A:621:TYR:CZ	1:A:674:ARG:HD3	2.54	0.42
1:B:627:THR:HG22	1:B:628:ILE:H	1.81	0.42
1:C:701:ARG:HD3	1:C:701:ARG:HA	1.55	0.42
1:D:643:LEU:HD23	1:D:649:GLU:HB2	2.02	0.42
1:B:640:VAL:CG1	1:B:673:VAL:CG1	2.98	0.42
1:A:622:ILE:HD13	1:A:681:LEU:HD11	2.02	0.41
1:A:661:ILE:HD12	2:A:801:PCG:H3'	2.02	0.41
1:C:600:ASP:C	1:C:600:ASP:OD1	2.59	0.41
1:B:648:LYS:HD3	1:B:648:LYS:H	1.83	0.41
1:B:554:TYR:CE2	1:D:573:LEU:HA	2.56	0.41
1:D:665:THR:O	1:D:667:GLY:N	2.53	0.41
1:B:698:MET:HG3	1:B:698:MET:H	1.52	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:566[A]:GLU:OE1	2:B:802:PCG:O2'	2.27	0.41
1:B:600:ASP:C	1:B:600:ASP:OD1	2.59	0.41
1:C:534:VAL:O	1:C:538:MET:HG3	2.21	0.41
1:B:663:LEU:HD23	1:B:689:PHE:CG	2.55	0.41
1:D:521:ASP:OD1	1:D:524:ARG:NH2	2.53	0.41
1:A:521:ASP:HB2	1:A:524:ARG:HB2	2.03	0.41
1:D:686:VAL:O	1:D:687:ASP:C	2.59	0.41
1:C:574:SER:HB3	1:D:554:TYR:CE1	2.56	0.41
1:D:565:ASP:CG	1:D:568:SER:HB2	2.41	0.41
1:B:538:MET:HG2	1:B:543:LEU:HD22	2.01	0.41
1:C:584:PHE:CE2	1:D:544:PRO:CG	3.03	0.41
1:A:543:LEU:HA	1:A:543:LEU:HD12	1.88	0.40
1:B:661:ILE:HD12	2:B:801:PCG:H3'	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	192/199 (96%)	186 (97%)	5 (3%)	1 (0%)	34	63
1	B	196/199 (98%)	175 (89%)	17 (9%)	4 (2%)	9	24
1	C	193/199 (97%)	188 (97%)	5 (3%)	0	100	100
1	D	191/199 (96%)	177 (93%)	13 (7%)	1 (0%)	34	63
All	All	772/796 (97%)	726 (94%)	40 (5%)	6 (1%)	26	51

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	540	PHE
1	B	567[A]	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	567[B]	GLU
1	B	585	ASN
1	B	666	ARG
1	D	585	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	176/179 (98%)	156 (89%)	20 (11%)	7	16
1	B	180/179 (101%)	160 (89%)	20 (11%)	8	17
1	C	177/179 (99%)	164 (93%)	13 (7%)	17	39
1	D	175/179 (98%)	150 (86%)	25 (14%)	4	10
All	All	708/716 (99%)	630 (89%)	78 (11%)	7	18

All (78) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	526	GLN
1	A	539	SER
1	A	543	LEU
1	A	548	ARG
1	A	552	HIS
1	A	558	ARG
1	A	563	MET
1	A	564	PHE
1	A	567	GLU
1	A	582	ILE
1	A	589	LEU
1	A	608	LEU
1	A	628	ILE
1	A	640	VAL
1	A	644	THR
1	A	649	GLU
1	A	662	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	666	ARG
1	A	674	ARG
1	A	701	ARG
1	B	521	ASP
1	B	532	LYS
1	B	542	LYS
1	B	543	LEU
1	B	548	ARG
1	B	550	ARG
1	B	564	PHE
1	B	582	ILE
1	B	587	ARG
1	B	589	LEU
1	B	608	LEU
1	B	630	LYS
1	B	636	GLN
1	B	647	ASN
1	B	648	LYS
1	B	662	CYS
1	B	665	THR
1	B	698	MET
1	B	709	ASP
1	B	712	ASP
1	C	536	GLN
1	C	543	LEU
1	C	563	MET
1	C	592	SER
1	C	608	LEU
1	C	636	GLN
1	C	640	VAL
1	C	647	ASN
1	C	648	LYS
1	C	654	ASP
1	C	666	ARG
1	C	701	ARG
1	C	712	ASP
1	D	535	GLU
1	D	543	LEU
1	D	562	LYS
1	D	564	PHE
1	D	566	GLU
1	D	567	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	582	ILE
1	D	589	LEU
1	D	595	LEU
1	D	598	ASN
1	D	608	LEU
1	D	624	ARG
1	D	627	THR
1	D	636	GLN
1	D	640	VAL
1	D	645	LYS
1	D	648	LYS
1	D	649	GLU
1	D	656	SER
1	D	662	CYS
1	D	666	ARG
1	D	694	GLU
1	D	701	ARG
1	D	709	ASP
1	D	712	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CSO	A	586	1	3,6,7	1.08	0	1,6,8	2.30	1 (100%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CSO	B	586	1	3,6,7	0.57	0	1,6,8	2.27	1 (100%)
1	CSO	C	586	1	3,6,7	0.68	0	1,6,8	1.66	0
1	CSO	D	586	1	3,6,7	0.92	0	1,6,8	1.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSO	A	586	1	-	0/1/5/7	0/0/0/0
1	CSO	B	586	1	-	0/1/5/7	0/0/0/0
1	CSO	C	586	1	-	0/1/5/7	0/0/0/0
1	CSO	D	586	1	-	0/1/5/7	0/0/0/0

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	586	CSO	O-C-CA	-2.30	119.50	125.49
1	B	586	CSO	O-C-CA	-2.27	119.59	125.49

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	D	586	CSO	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PCG	A	801	-	20,26,26	1.14	2 (10%)	21,41,41	2.77	8 (38%)
2	PCG	A	802	-	20,26,26	1.60	4 (20%)	21,41,41	2.33	7 (33%)
3	ACT	A	803	-	1,3,3	1.09	0	0,3,3	0.00	-
3	ACT	A	804	-	1,3,3	0.38	0	0,3,3	0.00	-
3	ACT	A	805	-	1,3,3	3.58	1 (100%)	0,3,3	0.00	-
2	PCG	B	801	-	20,26,26	1.26	3 (15%)	21,41,41	2.71	10 (47%)
2	PCG	B	802	-	20,26,26	1.57	3 (15%)	21,41,41	2.57	9 (42%)
2	PCG	C	801	-	20,26,26	1.55	5 (25%)	21,41,41	2.56	8 (38%)
2	PCG	C	802	-	20,26,26	1.83	4 (20%)	21,41,41	2.56	9 (42%)
4	GOL	C	803	-	5,5,5	0.36	0	5,5,5	0.50	0
4	GOL	C	804	-	5,5,5	0.39	0	5,5,5	0.87	0
3	ACT	C	805	-	1,3,3	1.20	0	0,3,3	0.00	-
2	PCG	D	801	-	20,26,26	1.65	3 (15%)	21,41,41	2.51	7 (33%)
2	PCG	D	802	-	20,26,26	1.60	4 (20%)	21,41,41	2.35	8 (38%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PCG	A	801	-	-	0/0/31/31	0/4/4/4
2	PCG	A	802	-	-	0/0/31/31	0/4/4/4
3	ACT	A	803	-	-	0/0/0/0	0/0/0/0
3	ACT	A	804	-	-	0/0/0/0	0/0/0/0
3	ACT	A	805	-	-	0/0/0/0	0/0/0/0
2	PCG	B	801	-	-	0/0/31/31	0/4/4/4
2	PCG	B	802	-	-	0/0/31/31	0/4/4/4
2	PCG	C	801	-	-	0/0/31/31	0/4/4/4
2	PCG	C	802	-	-	0/0/31/31	0/4/4/4
4	GOL	C	803	-	-	0/4/4/4	0/0/0/0
4	GOL	C	804	-	-	0/4/4/4	0/0/0/0
3	ACT	C	805	-	-	0/0/0/0	0/0/0/0
2	PCG	D	801	-	-	0/0/31/31	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PCG	D	802	-	-	0/0/31/31	0/4/4/4

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	801	PCG	O5'-C5'	-3.07	1.41	1.46
2	C	801	PCG	O3'-C3'	-2.57	1.40	1.44
2	B	801	PCG	O3'-C3'	-2.20	1.41	1.44
2	B	801	PCG	C5-C4	2.03	1.45	1.40
2	A	801	PCG	O4'-C1'	2.16	1.43	1.41
2	C	801	PCG	PA-O3'	2.26	1.61	1.58
2	C	801	PCG	C6-C5	2.29	1.45	1.41
2	B	802	PCG	PA-O3'	2.32	1.62	1.58
2	A	801	PCG	C5-C4	2.32	1.45	1.40
2	C	802	PCG	O4'-C1'	2.35	1.44	1.41
2	A	802	PCG	O4'-C1'	2.42	1.44	1.41
2	D	801	PCG	PA-O3'	2.48	1.62	1.58
2	D	802	PCG	O4'-C1'	2.56	1.44	1.41
2	D	802	PCG	PA-O3'	2.59	1.62	1.58
2	A	802	PCG	PA-O3'	2.61	1.62	1.58
2	B	801	PCG	C6-C5	2.64	1.46	1.41
2	C	801	PCG	C5-C4	2.99	1.47	1.40
2	C	802	PCG	PA-O3'	3.34	1.63	1.58
2	D	801	PCG	C5-C4	3.40	1.48	1.40
2	D	802	PCG	C5-C4	3.41	1.48	1.40
2	A	802	PCG	C6-C5	3.50	1.48	1.41
3	A	805	ACT	CH3-C	3.58	1.53	1.48
2	A	802	PCG	C5-C4	3.59	1.48	1.40
2	B	802	PCG	C5-C4	3.59	1.48	1.40
2	B	802	PCG	C6-C5	3.89	1.49	1.41
2	C	802	PCG	C5-C4	4.00	1.49	1.40
2	D	802	PCG	C6-C5	4.29	1.49	1.41
2	D	801	PCG	C6-C5	4.36	1.50	1.41
2	C	802	PCG	C6-C5	4.56	1.50	1.41

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	PCG	O3'-C3'-C4'	-7.68	104.59	110.72
2	C	801	PCG	O3'-C3'-C4'	-5.90	106.01	110.72
2	B	801	PCG	C4'-O4'-C1'	-5.78	103.37	109.72
2	B	802	PCG	O3'-C3'-C4'	-5.65	106.21	110.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	801	PCG	O3'-C3'-C4'	-5.09	106.66	110.72
2	D	801	PCG	C5-C6-N1	-4.80	117.02	123.59
2	C	801	PCG	C5-C6-N1	-4.68	117.18	123.59
2	B	802	PCG	C5-C6-N1	-4.54	117.39	123.59
2	A	801	PCG	N3-C2-N1	-4.45	120.67	127.44
2	C	802	PCG	C2'-C1'-N9	-4.43	107.52	114.29
2	B	801	PCG	O3'-C3'-C4'	-4.41	107.19	110.72
2	C	802	PCG	C5-C6-N1	-4.16	117.90	123.59
2	D	802	PCG	C5-C6-N1	-4.12	117.95	123.59
2	B	801	PCG	C5-C6-N1	-4.11	117.97	123.59
2	A	802	PCG	C6-C5-C4	-3.95	116.18	120.90
2	A	802	PCG	N3-C2-N1	-3.92	121.47	127.44
2	B	801	PCG	C2'-C1'-N9	-3.65	108.71	114.29
2	A	801	PCG	O5'-PA-O3'	-3.54	100.56	105.75
2	A	802	PCG	C4'-O4'-C1'	-3.49	105.88	109.72
2	C	801	PCG	C4'-O4'-C1'	-3.48	105.89	109.72
2	C	802	PCG	N3-C2-N1	-3.46	122.17	127.44
2	D	801	PCG	C4-C5-N7	-3.32	106.42	109.48
2	B	802	PCG	N3-C2-N1	-3.30	122.42	127.44
2	C	802	PCG	C6-C5-C4	-3.28	116.98	120.90
2	B	801	PCG	C4-C5-N7	-3.22	106.52	109.48
2	D	802	PCG	N3-C2-N1	-3.21	122.56	127.44
2	A	802	PCG	C5-C6-N1	-3.20	119.21	123.59
2	D	802	PCG	C4-C5-N7	-3.12	106.61	109.48
2	A	801	PCG	C6-C5-C4	-3.09	117.21	120.90
2	D	801	PCG	C6-C5-C4	-3.05	117.25	120.90
2	B	801	PCG	N3-C2-N1	-3.02	122.84	127.44
2	C	802	PCG	C4-C5-N7	-2.99	106.73	109.48
2	D	802	PCG	C6-C5-C4	-2.92	117.41	120.90
2	C	801	PCG	C6-C5-C4	-2.82	117.52	120.90
2	B	802	PCG	C6-C5-C4	-2.79	117.57	120.90
2	C	802	PCG	C4'-O4'-C1'	-2.78	106.66	109.72
2	A	801	PCG	C5-C6-N1	-2.72	119.86	123.59
2	C	801	PCG	N3-C2-N1	-2.65	123.42	127.44
2	D	801	PCG	N3-C2-N1	-2.62	123.45	127.44
2	A	801	PCG	C4'-O4'-C1'	-2.55	106.92	109.72
2	D	802	PCG	C4'-O4'-C1'	-2.48	106.99	109.72
2	B	802	PCG	C4-C5-N7	-2.43	107.25	109.48
2	C	801	PCG	C2'-C1'-N9	-2.32	110.75	114.29
2	B	801	PCG	O5'-PA-O3'	-2.26	102.44	105.75
2	B	802	PCG	C5'-C4'-C3'	-2.11	107.94	112.62
2	A	802	PCG	O2'-C2'-C3'	-2.07	105.17	111.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	802	PCG	C4'-O4'-C1'	-2.05	107.46	109.72
2	B	801	PCG	O4'-C4'-C5'	2.26	119.36	112.12
2	C	802	PCG	O3'-C3'-C4'	2.48	112.69	110.72
2	C	801	PCG	O1A-PA-O2A	3.32	119.39	108.80
2	B	802	PCG	O1A-PA-O2A	3.45	119.79	108.80
2	D	802	PCG	O4'-C1'-N9	3.51	115.45	108.10
2	B	801	PCG	O1A-PA-O2A	3.57	120.16	108.80
2	A	802	PCG	O1A-PA-O2A	3.76	120.77	108.80
2	B	801	PCG	C6-N1-C2	3.77	121.17	115.94
2	A	801	PCG	O1A-PA-O2A	3.83	121.01	108.80
2	D	802	PCG	O1A-PA-O2A	3.86	121.09	108.80
2	A	801	PCG	C6-N1-C2	4.06	121.57	115.94
2	C	802	PCG	O1A-PA-O2A	4.09	121.83	108.80
2	D	802	PCG	C6-N1-C2	4.58	122.30	115.94
2	C	801	PCG	C6-N1-C2	4.67	122.42	115.94
2	D	801	PCG	O1A-PA-O2A	4.69	123.73	108.80
2	D	801	PCG	C6-N1-C2	4.73	122.51	115.94
2	B	802	PCG	C6-N1-C2	4.87	122.70	115.94
2	C	802	PCG	C6-N1-C2	4.88	122.71	115.94
2	A	802	PCG	C6-N1-C2	5.11	123.04	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	PCG	1	0
3	A	803	ACT	2	0
3	A	804	ACT	3	0
2	B	801	PCG	1	0
2	B	802	PCG	1	0
2	C	801	PCG	1	0
4	C	804	GOL	3	0
2	D	802	PCG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	192/199 (96%)	-0.15	4 (2%) 67 68	13, 29, 61, 75	0
1	B	192/199 (96%)	-0.08	7 (3%) 46 46	14, 35, 68, 85	0
1	C	192/199 (96%)	-0.14	3 (1%) 74 75	14, 31, 58, 72	0
1	D	192/199 (96%)	0.01	4 (2%) 67 68	22, 41, 67, 78	0
All	All	768/796 (96%)	-0.09	18 (2%) 64 64	13, 34, 65, 85	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	521	ASP	5.5
1	C	713	ARG	4.3
1	B	708	LEU	2.9
1	B	598	ASN	2.8
1	D	598	ASN	2.7
1	B	645	LYS	2.6
1	B	597	ALA	2.6
1	C	521	ASP	2.6
1	B	646	GLY	2.5
1	D	593	MET	2.5
1	A	598	ASN	2.4
1	A	532	LYS	2.4
1	C	646	GLY	2.4
1	B	713	ARG	2.3
1	D	666	ARG	2.3
1	A	540	PHE	2.2
1	A	713	ARG	2.2
1	D	713	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	CSO	A	586	7/8	0.93	0.14	-	29,31,32,34	0
1	CSO	C	586	7/8	0.94	0.15	-	16,32,33,33	0
1	CSO	B	586	7/8	0.94	0.16	-	32,36,37,37	0
1	CSO	D	586	7/8	0.89	0.15	-	45,46,46,48	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	GOL	C	804	6/6	0.76	0.27	5.35	61,62,63,64	0
3	ACT	A	804	4/4	0.96	0.25	5.01	31,31,32,33	0
3	ACT	C	805	4/4	0.93	0.36	4.81	65,66,66,66	0
2	PCG	D	802	23/23	0.66	0.40	4.57	82,84,86,86	23
3	ACT	A	805	4/4	0.96	0.21	2.49	27,28,28,28	0
3	ACT	A	803	4/4	0.91	0.19	2.13	68,68,68,69	0
2	PCG	B	802	23/23	0.83	0.28	1.29	62,64,65,65	23
4	GOL	C	803	6/6	0.87	0.22	1.13	63,65,66,66	0
2	PCG	C	802	23/23	0.90	0.25	0.70	59,63,65,65	0
2	PCG	A	802	23/23	0.92	0.21	0.43	51,56,59,60	0
2	PCG	B	801	23/23	0.97	0.17	-0.14	17,24,29,32	0
2	PCG	C	801	23/23	0.98	0.16	-0.30	21,25,28,30	0
2	PCG	A	801	23/23	0.99	0.15	-0.37	12,17,20,21	0
2	PCG	D	801	23/23	0.98	0.15	-0.69	22,28,38,38	0

6.5 Other polymers [i](#)

There are no such residues in this entry.