



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:17 AM GMT

PDB ID : 3LJP  
Title : Crystal structure of choline oxidase V464A mutant  
Authors : Finnegan, S.; Agniswamy, J.; Weber, I.T.; Giovanni, G.  
Deposited on : 2010-01-26  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*



The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	546	 80% 14% ...
1	B	546	 83% 12% ..

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 8772 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Choline oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	530	Total	C	N	O	S	0	0	0
			4097	2544	737	792	24			
1	B	530	Total	C	N	O	S	0	0	0
			4097	2544	737	792	24			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	464	ALA	VAL	ENGINEERED	UNP Q7X2H8
B	464	ALA	VAL	ENGINEERED	UNP Q7X2H8

- Molecule 2 is DIHYDROFLAVINE-ADENINE DINUCLEOTIDE (three-letter code: FDA) (formula:  $C_{27}H_{35}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	240	Total	O	0	0
			240	240		
3	B	232	Total	O	0	0
			232	232		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Choline oxidase



#### • Molecule 1: Choline oxidase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	87.04Å 87.04Å 353.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.52 – 2.20 43.52 – 2.20	Depositor EDS
% Data completeness (in resolution range)	93.9 (43.52-2.20) 90.0 (43.52-2.20)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.50 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, $R_{free}$	0.165 , 0.227 0.169 , 0.228	Depositor DCC
$R_{free}$ test set	3439 reflections (5.71%)	DCC
Wilson B-factor (Å <sup>2</sup> )	21.9	Xtriage
Anisotropy	0.394	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 37.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 67739 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8772	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.68% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FDA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	1.20	15/4195 (0.4%)	1.02	16/5709 (0.3%)
1	B	1.20	12/4195 (0.3%)	1.01	17/5709 (0.3%)
All	All	1.20	27/8390 (0.3%)	1.01	33/11418 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	435	GLU	CD-OE1	7.32	1.33	1.25
1	B	405	TYR	CD2-CE2	6.95	1.49	1.39
1	A	175	GLU	CG-CD	6.42	1.61	1.51
1	B	435	GLU	CD-OE2	6.13	1.32	1.25
1	B	208	SER	CB-OG	5.95	1.50	1.42
1	A	465	TYR	CD2-CE2	5.93	1.48	1.39
1	A	479	GLU	CG-CD	5.88	1.60	1.51
1	A	451	GLU	CG-CD	5.73	1.60	1.51
1	B	456	TYR	CD1-CE1	5.69	1.47	1.39
1	B	175	GLU	CD-OE2	5.66	1.31	1.25
1	A	190	VAL	CB-CG2	5.43	1.64	1.52
1	A	435	GLU	CG-CD	5.39	1.60	1.51
1	A	168	VAL	CB-CG2	5.32	1.64	1.52
1	A	238	ASP	CB-CG	-5.31	1.40	1.51
1	A	426	GLU	CB-CG	5.29	1.62	1.52
1	A	465	TYR	CD1-CE1	5.27	1.47	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	452	GLU	CB-CG	5.25	1.62	1.52
1	A	477	GLU	CG-CD	5.25	1.59	1.51
1	B	104	ALA	CA-CB	5.21	1.63	1.52
1	B	175	GLU	CG-CD	5.20	1.59	1.51
1	A	133	TYR	CD1-CE1	5.20	1.47	1.39
1	B	263	ASN	CB-CG	5.15	1.62	1.51
1	A	79	GLU	CD-OE2	5.12	1.31	1.25
1	B	312	GLU	CD-OE2	5.11	1.31	1.25
1	B	28	VAL	CB-CG2	-5.10	1.42	1.52
1	A	324	VAL	CB-CG2	5.02	1.63	1.52
1	B	449	THR	CB-CG2	5.01	1.68	1.52

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	60	ARG	NE-CZ-NH1	9.43	125.02	120.30
1	A	458	ARG	NE-CZ-NH2	-9.32	115.64	120.30
1	A	238	ASP	CB-CG-OD1	-8.91	110.28	118.30
1	A	458	ARG	NE-CZ-NH1	8.58	124.59	120.30
1	B	415	ARG	NE-CZ-NH1	8.32	124.46	120.30
1	B	458	ARG	NE-CZ-NH1	7.70	124.15	120.30
1	A	60	ARG	NE-CZ-NH1	7.26	123.93	120.30
1	B	458	ARG	NE-CZ-NH2	-6.94	116.83	120.30
1	B	60	ARG	NE-CZ-NH2	-6.87	116.87	120.30
1	B	181	ARG	NE-CZ-NH2	-6.80	116.90	120.30
1	B	422	ARG	NE-CZ-NH2	-6.65	116.97	120.30
1	A	60	ARG	NE-CZ-NH2	-6.43	117.08	120.30
1	A	309	ASP	CB-CG-OD1	6.31	123.98	118.30
1	B	472	ARG	NE-CZ-NH1	-6.23	117.19	120.30
1	B	492	VAL	CG1-CB-CG2	6.17	120.76	110.90
1	A	86	ARG	NE-CZ-NH2	-6.13	117.23	120.30
1	A	86	ARG	NE-CZ-NH1	5.98	123.29	120.30
1	B	415	ARG	NE-CZ-NH2	-5.91	117.35	120.30
1	A	277	LEU	CB-CG-CD1	-5.61	101.46	111.00
1	B	207	ARG	NE-CZ-NH2	-5.61	117.50	120.30
1	B	201	ARG	NE-CZ-NH2	-5.53	117.53	120.30
1	B	492	VAL	CA-CB-CG1	5.53	119.19	110.90
1	A	99	HIS	CG-ND1-CE1	5.45	115.83	108.20
1	A	227	LEU	CB-CG-CD1	-5.32	101.96	111.00
1	B	35	ASP	CB-CG-OD1	5.32	123.09	118.30
1	B	43	VAL	CB-CA-C	-5.27	101.39	111.40
1	B	48	ASP	CB-CG-OD2	5.25	123.03	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	157	LEU	CB-CG-CD1	5.19	119.82	111.00
1	B	86	ARG	NE-CZ-NH2	-5.17	117.71	120.30
1	A	415	ARG	NE-CZ-NH2	-5.16	117.72	120.30
1	A	415	ARG	NE-CZ-NH1	5.15	122.88	120.30
1	A	202	ARG	NE-CZ-NH1	5.09	122.85	120.30
1	A	496	ARG	NE-CZ-NH2	-5.06	117.77	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	197	PHE	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4097	0	3931	53	0
1	B	4097	0	3931	36	0
2	A	53	0	32	6	0
2	B	53	0	32	8	0
3	A	240	0	0	6	0
3	B	232	0	0	1	0
All	All	8772	0	7926	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:227:LEU:N	1:A:227:LEU:HD12	1.72	1.04
1:A:506:HIS:HB3	3:A:570:HOH:O	1.80	0.82
1:A:100:ASN:HB2	2:A:547:FDA:C5X	2.15	0.77
1:B:225:THR:HG22	1:B:227:LEU:CD1	2.14	0.77

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:100:ASN:HB2	2:B:547:FDA:C5X	2.17	0.73
1:A:100:ASN:HB2	2:A:547:FDA:N5	2.02	0.73
1:B:100:ASN:HB2	2:B:547:FDA:N5	2.05	0.71
1:B:225:THR:HG22	1:B:227:LEU:HD11	1.71	0.70
1:B:227:LEU:HB3	1:B:230:LEU:HD12	1.73	0.70
1:B:288:HIS:HE1	1:B:390:LEU:H	1.41	0.69
1:B:79:GLU:OE1	1:B:404:ARG:NH1	2.21	0.69
1:A:227:LEU:H	1:A:227:LEU:HD12	1.55	0.67
1:B:329:GLN:NE2	1:B:331:TRP:H	1.93	0.66
1:B:195:ASN:HD22	1:B:196:PHE:H	1.41	0.65
1:A:79:GLU:HG3	1:A:407:THR:HG21	1.78	0.65
1:A:195:ASN:HD22	1:A:196:PHE:H	1.42	0.64
1:A:227:LEU:N	1:A:227:LEU:CD1	2.53	0.64
1:A:524:ASP:OD2	1:A:527:ARG:NH2	2.31	0.64
1:B:435:GLU:HG2	3:B:658:HOH:O	2.00	0.61
1:A:473:MET:HE2	1:A:487:LEU:HD21	1.82	0.60
1:B:329:GLN:HE22	1:B:331:TRP:H	1.48	0.60
1:A:80:ASN:OD1	1:A:458:ARG:HD3	2.02	0.60
1:A:329:GLN:NE2	1:A:331:TRP:H	2.01	0.59
1:A:241:ARG:HH11	1:A:241:ARG:HB2	1.68	0.58
1:A:271:ALA:HA	1:A:501:SER:HB3	1.85	0.58
1:A:79:GLU:HG2	3:A:548:HOH:O	2.03	0.57
1:A:455:ASP:OD1	1:A:458:ARG:NH2	2.39	0.56
1:A:350:MET:HE3	1:A:375:LEU:HB3	1.88	0.56
1:A:267:LEU:HD11	1:A:277:LEU:HD22	1.88	0.56
1:A:241:ARG:HH11	1:A:241:ARG:CG	2.19	0.55
1:B:486:GLU:OE1	1:B:488:ARG:NH2	2.40	0.55
1:A:486:GLU:O	1:A:487:LEU:HB2	2.07	0.55
1:B:225:THR:HG22	1:B:227:LEU:HD12	1.87	0.55
1:B:404:ARG:HG2	1:B:404:ARG:HH11	1.72	0.55
1:B:225:THR:CG2	1:B:227:LEU:HD11	2.36	0.54
1:A:79:GLU:HG3	1:A:407:THR:CG2	2.38	0.53
1:A:410:GLU:HG2	3:A:593:HOH:O	2.09	0.53
1:A:114:GLU:HG2	1:A:118:LYS:HD3	1.91	0.53
1:A:241:ARG:HH11	1:A:241:ARG:CB	2.24	0.51
1:A:202:ARG:HD3	3:A:634:HOH:O	2.10	0.51
1:A:100:ASN:CB	2:A:547:FDA:C5X	2.89	0.50
1:A:350:MET:CE	1:A:375:LEU:HD22	2.41	0.49
1:B:288:HIS:CE1	1:B:390:LEU:H	2.25	0.49
1:B:100:ASN:CB	2:B:547:FDA:C5X	2.91	0.48
1:B:367:PRO:HG3	1:B:439:ARG:NH2	2.28	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:339:THR:OG1	1:B:347:ASP:OD2	2.30	0.48
1:A:226:LEU:C	1:A:227:LEU:HD12	2.30	0.47
1:B:267:LEU:HD13	1:B:277:LEU:HD23	1.96	0.47
1:B:100:ASN:HB2	2:B:547:FDA:C4X	2.44	0.47
2:B:547:FDA:H9	2:B:547:FDA:H1'1	1.67	0.47
1:A:439:ARG:HD2	3:A:740:HOH:O	2.14	0.46
1:A:335:ILE:HD12	1:A:350:MET:HE2	1.96	0.46
1:A:288:HIS:O	1:A:291:GLU:HG3	2.16	0.46
1:A:386:GLY:HA2	1:A:404:ARG:HG3	1.97	0.46
1:A:305:GLU:O	1:A:470:THR:HA	2.16	0.45
1:A:329:GLN:HE22	1:A:331:TRP:C	2.19	0.45
1:B:216:HIS:N	1:B:217:PRO:CD	2.79	0.45
1:A:63:GLU:OE1	1:B:251:SER:HB2	2.16	0.45
1:A:100:ASN:HB2	2:A:547:FDA:C4X	2.46	0.45
1:A:350:MET:CE	1:A:375:LEU:HB3	2.46	0.45
1:B:133:TYR:O	1:B:137:GLU:HG2	2.16	0.45
1:B:38:VAL:O	1:B:223:ASN:HB2	2.17	0.45
1:A:238:ASP:HB3	1:A:240:ASP:H	1.82	0.44
1:A:38:VAL:O	1:A:223:ASN:HB2	2.17	0.44
1:B:251:SER:OG	1:B:252:ALA:N	2.50	0.44
1:A:386:GLY:HA3	1:A:402:ASP:O	2.18	0.44
1:A:337:THR:CG2	1:A:348:LEU:HD23	2.48	0.43
1:A:31:ARG:HE	1:A:520:GLU:CD	2.21	0.43
1:A:130:TRP:N	1:A:131:PRO:CD	2.81	0.43
1:B:238:ASP:OD2	1:B:240:ASP:HB2	2.19	0.43
1:B:468:VAL:HG12	1:B:500:ALA:HB1	2.00	0.43
1:B:484:ASP:HB2	1:B:485:PRO:CD	2.49	0.43
1:A:95:GLY:O	1:A:98:SER:HB2	2.20	0.42
1:A:58:LEU:HD13	1:A:102:CYS:SG	2.60	0.42
1:A:483:LEU:HD11	1:A:497:VAL:HB	2.02	0.42
1:A:329:GLN:HE22	1:A:331:TRP:H	1.67	0.42
2:A:547:FDA:H9	2:A:547:FDA:H1'1	1.81	0.42
1:A:30:ALA:HB2	1:A:214:TYR:HB3	2.02	0.42
1:B:124:TRP:CH2	1:B:521:ARG:HG2	2.54	0.41
1:A:241:ARG:CG	1:A:241:ARG:NH1	2.83	0.41
1:B:510:ASN:HB3	2:B:547:FDA:C2	2.50	0.41
1:A:337:THR:HG22	1:A:348:LEU:HD23	2.03	0.41
1:B:445:VAL:O	1:B:448:GLN:NE2	2.51	0.41
1:B:351:HIS:HB2	1:B:376:THR:OG1	2.21	0.41
1:B:195:ASN:HD22	1:B:196:PHE:N	2.15	0.41
1:A:157:LEU:HD22	1:A:200:ASN:HB3	2.02	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:22:GLY:HA3	2:A:547:FDA:O5B	2.21	0.41
1:A:476:VAL:HG13	3:A:710:HOH:O	2.20	0.41
2:B:547:FDA:HM71	2:B:547:FDA:HM83	1.68	0.40
1:B:99:HIS:NE2	2:B:547:FDA:HM71	2.28	0.40
1:B:346:PRO:HD2	1:B:508:THR:HG21	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	528/546 (97%)	507 (96%)	20 (4%)	1 (0%)	52	59
1	B	528/546 (97%)	504 (96%)	24 (4%)	0	100	100
All	All	1056/1092 (97%)	1011 (96%)	44 (4%)	1 (0%)	56	64

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	329	GLN

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	436/445 (98%)	413 (95%)	23 (5%)	28	32
1	B	436/445 (98%)	421 (97%)	15 (3%)	44	54
All	All	872/890 (98%)	834 (96%)	38 (4%)	35	42

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	SER
1	A	12	ARG
1	A	54	GLU
1	A	99	HIS
1	A	130	TRP
1	A	171	LEU
1	A	183	LYS
1	A	195	ASN
1	A	222	GLU
1	A	227	LEU
1	A	241	ARG
1	A	249	VAL
1	A	255	HIS
1	A	277	LEU
1	A	318	GLU
1	A	329	GLN
1	A	337	THR
1	A	415	ARG
1	A	463	THR
1	A	477	GLU
1	A	479	GLU
1	A	492	VAL
1	A	530	ARG
1	B	7	GLU
1	B	38	VAL
1	B	99	HIS
1	B	130	TRP
1	B	163	LYS
1	B	171	LEU
1	B	183	LYS
1	B	195	ASN
1	B	208	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	253	PHE
1	B	291	GLU
1	B	295	GLU
1	B	329	GLN
1	B	448	GLN
1	B	492	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	195	ASN
1	A	329	GLN
1	B	57	GLN
1	B	195	ASN
1	B	288	HIS
1	B	329	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	FDA	A	547	1	48,58,58	1.83	10 (20%)	54,89,89	3.25	17 (31%)
2	FDA	B	547	1	48,58,58	1.53	10 (20%)	54,89,89	3.44	17 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FDA	A	547	1	-	0/30/50/50	0/6/6/6
2	FDA	B	547	1	-	0/30/50/50	0/6/6/6

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	547	FDA	C9A-N10	-4.50	1.32	1.38
2	A	547	FDA	C6-C5X	-4.15	1.35	1.41
2	A	547	FDA	C8M-C8	-3.70	1.43	1.51
2	B	547	FDA	C9A-N10	-3.41	1.34	1.38
2	B	547	FDA	C6-C5X	-3.31	1.36	1.41
2	B	547	FDA	C5X-N5	-3.08	1.30	1.35
2	B	547	FDA	C8M-C8	-2.63	1.45	1.51
2	A	547	FDA	C10-N1	-2.44	1.31	1.35
2	A	547	FDA	C5X-N5	-2.40	1.31	1.35
2	A	547	FDA	C2'-C3'	-2.23	1.48	1.53
2	A	547	FDA	C4X-C10	-2.16	1.37	1.41
2	B	547	FDA	C9-C9A	2.31	1.45	1.40
2	B	547	FDA	C4X-N5	2.59	1.37	1.33
2	B	547	FDA	O4B-C1B	2.61	1.44	1.41
2	B	547	FDA	C8A-N7A	2.76	1.39	1.34
2	B	547	FDA	C4-C4X	2.95	1.47	1.41
2	A	547	FDA	C4-C4X	3.28	1.47	1.41
2	A	547	FDA	C4X-N5	3.73	1.39	1.33
2	B	547	FDA	O4-C4	4.31	1.35	1.24
2	A	547	FDA	O4-C4	5.37	1.37	1.24

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	547	FDA	N3A-C2A-N1A	-10.46	120.89	128.89
2	A	547	FDA	N3A-C2A-N1A	-9.56	121.57	128.89
2	A	547	FDA	C8M-C8-C7	-6.83	105.72	120.73

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	547	FDA	C6-C5X-C9A	-6.49	110.44	118.98
2	B	547	FDA	C8M-C8-C7	-6.46	106.54	120.73
2	A	547	FDA	C6-C7-C8	-6.27	108.08	120.04
2	B	547	FDA	C4-C4X-C10	-5.68	116.31	119.94
2	A	547	FDA	C6-C5X-C9A	-5.66	111.54	118.98
2	B	547	FDA	C6-C7-C8	-4.70	111.07	120.04
2	B	547	FDA	C4X-C4-N3	-4.13	117.95	123.59
2	A	547	FDA	C4X-C4-N3	-3.81	118.37	123.59
2	A	547	FDA	C4-C4X-C10	-3.55	117.67	119.94
2	B	547	FDA	C4X-C10-N10	-3.45	118.49	120.52
2	A	547	FDA	C1B-N9A-C4A	-3.42	121.78	126.94
2	A	547	FDA	C4A-C5A-N7A	-3.02	106.70	109.48
2	A	547	FDA	P-O3P-PA	-2.45	125.84	132.73
2	B	547	FDA	O2'-C2'-C1'	-2.31	104.28	109.94
2	B	547	FDA	C1B-N9A-C4A	-2.16	123.69	126.94
2	A	547	FDA	O2'-C2'-C1'	-2.05	104.90	109.94
2	B	547	FDA	O2P-P-O1P	2.04	123.56	112.53
2	B	547	FDA	C7M-C7-C6	2.53	127.17	120.28
2	B	547	FDA	C1'-N10-C9A	2.75	121.94	118.86
2	A	547	FDA	C7M-C7-C6	3.26	129.12	120.28
2	A	547	FDA	C8M-C8-C9	4.17	131.62	120.28
2	B	547	FDA	C8M-C8-C9	4.18	131.64	120.28
2	A	547	FDA	C1'-N10-C9A	4.43	123.84	118.86
2	A	547	FDA	C5X-C9A-N10	5.66	121.92	117.62
2	A	547	FDA	C4-N3-C2	6.11	120.53	115.25
2	A	547	FDA	C6-C5X-N5	6.77	127.67	118.96
2	B	547	FDA	C5X-C9A-N10	7.16	123.06	117.62
2	B	547	FDA	C6-C5X-N5	8.10	129.38	118.96
2	B	547	FDA	C4-N3-C2	9.16	123.16	115.25
2	B	547	FDA	C7-C6-C5X	9.23	136.00	120.92
2	A	547	FDA	C7-C6-C5X	10.28	137.72	120.92

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	547	FDA	6	0
2	B	547	FDA	8	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	530/546 (97%)	-0.65	0	100   100	10, 17, 31, 50	0
1	B	530/546 (97%)	-0.63	2 (0%)	93   93	11, 17, 31, 48	1 (0%)
All	All	1060/1092 (97%)	-0.64	2 (0%)	95   95	10, 17, 31, 50	1 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	253	PHE	2.4
1	B	446	GLU	2.4

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	FDA	A	547	53/53	0.97	0.10	-0.11	4,14,19,20	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	FDA	B	547	53/53	0.98	0.10	-0.55	8,14,17,21	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.