



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:20 AM GMT

PDB ID : 3LOK  
Title : Drug resistant cSrc kinase domain in complex with covalent inhibitor PD168393  
Authors : Gruetter, C.; Rode, H.B.; Rauh, D.  
Deposited on : 2010-02-04  
Resolution : 2.48 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk26765  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4309 (2.50-2.46)
Clashscore	102246	5050 (2.50-2.46)
Ramachandran outliers	100387	4961 (2.50-2.46)
Sidechain outliers	100360	4963 (2.50-2.46)
RSRZ outliers	91569	4319 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	<div> <div>12%</div> <div> <div></div> <div>61%</div> <div>22%</div> <div>• •</div> <div>13%</div> </div> </div>
1	B	286	<div> <div>5%</div> <div> <div></div> <div>57%</div> <div>23%</div> <div>• •</div> <div>15%</div> </div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4018 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proto-oncogene tyrosine-protein kinase Src.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	248	Total	C	N	O	S	0	0	0
			1964	1260	328	359	17			
1	B	242	Total	C	N	O	S	0	2	0
			1945	1249	326	353	17			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	248	GLY	-	EXPRESSION TAG	UNP P00523
A	249	HIS	-	EXPRESSION TAG	UNP P00523
A	250	MET	-	EXPRESSION TAG	UNP P00523
A	338	MET	THR	ENGINEERED MUTATION	UNP P00523
A	345	CYS	SER	ENGINEERED MUTATION	UNP P00523
B	248	GLY	-	EXPRESSION TAG	UNP P00523
B	249	HIS	-	EXPRESSION TAG	UNP P00523
B	250	MET	-	EXPRESSION TAG	UNP P00523
B	338	MET	THR	ENGINEERED MUTATION	UNP P00523
B	345	CYS	SER	ENGINEERED MUTATION	UNP P00523

- Molecule 2 is N-[4-(3-BROMO-PHENYLAMINO)-QUINAZOLIN-6-YL]-ACRYLAMIDE (three-letter code: DJK) (formula: C<sub>17</sub>H<sub>13</sub>BrN<sub>4</sub>O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	Br	C	N	O	0	0
			23	1	17	4	1		
2	B	1	Total	Br	C	N	O	0	0
			23	1	17	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	38	Total	O	0	0
			38	38		
3	B	25	Total	O	0	0
			25	25		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proto-oncogene tyrosine-protein kinase Src



- Molecule 1: Proto-oncogene tyrosine-protein kinase Src



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	42.09Å 63.26Å 74.22Å 78.49° 88.33° 90.00°	Depositor
Resolution (Å)	52.63 – 2.48 24.27 – 2.48	Depositor EDS
% Data completeness (in resolution range)	93.6 (52.63-2.48) 87.3 (24.27-2.48)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.17 (at 2.47Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.221 , 0.286 0.223 , 0.288	Depositor DCC
$R_{free}$ test set	1268 reflections (5.38%)	DCC
Wilson B-factor (Å <sup>2</sup> )	31.6	Xtriage
Anisotropy	0.140	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 46.0	EDS
Estimated twinning fraction	0.031 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 24836 reflections	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	4018	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.58% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DJK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.91	2/2009 (0.1%)	0.89	3/2722 (0.1%)
1	B	0.88	0/1996	0.94	4/2701 (0.1%)
All	All	0.90	2/4005 (0.0%)	0.92	7/5423 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	7
All	All	0	11

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	394	VAL	CB-CG1	-5.37	1.41	1.52
1	A	470	GLU	CG-CD	5.09	1.59	1.51

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	397	ASN	O-C-N	-7.49	110.71	122.70
1	B	506	ARG	NE-CZ-NH1	6.89	123.75	120.30
1	B	397	ASN	C-N-CA	6.29	137.42	121.70
1	B	396	GLU	O-C-N	5.90	132.14	122.70
1	A	347	LEU	CB-CG-CD2	5.35	120.09	111.00
1	A	394	VAL	CB-CA-C	-5.29	101.35	111.40
1	A	347	LEU	CA-CB-CG	5.11	127.05	115.30

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	273	LEU	Peptide
1	A	406	GLY	Peptide
1	A	407	LEU	Peptide
1	A	409	ARG	Peptide
1	B	288	GLY	Peptide
1	B	314	MET	Peptide
1	B	315	LYS	Peptide
1	B	401	LYS	Peptide
1	B	402	VAL	Peptide
1	B	403	ALA	Peptide
1	B	404	ASP	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1964	0	1914	53	0
1	B	1945	0	1916	70	0
2	A	23	0	12	1	0
2	B	23	0	12	4	0
3	A	38	0	0	1	0
3	B	25	0	0	2	0
All	All	4018	0	3854	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:314:MET:HA	1:B:315:LYS:CG	1.63	1.28
1:B:314:MET:CA	1:B:315:LYS:CG	2.20	1.17
1:A:338:MET:HB2	2:A:1345:DJK:BR	2.07	1.09
1:B:404:ASP:HA	1:B:405:PHE:CD1	1.98	0.98

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:405:PHE:CD2	1:B:407:LEU:HD13	2.00	0.96
1:B:314:MET:CB	1:B:315:LYS:CG	2.44	0.95
1:B:273:LEU:H	1:B:274:GLY:HA3	1.35	0.90
1:A:283:MET:HG3	1:A:284:GLY:N	1.95	0.82
1:B:315:LYS:HB2	1:B:317:LEU:HB2	1.64	0.78
1:B:404:ASP:HB3	1:B:405:PHE:CE1	2.21	0.75
1:A:383:VAL:HG12	1:A:385:ARG:HG3	1.68	0.74
1:B:322:LEU:HA	1:B:402:VAL:O	1.86	0.74
1:A:494:LEU:HD13	1:A:515:PHE:CE1	2.22	0.74
1:A:405:PHE:O	1:A:408:ALA:HB2	1.88	0.73
1:A:388:ARG:HB3	1:A:428:TRP:CD1	2.22	0.73
1:A:502:ASP:O	1:A:504:GLU:N	2.21	0.72
1:A:313:VAL:HG12	1:A:382:TYR:HE2	1.53	0.72
1:A:355:GLY:HA3	3:A:4:HOH:O	1.90	0.72
1:B:405:PHE:HD2	1:B:407:LEU:HD13	1.50	0.71
1:B:460[A]:ARG:HH22	1:B:464:PRO:HB3	1.57	0.69
1:B:273:LEU:N	1:B:274:GLY:HA3	2.03	0.68
1:B:264:ARG:HH22	1:B:332:GLU:H	1.41	0.68
1:B:315:LYS:CB	1:B:317:LEU:HB2	2.24	0.67
1:A:362:GLN:O	1:A:366:MET:HG3	1.96	0.66
1:B:314:MET:C	1:B:315:LYS:CG	2.64	0.65
1:B:329:VAL:HB	1:B:335:TYR:HB2	1.79	0.64
1:B:403:ALA:HB3	1:B:405:PHE:HD1	1.63	0.64
1:A:347:LEU:HD22	1:A:351:LYS:HD3	1.79	0.63
1:B:426:ILE:HD13	1:B:472:LEU:HG	1.79	0.63
1:B:403:ALA:HB1	1:B:405:PHE:HA	1.81	0.62
1:B:344:GLY:HA2	2:B:1345:DJK:C17	2.30	0.61
1:A:347:LEU:O	1:A:351:LYS:HG2	1.99	0.61
1:A:405:PHE:O	1:A:406:GLY:C	2.38	0.61
1:A:280:GLU:OE1	1:A:282:TRP:NE1	2.29	0.61
1:A:366:MET:CE	1:A:400:CYS:SG	2.88	0.60
1:A:479:TYR:O	1:A:480:ARG:HD3	2.01	0.60
1:B:323:VAL:HG23	1:B:339:GLU:HB3	1.84	0.59
1:A:501:LYS:O	1:A:503:PRO:HD3	2.01	0.59
1:B:314:MET:HB2	1:B:315:LYS:CG	2.31	0.58
1:B:323:VAL:CG1	1:B:403:ALA:H	2.16	0.58
1:A:385:ARG:NE	1:A:407:LEU:O	2.36	0.58
1:A:388:ARG:CB	1:A:428:TRP:CD1	2.86	0.58
1:A:283:MET:HG3	1:A:284:GLY:H	1.67	0.58
1:B:388:ARG:HB3	1:B:428:TRP:CD1	2.39	0.57
1:B:404:ASP:CA	1:B:405:PHE:CD1	2.84	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:260:TRP:CE3	1:B:260:TRP:HA	2.39	0.57
1:A:313:VAL:HG12	1:A:382:TYR:CE2	2.38	0.57
1:B:260:TRP:HE3	1:B:260:TRP:HA	1.70	0.57
1:A:366:MET:HE3	1:A:400:CYS:SG	2.46	0.56
1:A:385:ARG:HD3	1:A:407:LEU:O	2.06	0.56
1:A:311:ALA:HB1	1:A:314:MET:SD	2.46	0.56
1:A:366:MET:HE2	1:A:400:CYS:SG	2.46	0.56
1:A:467:VAL:CG1	1:A:468:ASN:N	2.68	0.55
1:A:385:ARG:CD	1:A:407:LEU:O	2.55	0.55
1:B:262:ILE:HG12	1:B:327:ALA:HB1	1.89	0.54
1:B:384:HIS:O	1:B:385:ARG:HB2	2.08	0.54
1:B:405:PHE:HE2	1:B:407:LEU:HD22	1.73	0.53
1:B:354:MET:O	1:B:355:GLY:C	2.47	0.53
1:B:386:ASP:OD1	1:B:388:ARG:NE	2.38	0.52
1:B:314:MET:HB3	1:B:315:LYS:CG	2.37	0.52
1:B:403:ALA:CB	1:B:405:PHE:HD1	2.22	0.52
1:B:314:MET:HG2	1:B:407:LEU:HD11	1.92	0.51
1:A:520:PHE:O	1:A:525:PRO:HA	2.11	0.51
1:A:356:LYS:O	1:A:359:ARG:NH2	2.44	0.51
1:B:329:VAL:O	1:B:334:ILE:HG23	2.11	0.51
1:B:403:ALA:HB1	1:B:404:ASP:HA	1.93	0.49
1:A:405:PHE:O	1:A:408:ALA:CB	2.59	0.49
1:B:263:PRO:O	1:B:266:SER:OG	2.29	0.49
1:A:280:GLU:HG2	1:A:296:THR:OG1	2.13	0.49
1:A:264:ARG:NH2	1:A:333:PRO:O	2.45	0.49
1:B:370:ILE:HG12	1:B:392:ILE:HD12	1.94	0.49
1:A:383:VAL:CG1	1:A:385:ARG:HG3	2.40	0.49
1:B:274:GLY:HA2	1:B:281:VAL:HB	1.94	0.48
1:B:518:ASP:O	1:B:519:TYR:C	2.51	0.48
1:A:442:LYS:HD2	1:A:503:PRO:O	2.14	0.48
1:A:321:LYS:HA	1:A:401:LYS:HG2	1.95	0.48
1:A:339:GLU:OE2	1:A:401:LYS:NZ	2.31	0.48
1:A:265:GLU:H	1:A:265:GLU:CD	2.16	0.48
1:A:355:GLY:O	1:A:458:LYS:HE2	2.14	0.48
1:B:386:ASP:CG	1:B:388:ARG:HE	2.17	0.47
1:B:403:ALA:HB1	1:B:405:PHE:CA	2.44	0.47
1:B:264:ARG:NH2	1:B:332:GLU:H	2.11	0.47
1:B:367:ALA:HB2	1:B:455:LEU:CD1	2.45	0.47
1:B:258:ASP:OD2	1:B:258:ASP:N	2.49	0.46
1:A:432:GLU:HG2	1:A:433:ALA:N	2.30	0.46
1:B:317:LEU:HD22	1:B:376:TYR:HE2	1.82	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:394:VAL:HG12	1:A:395:GLY:N	2.32	0.45
1:A:387:LEU:O	1:A:447:SER:HB3	2.16	0.45
1:A:432:GLU:OE2	1:A:506:ARG:NH2	2.50	0.44
1:A:446:TRP:CE3	1:A:499:TRP:HA	2.52	0.44
2:B:1345:DJK:C19	3:B:1:HOH:O	2.66	0.44
1:B:404:ASP:HA	1:B:405:PHE:CG	2.49	0.44
1:A:509:PHE:HA	1:A:512:LEU:HD12	1.99	0.44
1:B:283:MET:HG3	1:B:284:GLY:N	2.32	0.43
1:B:467:VAL:H	1:B:470:GLU:HG3	1.84	0.43
1:B:404:ASP:OD2	1:B:404:ASP:N	2.52	0.43
1:B:472:LEU:HA	1:B:472:LEU:HD23	1.85	0.43
1:B:283:MET:SD	1:B:291:ARG:NH1	2.92	0.43
1:A:329:VAL:O	1:A:334:ILE:HG23	2.18	0.43
1:B:269:LEU:HD12	1:B:269:LEU:N	2.33	0.43
1:B:460[A]:ARG:CZ	1:B:460[A]:ARG:HB3	2.47	0.43
1:B:323:VAL:CG1	1:B:403:ALA:N	2.80	0.43
1:A:343:LYS:HB2	1:A:394:VAL:HB	2.00	0.43
1:B:511:TYR:CD2	1:B:511:TYR:C	2.92	0.42
1:B:258:ASP:CG	1:B:260:TRP:HB2	2.39	0.42
1:B:494:LEU:HD22	1:B:515:PHE:CE1	2.54	0.42
1:B:426:ILE:O	1:B:426:ILE:HD12	2.20	0.42
1:A:502:ASP:O	1:A:503:PRO:C	2.57	0.42
1:B:332:GLU:HA	1:B:333:PRO:HA	1.96	0.42
1:B:404:ASP:HB3	2:B:1345:DJK:H21	2.01	0.41
1:A:405:PHE:O	1:A:407:LEU:N	2.53	0.41
1:B:279:GLY:HA2	1:B:296:THR:O	2.20	0.41
1:A:334:ILE:C	1:A:335:TYR:HD1	2.23	0.41
1:A:502:ASP:C	1:A:504:GLU:H	2.24	0.41
1:B:405:PHE:CE2	1:B:407:LEU:HD13	2.52	0.41
1:A:494:LEU:HD13	1:A:515:PHE:CD1	2.55	0.41
1:B:349:PHE:CZ	1:B:354:MET:HG3	2.56	0.41
1:A:528:GLN:HG3	1:A:529:PRO:HD2	2.03	0.41
1:B:258:ASP:C	1:B:260:TRP:H	2.24	0.41
1:B:502:ASP:O	1:B:504:GLU:N	2.53	0.41
1:B:482:PRO:O	1:B:484:PRO:HD3	2.20	0.41
1:A:384:HIS:O	1:A:385:ARG:HB2	2.22	0.40
1:B:432:GLU:OE2	1:B:506:ARG:NH2	2.52	0.40
2:B:1345:DJK:H13	3:B:34:HOH:O	2.21	0.40
1:B:426:ILE:CD1	1:B:472:LEU:HG	2.50	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	240/286 (84%)	221 (92%)	17 (7%)	2 (1%)	24	39
1	B	236/286 (82%)	213 (90%)	21 (9%)	2 (1%)	24	39
All	All	476/572 (83%)	434 (91%)	38 (8%)	4 (1%)	24	39

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	406	GLY
1	B	315	LYS
1	B	355	GLY
1	A	503	PRO

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	205/245 (84%)	189 (92%)	16 (8%)	16	27
1	B	206/245 (84%)	184 (89%)	22 (11%)	8	14
All	All	411/490 (84%)	373 (91%)	38 (9%)	12	20

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	283	MET
1	A	289	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	297	LEU
1	A	312	GLN
1	A	314	MET
1	A	338	MET
1	A	347	LEU
1	A	351	LYS
1	A	359	ARG
1	A	404	ASP
1	A	469	ARG
1	A	477	ARG
1	A	489	GLU
1	A	502	ASP
1	A	503	PRO
1	A	528	GLN
1	B	260	TRP
1	B	290	THR
1	B	298	LYS
1	B	314	MET
1	B	317	LEU
1	B	323	VAL
1	B	328	VAL
1	B	330	SER
1	B	331	GLU
1	B	356	LYS
1	B	360	LEU
1	B	404	ASP
1	B	405	PHE
1	B	426	ILE
1	B	451	LEU
1	B	460[A]	ARG
1	B	460[B]	ARG
1	B	467	VAL
1	B	469	ARG
1	B	493	ASP
1	B	505	GLU
1	B	510	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	312	GLN
1	A	497	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	DJK	A	1345	1	25,25,25	1.61	3 (12%)	33,34,34	4.17	9 (27%)
2	DJK	B	1345	1	25,25,25	1.81	5 (20%)	33,34,34	4.12	14 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DJK	A	1345	1	-	1/10/10/10	0/3/3/3
2	DJK	B	1345	1	-	0/10/10/10	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1345	DJK	C6-C7	-4.18	1.39	1.44

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1345	DJK	C6-C7	-2.91	1.41	1.44
2	B	1345	DJK	C9-N11	-2.12	1.37	1.41
2	B	1345	DJK	C11-C10	2.54	1.53	1.48
2	B	1345	DJK	C6-N3	2.63	1.38	1.34
2	A	1345	DJK	C6-N3	3.29	1.39	1.34
2	A	1345	DJK	C51-C11	4.53	1.52	1.30
2	B	1345	DJK	C51-C11	4.80	1.54	1.30

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1345	DJK	N2-C19-N3	-13.13	118.84	128.89
2	A	1345	DJK	C51-C11-C10	-12.06	110.56	122.45
2	B	1345	DJK	C8-C7-C6	-10.76	119.15	124.89
2	B	1345	DJK	N2-C19-N3	-10.63	120.75	128.89
2	B	1345	DJK	C51-C11-C10	-6.22	116.33	122.45
2	B	1345	DJK	C7-C6-N1	-5.40	114.93	119.63
2	B	1345	DJK	C7-C6-N3	-5.04	117.86	121.46
2	A	1345	DJK	C8-C7-C6	-4.63	122.42	124.89
2	A	1345	DJK	C7-C6-N3	-4.38	118.33	121.46
2	B	1345	DJK	O61-C10-N11	-2.36	119.97	122.95
2	B	1345	DJK	C7-C18-N2	-2.35	120.38	122.88
2	B	1345	DJK	C5-C4-C3	2.03	120.79	118.74
2	B	1345	DJK	C8-C7-C18	2.14	121.67	118.94
2	B	1345	DJK	BR-C3-C22	2.86	123.81	119.28
2	A	1345	DJK	C5-C4-C3	3.20	121.97	118.74
2	A	1345	DJK	C9-N11-C10	4.03	134.27	128.37
2	A	1345	DJK	N1-C6-N3	4.79	123.39	118.85
2	B	1345	DJK	C19-N2-C18	5.13	119.93	115.19
2	B	1345	DJK	C6-C7-C18	5.99	119.18	115.77
2	A	1345	DJK	C19-N2-C18	6.25	120.96	115.19
2	B	1345	DJK	C19-N3-C6	7.51	121.89	116.48
2	B	1345	DJK	N1-C6-N3	8.82	127.20	118.85
2	A	1345	DJK	C19-N3-C6	10.15	123.79	116.48

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1345	DJK	C51-C11-C10-N11

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1345	DJK	1	0
2	B	1345	DJK	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	248/286 (86%)	0.53	34 (13%) 4 4	14, 27, 72, 76	2 (0%)
1	B	242/286 (84%)	0.29	14 (5%) 26 30	10, 28, 59, 66	2 (0%)
All	All	490/572 (85%)	0.41	48 (9%) 10 10	10, 27, 67, 76	4 (0%)

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	407	LEU	6.3
1	A	278	PHE	6.2
1	A	409	ARG	5.0
1	A	408	ALA	4.7
1	A	331	GLU	4.4
1	A	271	VAL	4.0
1	B	276	GLY	3.9
1	B	334	ILE	3.5
1	A	410	LEU	3.5
1	B	297	LEU	3.4
1	B	259	ALA	3.3
1	A	289	THR	3.2
1	B	275	GLN	3.2
1	B	331	GLU	3.2
1	A	273	LEU	3.1
1	B	451	LEU	3.1
1	A	288	GLY	3.1
1	A	334	ILE	3.0
1	A	265	GLU	3.0
1	A	330	SER	3.0
1	A	452	LEU	2.9
1	B	452	LEU	2.8
1	A	310	GLU	2.8
1	B	271	VAL	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	451	LEU	2.7
1	A	287	ASN	2.6
1	A	312	GLN	2.6
1	A	332	GLU	2.6
1	A	293	ALA	2.5
1	A	448	PHE	2.4
1	B	467	VAL	2.4
1	A	311	ALA	2.4
1	A	297	LEU	2.3
1	B	330	SER	2.3
1	A	329	VAL	2.3
1	A	526	GLN	2.3
1	B	526	GLN	2.3
1	A	290	THR	2.2
1	A	406	GLY	2.2
1	A	477	ARG	2.2
1	B	407	LEU	2.2
1	A	333	PRO	2.2
1	A	397	ASN	2.2
1	A	467	VAL	2.1
1	A	296	THR	2.1
1	B	298	LYS	2.1
1	A	279	GLY	2.0
1	A	449	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	DJK	B	1345	23/23	0.84	0.25	1.84	39,64,69,70	1
2	DJK	A	1345	23/23	0.81	0.24	0.96	34,57,61,61	1

## 6.5 Other polymers [i](#)

There are no such residues in this entry.