



Full wwPDB NMR Structure Validation Report ⓘ

Apr 27, 2016 – 01:32 AM BST

PDB ID : 2LRP
Title : Solution structure, dynamics and binding studies of CtCBM11
Authors : Viegas, A.; Cabrita, E.J.
Deposited on : 2012-04-11

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 81%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	172	<div> <div></div> <div>83%</div> <div>12%</div> <div>• 5%</div> </div>

2 Ensemble composition and analysis

This entry contains 20 models. Model 2 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *closest to the average*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:6-A:169 (164)	0.81	2

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 3 single-model clusters were found.

Cluster number	Models
1	1, 2, 4, 6, 7, 8, 9, 11, 13, 16, 20
2	3, 5
3	18, 19
4	12, 17
Single-model clusters	10; 14; 15

3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2613 atoms, of which 1276 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Endoglucanase H.

Mol	Chain	Residues	Atoms						Trace
1	A	172	Total	C	H	N	O	S	0
			2611	846	1276	216	267	6	

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	EXPRESSION TAG	UNP P16218
A	2	ALA	-	EXPRESSION TAG	UNP P16218
A	3	SER	-	EXPRESSION TAG	UNP P16218
A	171	LEU	-	EXPRESSION TAG	UNP P16218
A	172	GLU	-	EXPRESSION TAG	UNP P16218

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	
2	A	2	Total	Ca
			2	2

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Endoglucanase H




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: Endoglucanase H




4.2.2 Score per residue for model 2 (medoid)

- Molecule 1: Endoglucanase H




4.2.3 Score per residue for model 3

- Molecule 1: Endoglucanase H




4.2.4 Score per residue for model 4

- Molecule 1: Endoglucanase H




4.2.5 Score per residue for model 5

- Molecule 1: Endoglucanase H




4.2.6 Score per residue for model 6

- Molecule 1: Endoglucanase H



4.2.7 Score per residue for model 7

- Molecule 1: Endoglucanase H





4.2.8 Score per residue for model 8

- Molecule 1: Endoglucanase H


Chain A: 80% 13% 5%



4.2.9 Score per residue for model 9

- Molecule 1: Endoglucanase H



Chain A: 80% 12% 5%



4.2.10 Score per residue for model 10

- Molecule 1: Endoglucanase H

Chain A: 75% 17% 5%



4.2.11 Score per residue for model 11


- Molecule 1: Endoglucanase H

Chain A: 81% 12% 5%




4.2.12 Score per residue for model 12

- Molecule 1: Endoglucanase H




4.2.13 Score per residue for model 13

- Molecule 1: Endoglucanase H




4.2.14 Score per residue for model 14

- Molecule 1: Endoglucanase H




4.2.15 Score per residue for model 15

- Molecule 1: Endoglucanase H



4.2.16 Score per residue for model 16

- Molecule 1: Endoglucanase H






4.2.17 Score per residue for model 17

- Molecule 1: Endoglucanase H

Chain A: 77% 15% 5%



4.2.18 Score per residue for model 18

- Molecule 1: Endoglucanase H

Chain A: 81% 11% 5%



4.2.19 Score per residue for model 19

- Molecule 1: Endoglucanase H


Chain A: 81% 10% 5%



4.2.20 Score per residue for model 20

- Molecule 1: Endoglucanase H

Chain A: 77% 12% 5% 5%



5 Refinement protocol and experimental data overview

The models were refined using the following method: *molecular dynamics*.

Of the 20 calculated structures, 20 were deposited, based on the following criterion: *target function*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure solution	2.1
AMBER	refinement	9.0

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	2lrp_cs.str
Number of chemical shift lists	1
Total number of shifts	1790
Number of shifts mapped to atoms	1790
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	81%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality ⓘ

6.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.74±0.01	0±0/1314 (0.0±0.0%)	1.23±0.05	11±3/1778 (0.6±0.2%)
All	All	0.74	0/26280 (0.0%)	1.23	221/35560 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	5.2±1.7
All	All	0	104

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	65	TRP	CD1-CG-CD2	-18.07	91.84	106.30	4	2
1	A	113	TRP	CB-CG-CD1	-12.25	111.07	127.00	20	8
1	A	65	TRP	NE1-CE2-CD2	-11.87	95.44	107.30	4	1
1	A	113	TRP	CD1-CG-CD2	-10.70	97.74	106.30	20	1
1	A	113	TRP	CG-CD1-NE1	-10.26	99.84	110.10	20	1
1	A	126	ARG	NE-CZ-NH1	10.03	125.31	120.30	10	18
1	A	54	TRP	CD1-CG-CD2	-9.80	98.46	106.30	10	15
1	A	125	ARG	NE-CZ-NH1	9.46	125.03	120.30	17	16
1	A	65	TRP	CG-CD2-CE3	-8.65	126.11	133.90	4	1
1	A	124	ARG	NE-CZ-NH1	8.64	124.62	120.30	4	15
1	A	113	TRP	CB-CG-CD2	8.52	137.67	126.60	11	9
1	A	105	TYR	CB-CG-CD2	-8.15	116.11	121.00	16	6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	86	ARG	NE-CZ-NH1	7.90	124.25	120.30	11	16
1	A	135	ASP	CB-CG-OD1	7.84	125.36	118.30	5	6
1	A	54	TRP	CE2-CD2-CG	7.82	113.56	107.30	10	3
1	A	91	GLU	OE1-CD-OE2	-7.77	113.97	123.30	3	20
1	A	113	TRP	NE1-CE2-CZ2	7.35	138.48	130.40	20	1
1	A	54	TRP	CG-CD2-CE3	-7.34	127.29	133.90	10	3
1	A	65	TRP	NE1-CE2-CZ2	-7.32	122.35	130.40	4	1
1	A	57	VAL	CA-CB-CG2	7.27	121.81	110.90	3	5
1	A	113	TRP	NE1-CE2-CD2	-7.27	100.03	107.30	20	1
1	A	54	TRP	CB-CG-CD2	7.25	136.03	126.60	8	8
1	A	152	TYR	CB-CG-CD2	-7.25	116.65	121.00	5	2
1	A	113	TRP	CB-CA-C	7.04	124.47	110.40	10	6
1	A	14	GLU	OE1-CD-OE2	-6.77	115.18	123.30	7	2
1	A	58	TYR	CB-CG-CD2	-6.69	116.98	121.00	7	4
1	A	54	TRP	NE1-CE2-CD2	-6.23	101.07	107.30	10	8
1	A	125	ARG	NE-CZ-NH2	-6.21	117.19	120.30	11	2
1	A	135	ASP	CB-CG-OD2	6.13	123.82	118.30	15	3
1	A	163	ASP	CB-CG-OD1	5.93	123.63	118.30	10	3
1	A	105	TYR	CB-CG-CD1	5.74	124.44	121.00	16	4
1	A	113	TRP	N-CA-CB	-5.73	100.29	110.60	8	4
1	A	12	ASP	C-N-CA	5.66	135.85	121.70	10	1
1	A	54	TRP	NE1-CE2-CZ2	5.61	136.57	130.40	2	3
1	A	76	LYS	CG-CD-CE	5.60	128.70	111.90	14	1
1	A	12	ASP	CB-CG-OD2	5.51	123.26	118.30	4	1
1	A	152	TYR	CA-CB-CG	5.49	123.83	113.40	3	1
1	A	54	TRP	CA-CB-CG	5.44	124.04	113.70	9	1
1	A	13	PHE	CB-CG-CD2	-5.43	117.00	120.80	10	1
1	A	54	TRP	CB-CG-CD1	-5.35	120.04	127.00	8	1
1	A	74	ASP	CB-CA-C	5.31	121.02	110.40	14	1
1	A	152	TYR	CB-CG-CD1	5.30	124.18	121.00	3	3
1	A	87	PHE	CB-CG-CD2	-5.26	117.12	120.80	15	1
1	A	65	TRP	CE2-CD2-CG	-5.26	103.09	107.30	4	1
1	A	58	TYR	CB-CG-CD1	5.26	124.16	121.00	7	1
1	A	54	TRP	CB-CA-C	5.15	120.70	110.40	9	4
1	A	163	ASP	CB-CG-OD2	5.14	122.92	118.30	18	1
1	A	16	VAL	C-N-CA	5.11	134.48	121.70	19	1
1	A	113	TRP	CA-CB-CG	5.11	123.40	113.70	20	1
1	A	135	ASP	OD1-CG-OD2	-5.03	113.74	123.30	6	1
1	A	86	ARG	NH1-CZ-NH2	-5.02	113.88	119.40	5	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	105	TYR	Sidechain,Peptide	8
1	A	46	TYR	Sidechain,Peptide	8
1	A	162	VAL	Peptide	5
1	A	75	ILE	Peptide	5
1	A	129	TYR	Sidechain,Peptide	5
1	A	133	GLY	Peptide	4
1	A	163	ASP	Peptide	4
1	A	134	GLN	Peptide	4
1	A	123	PHE	Sidechain	4
1	A	106	SER	Peptide	3
1	A	152	TYR	Sidechain	3
1	A	44	VAL	Peptide	3
1	A	64	ASP	Peptide	3
1	A	151	MET	Peptide	3
1	A	128	ASP	Peptide	2
1	A	56	THR	Peptide	2
1	A	113	TRP	Peptide	2
1	A	78	VAL	Peptide	2
1	A	125	ARG	Sidechain	2
1	A	12	ASP	Peptide	2
1	A	156	LYS	Peptide	2
1	A	53	TYR	Sidechain	1
1	A	70	LYS	Peptide	1
1	A	71	ILE	Peptide	1
1	A	119	PRO	Peptide	1
1	A	15	GLY	Peptide	1
1	A	100	GLY	Peptide	1
1	A	149	HIS	Peptide	1
1	A	87	PHE	Sidechain	1
1	A	88	MET	Peptide	1
1	A	155	ASN	Peptide	1
1	A	115	THR	Peptide	1
1	A	126	ARG	Peptide	1
1	A	143	ASP	Peptide	1
1	A	122	SER	Peptide	1
1	A	13	PHE	Peptide	1
1	A	102	HIS	Peptide	1
1	A	20	GLY	Peptide	1
1	A	22	TYR	Sidechain	1
1	A	124	ARG	Sidechain	1
1	A	120	PHE	Peptide	1

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1281	1219	1219	9±6
All	All	25660	24380	24360	189

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:76:LYS:HE3	1:A:113:TRP:CE3	0.77	2.13	20	6
1:A:19:TRP:CZ2	1:A:58:TYR:CE2	0.76	2.73	4	10
1:A:105:TYR:CD2	1:A:107:ILE:HD12	0.75	2.17	16	2
1:A:19:TRP:CZ3	1:A:58:TYR:CG	0.64	2.85	9	10
1:A:19:TRP:CH2	1:A:58:TYR:CE2	0.62	2.88	17	10
1:A:76:LYS:HE3	1:A:113:TRP:CD2	0.62	2.30	20	2
1:A:76:LYS:CE	1:A:113:TRP:CE3	0.62	2.83	20	1
1:A:18:ASN:ND2	1:A:19:TRP:CZ2	0.61	2.69	5	10
1:A:19:TRP:CH2	1:A:58:TYR:CZ	0.61	2.89	2	7
1:A:19:TRP:CH2	1:A:58:TYR:CD2	0.59	2.91	5	7
1:A:22:TYR:CE1	1:A:57:VAL:HG23	0.58	2.32	6	1
1:A:19:TRP:CZ2	1:A:58:TYR:CD2	0.58	2.92	5	5
1:A:19:TRP:CZ3	1:A:58:TYR:CD2	0.58	2.91	5	10
1:A:11:ASP:HA	1:A:13:PHE:CE2	0.55	2.36	18	1
1:A:76:LYS:HE2	1:A:113:TRP:CE3	0.54	2.36	9	1
1:A:71:ILE:HD11	1:A:118:ILE:HD12	0.54	1.80	16	1
1:A:19:TRP:CH2	1:A:58:TYR:CE1	0.53	2.96	2	2
1:A:18:ASN:ND2	1:A:19:TRP:CE2	0.52	2.78	4	9
1:A:105:TYR:CE2	1:A:118:ILE:HD13	0.52	2.39	5	3
1:A:76:LYS:HD3	1:A:113:TRP:CE3	0.52	2.39	17	3
1:A:19:TRP:CE3	1:A:58:TYR:CD2	0.52	2.97	3	7
1:A:18:ASN:ND2	1:A:19:TRP:CH2	0.51	2.78	2	4
1:A:46:TYR:CE2	1:A:54:TRP:CD1	0.51	2.98	14	7
1:A:46:TYR:CE1	1:A:54:TRP:HB2	0.51	2.40	19	2
1:A:76:LYS:HD2	1:A:113:TRP:HA	0.50	1.82	10	2
1:A:58:TYR:CG	1:A:148:ILE:HD11	0.50	2.41	10	7
1:A:54:TRP:CZ3	1:A:152:TYR:CG	0.50	2.99	8	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:58:TYR:CG	1:A:148:ILE:HD12	0.49	2.43	5	2
1:A:46:TYR:CE2	1:A:54:TRP:NE1	0.48	2.81	11	1
1:A:63:GLY:HA2	1:A:65:TRP:CZ3	0.48	2.43	4	1
1:A:57:VAL:HG13	1:A:149:HIS:CE1	0.48	2.44	2	6
1:A:118:ILE:HG22	1:A:119:PRO:HD2	0.47	1.86	20	1
1:A:12:ASP:H	1:A:13:PHE:HB3	0.47	1.70	19	1
1:A:76:LYS:HD3	1:A:113:TRP:CD2	0.47	2.45	8	3
1:A:76:LYS:HD2	1:A:113:TRP:CZ3	0.47	2.45	17	1
1:A:58:TYR:CG	1:A:148:ILE:CD1	0.46	2.97	5	2
1:A:46:TYR:CD2	1:A:54:TRP:CD1	0.46	3.03	11	1
1:A:19:TRP:CZ3	1:A:58:TYR:CD1	0.46	3.04	2	2
1:A:54:TRP:CZ2	1:A:152:TYR:HB3	0.45	2.46	14	3
1:A:58:TYR:CD1	1:A:148:ILE:HD11	0.45	2.45	3	6
1:A:12:ASP:H	1:A:13:PHE:CB	0.45	2.25	19	1
1:A:58:TYR:CD1	1:A:148:ILE:CD1	0.45	2.99	3	2
1:A:102:HIS:CE1	1:A:129:TYR:CE1	0.45	3.05	4	1
1:A:76:LYS:HE3	1:A:113:TRP:CZ3	0.45	2.47	11	3
1:A:46:TYR:CE1	1:A:54:TRP:CB	0.44	3.00	9	2
1:A:11:ASP:HA	1:A:13:PHE:CD1	0.44	2.48	19	1
1:A:76:LYS:CE	1:A:161:VAL:HG13	0.44	2.42	7	1
1:A:70:LYS:HA	1:A:120:PHE:H	0.44	1.72	20	1
1:A:11:ASP:HA	1:A:13:PHE:CZ	0.44	2.48	18	1
1:A:76:LYS:CE	1:A:113:TRP:CD2	0.44	3.01	9	1
1:A:46:TYR:CE1	1:A:54:TRP:HB3	0.43	2.48	9	1
1:A:76:LYS:HE3	1:A:161:VAL:HG13	0.43	1.90	7	1
1:A:105:TYR:CE2	1:A:107:ILE:HD12	0.43	2.48	16	1
1:A:76:LYS:HE3	1:A:113:TRP:CE2	0.43	2.49	6	1
1:A:76:LYS:HE2	1:A:113:TRP:CE2	0.43	2.49	3	1
1:A:37:LYS:HE2	1:A:113:TRP:CE3	0.42	2.49	13	1
1:A:105:TYR:CE2	1:A:107:ILE:CD1	0.42	3.02	2	1
1:A:105:TYR:HD2	1:A:107:ILE:HD12	0.42	1.68	20	1
1:A:54:TRP:CE3	1:A:152:TYR:CD1	0.42	3.08	8	1
1:A:58:TYR:CD2	1:A:148:ILE:HD12	0.42	2.49	5	1
1:A:76:LYS:HE2	1:A:161:VAL:CG2	0.41	2.45	20	1
1:A:76:LYS:HE3	1:A:113:TRP:HA	0.40	1.93	9	1
1:A:58:TYR:CD2	1:A:148:ILE:HD11	0.40	2.51	10	1
1:A:19:TRP:CZ2	1:A:58:TYR:CZ	0.40	3.09	2	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	164/172 (95%)	149±4 (91±3%)	13±4 (8±2%)	2±1 (1±1%)	24	71
All	All	3280/3440 (95%)	2982 (91%)	266 (8%)	32 (1%)	24	71

All 22 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	79	ASP	3
1	A	66	SER	3
1	A	164	ASN	3
1	A	13	PHE	2
1	A	113	TRP	2
1	A	120	PHE	2
1	A	14	GLU	2
1	A	16	VAL	1
1	A	100	GLY	1
1	A	123	PHE	1
1	A	63	GLY	1
1	A	26	GLY	1
1	A	64	ASP	1
1	A	55	GLY	1
1	A	80	GLY	1
1	A	12	ASP	1
1	A	24	GLY	1
1	A	121	SER	1
1	A	6	GLY	1
1	A	81	SER	1
1	A	109	PRO	1
1	A	119	PRO	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR

entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	140/145 (97%)	126±3 (90±2%)	14±3 (10±2%)	15	59
All	All	2800/2900 (97%)	2529 (90%)	271 (10%)	15	59

All 76 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	134	GLN	16
1	A	32	LYS	16
1	A	54	TRP	15
1	A	76	LYS	13
1	A	135	ASP	12
1	A	73	PHE	12
1	A	107	ILE	11
1	A	161	VAL	10
1	A	65	TRP	10
1	A	58	TYR	9
1	A	124	ARG	8
1	A	142	LEU	6
1	A	18	ASN	6
1	A	21	SER	6
1	A	126	ARG	5
1	A	148	ILE	5
1	A	40	ASN	5
1	A	118	ILE	5
1	A	127	LEU	5
1	A	60	LEU	4
1	A	87	PHE	4
1	A	113	TRP	4
1	A	56	THR	3
1	A	22	TYR	3
1	A	129	TYR	3
1	A	166	LYS	3
1	A	12	ASP	3
1	A	130	GLN	3
1	A	114	LYS	3
1	A	155	ASN	3
1	A	86	ARG	3
1	A	140	LEU	3
1	A	42	MET	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	13	PHE	2
1	A	84	GLU	2
1	A	67	LYS	2
1	A	164	ASN	2
1	A	17	LEU	2
1	A	108	THR	2
1	A	143	ASP	2
1	A	152	TYR	2
1	A	46	TYR	2
1	A	144	ASN	1
1	A	160	PHE	1
1	A	69	LEU	1
1	A	83	ASN	1
1	A	123	PHE	1
1	A	44	VAL	1
1	A	112	SER	1
1	A	70	LYS	1
1	A	88	MET	1
1	A	125	ARG	1
1	A	31	THR	1
1	A	30	SER	1
1	A	51	ASP	1
1	A	62	ASP	1
1	A	79	ASP	1
1	A	28	LYS	1
1	A	150	PHE	1
1	A	154	ASN	1
1	A	72	SER	1
1	A	64	ASP	1
1	A	25	GLU	1
1	A	11	ASP	1
1	A	151	MET	1
1	A	38	THR	1
1	A	168	ILE	1
1	A	29	VAL	1
1	A	23	SER	1
1	A	74	ASP	1
1	A	77	SER	1
1	A	14	GLU	1
1	A	157	SER	1
1	A	105	TYR	1
1	A	89	ILE	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	156	LYS	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 81% for the well-defined parts and 80% for the entire structure.

7.1 Chemical shift list 1

File name: 2lrp_cs.str

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1790
Number of shifts mapped to atoms	1790
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	11

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	161	2.62 ± 0.09	Should be applied
$^{13}\text{C}_\beta$	142	2.19 ± 0.15	Should be applied
$^{13}\text{C}'$	157	2.89 ± 0.14	Should be applied
^{15}N	158	0.48 ± 0.51	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 81%, i.e. 1569 atoms were assigned a chemical shift out of a possible 1936. 0 out of 18 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	772/810 (95%)	310/323 (96%)	309/328 (94%)	153/159 (96%)
Sidechain	777/921 (84%)	477/540 (88%)	290/347 (84%)	10/34 (29%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	20/205 (10%)	15/107 (14%)	0/90 (0%)	5/8 (62%)
Overall	1569/1936 (81%)	802/970 (83%)	599/765 (78%)	168/201 (84%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 80%, i.e. 1611 atoms were assigned a chemical shift out of a possible 2015. 0 out of 20 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	795/850 (94%)	319/339 (94%)	318/344 (92%)	158/167 (95%)
Sidechain	796/960 (83%)	488/562 (87%)	298/364 (82%)	10/34 (29%)
Aromatic	20/205 (10%)	15/107 (14%)	0/90 (0%)	5/8 (62%)
Overall	1611/2015 (80%)	822/1008 (82%)	616/798 (77%)	173/209 (83%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	37	LYS	HB2	-0.36	3.03 – 0.53	-8.5
1	A	75	ILE	CG1	13.16	36.54 – 18.94	-8.3
1	A	58	TYR	HB2	0.15	4.76 – 1.06	-7.5
1	A	140	LEU	HB2	-0.88	3.32 – -0.08	-7.3
1	A	75	ILE	CG2	27.02	24.63 – 10.43	6.7
1	A	86	ARG	HD2	1.64	4.27 – 1.97	-6.4
1	A	76	LYS	HD2	0.18	2.76 – 0.46	-6.2
1	A	86	ARG	HD3	1.64	4.36 – 1.86	-5.9
1	A	101	GLU	HB3	3.28	3.10 – 0.90	5.8
1	A	44	VAL	HB	0.30	3.59 – 0.39	-5.3
1	A	74	ASP	HA	6.15	6.15 – 3.05	5.0

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

