



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:39 AM GMT

PDB ID : 3MPI  
Title : Structure of the glutaryl-coenzyme A dehydrogenase glutaryl-CoA complex  
Authors : Wischgoll, S.; Warkentin, E.; Boll, M.; Ermler, U.  
Deposited on : 2010-04-27  
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1192 (2.04-2.04)
Clashscore	102246	1269 (2.04-2.04)
Ramachandran outliers	100387	1258 (2.04-2.04)
Sidechain outliers	100360	1258 (2.04-2.04)
RSRZ outliers	91569	1194 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	397	<div> <div>2%</div> <div>86%</div> <div>11%</div> <div>..</div> </div>
1	B	397	<div> <div>8%</div> <div>85%</div> <div>12%</div> <div>..</div> </div>
1	C	397	<div> <div>4%</div> <div>86%</div> <div>12%</div> <div>..</div> </div>
1	D	397	<div> <div>6%</div> <div>87%</div> <div>10%</div> <div>..</div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 12936 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutaryl-CoA dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	391	Total	C	N	O	S	0	4	0
			3023	1913	515	575	20			
1	B	390	Total	C	N	O	S	0	0	0
			2984	1888	510	566	20			
1	C	395	Total	C	N	O	S	0	0	0
			3028	1914	523	571	20			
1	D	390	Total	C	N	O	S	0	1	0
			2989	1892	510	566	21			

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	390	LYS	-	EXPRESSION TAG	UNP C3UVB0
A	391	GLY	-	EXPRESSION TAG	UNP C3UVB0
A	392	HIS	-	EXPRESSION TAG	UNP C3UVB0
A	393	HIS	-	EXPRESSION TAG	UNP C3UVB0
A	394	HIS	-	EXPRESSION TAG	UNP C3UVB0
A	395	HIS	-	EXPRESSION TAG	UNP C3UVB0
A	396	HIS	-	EXPRESSION TAG	UNP C3UVB0
A	397	HIS	-	EXPRESSION TAG	UNP C3UVB0
B	390	LYS	-	EXPRESSION TAG	UNP C3UVB0
B	391	GLY	-	EXPRESSION TAG	UNP C3UVB0
B	392	HIS	-	EXPRESSION TAG	UNP C3UVB0
B	393	HIS	-	EXPRESSION TAG	UNP C3UVB0
B	394	HIS	-	EXPRESSION TAG	UNP C3UVB0
B	395	HIS	-	EXPRESSION TAG	UNP C3UVB0
B	396	HIS	-	EXPRESSION TAG	UNP C3UVB0
B	397	HIS	-	EXPRESSION TAG	UNP C3UVB0
C	390	LYS	-	EXPRESSION TAG	UNP C3UVB0
C	391	GLY	-	EXPRESSION TAG	UNP C3UVB0
C	392	HIS	-	EXPRESSION TAG	UNP C3UVB0
C	393	HIS	-	EXPRESSION TAG	UNP C3UVB0
C	394	HIS	-	EXPRESSION TAG	UNP C3UVB0

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	395	HIS	-	EXPRESSION TAG	UNP C3UVB0
C	396	HIS	-	EXPRESSION TAG	UNP C3UVB0
C	397	HIS	-	EXPRESSION TAG	UNP C3UVB0
D	390	LYS	-	EXPRESSION TAG	UNP C3UVB0
D	391	GLY	-	EXPRESSION TAG	UNP C3UVB0
D	392	HIS	-	EXPRESSION TAG	UNP C3UVB0
D	393	HIS	-	EXPRESSION TAG	UNP C3UVB0
D	394	HIS	-	EXPRESSION TAG	UNP C3UVB0
D	395	HIS	-	EXPRESSION TAG	UNP C3UVB0
D	396	HIS	-	EXPRESSION TAG	UNP C3UVB0
D	397	HIS	-	EXPRESSION TAG	UNP C3UVB0

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
2	B	1	Total 53	C 27	N 9	O 15	P 2	0	0
2	C	1	Total 53	C 27	N 9	O 15	P 2	0	0
2	D	1	Total 53	C 27	N 9	O 15	P 2	0	0

- Molecule 3 is GLUTARYL-COENZYME A (three-letter code: GRA) (formula:  $C_{26}H_{42}N_7O_{19}P_3S$ ).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	0	0
			56	26	7	19	3	1		
3	B	1	Total	C	N	O	P	S	0	0
			56	26	7	19	3	1		
3	C	1	Total	C	N	O	P	S	0	0
			56	26	7	19	3	1		
3	D	1	Total	C	N	O	P	S	0	0
			56	26	7	19	3	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	158	Total	O	0	0
			158	158		
4	B	58	Total	O	0	0
			58	58		
4	C	155	Total	O	0	0
			155	155		
4	D	105	Total	O	0	0
			105	105		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glutaryl-CoA dehydrogenase




- Molecule 1: Glutaryl-CoA dehydrogenase




- Molecule 1: Glutaryl-CoA dehydrogenase



- Molecule 1: Glutaryl-CoA dehydrogenase





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	174.99Å 114.79Å 122.24Å 90.00° 133.95° 90.00°	Depositor
Resolution (Å)	30.00 – 2.05 28.28 – 2.05	Depositor EDS
% Data completeness (in resolution range)	97.0 (30.00-2.05) 97.0 (28.28-2.05)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.42 (at 2.04Å)	Xtriage
Refinement program	REFMAC 5.6.0046	Depositor
R, $R_{free}$	0.176 , 0.219 0.193 , 0.229	Depositor DCC
$R_{free}$ test set	5434 reflections (5.42%)	DCC
Wilson B-factor (Å <sup>2</sup> )	41.5	Xtriage
Anisotropy	0.043	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 48.4	EDS
Estimated twinning fraction	0.023 for h+2*k,-h-l 0.014 for h,-k,-h-l 0.017 for -h-2*k,-k,l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	2 of 105573 reflections (0.002%)	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	12936	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.46% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, GRA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.65	0/3083	0.69	0/4162
1	B	0.55	1/3042 (0.0%)	0.59	1/4105 (0.0%)
1	C	0.67	0/3090	0.69	1/4170 (0.0%)
1	D	0.58	0/3050	0.63	2/4115 (0.0%)
All	All	0.61	1/12265 (0.0%)	0.65	4/16552 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	126	PHE	CE1-CZ	6.67	1.50	1.37

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	342	LEU	CA-CB-CG	6.17	129.50	115.30
1	B	126	PHE	CD1-CE1-CZ	-6.11	112.77	120.10
1	D	342	LEU	CB-CG-CD2	5.24	119.91	111.00
1	C	217	LEU	CA-CB-CG	5.07	126.97	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	348	SER	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3023	0	2981	40	0
1	B	2984	0	2950	36	0
1	C	3028	0	2981	32	0
1	D	2989	0	2959	27	0
2	A	53	0	31	4	0
2	B	53	0	31	6	0
2	C	53	0	31	7	0
2	D	53	0	31	5	0
3	A	56	0	37	3	0
3	B	56	0	37	4	0
3	C	56	0	37	1	0
3	D	56	0	37	3	0
4	A	158	0	0	6	0
4	B	58	0	0	2	0
4	C	155	0	0	2	0
4	D	105	0	0	3	0
All	All	12936	0	12143	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:17:ARG:NH1	1:B:81:ARG:HH22	1.60	0.98
1:A:350[B]:GLU:OE2	1:A:351[B]:TYR:CE2	2.15	0.98
1:C:393:HIS:HE1	1:C:395:HIS:HD2	1.21	0.87
1:B:18:ASN:HB3	4:B:473:HOH:O	1.76	0.84
1:B:81:ARG:HD2	4:B:404:HOH:O	1.77	0.83
1:C:21:ASN:HD21	1:C:81:ARG:HH22	1.25	0.81
1:A:17:ARG:NH2	4:A:533:HOH:O	2.15	0.79

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:393:HIS:CE1	1:C:395:HIS:HD2	2.02	0.78
1:C:351:TYR:CD1	1:C:352:PRO:HD2	2.18	0.76
1:C:393:HIS:HE1	1:C:395:HIS:CD2	2.04	0.76
1:C:21:ASN:ND2	1:C:81:ARG:HH22	1.83	0.75
1:A:17:ARG:CZ	4:A:533:HOH:O	2.35	0.74
1:B:117:LEU:HD21	1:B:168:VAL:HG13	1.69	0.72
2:B:400:FAD:N5	3:B:402:GRA:H9A	2.04	0.71
1:B:17:ARG:HH12	1:B:81:ARG:HH22	1.39	0.67
1:A:17:ARG:NE	4:A:533:HOH:O	2.28	0.67
1:A:350[B]:GLU:OE2	1:A:351[B]:TYR:HE2	1.78	0.66
1:A:81:ARG:HD2	4:A:435:HOH:O	1.95	0.66
2:C:400:FAD:C9	2:C:400:FAD:H2'	2.26	0.65
2:B:400:FAD:C9	2:B:400:FAD:H2'	2.26	0.65
1:B:17:ARG:NH1	1:B:81:ARG:NH2	2.40	0.64
2:B:400:FAD:H9	2:B:400:FAD:H2'	1.80	0.64
1:B:35:ASN:HD22	1:B:208:HIS:HB3	1.64	0.62
2:C:400:FAD:H2'	2:C:400:FAD:H9	1.81	0.62
2:A:400:FAD:H2'	2:A:400:FAD:C9	2.29	0.62
2:A:400:FAD:N5	3:A:402:GRA:H9A	2.15	0.61
2:D:400:FAD:N5	3:D:402:GRA:H9A	2.15	0.61
1:A:350[B]:GLU:OE2	1:A:351[B]:TYR:CD2	2.54	0.61
1:A:327:ALA:O	1:A:331:VAL:HG13	2.01	0.60
1:D:35:ASN:HD22	1:D:208:HIS:HB3	1.66	0.60
1:B:17:ARG:HH11	1:B:81:ARG:HH22	1.45	0.60
1:A:350[B]:GLU:CD	1:A:351[B]:TYR:CD2	2.77	0.58
1:A:130:GLU:HG2	1:A:157:LYS:HD3	1.84	0.58
1:A:25:VAL:CG2	1:A:26:PRO:HD3	2.33	0.58
1:B:331:VAL:HG21	1:B:363:TYR:HB2	1.84	0.58
1:D:17:ARG:NH1	1:D:81:ARG:NH2	2.52	0.58
1:A:25:VAL:HG22	1:A:26:PRO:HD3	1.86	0.57
1:C:318:LEU:H	1:C:388:ASN:ND2	2.02	0.57
2:A:400:FAD:H2'	2:A:400:FAD:H9	1.87	0.57
1:D:327:ALA:O	1:D:331:VAL:HG13	2.06	0.56
1:B:81:ARG:HG2	1:B:259:ALA:HB2	1.87	0.56
1:B:147:LYS:HE3	1:B:152:LEU:HD12	1.88	0.56
1:D:162:ASN:HA	1:D:165:GLN:HE21	1.71	0.56
1:D:72:ALA:O	1:D:76:THR:CG2	2.54	0.55
1:B:72:ALA:O	1:B:76:THR:HG22	2.07	0.55
1:B:327:ALA:O	1:B:331:VAL:HG13	2.07	0.55
1:A:348:SER:HB3	1:A:350[B]:GLU:H	1.73	0.54
1:A:11:MET:HE3	1:A:14:LYS:HB3	1.88	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:25:VAL:CG2	1:B:26:PRO:HD3	2.37	0.54
2:C:400:FAD:N5	3:C:402:GRA:H9A	2.23	0.54
2:D:400:FAD:H2'	2:D:400:FAD:C9	2.37	0.54
1:C:1:MET:HG2	1:D:70:LEU:HD21	1.88	0.54
1:C:72:ALA:O	1:C:76:THR:HG22	2.07	0.54
1:A:21:ASN:O	1:A:25:VAL:HG22	2.07	0.54
1:A:17:ARG:HH12	1:A:81:ARG:NH2	2.06	0.54
1:A:350[B]:GLU:O	1:A:350[B]:GLU:HG2	2.07	0.54
1:D:72:ALA:O	1:D:76:THR:HG22	2.08	0.54
1:C:204:LYS:O	1:C:208:HIS:HE1	1.90	0.53
1:A:117:LEU:HD21	1:A:168:VAL:HG13	1.90	0.53
1:D:76:THR:HG22	1:D:90:LEU:HD23	1.90	0.53
1:A:76:THR:HG22	1:A:90:LEU:HD23	1.91	0.53
1:D:197:ILE:HG12	1:D:217:LEU:HD22	1.91	0.53
2:D:400:FAD:H9	2:D:400:FAD:H2'	1.90	0.53
1:B:76:THR:HG22	1:B:90:LEU:HD23	1.91	0.52
1:C:375:MET:HE1	2:C:400:FAD:N1A	2.24	0.52
1:A:162:ASN:HA	1:A:165:GLN:HE21	1.74	0.51
1:C:44:ARG:HH21	1:C:121:GLU:HG3	1.76	0.51
1:A:293:VAL:HA	1:B:322:MET:CE	2.41	0.51
1:B:197:ILE:HG12	1:B:217:LEU:HD22	1.93	0.50
2:C:400:FAD:H2A	1:D:282:GLN:HE22	1.76	0.50
1:B:66:ASP:N	1:B:66:ASP:OD1	2.43	0.50
1:C:393:HIS:CE1	1:C:395:HIS:CD2	2.88	0.50
1:C:159:TRP:O	2:C:400:FAD:C4X	2.61	0.49
1:D:124:GLY:HA2	1:D:168:VAL:O	2.13	0.49
2:D:400:FAD:C4	3:D:402:GRA:H8	2.43	0.49
1:C:351:TYR:HA	4:C:480:HOH:O	2.13	0.48
1:D:8:GLU:HB2	4:D:467:HOH:O	2.14	0.48
1:A:72:ALA:O	1:A:76:THR:HG22	2.14	0.48
1:C:76:THR:HG21	1:C:248:SER:OG	2.14	0.48
1:C:285:GLN:OE1	1:D:375[B]:MET:SD	2.71	0.48
1:C:152:LEU:HD11	1:C:219:ASN:OD1	2.14	0.48
1:A:56:ILE:HB	1:A:62:GLY:HA3	1.95	0.48
1:C:130:GLU:HG2	1:C:157:LYS:HD3	1.96	0.47
1:D:81:ARG:NH1	4:D:401:HOH:O	2.47	0.47
1:A:296:GLU:OE1	1:B:304:LYS:NZ	2.42	0.47
1:C:76:THR:HG22	1:C:90:LEU:HD23	1.95	0.47
1:C:327:ALA:O	1:C:331:VAL:HG13	2.15	0.47
1:C:282:GLN:HE22	2:D:400:FAD:H2A	1.79	0.47
1:A:55:VAL:HG22	4:A:482:HOH:O	2.14	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:25:VAL:HG22	1:B:26:PRO:HD3	1.97	0.46
1:C:191:PRO:HA	1:C:197:ILE:HD12	1.97	0.46
1:C:394:HIS:HD2	4:C:436:HOH:O	1.98	0.46
1:B:253:GLY:O	1:B:331:VAL:HG12	2.16	0.46
1:B:361:PRO:HA	1:B:364:TYR:CZ	2.49	0.46
1:C:159:TRP:O	2:C:400:FAD:C10	2.64	0.45
1:A:351[B]:TYR:HB3	1:A:352[B]:PRO:HD2	1.99	0.45
1:A:94:VAL:HA	1:A:98:ALA:HB3	1.97	0.45
2:B:400:FAD:C4X	3:B:402:GRA:H9A	2.47	0.45
1:D:130:GLU:HG2	1:D:157:LYS:HD3	1.97	0.45
1:B:336:ASN:OD1	1:B:340:ARG:NE	2.49	0.45
1:A:1:MET:HG2	1:B:70:LEU:CD2	2.46	0.45
1:A:350[B]:GLU:OE1	1:A:351[B]:TYR:HD2	2.01	0.44
1:B:72:ALA:O	1:B:76:THR:CG2	2.65	0.44
1:A:367:GLU:OE2	3:A:402:GRA:H8B	2.16	0.44
1:C:127:GLY:HA2	1:C:160:ILE:HD12	2.00	0.44
1:A:44:ARG:HB3	1:A:45:PRO:HD3	2.00	0.44
1:A:182:ARG:NH1	1:A:182:ARG:HG3	2.33	0.44
1:D:266:LYS:HE3	1:D:270:GLU:OE1	2.18	0.44
1:C:72:ALA:O	1:C:76:THR:CG2	2.65	0.43
1:D:31:TRP:CZ2	1:D:41:GLU:HG3	2.53	0.43
1:C:351:TYR:HD1	1:C:352:PRO:HD2	1.77	0.43
1:D:191:PRO:HA	1:D:197:ILE:HD13	2.00	0.43
2:B:400:FAD:C4	3:B:402:GRA:H8	2.49	0.43
1:B:159:TRP:O	2:B:400:FAD:C4X	2.67	0.43
1:B:84:SER:O	1:B:87:ARG:HG3	2.19	0.43
1:B:266:LYS:HE2	1:B:270:GLU:OE1	2.19	0.43
1:B:130:GLU:HG2	1:B:157:LYS:HD3	2.01	0.43
1:A:25:VAL:HG21	4:A:423:HOH:O	2.18	0.42
1:D:72:ALA:O	1:D:76:THR:HG23	2.19	0.42
1:D:367:GLU:OE2	3:D:402:GRA:H8B	2.18	0.42
1:B:319:ASP:H	1:B:388:ASN:HD21	1.65	0.42
1:D:81:ARG:NH2	4:D:488:HOH:O	2.52	0.42
1:A:17:ARG:HG3	1:A:17:ARG:HH11	1.83	0.42
1:A:293:VAL:HA	1:B:322:MET:HE3	2.01	0.42
1:C:84:SER:O	1:C:87:ARG:HG3	2.20	0.42
1:D:319:ASP:H	1:D:388:ASN:HD21	1.67	0.42
1:A:1:MET:HG2	1:B:70:LEU:HD21	2.02	0.42
1:C:325:TYR:CE1	1:C:374:LYS:HE3	2.53	0.42
1:B:367:GLU:OE2	3:B:402:GRA:H8B	2.20	0.42
1:D:204:LYS:O	1:D:208:HIS:HE1	2.02	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:243:ASN:HD22	1:D:243:ASN:HA	1.63	0.42
1:A:159:TRP:O	2:A:400:FAD:C4X	2.68	0.41
1:D:253:GLY:O	1:D:331:VAL:HG12	2.20	0.41
1:D:318:LEU:H	1:D:388:ASN:ND2	2.18	0.41
1:B:243:ASN:HA	1:B:243:ASN:HD22	1.70	0.41
1:C:1:MET:HG2	1:D:70:LEU:CD2	2.51	0.41
1:A:181:SER:HB2	3:A:402:GRA:H4X	2.03	0.41
1:B:52:PHE:O	1:B:94:VAL:HG21	2.21	0.40
1:A:243:ASN:HA	1:A:243:ASN:HD22	1.69	0.40
1:A:36:HIS:O	1:A:38:PRO:HD3	2.22	0.40
1:C:23:LYS:HE2	1:C:23:LYS:HB3	1.69	0.40
1:B:125:GLY:HA3	1:B:169:LEU:HD12	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	393/397 (99%)	381 (97%)	12 (3%)	0	100	100
1	B	388/397 (98%)	378 (97%)	10 (3%)	0	100	100
1	C	393/397 (99%)	385 (98%)	8 (2%)	0	100	100
1	D	389/397 (98%)	382 (98%)	7 (2%)	0	100	100
All	All	1563/1588 (98%)	1526 (98%)	37 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	307/309 (99%)	292 (95%)	15 (5%)	31	21
1	B	303/309 (98%)	293 (97%)	10 (3%)	45	37
1	C	307/309 (99%)	287 (94%)	20 (6%)	21	11
1	D	304/309 (98%)	291 (96%)	13 (4%)	35	27
All	All	1221/1236 (99%)	1163 (95%)	58 (5%)	31	22

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ASP
1	A	33	ASN
1	A	66	ASP
1	A	76	THR
1	A	93	GLU
1	A	100	THR
1	A	152	LEU
1	A	168	VAL
1	A	169	LEU
1	A	182	ARG
1	A	217	LEU
1	A	282	GLN
1	A	300	LEU
1	A	331	VAL
1	A	348	SER
1	B	66	ASP
1	B	73	MET
1	B	76	THR
1	B	86	LEU
1	B	93	GLU
1	B	100	THR
1	B	152	LEU
1	B	168	VAL
1	B	300	LEU
1	B	342	LEU
1	C	2	ASP
1	C	7	LYS
1	C	11	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	73	MET
1	C	76	THR
1	C	90	LEU
1	C	93	GLU
1	C	100	THR
1	C	168	VAL
1	C	169	LEU
1	C	175	THR
1	C	217	LEU
1	C	236	ARG
1	C	300	LEU
1	C	331	VAL
1	C	342	LEU
1	C	348	SER
1	C	349	THR
1	C	351	TYR
1	C	394	HIS
1	D	2	ASP
1	D	25	VAL
1	D	59	GLU
1	D	76	THR
1	D	90	LEU
1	D	100	THR
1	D	152	LEU
1	D	168	VAL
1	D	200	SER
1	D	300	LEU
1	D	342	LEU
1	D	372	ILE
1	D	389	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (39) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	ASN
1	A	36	HIS
1	A	165	GLN
1	A	208	HIS
1	A	243	ASN
1	A	269	ASN
1	A	282	GLN
1	A	388	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	21	ASN
1	B	30	GLN
1	B	33	ASN
1	B	35	ASN
1	B	165	GLN
1	B	208	HIS
1	B	243	ASN
1	B	269	ASN
1	B	282	GLN
1	B	388	ASN
1	C	21	ASN
1	C	30	GLN
1	C	35	ASN
1	C	36	HIS
1	C	165	GLN
1	C	208	HIS
1	C	243	ASN
1	C	282	GLN
1	C	388	ASN
1	C	393	HIS
1	C	395	HIS
1	D	21	ASN
1	D	30	GLN
1	D	33	ASN
1	D	35	ASN
1	D	165	GLN
1	D	208	HIS
1	D	243	ASN
1	D	269	ASN
1	D	282	GLN
1	D	388	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	FAD	A	400	-	48,58,58	1.34	6 (12%)	54,89,89	2.34	10 (18%)
3	GRA	A	402	-	45,58,58	1.49	5 (11%)	58,85,85	2.26	11 (18%)
2	FAD	B	400	-	48,58,58	1.18	6 (12%)	54,89,89	2.19	9 (16%)
3	GRA	B	402	-	45,58,58	1.31	4 (8%)	58,85,85	2.24	15 (25%)
2	FAD	C	400	-	48,58,58	1.43	8 (16%)	54,89,89	2.49	9 (16%)
3	GRA	C	402	-	45,58,58	1.45	6 (13%)	58,85,85	2.24	15 (25%)
2	FAD	D	400	-	48,58,58	1.19	5 (10%)	54,89,89	2.20	10 (18%)
3	GRA	D	402	-	45,58,58	1.50	5 (11%)	58,85,85	2.26	14 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	400	-	-	0/30/50/50	0/6/6/6
3	GRA	A	402	-	-	0/51/73/73	0/3/3/3
2	FAD	B	400	-	-	0/30/50/50	0/6/6/6
3	GRA	B	402	-	-	0/51/73/73	0/3/3/3
2	FAD	C	400	-	-	0/30/50/50	0/6/6/6
3	GRA	C	402	-	-	0/51/73/73	0/3/3/3
2	FAD	D	400	-	-	0/30/50/50	0/6/6/6
3	GRA	D	402	-	-	0/51/73/73	0/3/3/3

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	402	GRA	C9-C8	-4.52	1.35	1.52
3	A	402	GRA	C9-C8	-4.26	1.36	1.52
3	C	402	GRA	C9-C8	-4.15	1.36	1.52
3	C	402	GRA	C8-C7	-3.80	1.46	1.50
3	D	402	GRA	C8-C7	-3.73	1.46	1.50
3	B	402	GRA	C9-C8	-3.20	1.40	1.52
3	A	402	GRA	C8-C7	-2.57	1.47	1.50
3	B	402	GRA	C2A-N1A	-2.42	1.29	1.33
3	A	402	GRA	C2A-N1A	-2.16	1.29	1.33
3	B	402	GRA	C2A-N3A	-2.10	1.28	1.32
3	A	402	GRA	C2A-N3A	-2.09	1.28	1.32
3	D	402	GRA	C2A-N1A	-2.08	1.29	1.33
3	C	402	GRA	C2A-N1A	-2.06	1.30	1.33
2	B	400	FAD	C10-N1	2.08	1.39	1.35
3	D	402	GRA	O4X-C1X	2.13	1.43	1.41
2	B	400	FAD	C1'-N10	2.26	1.50	1.48
2	A	400	FAD	C1'-N10	2.26	1.50	1.48
3	C	402	GRA	O4X-C1X	2.28	1.44	1.41
2	C	400	FAD	C5'-C4'	2.38	1.55	1.51
3	C	402	GRA	C4A-N3A	2.38	1.39	1.35
2	B	400	FAD	C2A-N1A	2.39	1.38	1.33
2	C	400	FAD	C5X-N5	2.46	1.39	1.35
2	D	400	FAD	C2A-N1A	2.49	1.38	1.33
2	A	400	FAD	C10-N1	2.52	1.39	1.35
2	C	400	FAD	C4-N3	2.66	1.38	1.33
2	D	400	FAD	C4-N3	2.74	1.38	1.33
2	C	400	FAD	C2A-N1A	2.90	1.39	1.33
2	B	400	FAD	C2A-N3A	2.90	1.37	1.32
2	A	400	FAD	C4-N3	2.96	1.38	1.33
2	B	400	FAD	C4-N3	3.03	1.38	1.33
2	D	400	FAD	C1'-N10	3.07	1.51	1.48
2	C	400	FAD	C2A-N3A	3.09	1.37	1.32
2	C	400	FAD	O4B-C1B	3.21	1.45	1.41
2	A	400	FAD	C5X-N5	3.23	1.40	1.35
2	D	400	FAD	C2A-N3A	3.32	1.38	1.32
2	B	400	FAD	C4X-N5	3.39	1.38	1.33
2	A	400	FAD	C2A-N3A	3.42	1.38	1.32
2	D	400	FAD	C4X-N5	3.51	1.38	1.33
2	C	400	FAD	C4X-N5	3.59	1.39	1.33
2	A	400	FAD	C4X-N5	4.31	1.40	1.33
2	C	400	FAD	C1'-N10	4.75	1.53	1.48
3	C	402	GRA	O4-C7	5.25	1.29	1.21
3	B	402	GRA	O4-C7	5.41	1.29	1.21

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	402	GRA	O4-C7	5.81	1.30	1.21
3	A	402	GRA	O4-C7	6.18	1.30	1.21

All (93) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	400	FAD	N3A-C2A-N1A	-13.75	118.36	128.89
2	A	400	FAD	N3A-C2A-N1A	-13.08	118.88	128.89
2	B	400	FAD	N3A-C2A-N1A	-11.97	119.73	128.89
2	D	400	FAD	N3A-C2A-N1A	-11.43	120.15	128.89
3	C	402	GRA	O4-C7-S1	-7.59	116.81	122.83
3	C	402	GRA	N3A-C2A-N1A	-7.49	123.16	128.89
3	D	402	GRA	O4-C7-S1	-7.33	117.02	122.83
3	A	402	GRA	O4-C7-S1	-7.32	117.02	122.83
3	A	402	GRA	N3A-C2A-N1A	-7.08	123.47	128.89
3	B	402	GRA	O4-C7-S1	-6.71	117.51	122.83
3	B	402	GRA	N3A-C2A-N1A	-6.50	123.92	128.89
3	D	402	GRA	N3A-C2A-N1A	-6.05	124.26	128.89
3	A	402	GRA	C2X-C1X-N9A	-5.95	105.20	114.29
3	D	402	GRA	C2X-C1X-N9A	-5.71	105.56	114.29
3	C	402	GRA	C2X-C1X-N9A	-5.63	105.69	114.29
3	B	402	GRA	C2X-C1X-N9A	-5.28	106.23	114.29
2	C	400	FAD	C2B-C1B-N9A	-4.07	108.07	114.29
2	C	400	FAD	C4X-C4-N3	-3.74	118.47	123.59
3	A	402	GRA	O3A-P1A-O5X	-3.45	93.79	102.94
3	B	402	GRA	C9-C8-C7	-3.29	108.25	113.12
3	D	402	GRA	O3A-P1A-O5X	-3.25	94.31	102.94
3	B	402	GRA	O3A-P1A-O5X	-3.20	94.46	102.94
2	B	400	FAD	C4X-C4-N3	-3.18	119.24	123.59
2	A	400	FAD	C1B-N9A-C4A	-3.18	122.14	126.94
3	D	402	GRA	C6-C5-N2	-3.10	106.17	112.36
2	A	400	FAD	C4X-C4-N3	-3.07	119.39	123.59
2	C	400	FAD	P-O3P-PA	-3.06	124.12	132.73
2	D	400	FAD	P-O3P-PA	-3.05	124.16	132.73
3	B	402	GRA	C6-C5-N2	-3.04	106.28	112.36
2	D	400	FAD	C4X-C4-N3	-3.02	119.46	123.59
3	A	402	GRA	C4A-C5A-N7A	-2.89	106.83	109.48
3	C	402	GRA	C6-C5-N2	-2.88	106.59	112.36
3	D	402	GRA	C3-C2-N1	-2.86	105.60	111.88
3	A	402	GRA	C6-C5-N2	-2.70	106.95	112.36
3	B	402	GRA	C10-C9-C8	-2.69	106.77	114.60
3	C	402	GRA	O3A-P1A-O5X	-2.64	95.93	102.94

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	400	FAD	C1B-N9A-C4A	-2.44	123.27	126.94
3	C	402	GRA	C3-C2-N1	-2.44	106.54	111.88
3	B	402	GRA	C3-C2-N1	-2.40	106.62	111.88
2	C	400	FAD	O3P-PA-O5B	-2.31	96.80	102.94
2	D	400	FAD	C2B-C1B-N9A	-2.25	110.86	114.29
2	B	400	FAD	P-O3P-PA	-2.24	126.43	132.73
3	A	402	GRA	C3-C2-N1	-2.23	106.99	111.88
2	D	400	FAD	C9A-C5X-N5	-2.23	119.06	122.36
3	B	402	GRA	C4A-C5A-N7A	-2.21	107.44	109.48
3	B	402	GRA	P2A-O3A-P1A	-2.19	126.58	132.73
3	C	402	GRA	C10-C9-C8	-2.17	108.27	114.60
2	A	400	FAD	P-O3P-PA	-2.15	126.69	132.73
3	D	402	GRA	C15-C12-C13	-2.09	105.79	108.50
3	C	402	GRA	N6A-C6A-N1A	2.00	123.50	119.20
2	B	400	FAD	C1'-C2'-C3'	2.02	115.60	109.82
3	D	402	GRA	O1A-P1A-O2A	2.05	123.66	112.53
2	A	400	FAD	C2A-N1A-C6A	2.11	122.53	118.77
2	B	400	FAD	O2'-C2'-C1'	2.12	115.17	109.94
3	B	402	GRA	C2A-N1A-C6A	2.14	122.59	118.77
3	C	402	GRA	C2-N1-C1	2.15	126.78	122.53
2	A	400	FAD	O3P-P-O5'	2.17	108.68	102.94
3	D	402	GRA	C2A-N1A-C6A	2.18	122.67	118.77
3	A	402	GRA	O4A-P2A-O3A	2.20	115.06	105.09
3	D	402	GRA	O7A-P3X-O9A	2.23	115.88	107.38
3	C	402	GRA	C15-C12-C14	2.24	113.44	109.34
3	D	402	GRA	C2-N1-C1	2.26	127.00	122.53
3	B	402	GRA	O7A-P3X-O9A	2.28	116.07	107.38
3	C	402	GRA	O4A-P2A-O3A	2.34	115.71	105.09
3	C	402	GRA	O7A-P3X-O9A	2.39	116.50	107.38
2	A	400	FAD	O2'-C2'-C1'	2.42	115.89	109.94
2	C	400	FAD	C1'-C2'-C3'	2.42	116.75	109.82
3	C	402	GRA	C2A-N1A-C6A	2.47	123.19	118.77
3	B	402	GRA	N6A-C6A-N1A	2.50	124.57	119.20
2	C	400	FAD	C1'-N10-C9A	2.53	121.71	118.86
2	B	400	FAD	C4-C4X-C10	2.56	121.58	119.94
2	B	400	FAD	C5X-C9A-N10	2.60	119.59	117.62
2	A	400	FAD	C5X-C9A-N10	2.66	119.64	117.62
2	A	400	FAD	C4X-N5-C5X	2.81	120.00	116.76
2	D	400	FAD	O2'-C2'-C1'	2.81	116.85	109.94
3	A	402	GRA	O7A-P3X-O9A	2.89	118.38	107.38
3	D	402	GRA	N6A-C6A-N1A	2.99	125.62	119.20
2	D	400	FAD	C5X-C9A-N10	3.79	120.50	117.62

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	400	FAD	C4X-N5-C5X	3.93	121.29	116.76
2	C	400	FAD	C5X-C9A-N10	3.97	120.64	117.62
3	A	402	GRA	C6-S1-C7	4.46	117.99	102.09
2	B	400	FAD	C4X-N5-C5X	4.62	122.08	116.76
2	D	400	FAD	C4-N3-C2	4.69	119.30	115.25
3	C	402	GRA	C6-S1-C7	4.71	118.86	102.09
2	B	400	FAD	C4-N3-C2	5.15	119.70	115.25
3	D	402	GRA	C6-S1-C7	5.23	120.73	102.09
3	C	402	GRA	C8-C7-S1	5.34	118.16	113.36
3	B	402	GRA	C8-C7-S1	5.36	118.18	113.36
3	D	402	GRA	C8-C7-S1	5.51	118.31	113.36
3	A	402	GRA	C8-C7-S1	5.54	118.34	113.36
2	C	400	FAD	C4-N3-C2	5.72	120.19	115.25
3	B	402	GRA	C6-S1-C7	5.93	123.21	102.09
2	A	400	FAD	C4-N3-C2	5.98	120.41	115.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 26 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	400	FAD	4	0
3	A	402	GRA	3	0
2	B	400	FAD	6	0
3	B	402	GRA	4	0
2	C	400	FAD	7	0
3	C	402	GRA	1	0
2	D	400	FAD	5	0
3	D	402	GRA	3	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	391/397 (98%)	-0.22	9 (2%) 64 70	31, 43, 63, 76	0
1	B	390/397 (98%)	0.26	30 (7%) 16 19	39, 59, 83, 97	0
1	C	395/397 (99%)	-0.18	17 (4%) 39 44	31, 43, 66, 90	0
1	D	390/397 (98%)	0.16	24 (6%) 24 27	33, 53, 76, 89	0
All	All	1566/1588 (98%)	0.01	80 (5%) 32 36	31, 49, 75, 97	0

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	390	LYS	4.9
1	D	390	LYS	4.8
1	B	171	TYR	4.8
1	D	126	PHE	4.6
1	B	126	PHE	4.1
1	C	126	PHE	3.9
1	B	169	LEU	3.9
1	B	125	GLY	3.8
1	B	170	ILE	3.7
1	C	394	HIS	3.7
1	D	88	VAL	3.6
1	D	90	LEU	3.5
1	B	88	VAL	3.5
1	C	170	ILE	3.5
1	B	7	LYS	3.5
1	A	126	PHE	3.5
1	A	125	GLY	3.4
1	D	125	GLY	3.4
1	D	145	GLU	3.2
1	B	189	ILE	3.2
1	B	150	HIS	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	395	HIS	3.0
1	B	97	CYS	3.0
1	A	350[A]	GLU	3.0
1	B	172	TYR	3.0
1	B	127	GLY	2.9
1	C	391	GLY	2.9
1	D	170	ILE	2.9
1	B	117	LEU	2.9
1	B	92	MET	2.9
1	D	169	LEU	2.9
1	C	88	VAL	2.8
1	A	170	ILE	2.8
1	D	178	ALA	2.8
1	D	92	MET	2.8
1	B	94	VAL	2.8
1	D	11	MET	2.7
1	D	187	PHE	2.7
1	D	171	TYR	2.6
1	B	11	MET	2.6
1	C	349	THR	2.5
1	B	98	ALA	2.5
1	B	91	ASN	2.5
1	B	168	VAL	2.5
1	D	188	VAL	2.5
1	B	58	GLU	2.4
1	D	180	GLY	2.4
1	B	96	GLY	2.4
1	C	350	GLU	2.4
1	D	97	CYS	2.4
1	A	245	THR	2.3
1	B	173	ALA	2.3
1	B	187	PHE	2.3
1	C	189	ILE	2.3
1	D	189	ILE	2.3
1	C	392	HIS	2.3
1	A	180	GLY	2.2
1	B	245	THR	2.2
1	B	107	GLU	2.2
1	D	7	LYS	2.2
1	D	66	ASP	2.2
1	D	198	LYS	2.2
1	B	199	THR	2.1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	94	VAL	2.1
1	C	249	ALA	2.1
1	D	179	ALA	2.1
1	A	88	VAL	2.1
1	B	111	LYS	2.1
1	A	127	GLY	2.1
1	C	125	GLY	2.1
1	D	221	LYS	2.1
1	C	96	GLY	2.1
1	C	127	GLY	2.1
1	C	97	CYS	2.1
1	D	172	TYR	2.1
1	A	349[A]	THR	2.0
1	C	169	LEU	2.0
1	D	22	LYS	2.0
1	B	389	ARG	2.0
1	B	149	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	FAD	B	400	53/53	0.93	0.18	1.04	52,59,67,69	0
2	FAD	D	400	53/53	0.95	0.17	0.73	45,52,59,62	0
2	FAD	A	400	53/53	0.97	0.15	0.61	34,40,46,48	0
2	FAD	C	400	53/53	0.96	0.14	0.56	35,40,43,45	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	GRA	B	402	56/56	0.89	0.13	-0.32	49,62,107,117	0
3	GRA	D	402	56/56	0.91	0.12	-0.45	43,57,83,91	0
3	GRA	A	402	56/56	0.95	0.09	-0.85	35,46,69,78	0
3	GRA	C	402	56/56	0.96	0.08	-1.09	34,45,56,61	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.