



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:14 PM GMT

PDB ID : 1O2A
Title : Crystal structure of Thymidylate Synthase Complementing Protein (TM0449) from *Thermotoga maritima* with FAD at 1.8 Å resolution
Authors : Mathews, I.I.; Deacon, A.M.; Canaves, J.M.; McMullan, D.; Lesley, S.A.; Agarwalla, S.; Kuhn, P.; Joint Center for Structural Genomics (JCSG)
Deposited on : 2003-02-18
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4533 (1.80-1.80)
Clashscore	102246	5383 (1.80-1.80)
Ramachandran outliers	100387	5320 (1.80-1.80)
Sidechain outliers	100360	5319 (1.80-1.80)
RSRZ outliers	91569	4547 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	232	<div> <div>6%</div> <div>72%</div> <div>19%</div> <div>• 9%</div> </div>
1	B	232	<div> <div>8%</div> <div>75%</div> <div>17%</div> <div>• 8%</div> </div>
1	C	232	<div> <div>6%</div> <div>79%</div> <div>13%</div> <div>8%</div> </div>
1	D	232	<div> <div>10%</div> <div>72%</div> <div>19%</div> <div>8%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FAD	A	715	X	-	-	-
2	FAD	B	710	X	-	-	X
2	FAD	C	705	X	-	-	X
2	FAD	D	700	X	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7668 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thymidylate synthase thyX.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	211	Total	C	N	O	S	0	0	0
			1764	1148	304	307	5			
1	B	214	Total	C	N	O	S	0	0	0
			1786	1164	307	310	5			
1	C	214	Total	C	N	O	S	0	0	0
			1783	1157	306	315	5			
1	D	213	Total	C	N	O	S	0	5	0
			1815	1179	312	319	5			

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	LEADER SEQUENCE	UNP Q9WYT0
A	-10	GLY	-	LEADER SEQUENCE	UNP Q9WYT0
A	-9	SER	-	LEADER SEQUENCE	UNP Q9WYT0
A	-8	ASP	-	LEADER SEQUENCE	UNP Q9WYT0
A	-7	LYS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-6	ILE	-	LEADER SEQUENCE	UNP Q9WYT0
A	-5	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-4	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-3	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-2	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-1	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	0	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-11	MET	-	LEADER SEQUENCE	UNP Q9WYT0
B	-10	GLY	-	LEADER SEQUENCE	UNP Q9WYT0
B	-9	SER	-	LEADER SEQUENCE	UNP Q9WYT0
B	-8	ASP	-	LEADER SEQUENCE	UNP Q9WYT0
B	-7	LYS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-6	ILE	-	LEADER SEQUENCE	UNP Q9WYT0
B	-5	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-4	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-3	HIS	-	LEADER SEQUENCE	UNP Q9WYT0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-1	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	0	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-11	MET	-	LEADER SEQUENCE	UNP Q9WYT0
C	-10	GLY	-	LEADER SEQUENCE	UNP Q9WYT0
C	-9	SER	-	LEADER SEQUENCE	UNP Q9WYT0
C	-8	ASP	-	LEADER SEQUENCE	UNP Q9WYT0
C	-7	LYS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-6	ILE	-	LEADER SEQUENCE	UNP Q9WYT0
C	-5	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-4	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-3	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-2	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-1	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	0	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-11	MET	-	LEADER SEQUENCE	UNP Q9WYT0
D	-10	GLY	-	LEADER SEQUENCE	UNP Q9WYT0
D	-9	SER	-	LEADER SEQUENCE	UNP Q9WYT0
D	-8	ASP	-	LEADER SEQUENCE	UNP Q9WYT0
D	-7	LYS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-6	ILE	-	LEADER SEQUENCE	UNP Q9WYT0
D	-5	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-4	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-3	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-2	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-1	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	0	HIS	-	LEADER SEQUENCE	UNP Q9WYT0

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	82	Total	O	0	0
			82	82		
3	B	80	Total	O	0	0
			80	80		
3	C	72	Total	O	0	0
			72	72		
3	D	74	Total	O	0	0
			74	74		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Thymidylate synthase thyX




• Molecule 1: Thymidylate synthase thyX




• Molecule 1: Thymidylate synthase thyX



• Molecule 1: Thymidylate synthase thyX





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.50Å 116.95Å 141.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.80 36.73 – 1.71	Depositor EDS
% Data completeness (in resolution range)	91.7 (20.00-1.80) 88.6 (36.73-1.71)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.03	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.74 (at 1.71Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.203 , 0.230 0.204 , 0.232	Depositor DCC
R_{free} test set	3918 reflections (5.02%)	DCC
Wilson B-factor (Å ²)	25.1	Xtriage
Anisotropy	0.172	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 53.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 87308 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7668	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/1812	0.56	0/2448
1	B	0.32	0/1834	0.56	0/2478
1	C	0.33	0/1829	0.58	0/2470
1	D	0.31	0/1863	0.55	0/2519
All	All	0.32	0/7338	0.56	0/9915

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1764	0	1741	34	0
1	B	1786	0	1784	37	0
1	C	1783	0	1766	25	0
1	D	1815	0	1798	34	0
2	A	53	0	30	1	0
2	B	53	0	30	0	0
2	C	53	0	30	0	0
2	D	53	0	30	1	0
3	A	82	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	80	0	0	5	0
3	C	72	0	0	1	0
3	D	74	0	0	3	0
All	All	7668	0	7209	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:55:THR:HA	3:B:544:HOH:O	1.64	0.97
1:B:165:ARG:HD2	3:B:544:HOH:O	1.66	0.96
1:A:17:MET:HB2	1:B:17:MET:HB2	1.48	0.94
1:C:17:MET:HB2	1:D:17:MET:HB2	1.56	0.86
1:B:134:LEU:O	1:B:138:GLU:HG2	1.79	0.82
1:B:192:ARG:HG2	1:B:220:VAL:HG12	1.63	0.80
1:B:219:GLN:HG3	1:B:220:VAL:HG23	1.63	0.79
1:B:24:VAL:HG13	1:B:44:LEU:HD23	1.65	0.79
1:C:106:LEU:HD21	1:C:118:VAL:HG11	1.68	0.75
1:D:106:LEU:HD21	1:D:118:VAL:HG11	1.72	0.70
1:B:116:GLU:O	1:B:120:GLU:HG3	1.96	0.66
1:C:37:ASP:N	3:C:327:HOH:O	2.30	0.65
1:A:104:GLU:O	1:A:107:GLU:HG3	1.97	0.65
1:B:195:LYS:NZ	1:B:220:VAL:HG22	2.13	0.64
1:D:25:ARG:HH21	1:D:31:PHE:C	2.01	0.62
1:B:50:LYS:HG3	1:B:51:HIS:ND1	2.15	0.62
1:A:105:ARG:HD2	1:A:105:ARG:O	2.00	0.61
1:B:114:PRO:HD2	1:B:117:ARG:HG3	1.83	0.60
1:A:102:SER:HB3	3:A:573:HOH:O	2.01	0.60
1:A:192:ARG:HH11	1:A:192:ARG:HG2	1.65	0.60
1:B:116:GLU:H	1:B:116:GLU:CD	2.04	0.59
1:B:128:LYS:HG2	1:B:131:ARG:HH21	1.67	0.59
1:D:128:LYS:HG2	1:D:131:ARG:HH21	1.69	0.58
1:D:42:ARG:HG2	1:D:200:TRP:CD2	2.39	0.57
1:C:134:LEU:O	1:C:138:GLU:HG3	2.05	0.57
1:D:74:ARG:HD3	3:D:313:HOH:O	2.05	0.56
1:D:86:GLU:HG2	1:D:87[B]:LEU:N	2.21	0.55
1:D:37:ASP:HB3	1:D:40:ARG:HB2	1.87	0.55
1:C:195:LYS:HE2	1:C:220:VAL:HG12	1.88	0.55
1:A:5:ILE:HD11	1:A:189:ALA:HB2	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:38:GLU:HG3	1:A:200:TRP:CH2	2.42	0.54
1:A:192:ARG:HH11	1:A:192:ARG:CG	2.20	0.54
1:A:174:ARG:HD2	1:A:183:ILE:HD13	1.89	0.53
1:A:19:ASN:HB2	3:A:400:HOH:O	2.08	0.53
1:A:38:GLU:HG3	1:A:200:TRP:CZ2	2.44	0.52
1:D:105:ARG:HD2	1:D:105:ARG:O	2.09	0.52
1:A:5:ILE:HG22	1:A:6:LEU:HG	1.91	0.52
1:D:192:ARG:HG3	1:D:192:ARG:HH11	1.74	0.51
1:B:25:ARG:HD2	3:B:578:HOH:O	2.10	0.51
1:B:122:ILE:O	1:B:125:ILE:HG22	2.10	0.51
1:B:5:ILE:HD11	1:B:189:ALA:HB2	1.92	0.51
1:A:117:ARG:HD3	1:A:120:GLU:OE2	2.11	0.50
1:B:113:ILE:HG12	1:C:139:SER:OG	2.10	0.50
1:B:195:LYS:HZ2	1:B:220:VAL:HG22	1.75	0.50
1:A:89:GLY:HA3	1:A:147:ARG:NE	2.27	0.50
1:D:175:ALA:HA	1:D:214:ILE:HD11	1.92	0.49
1:B:175:ALA:HA	1:B:214:ILE:HD11	1.93	0.49
1:A:120:GLU:O	1:A:124:GLU:HG3	2.12	0.49
1:D:86:GLU:CG	1:D:87[B]:LEU:N	2.76	0.49
1:B:165:ARG:NH1	3:B:544:HOH:O	2.46	0.49
1:A:210:TYR:CE2	1:A:215:LEU:HB2	2.48	0.48
1:D:145:VAL:O	1:D:148:ILE:HG12	2.13	0.48
1:A:175:ALA:HA	1:A:214:ILE:HD11	1.94	0.48
1:C:195:LYS:CE	1:C:220:VAL:HG12	2.44	0.47
1:C:192:ARG:HH12	1:C:220:VAL:HG21	1.79	0.47
1:C:220:VAL:HG23	1:C:220:VAL:OXT	2.15	0.47
1:A:104:GLU:HB3	1:A:107:GLU:OE2	2.14	0.47
1:B:195:LYS:HZ3	1:B:220:VAL:HG22	1.80	0.47
1:C:96:TYR:HB3	1:C:130:TYR:CE1	2.50	0.46
1:A:90:ARG:HH12	2:D:700:FAD:HM72	1.80	0.46
1:A:137:ILE:HD11	1:A:143:ARG:HA	1.97	0.46
1:D:106:LEU:HD12	1:D:106:LEU:N	2.31	0.46
1:C:55:THR:OG1	1:C:56:PRO:HD3	2.16	0.46
1:B:29:VAL:O	1:B:29:VAL:HG12	2.16	0.46
1:B:192:ARG:NE	1:B:220:VAL:HG11	2.30	0.46
1:B:145:VAL:O	1:B:148:ILE:HG12	2.16	0.46
1:D:133:TYR:CE1	1:D:137:ILE:HD11	2.50	0.45
1:D:86:GLU:HG2	1:D:87[A]:LEU:N	2.31	0.45
1:A:45:ILE:HD12	1:A:200:TRP:HE3	1.81	0.45
1:C:192:ARG:NH2	1:C:220:VAL:HG23	2.31	0.45
1:D:40:ARG:HH11	1:D:40:ARG:HG2	1.82	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:210:TYR:CE2	1:D:215:LEU:HB2	2.51	0.45
1:D:91[A]:TYR:HB2	3:D:539:HOH:O	2.16	0.45
1:D:70:ILE:O	1:D:74:ARG:HG3	2.16	0.45
1:B:114:PRO:O	1:B:117:ARG:HB2	2.17	0.44
1:D:37:ASP:OD1	1:D:39:GLU:HG2	2.17	0.44
1:C:145:VAL:O	1:C:148:ILE:HG12	2.17	0.44
1:A:104:GLU:OE1	1:A:104:GLU:N	2.50	0.44
1:B:46:GLU:O	1:B:50:LYS:HG2	2.17	0.44
1:A:142:PRO:HG3	1:D:109:TYR:CE2	2.52	0.44
1:D:133:TYR:O	1:D:137:ILE:HD13	2.18	0.44
1:A:-1:HIS:O	1:A:0:HIS:HB2	2.18	0.43
1:C:44:LEU:O	1:C:48:LEU:HG	2.19	0.43
1:C:104:GLU:H	1:C:104:GLU:CD	2.22	0.43
1:D:104:GLU:HA	1:D:107:GLU:HG3	2.00	0.43
1:D:25:ARG:HD3	3:D:587:HOH:O	2.18	0.43
1:A:100:ILE:HG22	1:A:119:THR:HG23	1.99	0.42
1:D:55:THR:OG1	1:D:56:PRO:HD3	2.18	0.42
1:D:13:LEU:HD11	1:D:16:VAL:CG2	2.50	0.42
1:B:210:TYR:CE2	1:B:215:LEU:HB2	2.54	0.42
1:D:89[B]:GLY:O	1:D:147:ARG:HD2	2.20	0.42
1:B:106:LEU:HD21	1:B:118:VAL:HG11	2.01	0.42
1:C:175:ALA:HA	1:C:214:ILE:HD11	2.02	0.42
1:B:203:GLU:HG2	3:B:603:HOH:O	2.19	0.42
1:A:157:ARG:NH1	1:B:29:VAL:O	2.48	0.42
1:B:130:TYR:O	1:B:134:LEU:HG	2.20	0.42
1:C:210:TYR:CE2	1:C:215:LEU:HB2	2.55	0.42
1:A:173:LEU:HD13	2:A:715:FAD:O3'	2.20	0.42
1:A:192:ARG:NH1	1:A:192:ARG:CG	2.79	0.41
1:D:86:GLU:CG	1:D:87[A]:LEU:N	2.83	0.41
1:C:5:ILE:HD11	1:C:189:ALA:HB2	2.01	0.41
1:A:145:VAL:O	1:A:148:ILE:HG12	2.20	0.41
1:A:116:GLU:O	1:A:120:GLU:HG3	2.20	0.41
1:B:106:LEU:HD12	1:B:106:LEU:N	2.35	0.41
1:C:106:LEU:N	1:C:106:LEU:HD12	2.35	0.41
1:D:117:ARG:NH2	1:D:121:LYS:HZ3	2.18	0.41
1:C:192:ARG:HH22	1:C:220:VAL:HG23	1.86	0.41
1:B:125:ILE:HG21	1:C:149:VAL:HB	2.01	0.41
1:A:116:GLU:CD	1:A:116:GLU:H	2.24	0.41
1:A:114:PRO:HA	1:A:115:PRO:HD3	1.98	0.41
1:C:106:LEU:CD2	1:C:118:VAL:HG21	2.50	0.41
1:A:126:VAL:HG21	1:A:153:ASN:HD21	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:106:LEU:O	1:C:108:GLY:N	2.50	0.41
1:B:152:LEU:HD23	1:C:152:LEU:HD23	2.03	0.41
1:B:86:GLU:CG	1:B:87:LEU:N	2.84	0.41
1:B:114:PRO:HA	1:B:115:PRO:HD3	1.98	0.40
1:D:100:ILE:HG22	1:D:119:THR:HG23	2.04	0.40
1:D:84:TYR:CE2	1:D:160:TRP:CD1	3.09	0.40
1:B:115:PRO:HD2	1:B:116:GLU:OE2	2.20	0.40
1:D:42:ARG:HG2	1:D:200:TRP:CE3	2.57	0.40
1:C:114:PRO:HD2	1:C:117:ARG:HG3	2.03	0.40
1:A:13:LEU:CD2	1:A:197:LYS:HE3	2.52	0.40
1:D:114:PRO:HA	1:D:115:PRO:HD3	1.97	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	205/232 (88%)	198 (97%)	6 (3%)	1 (0%)	34	17
1	B	210/232 (90%)	205 (98%)	5 (2%)	0	100	100
1	C	208/232 (90%)	198 (95%)	9 (4%)	1 (0%)	34	17
1	D	214/232 (92%)	209 (98%)	5 (2%)	0	100	100
All	All	837/928 (90%)	810 (97%)	25 (3%)	2 (0%)	52	35

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	96	TYR
1	C	108	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/207 (89%)	182 (98%)	3 (2%)	70	59
1	B	189/207 (91%)	187 (99%)	2 (1%)	80	74
1	C	189/207 (91%)	189 (100%)	0	100	100
1	D	191/207 (92%)	188 (98%)	3 (2%)	70	59
All	All	754/828 (91%)	746 (99%)	8 (1%)	80	74

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	LEU
1	A	105	ARG
1	A	192	ARG
1	B	117	ARG
1	B	192	ARG
1	D	44	LEU
1	D	54	GLU
1	D	105	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	185	GLN
1	D	75	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	A	715	-	48,58,58	3.01	20 (41%)	54,89,89	3.40	17 (31%)
2	FAD	B	710	-	48,58,58	3.02	21 (43%)	54,89,89	3.42	18 (33%)
2	FAD	C	705	-	48,58,58	3.00	21 (43%)	54,89,89	3.44	18 (33%)
2	FAD	D	700	-	48,58,58	2.99	22 (45%)	54,89,89	3.43	18 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	715	-	1/1/9/9	0/30/50/50	0/6/6/6
2	FAD	B	710	-	1/1/9/9	0/30/50/50	0/6/6/6
2	FAD	C	705	-	1/1/9/9	0/30/50/50	0/6/6/6
2	FAD	D	700	-	1/1/9/9	0/30/50/50	0/6/6/6

All (84) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	700	FAD	C8A-N7A	-4.69	1.25	1.34
2	B	710	FAD	C8A-N7A	-4.63	1.25	1.34
2	C	705	FAD	C8A-N7A	-4.46	1.26	1.34
2	A	715	FAD	C8A-N7A	-4.41	1.26	1.34
2	D	700	FAD	P-O5'	-2.11	1.49	1.59
2	C	705	FAD	P-O5'	-2.11	1.49	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	715	FAD	P-O5'	-2.09	1.49	1.59
2	B	710	FAD	P-O5'	-2.06	1.49	1.59
2	D	700	FAD	O5B-C5B	2.01	1.53	1.44
2	B	710	FAD	C5B-C4B	2.06	1.58	1.51
2	D	700	FAD	C5B-C4B	2.06	1.58	1.51
2	C	705	FAD	C5B-C4B	2.14	1.58	1.51
2	D	700	FAD	C9-C8	2.55	1.44	1.37
2	C	705	FAD	C9-C8	2.59	1.44	1.37
2	B	710	FAD	C9-C8	2.62	1.45	1.37
2	A	715	FAD	C9-C8	2.62	1.45	1.37
2	D	700	FAD	C5A-C4A	2.96	1.47	1.40
2	B	710	FAD	C5A-C4A	3.08	1.47	1.40
2	C	705	FAD	C5A-C4A	3.10	1.47	1.40
2	A	715	FAD	C5A-C4A	3.11	1.47	1.40
2	A	715	FAD	C2A-N1A	3.32	1.40	1.33
2	D	700	FAD	C2A-N1A	3.42	1.40	1.33
2	C	705	FAD	C2A-N1A	3.52	1.40	1.33
2	B	710	FAD	C6-C5X	3.54	1.47	1.41
2	C	705	FAD	O4B-C1B	3.56	1.45	1.41
2	B	710	FAD	C2A-N1A	3.67	1.40	1.33
2	C	705	FAD	C2A-N3A	3.70	1.38	1.32
2	C	705	FAD	C6-C5X	3.75	1.47	1.41
2	A	715	FAD	C2A-N3A	3.75	1.38	1.32
2	A	715	FAD	O4B-C1B	3.75	1.45	1.41
2	D	700	FAD	C2A-N3A	3.76	1.38	1.32
2	A	715	FAD	C6-C5X	3.76	1.47	1.41
2	D	700	FAD	C6-C5X	3.77	1.47	1.41
2	B	710	FAD	O4B-C1B	3.79	1.46	1.41
2	B	710	FAD	C2A-N3A	3.82	1.38	1.32
2	C	705	FAD	C9-C9A	3.86	1.49	1.40
2	A	715	FAD	C9-C9A	3.93	1.49	1.40
2	A	715	FAD	C6-C7	3.95	1.48	1.37
2	B	710	FAD	C6-C7	3.97	1.48	1.37
2	D	700	FAD	C6-C7	3.97	1.48	1.37
2	C	705	FAD	C6-C7	3.97	1.48	1.37
2	D	700	FAD	O4B-C1B	3.98	1.46	1.41
2	D	700	FAD	C8-C7	3.99	1.51	1.41
2	B	710	FAD	C9-C9A	4.02	1.49	1.40
2	B	710	FAD	C8-C7	4.05	1.51	1.41
2	C	705	FAD	C10-N1	4.05	1.42	1.35
2	C	705	FAD	C8-C7	4.07	1.51	1.41
2	A	715	FAD	C10-N1	4.07	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	715	FAD	C8-C7	4.07	1.51	1.41
2	D	700	FAD	C9-C9A	4.08	1.49	1.40
2	B	710	FAD	C10-N1	4.17	1.42	1.35
2	D	700	FAD	C5X-N5	4.21	1.42	1.35
2	D	700	FAD	C10-N1	4.32	1.42	1.35
2	A	715	FAD	C5X-N5	4.37	1.42	1.35
2	B	710	FAD	C5X-N5	4.37	1.42	1.35
2	C	705	FAD	C5X-N5	4.41	1.42	1.35
2	D	700	FAD	C4-C4X	4.50	1.50	1.41
2	B	710	FAD	C4-C4X	4.54	1.50	1.41
2	D	700	FAD	C4X-C10	4.55	1.49	1.41
2	C	705	FAD	C4-C4X	4.59	1.50	1.41
2	B	710	FAD	C4X-C10	4.60	1.49	1.41
2	A	715	FAD	C4-C4X	4.62	1.50	1.41
2	A	715	FAD	C4X-C10	4.66	1.49	1.41
2	C	705	FAD	C4X-C10	4.67	1.49	1.41
2	D	700	FAD	C9A-C5X	4.75	1.52	1.42
2	C	705	FAD	C9A-C5X	4.88	1.52	1.42
2	B	710	FAD	C9A-C5X	4.92	1.52	1.42
2	A	715	FAD	C9A-C5X	4.93	1.52	1.42
2	D	700	FAD	C10-N10	5.65	1.45	1.39
2	C	705	FAD	C10-N10	5.92	1.46	1.39
2	B	710	FAD	C10-N10	5.98	1.46	1.39
2	C	705	FAD	C4X-N5	5.98	1.42	1.33
2	B	710	FAD	C4X-N5	6.01	1.42	1.33
2	A	715	FAD	C4X-N5	6.04	1.42	1.33
2	D	700	FAD	C4X-N5	6.05	1.42	1.33
2	A	715	FAD	C10-N10	6.16	1.46	1.39
2	D	700	FAD	C4-N3	6.36	1.44	1.33
2	B	710	FAD	C4-N3	6.38	1.44	1.33
2	A	715	FAD	C4-N3	6.39	1.45	1.33
2	C	705	FAD	C4-N3	6.44	1.45	1.33
2	A	715	FAD	C4A-N3A	6.50	1.45	1.35
2	C	705	FAD	C4A-N3A	6.58	1.45	1.35
2	B	710	FAD	C4A-N3A	6.62	1.45	1.35
2	D	700	FAD	C4A-N3A	6.69	1.45	1.35

All (71) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	700	FAD	C4B-O4B-C1B	-8.80	100.05	109.72
2	A	715	FAD	C4B-O4B-C1B	-8.68	100.18	109.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	710	FAD	C4B-O4B-C1B	-8.64	100.22	109.72
2	C	705	FAD	C4B-O4B-C1B	-8.37	100.52	109.72
2	D	700	FAD	N3A-C2A-N1A	-7.52	123.14	128.89
2	C	705	FAD	N3A-C2A-N1A	-7.48	123.16	128.89
2	B	710	FAD	N3A-C2A-N1A	-7.43	123.20	128.89
2	A	715	FAD	N3A-C2A-N1A	-7.42	123.21	128.89
2	C	705	FAD	C4-C4X-C10	-4.92	116.79	119.94
2	D	700	FAD	C4-C4X-C10	-4.88	116.82	119.94
2	A	715	FAD	C4-C4X-C10	-4.85	116.84	119.94
2	B	710	FAD	C4-C4X-C10	-4.84	116.84	119.94
2	C	705	FAD	C4X-C4-N3	-4.63	117.25	123.59
2	A	715	FAD	C4X-C4-N3	-4.55	117.36	123.59
2	B	710	FAD	C4X-C4-N3	-4.54	117.39	123.59
2	D	700	FAD	C4X-C4-N3	-4.52	117.41	123.59
2	D	700	FAD	C4X-C10-N10	-4.09	118.11	120.52
2	B	710	FAD	C4X-C10-N10	-3.88	118.23	120.52
2	A	715	FAD	C4X-C10-N10	-3.87	118.24	120.52
2	C	705	FAD	C4X-C10-N10	-3.86	118.25	120.52
2	A	715	FAD	C4A-C5A-N7A	-3.69	106.09	109.48
2	C	705	FAD	C4A-C5A-N7A	-3.63	106.14	109.48
2	D	700	FAD	C4A-C5A-N7A	-3.58	106.19	109.48
2	B	710	FAD	C4A-C5A-N7A	-3.55	106.21	109.48
2	B	710	FAD	C5B-C4B-C3B	-2.77	104.21	115.21
2	A	715	FAD	C5B-C4B-C3B	-2.77	104.22	115.21
2	C	705	FAD	C5B-C4B-C3B	-2.76	104.27	115.21
2	D	700	FAD	C5B-C4B-C3B	-2.72	104.43	115.21
2	D	700	FAD	C1'-C2'-C3'	-2.36	103.07	109.82
2	C	705	FAD	C1'-C2'-C3'	-2.24	103.40	109.82
2	B	710	FAD	C1'-C2'-C3'	-2.23	103.45	109.82
2	B	710	FAD	C2A-N1A-C6A	2.10	122.52	118.77
2	C	705	FAD	C2A-N1A-C6A	2.15	122.62	118.77
2	D	700	FAD	C2A-N1A-C6A	2.22	122.73	118.77
2	A	715	FAD	C2A-N1A-C6A	2.24	122.77	118.77
2	C	705	FAD	O3B-C3B-C4B	2.69	119.13	111.05
2	C	705	FAD	O4B-C4B-C3B	2.72	110.62	105.15
2	B	710	FAD	O3B-C3B-C4B	2.72	119.22	111.05
2	D	700	FAD	O4B-C4B-C3B	2.73	110.64	105.15
2	D	700	FAD	O3B-C3B-C4B	2.75	119.29	111.05
2	B	710	FAD	O4B-C4B-C3B	2.76	110.70	105.15
2	A	715	FAD	O3B-C3B-C4B	2.76	119.33	111.05
2	A	715	FAD	O4B-C4B-C3B	2.77	110.73	105.15
2	C	705	FAD	C1'-N10-C9A	2.90	122.12	118.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	715	FAD	C1'-N10-C9A	2.91	122.13	118.86
2	B	710	FAD	C1'-N10-C9A	3.11	122.35	118.86
2	B	710	FAD	C4X-N5-C5X	3.13	120.36	116.76
2	A	715	FAD	C4X-N5-C5X	3.13	120.37	116.76
2	C	705	FAD	C4X-N5-C5X	3.14	120.37	116.76
2	D	700	FAD	C4X-N5-C5X	3.22	120.47	116.76
2	D	700	FAD	C1'-N10-C9A	3.30	122.56	118.86
2	A	715	FAD	P-O3P-PA	3.47	142.47	132.73
2	D	700	FAD	P-O3P-PA	3.50	142.55	132.73
2	C	705	FAD	P-O3P-PA	3.63	142.93	132.73
2	B	710	FAD	P-O3P-PA	3.72	143.19	132.73
2	B	710	FAD	C4-C4X-N5	3.77	123.29	118.72
2	D	700	FAD	C4-C4X-N5	3.79	123.32	118.72
2	A	715	FAD	C4-C4X-N5	3.80	123.33	118.72
2	C	705	FAD	C4-C4X-N5	3.85	123.39	118.72
2	C	705	FAD	O4B-C1B-N9A	3.93	116.33	108.10
2	B	710	FAD	O4B-C1B-N9A	4.00	116.47	108.10
2	D	700	FAD	O4B-C1B-N9A	4.05	116.57	108.10
2	A	715	FAD	O4B-C1B-N9A	4.07	116.63	108.10
2	A	715	FAD	C4-N3-C2	8.64	122.72	115.25
2	B	710	FAD	C4-N3-C2	8.69	122.76	115.25
2	C	705	FAD	C4-N3-C2	8.73	122.80	115.25
2	D	700	FAD	C4-N3-C2	8.77	122.83	115.25
2	D	700	FAD	C2B-C1B-N9A	15.08	137.33	114.29
2	A	715	FAD	C2B-C1B-N9A	15.17	137.46	114.29
2	B	710	FAD	C2B-C1B-N9A	15.27	137.62	114.29
2	C	705	FAD	C2B-C1B-N9A	15.53	138.03	114.29

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	D	700	FAD	C1B
2	C	705	FAD	C1B
2	A	715	FAD	C1B
2	B	710	FAD	C1B

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	715	FAD	1	0
2	D	700	FAD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	211/232 (90%)	0.27	15 (7%)	19 15	15, 26, 50, 61	0
1	B	214/232 (92%)	0.32	18 (8%)	14 11	16, 28, 53, 58	0
1	C	214/232 (92%)	0.16	13 (6%)	25 20	15, 25, 47, 55	0
1	D	213/232 (91%)	0.41	23 (10%)	8 6	16, 29, 55, 65	0
All	All	852/928 (91%)	0.29	69 (8%)	15 11	15, 27, 52, 65	0

All (69) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	31	PHE	6.0
1	B	220	VAL	5.8
1	A	91	TYR	5.5
1	B	31	PHE	5.1
1	D	93	LYS	4.8
1	C	220	VAL	4.8
1	B	107	GLU	4.7
1	C	107	GLU	4.6
1	D	40	ARG	4.5
1	A	107	GLU	4.2
1	D	39	GLU	4.2
1	B	40	ARG	4.2
1	B	110	LYS	4.2
1	C	138	GLU	4.1
1	C	31	PHE	4.0
1	D	116	GLU	3.9
1	C	109	TYR	3.9
1	C	95	SER	3.8
1	D	107	GLU	3.6
1	D	91[A]	TYR	3.5
1	D	109	TYR	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	40	ARG	3.4
1	B	112	THR	3.4
1	D	94	LEU	3.3
1	D	110	LYS	3.3
1	B	30	SER	3.3
1	A	37	ASP	3.2
1	D	38	GLU	3.1
1	A	0	HIS	3.1
1	A	106	LEU	3.1
1	A	36	LYS	3.1
1	D	37	ASP	2.9
1	D	106	LEU	2.9
1	A	95	SER	2.8
1	C	110	LYS	2.8
1	A	-1	HIS	2.7
1	C	219	GLN	2.7
1	D	137	ILE	2.7
1	B	108	GLY	2.7
1	B	138	GLU	2.7
1	D	217	GLU	2.6
1	D	218	VAL	2.6
1	D	90[A]	ARG	2.6
1	A	94	LEU	2.6
1	D	108	GLY	2.6
1	B	114	PRO	2.5
1	C	92	SER	2.5
1	B	51	HIS	2.5
1	C	40	ARG	2.5
1	B	120	GLU	2.5
1	C	96	TYR	2.5
1	D	31	PHE	2.4
1	A	108	GLY	2.4
1	B	29	VAL	2.4
1	B	93	LYS	2.4
1	B	113	ILE	2.4
1	B	111	THR	2.4
1	D	89[A]	GLY	2.3
1	A	39	GLU	2.3
1	D	117	ARG	2.2
1	D	92	SER	2.2
1	B	109	TYR	2.1
1	A	112	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	77	PHE	2.1
1	D	120	GLU	2.0
1	A	138	GLU	2.0
1	C	217	GLU	2.0
1	D	111	THR	2.0
1	C	137	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	FAD	C	705	53/53	0.76	0.25	5.22	33,50,69,69	0
2	FAD	B	710	53/53	0.74	0.25	5.12	35,52,65,65	0
2	FAD	D	700	53/53	0.83	0.18	2.19	25,39,50,50	0
2	FAD	A	715	53/53	0.78	0.23	1.56	34,48,68,69	0

6.5 Other polymers [i](#)

There are no such residues in this entry.