



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:48 PM GMT

PDB ID : 4Q1Q  
Title : Crystal structure of TibC-catalyzed hyper-glycosylated TibA55-350 fragment  
Authors : Yao, Q.; Lu, Q.; Shao, F.  
Deposited on : 2014-04-04  
Resolution : 2.11 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4587 (2.14-2.10)
Clashscore	102246	5132 (2.14-2.10)
Ramachandran outliers	100387	5080 (2.14-2.10)
Sidechain outliers	100360	5081 (2.14-2.10)
RSRZ outliers	91569	4597 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	305	<div> <div>27%</div> <div>77%</div> <div>13%</div> <div>10%</div> </div>
1	B	305	<div> <div>39%</div> <div>80%</div> <div>9%</div> <div>10%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	289	A	402	X	-	-	-
2	289	A	403	-	-	-	X
2	289	A	406	X	-	-	-
2	289	A	410	-	-	-	X
2	289	A	413	-	-	X	-
2	289	A	416	-	-	-	X
2	289	A	417	-	-	-	X
2	289	A	421	X	-	-	-
2	289	A	433	X	-	-	-
2	289	A	434	-	-	-	X
2	289	A	435	X	-	-	X
2	289	B	408	X	-	-	-
2	289	B	409	-	-	-	X
2	289	B	416	-	-	-	X
2	289	B	417	-	-	-	X
2	289	B	421	-	-	-	X
2	289	B	427	-	-	-	X
2	289	B	432	-	-	-	X
2	289	B	433	-	-	X	-
2	289	B	434	-	-	-	X
2	289	B	435	-	-	-	X

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4712 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Adhesin/invasin TibA autotransporter.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	274	Total	C	N	O	Se	0	0	0
			1864	1102	345	413	4			
1	B	274	Total	C	N	O	Se	0	0	0
			1864	1102	345	413	4			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	46	MSE	-	EXPRESSION TAG	UNP Q9XD84
A	47	ASP	-	EXPRESSION TAG	UNP Q9XD84
A	48	TYR	-	EXPRESSION TAG	UNP Q9XD84
A	49	LYS	-	EXPRESSION TAG	UNP Q9XD84
A	50	ASP	-	EXPRESSION TAG	UNP Q9XD84
A	51	ASP	-	EXPRESSION TAG	UNP Q9XD84
A	52	ASP	-	EXPRESSION TAG	UNP Q9XD84
A	53	ASP	-	EXPRESSION TAG	UNP Q9XD84
A	54	LYS	-	EXPRESSION TAG	UNP Q9XD84
B	46	MSE	-	EXPRESSION TAG	UNP Q9XD84
B	47	ASP	-	EXPRESSION TAG	UNP Q9XD84
B	48	TYR	-	EXPRESSION TAG	UNP Q9XD84
B	49	LYS	-	EXPRESSION TAG	UNP Q9XD84
B	50	ASP	-	EXPRESSION TAG	UNP Q9XD84
B	51	ASP	-	EXPRESSION TAG	UNP Q9XD84
B	52	ASP	-	EXPRESSION TAG	UNP Q9XD84
B	53	ASP	-	EXPRESSION TAG	UNP Q9XD84
B	54	LYS	-	EXPRESSION TAG	UNP Q9XD84

- Molecule 2 is SUGAR (D-GLYCERO-ALPHA-D-MANNO-HEPTOPYRANOSE) (three-letter code: 289) (formula: C<sub>7</sub>H<sub>14</sub>O<sub>7</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		
2	A	1	Total	C	O	0	0
			13	7	6		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	22	Total	O	0	0
			22	22		
3	B	52	Total	O	0	0
			52	52		




### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Adhesin/invasin TibA autotransporter



- Molecule 1: Adhesin/invasin TibA autotransporter



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	46.81Å 62.17Å 97.29Å 90.00° 90.90° 90.00°	Depositor
Resolution (Å)	19.87 – 2.11 19.86 – 2.11	Depositor EDS
% Data completeness (in resolution range)	97.8 (19.87-2.11) 98.0 (19.86-2.11)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.31 (at 2.11Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, $R_{free}$	0.205 , 0.248 0.339 , 0.352	Depositor DCC
$R_{free}$ test set	1598 reflections (5.33%)	DCC
Wilson B-factor (Å <sup>2</sup> )	46.1	Xtriage
Anisotropy	0.456	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 40.8	EDS
Estimated twinning fraction	0.024 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 31556 reflections	Xtriage
$F_o, F_c$ correlation	0.88	EDS
Total number of atoms	4712	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.05% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:  
289

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.32	0/1877	0.83	0/2530
1	B	0.35	0/1877	0.86	1/2530 (0.0%)
All	All	0.34	0/3754	0.84	1/5060 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	259	ARG	NE-CZ-NH1	7.26	123.93	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1864	0	1737	26	4
1	B	1864	0	1737	19	2
2	A	455	0	419	32	6
2	B	455	0	407	24	9
3	A	22	0	0	0	0
3	B	52	0	0	1	1
All	All	4712	0	4300	80	11

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:435:289:C2	2:B:435:289:C3	1.79	1.58
2:B:433:289:C3	2:B:433:289:C2	1.85	1.51
2:A:413:289:C5	2:A:413:289:O5	1.64	1.44
2:B:433:289:C5	2:B:433:289:O5	1.64	1.42
2:B:406:289:O2	2:B:408:289:O6	1.55	1.24
2:A:413:289:C4	2:A:413:289:O5	2.06	1.02
2:B:433:289:C5	2:B:433:289:C1	2.50	0.89
2:B:435:289:C3	2:B:435:289:H2	2.04	0.88
2:B:433:289:C4	2:B:433:289:C2	2.53	0.86
2:A:413:289:C5	2:A:413:289:C1	2.51	0.83
2:A:410:289:H3	2:A:434:289:O3	1.79	0.81
2:B:404:289:H2	2:B:406:289:O4	1.81	0.81
1:B:286:ASN:HA	1:B:305:SER:O	1.80	0.80
1:B:286:ASN:OD1	1:B:305:SER:HB3	1.83	0.78
2:A:412:289:O7	2:A:412:289:O4	2.04	0.75
2:B:433:289:C4	2:B:433:289:O5	2.35	0.75
2:B:435:289:C2	2:B:435:289:C4	2.62	0.75
1:A:154:SER:OG	2:A:434:289:O3	2.05	0.74
2:B:428:289:O6	3:B:549:HOH:O	2.05	0.74
2:A:406:289:HO3	2:A:406:289:HO6	1.29	0.73
1:B:287:VAL:O	1:B:306:ALA:HA	1.93	0.69
2:A:432:289:O4	2:A:433:289:H6	1.92	0.69
2:A:413:289:H4	2:A:413:289:O5	1.96	0.65
1:B:230:SER:HB2	2:B:416:289:O2	1.98	0.63
2:B:406:289:C2	2:B:408:289:O6	2.47	0.62
1:B:286:ASN:OD1	1:B:305:SER:CB	2.47	0.61
1:B:70:SER:HA	1:B:89:LYS:O	2.00	0.60
1:A:188:SER:HB3	2:A:412:289:H5	1.83	0.60
2:B:433:289:O5	2:B:433:289:H4	2.03	0.59
1:A:156:MSE:HB3	2:A:434:289:O2	2.03	0.59
1:A:81:ASN:OD1	2:A:430:289:H6	2.02	0.58
2:B:433:289:O5	2:B:433:289:C6	2.47	0.57
2:A:432:289:HO4	2:A:433:289:C7	2.17	0.57
2:B:404:289:H2	2:B:406:289:HO4	1.70	0.56
1:A:223:GLN:OE1	1:A:242:MSE:HG3	2.05	0.56
1:B:169:ILE:HD12	2:B:411:289:H2	1.88	0.55
1:B:287:VAL:HG22	1:B:306:ALA:HB2	1.89	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:433:289:C4	2:B:433:289:C1	2.85	0.55
1:A:154:SER:HB2	2:A:410:289:C5	2.37	0.54
1:B:256:ASN:HB2	2:B:425:289:H7A	1.90	0.53
1:A:188:SER:CB	2:A:412:289:H5	2.38	0.53
2:B:433:289:C5	2:B:433:289:C2	2.86	0.53
2:B:433:289:O4	2:B:433:289:H7	2.10	0.52
1:A:256:ASN:OD1	1:A:276:GLY:HA3	2.10	0.52
1:B:306:ALA:O	1:B:307:SER:HB3	2.10	0.52
2:A:406:289:C3	2:A:406:289:HO6	2.23	0.52
2:B:433:289:C2	2:B:433:289:O3	2.39	0.51
1:B:58:ASP:OD1	1:B:59:ASN:ND2	2.42	0.50
1:A:156:MSE:CB	2:A:434:289:O2	2.61	0.48
1:A:119:SER:HB3	2:A:431:289:H7	1.96	0.48
1:A:72:HIS:C	1:A:73:LEU:HD12	2.35	0.47
1:B:213:THR:HG22	1:B:214:ASP:OD2	2.14	0.47
1:A:154:SER:HB2	2:A:410:289:H5	1.97	0.46
2:A:413:289:O4	2:A:413:289:H7	2.15	0.46
1:A:278:ARG:HA	1:A:297:MSE:O	2.16	0.46
1:A:173:SER:HB2	2:A:410:289:O5	2.16	0.45
1:B:225:VAL:HG12	1:B:247:GLY:HA3	1.99	0.45
1:A:154:SER:CB	2:A:410:289:C5	2.94	0.45
2:A:412:289:C4	2:A:412:289:O7	2.63	0.44
2:A:413:289:C6	2:A:413:289:O5	2.55	0.43
1:A:188:SER:CB	2:A:412:289:C5	2.97	0.43
1:B:289:GLU:HA	1:B:308:LYS:O	2.18	0.43
1:A:165:ASP:OD1	1:A:184:ARG:HB2	2.19	0.43
1:B:219:ASN:CG	2:B:424:289:H7	2.39	0.43
1:B:118:THR:CG2	2:B:432:289:O2	2.67	0.42
2:A:425:289:C4	2:A:425:289:HO7	2.31	0.42
1:A:181:SER:HA	1:A:201:GLY:HA3	2.00	0.42
1:A:157:GLY:O	1:A:159:ILE:HD12	2.20	0.42
1:A:211:SER:OG	2:A:416:289:H7	2.19	0.42
1:A:309:VAL:HG21	1:A:325:VAL:HG13	2.00	0.42
1:A:207:ARG:NE	2:A:414:289:O2	2.45	0.42
1:A:219:ASN:ND2	2:A:424:289:O6	2.53	0.42
1:A:143:ASN:ND2	2:A:420:289:O3	2.53	0.41
1:A:173:SER:HA	1:A:192:ILE:O	2.21	0.41
1:A:242:MSE:SE	1:A:260:GLN:HE21	2.54	0.41
2:A:420:289:H7	2:A:420:289:H4	1.84	0.41
2:A:425:289:C4	2:A:425:289:O7	2.69	0.41
1:B:286:ASN:OD1	1:B:305:SER:OG	2.39	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:288:THR:HA	1:B:307:SER:O	2.21	0.40
1:B:170:SER:HA	1:B:189:SER:O	2.22	0.40

All (11) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:312:ASN:OD1	3:B:549:HOH:O[2_656]	1.57	0.63
2:A:420:289:C7	2:B:416:289:O7[1_665]	1.59	0.61
2:A:403:289:O4	2:B:409:289:O7[1_665]	1.76	0.44
2:A:403:289:O3	2:B:409:289:O4[1_665]	1.81	0.39
2:A:408:289:O6	2:B:430:289:O3[1_655]	2.06	0.14
1:B:293:THR:OG1	2:B:420:289:O3[1_455]	2.06	0.14
2:A:420:289:C7	2:B:416:289:C7[1_665]	2.12	0.08
1:A:310:ILE:CG2	2:B:428:289:O7[2_656]	2.12	0.08
2:A:420:289:C4	2:B:416:289:O7[1_665]	2.14	0.06
1:A:289:GLU:OE1	2:B:424:289:O3[1_655]	2.18	0.02
1:A:317:VAL:N	1:B:319:THR:O[2_656]	2.19	0.01

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	272/305 (89%)	257 (94%)	13 (5%)	2 (1%)	26	20
1	B	272/305 (89%)	260 (96%)	10 (4%)	2 (1%)	26	20
All	All	544/610 (89%)	517 (95%)	23 (4%)	4 (1%)	26	20

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	64	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	124	SER
1	B	86	SER
1	B	189	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	197/216 (91%)	190 (96%)	7 (4%)	42	42
1	B	197/216 (91%)	191 (97%)	6 (3%)	48	50
All	All	394/432 (91%)	381 (97%)	13 (3%)	45	46

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	66	GLU
1	A	69	LYS
1	A	70	SER
1	A	118	THR
1	A	173	SER
1	A	178	SER
1	A	305	SER
1	B	68	SER
1	B	78	THR
1	B	118	THR
1	B	121	THR
1	B	137	THR
1	B	259	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	219	ASN
1	A	320	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

70 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	289	A	401	1	13,13,14	0.35	0	17,18,20	2.11	6 (35%)
2	289	A	402	1	13,13,14	0.33	0	17,18,20	1.26	2 (11%)
2	289	A	403	1	13,13,14	0.37	0	17,18,20	0.92	0
2	289	A	404	1	13,13,14	0.23	0	17,18,20	1.82	5 (29%)
2	289	A	405	1	13,13,14	0.23	0	17,18,20	1.45	2 (11%)
2	289	A	406	1	13,13,14	0.38	0	17,18,20	1.62	3 (17%)
2	289	A	407	1	13,13,14	0.25	0	17,18,20	1.85	5 (29%)
2	289	A	408	1	13,13,14	0.23	0	17,18,20	1.58	2 (11%)
2	289	A	409	1	13,13,14	0.41	0	17,18,20	1.64	5 (29%)
2	289	A	410	1	13,13,14	0.23	0	17,18,20	0.82	1 (5%)
2	289	A	411	1	13,13,14	0.31	0	17,18,20	2.26	6 (35%)
2	289	A	412	1	13,13,14	0.45	0	17,18,20	1.90	6 (35%)
2	289	A	413	1	13,13,14	4.32	1 (7%)	17,18,20	4.15	3 (17%)
2	289	A	414	1	13,13,14	0.26	0	17,18,20	1.86	4 (23%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	289	A	415	1	13,13,14	0.31	0	17,18,20	1.77	5 (29%)
2	289	A	416	1	13,13,14	0.43	0	17,18,20	1.61	3 (17%)
2	289	A	417	1	13,13,14	0.30	0	17,18,20	2.53	5 (29%)
2	289	A	418	1	13,13,14	0.41	0	17,18,20	1.62	3 (17%)
2	289	A	419	1	13,13,14	0.21	0	17,18,20	2.18	7 (41%)
2	289	A	420	1	13,13,14	0.20	0	17,18,20	0.81	1 (5%)
2	289	A	421	1	13,13,14	0.21	0	17,18,20	1.46	3 (17%)
2	289	A	422	1	13,13,14	0.21	0	17,18,20	1.55	2 (11%)
2	289	A	423	1	13,13,14	0.27	0	17,18,20	1.42	2 (11%)
2	289	A	424	1	13,13,14	0.24	0	17,18,20	1.36	3 (17%)
2	289	A	425	1	13,13,14	0.38	0	17,18,20	2.04	6 (35%)
2	289	A	426	1	13,13,14	0.26	0	17,18,20	0.96	1 (5%)
2	289	A	427	1	13,13,14	0.25	0	17,18,20	1.60	3 (17%)
2	289	A	428	1	13,13,14	0.20	0	17,18,20	2.18	5 (29%)
2	289	A	429	1	13,13,14	0.22	0	17,18,20	1.63	3 (17%)
2	289	A	430	1	13,13,14	0.28	0	17,18,20	1.20	0
2	289	A	431	1	13,13,14	0.20	0	17,18,20	1.19	2 (11%)
2	289	A	432	1	13,13,14	0.21	0	17,18,20	0.84	1 (5%)
2	289	A	433	1	13,13,14	0.30	0	17,18,20	1.56	4 (23%)
2	289	A	434	1	13,13,14	2.84	6 (46%)	17,18,20	4.52	9 (52%)
2	289	A	435	1	13,13,14	0.32	0	17,18,20	1.34	2 (11%)
2	289	B	401	1	13,13,14	0.35	0	17,18,20	1.69	5 (29%)
2	289	B	402	1	13,13,14	0.16	0	17,18,20	1.72	3 (17%)
2	289	B	403	1	13,13,14	0.32	0	17,18,20	1.35	2 (11%)
2	289	B	404	1	13,13,14	0.32	0	17,18,20	2.11	4 (23%)
2	289	B	405	1	13,13,14	0.20	0	17,18,20	2.04	4 (23%)
2	289	B	406	1	13,13,14	0.19	0	17,18,20	0.78	1 (5%)
2	289	B	407	1	13,13,14	0.25	0	17,18,20	2.25	5 (29%)
2	289	B	408	1	13,13,14	0.32	0	17,18,20	2.22	5 (29%)
2	289	B	409	1	13,13,14	0.28	0	17,18,20	1.66	4 (23%)
2	289	B	410	1	13,13,14	0.32	0	17,18,20	1.46	3 (17%)
2	289	B	411	1	13,13,14	0.36	0	17,18,20	1.60	2 (11%)
2	289	B	412	1	13,13,14	0.35	0	17,18,20	2.90	9 (52%)
2	289	B	413	1	13,13,14	0.49	0	17,18,20	2.93	6 (35%)
2	289	B	414	1	13,13,14	0.30	0	17,18,20	2.02	4 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	289	B	415	1	13,13,14	0.32	0	17,18,20	1.51	4 (23%)
2	289	B	416	1	13,13,14	5.45	5 (38%)	17,18,20	3.78	8 (47%)
2	289	B	417	1	13,13,14	0.34	0	17,18,20	1.25	3 (17%)
2	289	B	418	1	13,13,14	0.27	0	17,18,20	1.44	1 (5%)
2	289	B	419	1	13,13,14	0.23	0	17,18,20	2.18	4 (23%)
2	289	B	420	1	13,13,14	0.40	0	17,18,20	2.48	6 (35%)
2	289	B	421	1	13,13,14	0.44	0	17,18,20	1.71	2 (11%)
2	289	B	422	1	13,13,14	0.25	0	17,18,20	1.38	2 (11%)
2	289	B	423	1	13,13,14	0.22	0	17,18,20	1.42	3 (17%)
2	289	B	424	1	13,13,14	0.30	0	17,18,20	3.06	8 (47%)
2	289	B	425	1	13,13,14	0.32	0	17,18,20	2.20	7 (41%)
2	289	B	426	1	13,13,14	0.24	0	17,18,20	3.45	8 (47%)
2	289	B	427	1	13,13,14	0.26	0	17,18,20	1.67	5 (29%)
2	289	B	428	1	13,13,14	0.24	0	17,18,20	1.76	4 (23%)
2	289	B	429	1	13,13,14	0.29	0	17,18,20	1.99	7 (41%)
2	289	B	430	1	13,13,14	0.32	0	17,18,20	1.52	5 (29%)
2	289	B	431	1	13,13,14	0.29	0	17,18,20	1.47	5 (29%)
2	289	B	432	1	13,13,14	0.38	0	17,18,20	1.58	5 (29%)
2	289	B	433	1	13,13,14	9.50	6 (46%)	17,18,20	3.81	8 (47%)
2	289	B	434	1	13,13,14	6.67	7 (53%)	17,18,20	5.28	14 (82%)
2	289	B	435	1	13,13,14	8.64	4 (30%)	17,18,20	7.44	12 (70%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	289	A	401	1	-	0/6/23/26	0/1/1/1
2	289	A	402	1	1/1/5/6	0/6/23/26	0/1/1/1
2	289	A	403	1	-	0/6/23/26	0/1/1/1
2	289	A	404	1	-	0/6/23/26	0/1/1/1
2	289	A	405	1	-	0/6/23/26	0/1/1/1
2	289	A	406	1	1/1/5/6	0/6/23/26	0/1/1/1
2	289	A	407	1	-	0/6/23/26	0/1/1/1
2	289	A	408	1	-	0/6/23/26	0/1/1/1
2	289	A	409	1	-	0/6/23/26	0/1/1/1
2	289	A	410	1	-	0/6/23/26	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	289	A	411	1	-	0/6/23/26	0/1/1/1
2	289	A	412	1	-	0/6/23/26	0/1/1/1
2	289	A	413	1	-	0/6/23/26	0/1/1/1
2	289	A	414	1	-	0/6/23/26	0/1/1/1
2	289	A	415	1	-	0/6/23/26	0/1/1/1
2	289	A	416	1	-	0/6/23/26	0/1/1/1
2	289	A	417	1	-	0/6/23/26	0/1/1/1
2	289	A	418	1	-	0/6/23/26	0/1/1/1
2	289	A	419	1	-	0/6/23/26	0/1/1/1
2	289	A	420	1	-	0/6/23/26	0/1/1/1
2	289	A	421	1	1/1/5/6	0/6/23/26	0/1/1/1
2	289	A	422	1	-	0/6/23/26	0/1/1/1
2	289	A	423	1	-	0/6/23/26	0/1/1/1
2	289	A	424	1	-	0/6/23/26	0/1/1/1
2	289	A	425	1	-	0/6/23/26	0/1/1/1
2	289	A	426	1	-	0/6/23/26	0/1/1/1
2	289	A	427	1	-	0/6/23/26	0/1/1/1
2	289	A	428	1	-	0/6/23/26	0/1/1/1
2	289	A	429	1	-	0/6/23/26	0/1/1/1
2	289	A	430	1	-	0/6/23/26	0/1/1/1
2	289	A	431	1	-	0/6/23/26	0/1/1/1
2	289	A	432	1	-	0/6/23/26	0/1/1/1
2	289	A	433	1	1/1/5/6	0/6/23/26	0/1/1/1
2	289	A	434	1	-	0/6/23/26	0/1/1/1
2	289	A	435	1	1/1/5/6	0/6/23/26	0/1/1/1
2	289	B	401	1	-	0/6/23/26	0/1/1/1
2	289	B	402	1	-	0/6/23/26	0/1/1/1
2	289	B	403	1	-	0/6/23/26	0/1/1/1
2	289	B	404	1	-	0/6/23/26	0/1/1/1
2	289	B	405	1	-	0/6/23/26	0/1/1/1
2	289	B	406	1	-	0/6/23/26	0/1/1/1
2	289	B	407	1	-	0/6/23/26	0/1/1/1
2	289	B	408	1	1/1/5/6	0/6/23/26	0/1/1/1
2	289	B	409	1	-	0/6/23/26	0/1/1/1
2	289	B	410	1	-	0/6/23/26	0/1/1/1
2	289	B	411	1	-	0/6/23/26	1/1/1/1
2	289	B	412	1	-	0/6/23/26	0/1/1/1
2	289	B	413	1	-	0/6/23/26	0/1/1/1
2	289	B	414	1	-	0/6/23/26	0/1/1/1
2	289	B	415	1	-	0/6/23/26	0/1/1/1
2	289	B	416	1	-	0/6/23/26	0/1/1/1
2	289	B	417	1	-	0/6/23/26	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	289	B	418	1	-	0/6/23/26	0/1/1/1
2	289	B	419	1	-	0/6/23/26	0/1/1/1
2	289	B	420	1	-	0/6/23/26	0/1/1/1
2	289	B	421	1	-	0/6/23/26	0/1/1/1
2	289	B	422	1	-	0/6/23/26	0/1/1/1
2	289	B	423	1	-	0/6/23/26	0/1/1/1
2	289	B	424	1	-	0/6/23/26	0/1/1/1
2	289	B	425	1	-	0/6/23/26	0/1/1/1
2	289	B	426	1	-	0/6/23/26	0/1/1/1
2	289	B	427	1	-	0/6/23/26	0/1/1/1
2	289	B	428	1	-	0/6/23/26	0/1/1/1
2	289	B	429	1	-	0/6/23/26	0/1/1/1
2	289	B	430	1	-	0/6/23/26	0/1/1/1
2	289	B	431	1	-	0/6/23/26	0/1/1/1
2	289	B	432	1	-	0/6/23/26	0/1/1/1
2	289	B	433	1	-	0/6/23/26	0/1/1/1
2	289	B	434	1	-	0/6/23/26	0/1/1/1
2	289	B	435	1	-	0/6/23/26	0/1/1/1

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	435	289	O3-C3	-22.57	0.88	1.43
2	B	434	289	C7-C6	-19.80	0.96	1.52
2	B	433	289	O3-C3	-17.00	1.02	1.43
2	B	416	289	C2-C3	-16.64	1.29	1.52
2	B	434	289	O5-C1	-9.25	1.28	1.43
2	B	435	289	O2-C2	-7.34	1.26	1.43
2	B	434	289	C6-C5	-6.13	1.39	1.52
2	B	433	289	C4-C3	-5.50	1.38	1.52
2	B	434	289	C4-C5	-3.19	1.43	1.52
2	A	434	289	C4-C3	-2.66	1.45	1.52
2	A	434	289	C7-C6	2.21	1.58	1.52
2	B	434	289	O6-C6	2.22	1.48	1.43
2	B	416	289	O4-C4	2.82	1.49	1.43
2	B	433	289	O5-C1	2.90	1.48	1.43
2	B	416	289	C4-C3	2.91	1.60	1.52
2	B	435	289	C4-C3	2.95	1.60	1.52
2	A	434	289	O5-C5	2.96	1.47	1.43
2	B	434	289	C2-C3	3.79	1.57	1.52
2	A	434	289	O2-C2	3.93	1.52	1.43
2	B	416	289	C1-C2	4.41	1.62	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	433	289	O2-C2	4.80	1.54	1.43
2	B	434	289	O5-C5	4.80	1.49	1.43
2	A	434	289	O5-C1	5.57	1.53	1.43
2	A	434	289	O3-C3	5.92	1.57	1.43
2	B	416	289	O2-C2	8.44	1.62	1.43
2	A	413	289	O5-C5	15.47	1.64	1.43
2	B	433	289	O5-C5	15.52	1.64	1.43
2	B	435	289	C2-C3	19.81	1.79	1.52
2	B	433	289	C2-C3	24.14	1.85	1.52

All (298) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	413	289	O5-C5-C4	-16.37	80.78	110.49
2	A	434	289	C1-C2-C3	-11.95	95.41	109.54
2	B	416	289	O2-C2-C1	-10.76	87.63	109.21
2	B	424	289	O5-C5-C6	-8.25	94.99	106.04
2	B	433	289	O5-C5-C4	-8.17	95.67	110.49
2	B	435	289	O4-C4-C3	-6.82	94.98	110.34
2	A	417	289	C1-C2-C3	-6.75	101.55	109.54
2	B	435	289	O3-C3-C4	-6.74	95.17	110.34
2	B	426	289	O5-C5-C6	-6.45	97.40	106.04
2	B	426	289	O7-C7-C6	-6.14	97.74	111.10
2	B	426	289	C1-C2-C3	-6.10	102.32	109.54
2	B	425	289	C1-C2-C3	-5.81	102.67	109.54
2	B	435	289	C2-C3-C4	-5.72	101.33	111.04
2	B	434	289	O7-C7-C6	-5.51	99.11	111.10
2	B	420	289	O5-C5-C6	-5.41	98.79	106.04
2	B	404	289	C1-C2-C3	-5.41	103.15	109.54
2	B	412	289	C1-C2-C3	-5.36	103.20	109.54
2	A	428	289	C1-C2-C3	-5.19	103.40	109.54
2	B	424	289	C1-C2-C3	-5.10	103.51	109.54
2	A	417	289	O5-C1-C2	-5.06	102.66	110.86
2	B	404	289	O5-C1-C2	-5.05	102.67	110.86
2	B	433	289	C2-C3-C4	-5.01	102.53	111.04
2	A	419	289	C1-C2-C3	-4.93	103.71	109.54
2	B	412	289	O5-C1-C2	-4.75	103.15	110.86
2	B	421	289	O5-C1-C2	-4.73	103.19	110.86
2	B	434	289	O2-C2-C3	-4.68	100.71	110.12
2	B	407	289	O5-C5-C6	-4.51	100.00	106.04
2	B	419	289	C2-C3-C4	-4.48	103.43	111.04
2	A	434	289	O3-C3-C4	-4.47	100.27	110.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	402	289	C1-C2-C3	-4.46	104.27	109.54
2	B	424	289	O5-C1-C2	-4.35	103.80	110.86
2	A	407	289	O5-C5-C6	-4.28	100.31	106.04
2	B	412	289	C1-O5-C5	-4.16	104.75	111.52
2	A	421	289	O5-C1-C2	-4.15	104.12	110.86
2	B	434	289	O6-C6-C7	-4.13	99.59	109.22
2	B	434	289	O4-C4-C3	-4.07	101.17	110.34
2	A	427	289	C1-C2-C3	-4.06	104.74	109.54
2	A	414	289	O4-C4-C3	-4.05	101.23	110.34
2	A	405	289	C1-C2-C3	-3.97	104.84	109.54
2	B	426	289	O4-C4-C3	-3.96	101.41	110.34
2	A	418	289	O5-C5-C6	-3.94	100.75	106.04
2	A	429	289	C1-C2-C3	-3.85	104.98	109.54
2	B	416	289	O4-C4-C5	-3.82	100.82	109.87
2	B	427	289	C1-C2-C3	-3.79	105.05	109.54
2	A	404	289	O4-C4-C3	-3.74	101.91	110.34
2	B	407	289	O7-C7-C6	-3.70	103.06	111.10
2	A	433	289	O5-C1-C2	-3.66	104.92	110.86
2	B	409	289	O5-C1-C2	-3.66	104.93	110.86
2	B	401	289	C1-C2-C3	-3.65	105.22	109.54
2	B	413	289	O5-C5-C4	-3.63	103.90	110.49
2	A	434	289	O2-C2-C3	-3.63	102.82	110.12
2	B	433	289	O4-C4-C3	-3.62	102.18	110.34
2	B	410	289	C1-C2-C3	-3.62	105.26	109.54
2	A	401	289	O4-C4-C3	-3.59	102.27	110.34
2	A	416	289	O5-C5-C4	-3.41	104.31	110.49
2	A	417	289	O5-C5-C6	-3.33	101.58	106.04
2	B	405	289	O7-C7-C6	-3.29	103.94	111.10
2	B	420	289	O4-C4-C3	-3.28	102.95	110.34
2	A	428	289	O5-C1-C2	-3.27	105.55	110.86
2	B	420	289	O5-C5-C4	-3.27	104.57	110.49
2	B	408	289	O2-C2-C3	-3.20	103.69	110.12
2	B	427	289	O5-C1-C2	-3.19	105.67	110.86
2	B	418	289	O7-C7-C6	-3.17	104.19	111.10
2	B	432	289	C1-C2-C3	-3.17	105.79	109.54
2	B	433	289	C1-O5-C5	-3.14	106.41	111.52
2	A	431	289	O5-C1-C2	-3.13	105.78	110.86
2	A	423	289	C1-C2-C3	-3.12	105.85	109.54
2	A	409	289	O4-C4-C3	-3.10	103.35	110.34
2	B	423	289	O7-C7-C6	-3.09	104.38	111.10
2	A	418	289	O5-C1-C2	-3.06	105.89	110.86
2	A	425	289	O5-C5-C4	-3.02	105.02	110.49

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	415	289	O4-C4-C3	-3.01	103.56	110.34
2	B	409	289	C1-C2-C3	-3.01	105.98	109.54
2	A	415	289	O5-C1-C2	-2.95	106.07	110.86
2	A	424	289	C1-C2-C3	-2.92	106.09	109.54
2	A	414	289	O5-C5-C6	-2.89	102.17	106.04
2	A	422	289	O5-C1-C2	-2.89	106.18	110.86
2	A	414	289	C1-C2-C3	-2.88	106.14	109.54
2	A	404	289	C1-C2-C3	-2.87	106.15	109.54
2	A	426	289	C1-C2-C3	-2.85	106.17	109.54
2	A	434	289	C3-C4-C5	-2.84	103.36	109.60
2	A	414	289	O5-C1-C2	-2.83	106.27	110.86
2	B	402	289	O5-C1-C2	-2.82	106.28	110.86
2	A	416	289	C1-C2-C3	-2.81	106.22	109.54
2	A	412	289	C1-C2-C3	-2.79	106.25	109.54
2	B	435	289	O2-C2-C1	-2.78	103.64	109.21
2	A	434	289	O5-C5-C4	-2.78	105.45	110.49
2	B	431	289	O4-C4-C3	-2.78	104.09	110.34
2	B	425	289	O4-C4-C3	-2.77	104.09	110.34
2	B	423	289	O5-C5-C6	-2.77	102.33	106.04
2	A	411	289	O4-C4-C3	-2.77	104.10	110.34
2	B	424	289	C7-C6-C5	-2.76	106.49	112.26
2	A	435	289	O5-C1-C2	-2.70	106.48	110.86
2	A	407	289	C1-C2-C3	-2.70	106.35	109.54
2	A	425	289	O4-C4-C3	-2.67	104.32	110.34
2	B	424	289	O7-C7-C6	-2.67	105.29	111.10
2	A	415	289	O5-C5-C6	-2.63	102.51	106.04
2	B	429	289	O3-C3-C2	-2.62	105.26	110.00
2	B	426	289	C7-C6-C5	-2.62	106.79	112.26
2	A	407	289	O4-C4-C3	-2.59	104.50	110.34
2	B	412	289	O4-C4-C3	-2.59	104.51	110.34
2	B	430	289	O7-C7-C6	-2.59	105.47	111.10
2	B	405	289	O5-C1-C2	-2.59	106.66	110.86
2	B	425	289	O5-C5-C4	-2.58	105.82	110.49
2	B	419	289	O7-C7-C6	-2.58	105.50	111.10
2	A	401	289	O5-C5-C4	-2.57	105.82	110.49
2	B	434	289	O5-C5-C4	-2.55	105.86	110.49
2	B	412	289	O4-C4-C5	-2.55	103.83	109.87
2	B	431	289	O5-C5-C4	-2.53	105.90	110.49
2	B	426	289	O5-C1-C2	-2.51	106.78	110.86
2	B	425	289	O2-C2-C1	-2.50	104.20	109.21
2	A	419	289	O6-C6-C5	-2.47	103.35	109.10
2	B	401	289	O3-C3-C2	-2.46	105.55	110.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	429	289	O5-C5-C4	-2.44	106.07	110.49
2	A	428	289	O5-C5-C6	-2.42	102.80	106.04
2	A	423	289	O7-C7-C6	-2.41	105.85	111.10
2	A	402	289	C1-C2-C3	-2.41	106.69	109.54
2	A	421	289	C1-C2-C3	-2.36	106.75	109.54
2	A	412	289	O5-C1-C2	-2.34	107.06	110.86
2	B	401	289	O5-C1-C2	-2.33	107.07	110.86
2	A	429	289	O5-C1-C2	-2.33	107.07	110.86
2	B	433	289	O5-C5-C6	-2.33	102.91	106.04
2	B	432	289	O5-C5-C4	-2.33	106.27	110.49
2	A	404	289	O5-C1-C2	-2.32	107.09	110.86
2	A	431	289	C1-C2-C3	-2.31	106.81	109.54
2	B	427	289	O5-C5-C4	-2.30	106.32	110.49
2	B	428	289	O5-C1-C2	-2.30	107.13	110.86
2	B	407	289	C1-C2-C3	-2.29	106.83	109.54
2	B	429	289	O5-C5-C4	-2.29	106.33	110.49
2	B	409	289	O5-C5-C4	-2.28	106.36	110.49
2	A	406	289	O5-C1-C2	-2.26	107.20	110.86
2	B	415	289	O5-C5-C4	-2.24	106.42	110.49
2	A	424	289	O4-C4-C3	-2.24	105.30	110.34
2	B	405	289	C1-C2-C3	-2.19	106.95	109.54
2	A	405	289	C2-C3-C4	-2.18	107.33	111.04
2	A	409	289	O5-C5-C4	-2.18	106.53	110.49
2	B	413	289	C1-C2-C3	-2.17	106.98	109.54
2	A	434	289	C7-C6-C5	-2.16	107.75	112.26
2	A	433	289	O5-C5-C4	-2.15	106.60	110.49
2	A	428	289	O4-C4-C5	-2.15	104.80	109.87
2	B	430	289	O5-C1-C2	-2.14	107.38	110.86
2	B	432	289	O5-C1-C2	-2.12	107.42	110.86
2	A	417	289	O4-C4-C3	-2.11	105.58	110.34
2	A	419	289	C2-C3-C4	-2.10	107.48	111.04
2	B	428	289	O7-C7-C6	-2.08	106.56	111.10
2	A	417	289	C2-C3-C4	-2.08	107.51	111.04
2	B	427	289	O3-C3-C4	-2.07	105.67	110.34
2	A	412	289	O4-C4-C3	-2.06	105.70	110.34
2	A	402	289	O4-C4-C3	-2.04	105.75	110.34
2	B	403	289	O3-C3-C4	-2.01	105.81	110.34
2	A	411	289	O2-C2-C3	-2.00	106.09	110.12
2	B	420	289	O5-C1-C2	2.00	114.11	110.86
2	B	422	289	O2-C2-C1	2.02	113.25	109.21
2	A	407	289	C3-C4-C5	2.02	114.04	109.60
2	B	431	289	O5-C1-C2	2.02	114.14	110.86

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	417	289	O5-C1-C2	2.03	114.15	110.86
2	A	415	289	O2-C2-C3	2.04	114.22	110.12
2	B	429	289	O6-C6-C5	2.04	113.83	109.10
2	A	408	289	O5-C5-C6	2.04	108.77	106.04
2	B	417	289	C1-O5-C5	2.05	114.84	111.52
2	B	431	289	O4-C4-C5	2.05	114.72	109.87
2	B	410	289	C3-C4-C5	2.05	114.11	109.60
2	B	420	289	O6-C6-C5	2.07	113.91	109.10
2	B	424	289	O3-C3-C4	2.07	115.01	110.34
2	B	431	289	C2-C3-C4	2.08	114.57	111.04
2	B	425	289	O6-C6-C5	2.10	113.98	109.10
2	A	418	289	O4-C4-C5	2.11	114.86	109.87
2	A	406	289	C3-C4-C5	2.12	114.26	109.60
2	A	419	289	O2-C2-C3	2.12	114.38	110.12
2	B	430	289	O3-C3-C2	2.14	113.87	110.00
2	B	403	289	C1-C2-C3	2.15	112.08	109.54
2	B	430	289	O4-C4-C5	2.15	114.95	109.87
2	B	413	289	O5-C1-C2	2.16	114.36	110.86
2	B	429	289	C2-C3-C4	2.16	114.71	111.04
2	B	432	289	O4-C4-C5	2.16	114.99	109.87
2	B	434	289	O5-C1-C2	2.17	114.38	110.86
2	B	410	289	O2-C2-C1	2.17	113.56	109.21
2	B	425	289	C1-O5-C5	2.17	115.05	111.52
2	A	401	289	O2-C2-C1	2.19	113.60	109.21
2	B	428	289	O2-C2-C1	2.21	113.64	109.21
2	B	415	289	C3-C4-C5	2.23	114.51	109.60
2	B	401	289	O2-C2-C1	2.25	113.72	109.21
2	A	424	289	O4-C4-C5	2.26	115.22	109.87
2	A	409	289	C7-C6-C5	2.26	116.99	112.26
2	B	408	289	C3-C4-C5	2.26	114.57	109.60
2	B	430	289	O2-C2-C3	2.31	114.77	110.12
2	B	411	289	O6-C6-C5	2.31	114.47	109.10
2	A	413	289	C1-C2-C3	2.35	112.33	109.54
2	B	421	289	O5-C5-C4	2.36	114.77	110.49
2	B	432	289	O2-C2-C3	2.36	114.88	110.12
2	B	412	289	O5-C5-C4	2.37	114.80	110.49
2	B	416	289	O5-C5-C4	2.38	114.81	110.49
2	B	427	289	O5-C5-C6	2.39	109.23	106.04
2	A	409	289	O5-C5-C6	2.40	109.24	106.04
2	A	416	289	O5-C5-C6	2.41	109.26	106.04
2	B	407	289	C1-O5-C5	2.44	115.48	111.52
2	B	404	289	O2-C2-C1	2.46	114.13	109.21

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	404	289	C3-C4-C5	2.46	115.00	109.60
2	A	433	289	O3-C3-C2	2.47	114.46	110.00
2	A	419	289	O5-C5-C6	2.48	109.36	106.04
2	A	435	289	O2-C2-C1	2.49	114.20	109.21
2	B	402	289	C1-O5-C5	2.49	115.57	111.52
2	A	421	289	O5-C5-C6	2.53	109.42	106.04
2	A	404	289	O5-C5-C6	2.54	109.43	106.04
2	B	435	289	O5-C5-C6	2.56	109.47	106.04
2	A	433	289	O5-C5-C6	2.57	109.47	106.04
2	A	425	289	O2-C2-C1	2.57	114.35	109.21
2	B	408	289	C1-O5-C5	2.57	115.69	111.52
2	B	434	289	O4-C4-C5	2.57	115.96	109.87
2	A	410	289	O5-C5-C6	2.59	109.50	106.04
2	A	415	289	O4-C4-C5	2.59	115.99	109.87
2	B	406	289	O5-C5-C6	2.59	109.51	106.04
2	B	423	289	C1-O5-C5	2.61	115.75	111.52
2	B	416	289	O5-C5-C6	2.62	109.55	106.04
2	B	424	289	O6-C6-C5	2.64	115.23	109.10
2	B	415	289	C1-O5-C5	2.67	115.85	111.52
2	B	414	289	C1-O5-C5	2.67	115.86	111.52
2	A	427	289	O2-C2-C1	2.68	114.58	109.21
2	A	420	289	O5-C5-C6	2.68	109.63	106.04
2	A	413	289	C2-C3-C4	2.70	115.62	111.04
2	A	427	289	C1-O5-C5	2.71	115.92	111.52
2	B	414	289	O5-C1-C2	2.74	115.31	110.86
2	A	409	289	O7-C7-C6	2.75	117.08	111.10
2	B	419	289	O2-C2-C1	2.76	114.73	109.21
2	A	432	289	O5-C5-C6	2.79	109.77	106.04
2	A	425	289	O5-C5-C6	2.85	109.85	106.04
2	B	413	289	O3-C3-C2	2.86	115.17	110.00
2	B	429	289	O4-C4-C5	2.86	116.64	109.87
2	A	425	289	O7-C7-C6	2.86	117.32	111.10
2	B	401	289	C3-C4-C5	2.87	115.90	109.60
2	A	419	289	O5-C5-C4	2.90	115.76	110.49
2	A	401	289	C3-C4-C5	2.90	115.98	109.60
2	A	401	289	O7-C7-C6	2.92	117.44	111.10
2	A	407	289	O6-C6-C5	2.97	115.99	109.10
2	A	412	289	C2-C3-C4	3.00	116.14	111.04
2	B	434	289	C1-C2-C3	3.02	113.11	109.54
2	B	409	289	O5-C5-C6	3.07	110.15	106.04
2	A	404	289	C3-C4-C5	3.07	116.34	109.60
2	B	435	289	O4-C4-C5	3.07	117.15	109.87

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	425	289	O2-C2-C3	3.09	116.33	110.12
2	B	412	289	O5-C5-C6	3.11	110.19	106.04
2	B	424	289	C1-O5-C5	3.12	116.59	111.52
2	B	417	289	O5-C5-C6	3.15	110.25	106.04
2	B	416	289	O4-C4-C3	3.15	117.43	110.34
2	A	412	289	C3-C4-C5	3.18	116.58	109.60
2	A	419	289	O3-C3-C2	3.35	116.04	110.00
2	B	414	289	O2-C2-C1	3.35	115.92	109.21
2	B	429	289	C1-O5-C5	3.35	116.97	111.52
2	B	429	289	O2-C2-C1	3.36	115.94	109.21
2	B	412	289	O2-C2-C1	3.38	115.98	109.21
2	B	426	289	C1-O5-C5	3.47	117.15	111.52
2	B	422	289	O5-C5-C6	3.47	110.68	106.04
2	A	411	289	C3-C4-C5	3.53	117.36	109.60
2	A	422	289	O5-C5-C6	3.56	110.81	106.04
2	A	411	289	C1-C2-C3	3.60	113.80	109.54
2	B	434	289	O6-C6-C5	3.61	117.48	109.10
2	A	428	289	C1-O5-C5	3.71	117.55	111.52
2	B	413	289	O2-C2-C3	3.74	117.64	110.12
2	A	412	289	O2-C2-C3	3.76	117.68	110.12
2	B	435	289	O5-C5-C4	4.17	118.07	110.49
2	A	425	289	C7-C6-C5	4.20	121.03	112.26
2	B	433	289	O5-C1-C2	4.21	117.69	110.86
2	A	434	289	O5-C1-C2	4.25	117.75	110.86
2	B	433	289	C1-C2-C3	4.26	114.58	109.54
2	B	408	289	C1-C2-C3	4.33	114.67	109.54
2	A	415	289	C1-O5-C5	4.36	118.60	111.52
2	A	408	289	C1-O5-C5	4.38	118.64	111.52
2	A	411	289	O5-C1-C2	4.39	117.98	110.86
2	B	407	289	O6-C6-C5	4.40	119.32	109.10
2	B	416	289	O2-C2-C3	4.40	118.97	110.12
2	B	434	289	O3-C3-C4	4.45	120.35	110.34
2	B	434	289	C3-C4-C5	4.45	119.37	109.60
2	A	406	289	O5-C5-C6	4.49	112.05	106.04
2	A	401	289	C1-O5-C5	4.53	118.88	111.52
2	A	411	289	C1-O5-C5	4.56	118.93	111.52
2	B	416	289	O3-C3-C2	4.85	118.76	110.00
2	B	411	289	C1-O5-C5	5.06	119.74	111.52
2	B	435	289	C3-C4-C5	5.29	121.22	109.60
2	B	414	289	O5-C5-C6	5.30	113.14	106.04
2	B	412	289	C3-C4-C5	5.31	121.27	109.60
2	B	428	289	O5-C5-C6	5.38	113.25	106.04

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	435	289	O5-C1-C2	5.46	119.72	110.86
2	B	408	289	O5-C5-C6	5.61	113.54	106.04
2	B	419	289	O5-C5-C6	5.63	113.57	106.04
2	B	435	289	O2-C2-C3	5.63	121.44	110.12
2	B	434	289	O3-C3-C2	5.66	120.22	110.00
2	A	434	289	O3-C3-C2	5.77	120.42	110.00
2	B	426	289	O6-C6-C5	5.85	122.68	109.10
2	B	405	289	O5-C5-C6	6.08	114.18	106.04
2	B	420	289	C1-O5-C5	6.18	121.56	111.52
2	B	416	289	C1-C2-C3	6.49	117.22	109.54
2	B	435	289	C1-C2-C3	7.43	118.33	109.54
2	B	434	289	C1-O5-C5	7.77	124.14	111.52
2	B	433	289	C3-C4-C5	9.12	129.63	109.60
2	A	434	289	C2-C3-C4	9.53	127.23	111.04
2	B	413	289	O5-C5-C6	9.89	119.28	106.04
2	B	434	289	O5-C5-C6	14.60	125.59	106.04
2	B	435	289	O3-C3-C2	25.10	155.34	110.00

All (6) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	433	289	C1
2	A	406	289	C1
2	A	402	289	C1
2	B	408	289	C1
2	A	421	289	C1
2	A	435	289	C1

There are no torsion outliers.

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	411	289	C1-C2-C3-C4-C5-O5

30 monomers are involved in 65 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	403	289	0	2
2	A	406	289	2	0
2	A	408	289	0	1
2	A	410	289	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	412	289	5	0
2	A	413	289	6	0
2	A	414	289	1	0
2	A	416	289	1	0
2	A	420	289	2	3
2	A	424	289	1	0
2	A	425	289	2	0
2	A	430	289	1	0
2	A	431	289	1	0
2	A	432	289	2	0
2	A	433	289	2	0
2	A	434	289	4	0
2	B	404	289	2	0
2	B	406	289	4	0
2	B	408	289	2	0
2	B	409	289	0	2
2	B	411	289	1	0
2	B	416	289	1	3
2	B	420	289	0	1
2	B	424	289	1	1
2	B	425	289	1	0
2	B	428	289	1	1
2	B	430	289	0	1
2	B	432	289	1	0
2	B	433	289	11	0
2	B	435	289	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.







## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	270/305 (88%)	1.55	82 (30%)  	40, 55, 83, 95	0
1	B	270/305 (88%)	2.02	118 (43%)  	33, 46, 76, 98	0
All	All	540/610 (88%)	1.79	200 (37%)  	33, 51, 81, 98	0

All (200) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	327	GLY	15.3
1	A	76	GLY	9.2
1	A	111	VAL	6.6
1	A	130	VAL	5.6
1	B	319	THR	5.4
1	A	64	ARG	5.4
1	B	326	SER	5.4
1	B	298	LEU	5.3
1	A	92	VAL	5.0
1	A	149	VAL	4.7
1	B	320	ASN	4.6
1	B	324	ALA	4.6
1	B	321	THR	4.5
1	B	73	LEU	4.5
1	A	262	VAL	4.5
1	A	315	GLY	4.3
1	A	298	LEU	4.3
1	B	281	VAL	4.3
1	A	58	ASP	4.3
1	B	117	ALA	4.2
1	B	179	VAL	4.2
1	B	300	VAL	4.1
1	A	88	GLY	4.1
1	A	323	ALA	4.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	247	GLY	3.9
1	A	117	ALA	3.9
1	B	318	ILE	3.8
1	A	317	VAL	3.8
1	B	254	ILE	3.8
1	B	150	PHE	3.8
1	B	92	VAL	3.8
1	A	54	LYS	3.8
1	B	84	ILE	3.7
1	A	91	TYR	3.7
1	B	217	LEU	3.7
1	A	55	ALA	3.7
1	B	262	VAL	3.7
1	B	186	PHE	3.7
1	B	292	ILE	3.7
1	B	315	GLY	3.6
1	A	62	ILE	3.6
1	B	57	TYR	3.5
1	A	63	GLY	3.5
1	B	91	TYR	3.5
1	B	314	GLY	3.5
1	B	266	GLY	3.5
1	B	273	VAL	3.5
1	B	67	THR	3.5
1	B	206	VAL	3.4
1	B	130	VAL	3.4
1	B	252	THR	3.4
1	A	179	VAL	3.4
1	B	111	VAL	3.4
1	B	302	ALA	3.4
1	A	273	VAL	3.3
1	B	229	GLY	3.2
1	B	141	VAL	3.2
1	B	246	GLY	3.2
1	B	317	VAL	3.2
1	B	239	GLY	3.1
1	A	57	TYR	3.1
1	B	72	HIS	3.1
1	B	276	GLY	3.1
1	B	235	THR	3.1
1	B	112	SER	3.1
1	B	168	VAL	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	227	SER	3.0
1	A	290	THR	3.0
1	B	114	GLY	3.0
1	B	225	VAL	3.0
1	B	286	ASN	3.0
1	B	260	GLN	2.9
1	B	68	SER	2.9
1	B	55	ALA	2.9
1	A	83	THR	2.9
1	B	295	GLY	2.9
1	B	323	ALA	2.9
1	B	236	ILE	2.9
1	B	133	GLY	2.9
1	A	96	GLY	2.9
1	A	327	GLY	2.9
1	A	292	ILE	2.9
1	A	136	ALA	2.8
1	B	75	ALA	2.8
1	A	192	ILE	2.8
1	B	322	SER	2.8
1	B	268	ALA	2.8
1	B	234	THR	2.8
1	A	206	VAL	2.8
1	B	90	GLN	2.8
1	B	149	VAL	2.8
1	A	67	THR	2.8
1	B	118	THR	2.7
1	B	288	THR	2.7
1	B	279	GLN	2.7
1	B	198	VAL	2.7
1	B	207	ARG	2.7
1	B	63	GLY	2.7
1	B	249	ALA	2.7
1	A	122	ILE	2.7
1	B	316	ALA	2.7
1	A	255	TYR	2.7
1	B	103	ILE	2.6
1	A	286	ASN	2.6
1	A	155	ALA	2.6
1	A	109	GLN	2.6
1	A	196	THR	2.6
1	A	90	GLN	2.6

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	283	ILE	2.6
1	A	60	GLN	2.6
1	A	141	VAL	2.6
1	B	109	GLN	2.6
1	B	301	GLU	2.6
1	A	75	ALA	2.6
1	A	103	ILE	2.6
1	A	168	VAL	2.5
1	B	101	THR	2.5
1	B	264	SER	2.5
1	A	314	GLY	2.5
1	B	285	GLY	2.5
1	B	287	VAL	2.5
1	A	134	GLY	2.5
1	B	309	VAL	2.5
1	A	161	ASN	2.5
1	A	260	GLN	2.5
1	B	177	ALA	2.4
1	B	70	SER	2.4
1	A	153	GLY	2.4
1	B	244	LEU	2.4
1	A	150	PHE	2.4
1	A	316	ALA	2.4
1	B	167	TYR	2.4
1	A	78	THR	2.4
1	B	274	TYR	2.4
1	B	304	GLY	2.4
1	A	84	ILE	2.4
1	B	272	THR	2.4
1	B	282	TYR	2.4
1	B	296	GLY	2.4
1	A	147	GLN	2.3
1	A	93	SER	2.3
1	A	120	SER	2.3
1	B	135	SER	2.3
1	A	107	GLY	2.3
1	B	134	GLY	2.3
1	B	226	SER	2.3
1	B	152	GLY	2.3
1	A	220	THR	2.3
1	B	136	ALA	2.3
1	A	189	SER	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	274	TYR	2.3
1	B	80	LYS	2.3
1	B	121	THR	2.3
1	B	160	ILE	2.3
1	A	223	GLN	2.3
1	A	69	LYS	2.3
1	A	228	GLY	2.2
1	B	65	GLY	2.2
1	A	271	THR	2.2
1	B	106	GLY	2.2
1	A	73	LEU	2.2
1	B	137	THR	2.2
1	B	280	HIS	2.2
1	B	93	SER	2.2
1	A	244	LEU	2.2
1	A	251	GLY	2.2
1	B	192	ILE	2.2
1	A	143	ASN	2.2
1	A	121	THR	2.2
1	A	100	SER	2.2
1	B	145	GLY	2.2
1	A	185	GLN	2.1
1	B	299	GLN	2.1
1	B	66	GLU	2.1
1	B	209	GLY	2.1
1	B	98	ALA	2.1
1	A	231	ALA	2.1
1	A	187	VAL	2.1
1	A	325	VAL	2.1
1	B	69	LYS	2.1
1	A	68	SER	2.1
1	B	95	GLY	2.1
1	B	151	SER	2.1
1	B	110	HIS	2.1
1	B	189	SER	2.1
1	A	112	SER	2.1
1	B	325	VAL	2.1
1	B	271	THR	2.1
1	A	212	ALA	2.1
1	A	219	ASN	2.1
1	B	94	SER	2.1
1	A	159	ILE	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	95	GLY	2.0
1	A	70	SER	2.0
1	A	225	VAL	2.0
1	B	193	VAL	2.0
1	B	215	THR	2.0
1	A	215	THR	2.0
1	B	255	TYR	2.0
1	B	169	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	289	B	417	13/14	0.72	0.41	5.89	84,92,104,118	0
2	289	A	434	13/14	0.44	0.45	5.59	86,93,101,102	0
2	289	A	435	13/14	0.59	0.43	4.36	98,114,121,124	0
2	289	A	416	13/14	0.59	0.30	3.94	75,80,95,106	0
2	289	A	410	13/14	0.78	0.34	3.50	64,80,94,96	0
2	289	B	409	13/14	0.55	0.42	3.45	105,115,124,129	0
2	289	A	417	13/14	0.85	0.28	3.16	49,61,81,82	0
2	289	B	416	13/14	0.43	0.35	3.12	96,114,120,129	0
2	289	B	435	13/14	0.65	0.45	2.59	94,107,115,131	0
2	289	B	434	13/14	0.70	0.39	2.56	88,101,124,125	0
2	289	B	421	13/14	0.77	0.24	2.54	61,73,80,80	0
2	289	B	432	13/14	0.67	0.36	2.40	88,101,109,117	0
2	289	B	427	13/14	0.71	0.31	2.34	49,56,60,63	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	289	B	433	13/14	0.74	0.30	1.92	91,99,105,112	0
2	289	A	433	13/14	0.56	0.27	1.86	95,100,106,106	0
2	289	A	422	13/14	0.79	0.25	1.68	71,82,92,94	0
2	289	A	403	13/14	0.66	0.45	1.54	89,101,117,117	0
2	289	B	424	13/14	0.71	0.26	1.34	48,55,67,69	0
2	289	B	425	13/14	0.70	0.26	1.23	51,56,73,76	0
2	289	A	432	13/14	0.61	0.36	1.22	106,114,124,128	0
2	289	B	412	13/14	0.68	0.29	1.15	71,93,108,116	0
2	289	A	414	13/14	0.84	0.21	0.85	60,66,87,89	0
2	289	B	418	13/14	0.82	0.25	0.75	44,51,64,70	0
2	289	B	410	13/14	0.73	0.26	0.58	54,70,84,86	0
2	289	B	402	13/14	0.71	0.30	0.46	58,67,90,105	0
2	289	B	426	13/14	0.71	0.23	0.24	47,56,66,67	0
2	289	A	427	13/14	0.82	0.23	0.04	65,71,89,97	0
2	289	B	420	13/14	0.89	0.17	-0.30	40,44,71,74	0
2	289	A	428	13/14	0.90	0.24	-0.41	59,66,73,85	0
2	289	B	414	13/14	0.77	0.21	-0.41	49,65,82,93	0
2	289	A	412	13/14	0.74	0.16	-0.45	73,84,89,99	0
2	289	B	403	13/14	0.80	0.21	-0.52	73,85,94,100	0
2	289	A	402	13/14	0.86	0.22	-0.90	62,73,83,88	0
2	289	A	407	13/14	0.89	0.15	-1.06	56,65,76,88	0
2	289	A	418	13/14	0.91	0.11	-1.06	48,51,78,83	0
2	289	A	429	13/14	0.91	0.14	-1.24	66,70,83,86	0
2	289	A	405	13/14	0.90	0.15	-1.39	58,67,80,83	0
2	289	B	407	13/14	0.82	0.20	-1.70	47,56,71,89	0
2	289	B	405	13/14	0.77	0.20	-3.47	53,63,83,86	0
2	289	A	426	13/14	0.79	0.28	-	69,78,88,94	0
2	289	B	422	13/14	0.78	0.27	-	63,71,79,81	0
2	289	B	430	13/14	0.81	0.26	-	75,81,89,93	0
2	289	A	425	13/14	0.86	0.22	-	66,74,95,101	0
2	289	A	424	13/14	0.86	0.15	-	67,73,81,93	0
2	289	B	408	13/14	0.64	0.28	-	90,103,112,124	0
2	289	B	428	13/14	0.75	0.28	-	67,74,85,94	0
2	289	B	404	13/14	0.80	0.31	-	72,85,96,97	0
2	289	A	413	13/14	0.78	0.34	-	117,121,127,128	0
2	289	B	423	13/14	0.80	0.25	-	53,60,77,83	0
2	289	B	401	13/14	0.64	0.30	-	86,98,102,111	0
2	289	B	431	13/14	0.81	0.17	-	58,65,72,74	0
2	289	B	419	13/14	0.72	0.20	-	54,59,72,72	0
2	289	B	413	13/14	0.72	0.35	-	74,88,101,105	0
2	289	B	406	13/14	0.57	0.29	-	78,88,100,105	0
2	289	A	415	13/14	0.85	0.21	-	62,68,88,89	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	289	A	419	13/14	0.89	0.18	-	57,65,74,77	0
2	289	A	411	13/14	0.68	0.32	-	77,92,105,110	0
2	289	A	404	13/14	0.79	0.32	-	78,98,108,114	0
2	289	A	420	13/14	0.70	0.34	-	81,95,101,101	0
2	289	A	401	13/14	0.57	0.34	-	93,99,109,111	0
2	289	A	431	13/14	0.89	0.18	-	74,81,90,95	0
2	289	A	409	13/14	0.63	0.35	-	80,95,106,112	0
2	289	B	429	13/14	0.80	0.17	-	51,59,82,91	0
2	289	A	421	13/14	0.73	0.27	-	83,90,101,103	0
2	289	B	415	13/14	0.57	0.31	-	73,79,92,94	0
2	289	A	406	13/14	0.86	0.25	-	77,86,101,101	0
2	289	A	430	13/14	0.82	0.27	-	66,76,94,97	0
2	289	B	411	13/14	0.67	0.34	-	80,87,100,100	0
2	289	A	408	13/14	0.74	0.30	-	76,87,100,106	0
2	289	A	423	13/14	0.80	0.17	-	76,80,87,93	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.