



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 11:49 AM GMT

PDB ID : 3Q4C
Title : Crystal Structure of Wild Type BRAF kinase domain in complex with organometallic inhibitor CNS292
Authors : Xie, P.; Streu, C.; Qin, J.; Pregman, H.; Pagano, N.; Meggers, E.; Marmorstein, R.
Deposited on : 2010-12-23
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1124 (3.24-3.16)
Clashscore	102246	1024 (3.22-3.18)
Ramachandran outliers	100387	1004 (3.22-3.18)
Sidechain outliers	100360	1003 (3.22-3.18)
RSRZ outliers	91569	1129 (3.24-3.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	307	<div> <div> <div>0%</div> <div>49%</div> <div>34%</div> <div>•</div> <div>14%</div> </div> </div>
1	B	307	<div> <div>2%</div> <div>53%</div> <div>28%</div> <div>5%</div> <div>14%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	RSW	A	1	-	-	-	X

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4250 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Serine/threonine-protein kinase B-raf.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	264	Total	C	N	O	S	0	0	0
			2108	1352	367	376	13			
1	B	264	Total	C	N	O	S	0	0	0
			2108	1352	367	376	13			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	419	MET	-	EXPRESSION TAG	UNP P15056
A	420	ASP	-	EXPRESSION TAG	UNP P15056
A	421	ARG	-	EXPRESSION TAG	UNP P15056
A	422	GLY	-	EXPRESSION TAG	UNP P15056
A	423	SER	-	EXPRESSION TAG	UNP P15056
A	424	HIS	-	EXPRESSION TAG	UNP P15056
A	425	HIS	-	EXPRESSION TAG	UNP P15056
A	426	HIS	-	EXPRESSION TAG	UNP P15056
A	427	HIS	-	EXPRESSION TAG	UNP P15056
A	428	HIS	-	EXPRESSION TAG	UNP P15056
A	429	HIS	-	EXPRESSION TAG	UNP P15056
A	430	GLY	-	EXPRESSION TAG	UNP P15056
B	419	MET	-	EXPRESSION TAG	UNP P15056
B	420	ASP	-	EXPRESSION TAG	UNP P15056
B	421	ARG	-	EXPRESSION TAG	UNP P15056
B	422	GLY	-	EXPRESSION TAG	UNP P15056
B	423	SER	-	EXPRESSION TAG	UNP P15056
B	424	HIS	-	EXPRESSION TAG	UNP P15056
B	425	HIS	-	EXPRESSION TAG	UNP P15056
B	426	HIS	-	EXPRESSION TAG	UNP P15056
B	427	HIS	-	EXPRESSION TAG	UNP P15056
B	428	HIS	-	EXPRESSION TAG	UNP P15056
B	429	HIS	-	EXPRESSION TAG	UNP P15056
B	430	GLY	-	EXPRESSION TAG	UNP P15056

- Molecule 2 is [(1,2,3,4,5,6-ETA)-(1S,2R,3R,4R,5S,6S)-1-CARBOXYCYCLOHEXANE-1,2,3,4,5,6-HEXAYL](CHLORO)(3-METHYL-5,7-DIOXO-6,7-DIHYDRO-5H-PYRIDO[2,3-A]PYRROLO[3,4-C]CARBAZOL-12-IDE-KAPPA 2 N 1 ,N 12)RUTHENIUM(1+) (three-letter code: RSW) (formula: C₂₅H₁₆ClN₃O₄Ru).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	Cl	N	O	Ru		
2	A	1	34	25	1	3	4	1	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Serine/threonine-protein kinase B-raf



- Molecule 1: Serine/threonine-protein kinase B-raf



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	94.91Å 94.91Å 163.35Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 3.20 47.45 – 3.09	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-3.20) 98.4 (47.45-3.09)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.59 (at 3.07Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.232 , 0.280 0.213 , 0.213	Depositor DCC
R_{free} test set	640 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	51.0	Xtriage
Anisotropy	0.126	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 40.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	1 of 14188 reflections (0.007%)	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	4250	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: RSW

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/2153	0.65	0/2905
1	B	0.39	0/2153	0.64	0/2905
All	All	0.38	0/4306	0.64	0/5810

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2108	0	2153	81	0
1	B	2108	0	2153	84	0
2	A	34	0	10	1	0
All	All	4250	0	4316	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:550:ILE:HD12	1:A:720:LEU:HD21	1.52	0.89
1:A:720:LEU:HB3	1:A:721:PRO:HA	1.54	0.88
1:B:455:GLN:HE21	1:B:475:TRP:HE1	1.14	0.87
1:A:635:GLN:NE2	1:A:705:LEU:HD21	1.93	0.84
1:B:453:ASP:OD1	1:B:521:LYS:HG3	1.80	0.82
1:B:720:LEU:HB3	1:B:721:PRO:O	1.80	0.81
1:A:716:LEU:O	1:A:716:LEU:HD12	1.81	0.79
1:A:455:GLN:HE21	1:A:475:TRP:HE1	1.31	0.75
1:B:566:LEU:HD22	1:B:571:ILE:HG21	1.70	0.74
1:B:455:GLN:NE2	1:B:475:TRP:HE1	1.85	0.73
1:B:484:LEU:CD1	1:B:486:VAL:HG22	2.19	0.72
1:A:630:ASN:N	1:A:631:PRO:HD3	2.05	0.72
1:A:550:ILE:CD1	1:A:720:LEU:HD21	2.19	0.72
1:B:484:LEU:HD12	1:B:486:VAL:HG22	1.74	0.70
1:A:585:GLU:HG2	1:B:587:LEU:HD21	1.73	0.69
1:B:635:GLN:NE2	1:B:705:LEU:HD21	2.07	0.69
1:A:522:PRO:O	1:A:523:GLN:HG3	1.93	0.68
1:A:484:LEU:HD12	1:A:524:LEU:HD12	1.74	0.68
1:A:451:ILE:HD12	1:A:456:ILE:HD11	1.74	0.68
1:A:720:LEU:HB3	1:A:721:PRO:CA	2.25	0.67
1:A:551:LYS:O	1:A:555:ILE:HG13	1.94	0.66
1:B:483:MET:HE2	1:B:523:GLN:HB2	1.77	0.66
1:B:453:ASP:CG	1:B:521:LYS:HG3	2.16	0.66
1:B:503:VAL:HG22	1:B:599:VAL:HG23	1.77	0.66
1:B:663:GLN:O	1:B:667:MET:HG3	1.98	0.64
1:B:673:LEU:HD12	1:B:674:SER:H	1.63	0.63
1:B:550:ILE:HD13	1:B:550:ILE:H	1.63	0.63
1:B:521:LYS:HB2	1:B:522:PRO:HD3	1.80	0.62
1:B:550:ILE:HD13	1:B:550:ILE:N	2.14	0.62
1:A:585:GLU:O	1:A:587:LEU:HD22	2.00	0.62
1:A:455:GLN:NE2	1:A:475:TRP:HE1	1.97	0.60
1:A:521:LYS:HB2	1:A:522:PRO:HD3	1.82	0.60
1:B:630:ASN:N	1:B:631:PRO:HD3	2.16	0.60
1:B:450:GLU:HB2	1:B:518:TYR:CZ	2.37	0.60
1:B:514:LEU:H	1:B:529:GLN:HE21	1.47	0.59
1:A:532:GLU:H	1:A:584:HIS:CD2	2.19	0.59
1:B:453:ASP:CB	1:B:521:LYS:HG3	2.33	0.59
1:A:514:LEU:H	1:A:529:GLN:HE21	1.49	0.59
1:B:616:ILE:HG22	1:B:619:MET:SD	2.43	0.58
1:A:490:THR:OG1	1:A:493:GLN:HG3	2.04	0.58
1:A:629:LYS:HA	1:A:629:LYS:HE2	1.85	0.58
1:B:503:VAL:HG22	1:B:599:VAL:CG2	2.34	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:566:LEU:HD22	1:B:571:ILE:CG2	2.34	0.57
1:A:486:VAL:O	1:A:486:VAL:HG23	2.04	0.57
1:B:572:ILE:HG22	1:B:574:ARG:CG	2.35	0.57
1:A:557:ARG:HB3	1:A:557:ARG:HH11	1.70	0.57
1:A:557:ARG:NH1	1:A:557:ARG:HB3	2.21	0.56
1:A:467:PHE:H	1:A:467:PHE:HD2	1.53	0.56
1:A:547:PHE:HB3	1:A:551:LYS:HB3	1.87	0.56
1:A:690:ARG:O	1:A:694:GLU:HG3	2.05	0.56
1:B:550:ILE:HD12	1:B:720:LEU:HD21	1.88	0.55
1:A:500:GLU:OE1	1:A:595:GLY:HA2	2.07	0.55
1:A:532:GLU:H	1:A:584:HIS:HD2	1.55	0.55
1:B:520:THR:HG22	1:B:524:LEU:CD2	2.38	0.54
1:B:453:ASP:HB3	1:B:521:LYS:HG3	1.88	0.54
1:A:531:CYS:SG	1:A:582:PHE:HB3	2.48	0.54
1:B:577:LYS:HD2	1:B:615:SER:HB2	1.90	0.53
1:A:508:ARG:HD3	1:B:515:PHE:O	2.08	0.53
1:B:621:PRO:O	1:B:624:ILE:HG22	2.09	0.53
1:A:667:MET:HE1	1:A:673:LEU:HB2	1.90	0.53
1:B:572:ILE:HG22	1:B:574:ARG:HG3	1.90	0.53
1:B:483:MET:CE	1:B:523:GLN:HB2	2.39	0.52
1:B:627:GLN:HG3	1:B:628:ASP:OD1	2.09	0.52
1:A:718:ARG:O	1:A:720:LEU:N	2.43	0.52
1:B:490:THR:HG23	1:B:493:GLN:OE1	2.10	0.52
1:A:680:VAL:HG21	1:A:689:LYS:HD2	1.91	0.52
1:A:585:GLU:HB3	1:A:587:LEU:CD2	2.40	0.52
1:A:643:ILE:O	1:A:647:GLU:HG2	2.10	0.51
1:B:550:ILE:CD1	1:B:550:ILE:H	2.22	0.51
1:A:492:GLN:O	1:A:495:GLN:HB2	2.11	0.51
1:B:673:LEU:HD12	1:B:674:SER:N	2.23	0.51
1:A:599:VAL:O	1:A:599:VAL:HG12	2.11	0.51
1:B:501:VAL:O	1:B:505:ARG:HG2	2.11	0.51
1:A:660:ASN:O	1:A:664:ILE:HG13	2.11	0.51
1:B:475:TRP:O	1:B:476:HIS:HB2	2.11	0.50
1:A:568:ALA:C	1:A:570:SER:H	2.13	0.50
1:A:484:LEU:CD2	1:A:486:VAL:HG22	2.41	0.50
1:B:484:LEU:HD11	1:B:486:VAL:HG22	1.92	0.50
1:A:621:PRO:HD3	1:A:639:TYR:CE1	2.46	0.50
1:B:549:MET:O	1:B:553:ILE:HG13	2.11	0.50
1:B:616:ILE:HA	1:B:619:MET:HG3	1.93	0.49
1:A:667:MET:CE	1:A:673:LEU:HB2	2.41	0.49
2:A:1:RSW:C27	2:A:1:RSW:C18	2.90	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:638:VAL:HG13	1:A:709:ILE:HD11	1.95	0.49
1:B:453:ASP:HB3	1:B:521:LYS:CB	2.43	0.49
1:A:464:SER:HA	1:A:469:THR:HA	1.95	0.49
1:B:722:LYS:O	1:B:722:LYS:HG2	2.14	0.48
1:B:720:LEU:HB3	1:B:721:PRO:C	2.33	0.48
1:A:572:ILE:HG22	1:A:574:ARG:HG2	1.96	0.48
1:B:594:PHE:HB3	1:B:597:ALA:HB3	1.97	0.47
1:A:616:ILE:HG22	1:A:619:MET:SD	2.55	0.47
1:A:509:HIS:HB2	1:A:565:TYR:CE2	2.49	0.47
1:B:635:GLN:HE21	1:B:705:LEU:HD21	1.76	0.47
1:B:464:SER:HA	1:B:469:THR:HA	1.97	0.47
1:A:585:GLU:CG	1:B:587:LEU:HD11	2.45	0.47
1:B:573:HIS:O	1:B:574:ARG:HB2	2.14	0.47
1:B:594:PHE:HD1	1:B:597:ALA:HB2	1.79	0.46
1:A:630:ASN:N	1:A:631:PRO:CD	2.76	0.46
1:B:572:ILE:HG22	1:B:574:ARG:HG2	1.97	0.46
1:A:521:LYS:O	1:A:522:PRO:C	2.54	0.46
1:B:554:ASP:OD1	1:B:557:ARG:NH1	2.49	0.46
1:A:722:LYS:HG2	1:A:722:LYS:O	2.14	0.46
1:B:494:LEU:HD12	1:B:494:LEU:O	2.15	0.46
1:A:625:ARG:O	1:A:626:MET:C	2.54	0.46
1:A:460:GLN:HG3	1:A:461:ARG:N	2.31	0.46
1:B:573:HIS:HE1	1:B:593:ASP:O	1.99	0.45
1:A:549:MET:HE2	1:A:681:ARG:HD2	1.97	0.45
1:B:661:ARG:O	1:B:665:ILE:HG13	2.15	0.45
1:A:699:LYS:HE3	1:A:702:GLU:OE1	2.15	0.45
1:B:705:LEU:O	1:B:709:ILE:HG13	2.15	0.45
1:A:464:SER:CB	1:A:469:THR:HG22	2.47	0.45
1:B:532:GLU:H	1:B:584:HIS:CD2	2.34	0.45
1:A:643:ILE:O	1:A:646:TYR:HB3	2.17	0.45
1:B:591:ILE:HG22	1:B:592:GLY:N	2.31	0.45
1:B:573:HIS:CE1	1:B:593:ASP:O	2.70	0.45
1:A:583:LEU:HD23	1:A:583:LEU:HA	1.71	0.45
1:A:511:ASN:ND2	1:A:558:GLN:HB3	2.32	0.45
1:B:599:VAL:HG12	1:B:599:VAL:O	2.17	0.45
1:B:537:TYR:N	1:B:578:SER:O	2.50	0.44
1:A:521:LYS:HD3	1:A:521:LYS:HA	1.84	0.44
1:A:515:PHE:O	1:B:508:ARG:HD3	2.17	0.44
1:B:471:TYR:N	1:B:471:TYR:CD2	2.85	0.44
1:A:562:GLY:O	1:A:565:TYR:HB3	2.17	0.43
1:B:513:LEU:HD12	1:B:513:LEU:HA	1.89	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:577:LYS:HD2	1:A:618:TRP:CE3	2.54	0.43
1:B:548:GLU:H	1:B:548:GLU:CD	2.21	0.43
1:B:646:TYR:O	1:B:650:THR:HG23	2.18	0.43
1:B:449:TRP:HD1	1:B:505:ARG:NH2	2.16	0.43
1:A:584:HIS:HB3	1:A:588:THR:HB	2.01	0.43
1:B:578:SER:HB3	1:B:647:GLU:OE1	2.19	0.43
1:A:616:ILE:HD12	1:A:617:LEU:N	2.34	0.42
1:B:550:ILE:CD1	1:B:550:ILE:N	2.80	0.42
1:A:537:TYR:CD1	1:A:541:HIS:HD2	2.38	0.42
1:A:577:LYS:CD	1:A:615:SER:HB2	2.49	0.42
1:B:629:LYS:HA	1:B:629:LYS:HD3	1.75	0.42
1:B:554:ASP:O	1:B:558:GLN:HG3	2.19	0.42
1:B:660:ASN:OD1	1:B:662:ASP:HB2	2.19	0.42
1:B:487:THR:C	1:B:489:PRO:HD3	2.40	0.42
1:B:720:LEU:N	1:B:721:PRO:HA	2.34	0.42
1:A:474:LYS:C	1:A:474:LYS:HD2	2.40	0.42
1:A:475:TRP:O	1:A:476:HIS:HB2	2.20	0.42
1:B:577:LYS:C	1:B:579:ASN:H	2.22	0.42
1:A:559:THR:HG23	1:A:591:ILE:HD11	2.01	0.42
1:A:620:ALA:HB1	1:A:622:GLU:OE1	2.19	0.41
1:B:493:GLN:C	1:B:495:GLN:N	2.74	0.41
1:A:577:LYS:C	1:A:579:ASN:H	2.23	0.41
1:A:481:VAL:HG22	1:A:527:VAL:HG22	2.03	0.41
1:B:464:SER:O	1:B:467:PHE:HE2	2.03	0.41
1:B:532:GLU:H	1:B:584:HIS:HD2	1.68	0.41
1:A:661:ARG:O	1:A:665:ILE:HG13	2.20	0.41
1:B:547:PHE:HB2	1:B:552:LEU:CD2	2.50	0.41
1:A:646:TYR:CD2	1:A:654:PRO:HG3	2.55	0.41
1:A:557:ARG:HH12	1:A:558:GLN:HG2	1.86	0.41
1:A:511:ASN:HD21	1:A:558:GLN:HB3	1.86	0.41
1:A:536:LEU:HD21	1:A:648:LEU:HD21	2.02	0.41
1:B:621:PRO:O	1:B:625:ARG:HB2	2.20	0.41
1:A:522:PRO:C	1:A:523:GLN:HG3	2.41	0.40
1:A:568:ALA:C	1:A:570:SER:N	2.74	0.40
1:B:646:TYR:CD2	1:B:654:PRO:HG3	2.57	0.40
1:B:463:GLY:O	1:B:464:SER:HB3	2.22	0.40
1:B:495:GLN:HA	1:B:495:GLN:OE1	2.21	0.40
1:A:709:ILE:O	1:A:713:ILE:HG13	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	260/307 (85%)	218 (84%)	29 (11%)	13 (5%)	3	21
1	B	260/307 (85%)	227 (87%)	20 (8%)	13 (5%)	3	21
All	All	520/614 (85%)	445 (86%)	49 (9%)	26 (5%)	3	21

All (26) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	627	GLN
1	A	721	PRO
1	B	448	ASP
1	B	464	SER
1	B	721	PRO
1	A	681	ARG
1	B	586	ASP
1	B	593	ASP
1	B	627	GLN
1	B	718	ARG
1	A	448	ASP
1	A	464	SER
1	A	700	ARG
1	A	719	SER
1	B	575	ASP
1	B	701	ASP
1	A	487	THR
1	A	626	MET
1	A	701	ASP
1	A	497	PHE
1	B	454	GLY
1	A	486	VAL
1	A	720	LEU
1	B	630	ASN
1	B	522	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	489	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/271 (86%)	221 (95%)	11 (5%)	32	73
1	B	232/271 (86%)	220 (95%)	12 (5%)	29	69
All	All	464/542 (86%)	441 (95%)	23 (5%)	30	71

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	447	ASP
1	A	467	PHE
1	A	474	LYS
1	A	484	LEU
1	A	499	ASN
1	A	540	LEU
1	A	548	GLU
1	A	587	LEU
1	A	624	ILE
1	A	655	TYR
1	A	716	LEU
1	B	453	ASP
1	B	457	THR
1	B	467	PHE
1	B	471	TYR
1	B	474	LYS
1	B	484	LEU
1	B	495	GLN
1	B	540	LEU
1	B	550	ILE
1	B	587	LEU
1	B	628	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	716	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	455	GLN
1	A	529	GLN
1	A	538	HIS
1	A	567	HIS
1	A	580	ASN
1	A	584	HIS
1	A	630	ASN
1	B	455	GLN
1	B	523	GLN
1	B	529	GLN
1	B	538	HIS
1	B	561	GLN
1	B	579	ASN
1	B	584	HIS
1	B	630	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	RSW	A	1	-	25,45,45	2.99	15 (60%)	21,106,106	2.01	6 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	RSW	A	1	-	-	0/0/152/152	0/6/12/12

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	RSW	C7-C8	2.06	1.45	1.41
2	A	1	RSW	C16-C15	2.27	1.45	1.41
2	A	1	RSW	C4-C3	2.40	1.46	1.41
2	A	1	RSW	C6-C5	2.66	1.44	1.38
2	A	1	RSW	C18-C17	2.80	1.45	1.39
2	A	1	RSW	C8-C3	3.45	1.47	1.41
2	A	1	RSW	C5-C4	3.69	1.45	1.36
2	A	1	RSW	C18-N19	3.87	1.43	1.34
2	A	1	RSW	C10-C9	3.91	1.50	1.42
2	A	1	RSW	C15-C20	3.95	1.47	1.40
2	A	1	RSW	C6-C7	4.07	1.46	1.36
2	A	1	RSW	C20-N19	4.19	1.40	1.36
2	A	1	RSW	C15-C14	4.88	1.48	1.41
2	A	1	RSW	C16-C17	4.94	1.45	1.37
2	A	1	RSW	C3-N2	5.57	1.45	1.37

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	RSW	C17-C18-N19	-3.21	119.38	123.68
2	A	1	RSW	C1-C20-N19	-2.76	114.60	116.15
2	A	1	RSW	C14-C15-C20	-2.26	115.92	119.23
2	A	1	RSW	C9-C8-C3	2.25	108.83	106.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	RSW	C18-C17-C16	3.81	121.51	117.30
2	A	1	RSW	C16-C15-C14	5.17	128.87	122.72

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	RSW	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	264/307 (85%)	-0.18	4 (1%) 76 63	16, 41, 81, 104	0
1	B	264/307 (85%)	-0.17	6 (2%) 64 49	18, 40, 77, 133	0
All	All	528/614 (85%)	-0.17	10 (1%) 70 55	16, 41, 78, 133	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	466	SER	6.7
1	B	722	LYS	5.4
1	A	466	SER	4.7
1	B	721	PRO	4.6
1	A	721	PRO	3.7
1	B	720	LEU	3.2
1	B	465	GLY	3.1
1	A	447	ASP	3.0
1	A	722	LYS	2.3
1	B	447	ASP	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	RSW	A	1	34/34	0.73	0.42	3.05	84,89,92,93	34

6.5 Other polymers [i](#)

There are no such residues in this entry.