



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:25 AM GMT

PDB ID : 2QPJ
Title : Human NEP complexed with a bifunctional NEP/DPP IV inhibitor
Authors : Oefner, C.; Dale, G.E.
Deposited on : 2007-07-24
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1192 (2.04-2.04)
Clashscore	102246	1269 (2.04-2.04)
Ramachandran outliers	100387	1258 (2.04-2.04)
Sidechain outliers	100360	1258 (2.04-2.04)
RSRZ outliers	91569	1194 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	696	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	753	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	754	-	-	-	X
4	I20	A	755	X	-	-	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5967 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neprilysin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	696	5595	3538	957	1074	26	0	0	0

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	14	8	1	5	0	0
2	A	1	14	8	1	5	0	0
2	A	1	14	8	1	5	0	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		

- Molecule 4 is (2S)-2-({(2S)-3-[(R)-[(1R)-1-({(4S)-4-AMINO-5-[(2S)-2-CYANOPYRROLIDIN-1-YL]-5-OXOPENTANOYL}AMINO)ETHYL](HYDROXY)PHOSPHORYL]-2-BENZYLPROPANOYL}AMINO)PROPANOIC ACID (three-letter code: I20) (formula: $C_{25}H_{36}N_5O_7P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			38	25	5	7	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	291	Total	O	0	0
			291	291		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Neprilysin



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	107.12Å 107.12Å 112.38Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.05 19.92 – 2.05	Depositor EDS
% Data completeness (in resolution range)	93.3 (20.00-2.05) 93.3 (19.92-2.05)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 2.06Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.207 , 0.268 0.215 , 0.267	Depositor DCC
R_{free} test set	2227 reflections (5.34%)	DCC
Wilson B-factor (Å ²)	29.6	Xtriage
Anisotropy	0.062	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 46.0	EDS
Estimated twinning fraction	0.027 for -h,-k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 43951 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5967	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: I20, ZN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/5713	0.58	20/7727 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

There are no bond length outliers.

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	631	ASP	CB-CG-OD2	7.07	124.66	118.30
1	A	377	ASP	CB-CG-OD2	6.08	123.77	118.30
1	A	650	ASP	CB-CG-OD2	5.94	123.64	118.30
1	A	504	ASP	CB-CG-OD2	5.78	123.50	118.30
1	A	461	ASP	CB-CG-OD2	5.67	123.41	118.30
1	A	219	ASP	CB-CG-OD2	5.55	123.30	118.30
1	A	678	ASP	CB-CG-OD2	5.49	123.24	118.30
1	A	107	ASP	CB-CG-OD2	5.41	123.17	118.30
1	A	441	ASP	CB-CG-OD2	5.32	123.09	118.30
1	A	291	ASP	CB-CG-OD2	5.31	123.08	118.30
1	A	60	ASP	CB-CG-OD2	5.27	123.04	118.30
1	A	599	ASP	CB-CG-OD2	5.27	123.04	118.30
1	A	149	ASP	CB-CG-OD2	5.26	123.04	118.30
1	A	207	ASP	CB-CG-OD2	5.26	123.03	118.30
1	A	530	ASP	CB-CG-OD2	5.22	123.00	118.30
1	A	532	ASP	CB-CG-OD2	5.21	122.99	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	483	ASP	CB-CG-OD2	5.17	122.95	118.30
1	A	294	ASP	CB-CG-OD2	5.10	122.89	118.30
1	A	73	ASP	CB-CG-OD2	5.07	122.86	118.30
1	A	455	ASP	CB-CG-OD2	5.05	122.84	118.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	429	ALA	Peptide
1	A	432	ALA	Peptide
1	A	737	ASN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5595	0	5447	172	0
2	A	42	0	39	0	0
3	A	1	0	0	0	0
4	A	38	0	33	11	0
5	A	291	0	0	21	1
All	All	5967	0	5519	181	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (181) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:412:ASN:HB3	5:A:801:HOH:O	1.21	1.32
1:A:318:LYS:HB3	1:A:319:PRO:CA	1.61	1.31
1:A:318:LYS:HB3	1:A:319:PRO:HA	1.16	1.15
1:A:523:LYS:HZ3	1:A:523:LYS:HB3	1.03	1.10
1:A:318:LYS:CB	1:A:319:PRO:HA	1.88	1.03

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:523:LYS:NZ	1:A:523:LYS:CB	2.23	1.02
1:A:748:VAL:HG13	5:A:766:HOH:O	1.59	1.01
1:A:318:LYS:HB3	1:A:319:PRO:C	1.84	0.98
4:A:755:I20:H292	4:A:755:I20:CA	1.76	0.97
1:A:523:LYS:CB	1:A:523:LYS:HZ3	1.78	0.97
1:A:545:TYR:O	4:A:755:I20:N29	1.96	0.97
1:A:523:LYS:NZ	1:A:523:LYS:HB3	1.78	0.95
4:A:755:I20:N29	4:A:755:I20:CA	2.30	0.93
1:A:748:VAL:HG13	1:A:749:TRP:H	1.38	0.88
1:A:516:PHE:CZ	1:A:520:LYS:HE3	2.10	0.86
1:A:735:ARG:O	1:A:738:SER:HB2	1.74	0.86
1:A:96:ILE:HD11	1:A:696:THR:HG23	1.59	0.85
1:A:67:ARG:HH12	1:A:688:ASN:ND2	1.75	0.84
1:A:193:LYS:HE3	1:A:515:LYS:HE2	1.57	0.84
1:A:547:SER:OG	4:A:755:I20:HB2	1.78	0.84
1:A:384:ARG:HD2	1:A:388:GLU:HG3	1.59	0.83
4:A:755:I20:HA2	4:A:755:I20:H292	1.42	0.83
1:A:508:GLU:OE1	5:A:1042:HOH:O	1.96	0.83
1:A:412:ASN:CB	5:A:801:HOH:O	1.94	0.82
1:A:466:LYS:O	1:A:470:GLU:HG3	1.79	0.81
4:A:755:I20:N29	4:A:755:I20:HA1	1.94	0.80
1:A:597:ASN:HD22	1:A:597:ASN:C	1.85	0.80
1:A:338:THR:HG21	1:A:340:GLU:OE1	1.81	0.80
1:A:693:TRP:HB2	1:A:718:ILE:HD11	1.63	0.79
1:A:67:ARG:HH12	1:A:688:ASN:HD22	1.33	0.77
1:A:168:VAL:H	1:A:368:ASN:HD21	1.34	0.76
1:A:516:PHE:CE1	1:A:520:LYS:HE3	2.20	0.76
1:A:748:VAL:CG1	5:A:766:HOH:O	2.26	0.73
4:A:755:I20:H292	4:A:755:I20:HA1	1.53	0.73
1:A:412:ASN:CG	5:A:801:HOH:O	2.23	0.72
1:A:523:LYS:HZ2	1:A:523:LYS:HB2	1.54	0.71
1:A:355:LYS:HB3	1:A:356:PRO:HD3	1.73	0.71
1:A:355:LYS:O	1:A:359:THR:HG23	1.89	0.71
1:A:717:ARG:O	1:A:721:THR:HG23	1.91	0.70
1:A:523:LYS:NZ	1:A:523:LYS:HB2	2.03	0.70
4:A:755:I20:HB1	5:A:956:HOH:O	1.92	0.70
1:A:90:TRP:CZ3	1:A:695:GLY:HA2	2.27	0.69
1:A:302:MET:HG3	1:A:307:ILE:HG13	1.74	0.69
1:A:477:GLU:OE1	5:A:833:HOH:O	2.10	0.69
1:A:315:ILE:CD1	1:A:358:LEU:HB3	2.25	0.67
1:A:455:ASP:OD1	5:A:838:HOH:O	2.12	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:338:THR:CG2	1:A:340:GLU:CD	2.64	0.66
1:A:667:LYS:HG2	1:A:668:ASN:ND2	2.10	0.66
1:A:105:ASN:HB3	5:A:1000:HOH:O	1.95	0.66
1:A:202:LEU:CD1	1:A:216:ILE:HG23	2.26	0.66
1:A:349:GLU:OE2	5:A:953:HOH:O	2.13	0.65
1:A:516:PHE:CZ	1:A:520:LYS:CE	2.79	0.64
1:A:333:VAL:HG21	1:A:523:LYS:NZ	2.12	0.64
1:A:202:LEU:HD22	1:A:218:ILE:HD11	1.79	0.64
1:A:68:LEU:HD22	1:A:687:LEU:HD13	1.80	0.64
1:A:274:LYS:HA	1:A:274:LYS:HE3	1.81	0.63
1:A:163:ILE:O	1:A:164:TYR:HB2	1.98	0.63
1:A:597:ASN:ND2	1:A:599:ASP:H	1.98	0.62
1:A:354:LEU:HG	1:A:358:LEU:HD22	1.82	0.62
1:A:478:ARG:HH22	1:A:532:ASP:HA	1.65	0.62
1:A:209:LYS:HE2	1:A:299:TYR:CD1	2.35	0.61
1:A:597:ASN:C	1:A:597:ASN:ND2	2.49	0.60
1:A:338:THR:HG22	1:A:340:GLU:H	1.65	0.60
1:A:333:VAL:CG2	1:A:523:LYS:NZ	2.65	0.59
1:A:589:PHE:HB3	1:A:749:TRP:CZ2	2.37	0.59
1:A:384:ARG:CD	1:A:388:GLU:HG3	2.32	0.59
1:A:379:VAL:CG1	1:A:386:TYR:O	2.50	0.59
1:A:384:ARG:HD2	1:A:384:ARG:O	2.01	0.59
1:A:338:THR:HG21	1:A:340:GLU:CD	2.23	0.57
1:A:90:TRP:HE3	1:A:91:LEU:HD13	1.69	0.57
1:A:349:GLU:CD	5:A:953:HOH:O	2.42	0.57
1:A:457:LEU:O	1:A:465:LYS:NZ	2.34	0.57
4:A:755:I20:CB	5:A:956:HOH:O	2.51	0.57
1:A:202:LEU:HD11	1:A:216:ILE:HG23	1.86	0.56
1:A:355:LYS:HB3	1:A:356:PRO:CD	2.36	0.56
1:A:214:HIS:NE2	1:A:529:VAL:HG22	2.20	0.56
1:A:333:VAL:HG13	1:A:333:VAL:O	2.05	0.56
1:A:154:GLU:N	1:A:155:PRO:CD	2.68	0.56
1:A:680:ASN:OD1	1:A:683:GLN:HG3	2.06	0.56
1:A:394:ARG:HH21	1:A:402:SER:N	2.04	0.55
1:A:203:PHE:CZ	1:A:217:HIS:CD2	2.94	0.55
1:A:658:TYR:CE2	1:A:727:GLU:HG2	2.42	0.55
1:A:347:ALA:N	1:A:348:PRO:HD3	2.22	0.55
1:A:110:ARG:HD2	5:A:968:HOH:O	2.06	0.55
1:A:333:VAL:CG2	1:A:523:LYS:HZ1	2.21	0.54
1:A:303:THR:H	1:A:306:GLN:HE21	1.56	0.53
1:A:467:ARG:HB3	1:A:605:TRP:CE3	2.43	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:597:ASN:HB3	1:A:603:VAL:HG12	1.89	0.53
1:A:202:LEU:HD13	1:A:216:ILE:HG23	1.89	0.53
1:A:338:THR:C	1:A:340:GLU:H	2.12	0.53
1:A:482:PRO:O	1:A:485:ILE:HG12	2.08	0.53
1:A:209:LYS:CE	1:A:299:TYR:CD1	2.92	0.52
1:A:315:ILE:HD12	1:A:358:LEU:HB3	1.91	0.52
1:A:95:VAL:HG13	5:A:787:HOH:O	2.10	0.52
1:A:62:ILE:N	1:A:62:ILE:HD13	2.26	0.51
1:A:748:VAL:HG13	1:A:749:TRP:N	2.15	0.51
1:A:302:MET:HB2	1:A:306:GLN:HB2	1.92	0.51
1:A:355:LYS:N	1:A:356:PRO:HD2	2.25	0.51
1:A:499:LEU:HD13	1:A:501:TYR:OH	2.11	0.51
1:A:274:LYS:HG2	1:A:365:ASP:OD1	2.10	0.50
1:A:202:LEU:C	1:A:202:LEU:HD12	2.32	0.50
1:A:719:ILE:CD1	5:A:1040:HOH:O	2.59	0.50
1:A:333:VAL:HG21	1:A:523:LYS:HZ3	1.77	0.50
1:A:67:ARG:NH1	1:A:688:ASN:ND2	2.55	0.49
1:A:253:ARG:HG3	1:A:263:ILE:HG12	1.94	0.49
1:A:302:MET:HG3	1:A:307:ILE:CG1	2.42	0.49
1:A:90:TRP:CE3	1:A:91:LEU:HD13	2.47	0.49
1:A:248:MET:HG2	1:A:372:TRP:CE2	2.47	0.49
1:A:516:PHE:HZ	1:A:520:LYS:HZ1	1.61	0.49
1:A:203:PHE:CE1	1:A:217:HIS:CD2	2.99	0.49
1:A:505:GLU:HA	1:A:505:GLU:OE1	2.12	0.49
1:A:207:ASP:HB2	1:A:215:VAL:HG22	1.95	0.49
1:A:261:LEU:HB3	1:A:262:PRO:HD2	1.94	0.49
1:A:214:HIS:CE1	1:A:524:LYS:HB3	2.48	0.49
1:A:229:ASP:O	1:A:232:GLU:HG3	2.13	0.49
1:A:394:ARG:HH21	1:A:401:THR:C	2.15	0.49
1:A:274:LYS:CA	1:A:274:LYS:HE3	2.31	0.48
1:A:347:ALA:N	1:A:348:PRO:CD	2.76	0.48
1:A:419:GLU:OE1	5:A:809:HOH:O	2.20	0.47
1:A:160:LEU:N	1:A:161:PRO:CD	2.77	0.47
1:A:282:ILE:O	1:A:286:THR:HG23	2.12	0.47
1:A:318:LYS:CB	1:A:319:PRO:CA	2.47	0.47
1:A:338:THR:HG22	1:A:340:GLU:CD	2.34	0.47
1:A:659:ARG:NH2	5:A:776:HOH:O	2.22	0.47
1:A:301:LYS:HD2	1:A:342:ASP:HB3	1.96	0.47
1:A:338:THR:HG22	1:A:340:GLU:N	2.29	0.47
1:A:225:LEU:HD13	1:A:230:TYR:HB3	1.96	0.47
1:A:643:THR:HA	1:A:710:VAL:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:507:PHE:O	1:A:511:ILE:HG12	2.15	0.46
1:A:278:LEU:HD13	1:A:369:LEU:CD2	2.46	0.46
1:A:466:LYS:O	1:A:466:LYS:HG2	2.15	0.46
1:A:457:LEU:O	1:A:465:LYS:CE	2.64	0.46
1:A:167:PRO:HG3	1:A:173:TRP:CE2	2.51	0.46
1:A:460:MET:CE	1:A:464:THR:HG22	2.45	0.46
1:A:315:ILE:H	1:A:318:LYS:HB2	1.79	0.46
1:A:478:ARG:NH2	1:A:532:ASP:O	2.49	0.45
1:A:338:THR:C	1:A:340:GLU:N	2.69	0.45
1:A:193:LYS:HE3	1:A:515:LYS:CE	2.39	0.45
1:A:394:ARG:NH2	1:A:402:SER:N	2.64	0.45
1:A:184:GLU:HG3	1:A:320:PHE:CE2	2.51	0.45
1:A:263:ILE:O	1:A:263:ILE:HG22	2.15	0.45
1:A:460:MET:HE3	1:A:464:THR:HG22	1.98	0.45
1:A:736:LYS:O	1:A:737:ASN:HB2	2.17	0.45
1:A:267:GLN:NE2	1:A:267:GLN:HA	2.32	0.45
1:A:202:LEU:HD12	1:A:203:PHE:N	2.32	0.45
1:A:323:LEU:HD22	1:A:339:ASN:OD1	2.17	0.45
1:A:207:ASP:HB2	1:A:215:VAL:CG2	2.48	0.44
1:A:482:PRO:HG3	1:A:534:TRP:CG	2.53	0.44
4:A:755:I20:H28	5:A:955:HOH:O	2.17	0.44
1:A:484:ASP:CG	5:A:1031:HOH:O	2.56	0.44
1:A:67:ARG:HH22	1:A:688:ASN:ND2	2.16	0.44
1:A:535:ILE:HD11	1:A:553:VAL:HG21	2.00	0.44
1:A:318:LYS:HA	1:A:318:LYS:HD3	1.83	0.43
1:A:384:ARG:HD2	1:A:384:ARG:C	2.38	0.43
1:A:654:LEU:HD13	1:A:689:PHE:CD2	2.53	0.43
1:A:278:LEU:HD13	1:A:369:LEU:HD23	2.00	0.43
1:A:312:SER:O	1:A:313:LEU:HD23	2.18	0.43
1:A:203:PHE:CZ	1:A:217:HIS:HD2	2.37	0.43
4:A:755:I20:HN34	4:A:755:I20:H72	1.72	0.43
1:A:440:GLU:HG2	1:A:479:ILE:HD12	2.00	0.42
1:A:202:LEU:CD1	1:A:202:LEU:C	2.87	0.42
1:A:209:LYS:CE	1:A:299:TYR:CE1	3.01	0.42
1:A:658:TYR:CD2	1:A:727:GLU:HG2	2.54	0.42
1:A:736:LYS:HG3	1:A:736:LYS:H	1.42	0.42
1:A:477:GLU:HG3	1:A:479:ILE:HD11	2.01	0.42
1:A:502:LYS:H	1:A:509:ASN:HD21	1.66	0.42
1:A:140:ARG:NH2	1:A:503:GLU:OE1	2.32	0.42
1:A:315:ILE:HD11	1:A:358:LEU:HD23	2.02	0.42
1:A:368:ASN:HA	1:A:368:ASN:HD22	1.60	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:379:VAL:HG13	1:A:386:TYR:HB3	2.01	0.42
1:A:338:THR:CG2	1:A:340:GLU:OE1	2.59	0.41
1:A:214:HIS:ND1	1:A:524:LYS:HB3	2.35	0.41
1:A:67:ARG:HH22	1:A:688:ASN:HD21	1.68	0.41
1:A:506:TYR:O	1:A:509:ASN:HB2	2.20	0.41
1:A:604:ASP:HA	5:A:758:HOH:O	2.21	0.41
1:A:167:PRO:HD2	1:A:368:ASN:ND2	2.36	0.41
1:A:394:ARG:NH2	1:A:401:THR:C	2.74	0.41
1:A:467:ARG:HG2	1:A:605:TRP:HB2	2.02	0.41
1:A:304:LEU:HD23	1:A:304:LEU:HA	1.91	0.40
1:A:159:LEU:HD11	1:A:194:TYR:CE1	2.55	0.40
1:A:62:ILE:HD12	1:A:62:ILE:HA	1.85	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:976:HOH:O	5:A:976:HOH:O[4_556]	1.60	0.60

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	694/696 (100%)	662 (95%)	24 (4%)	8 (1%)	16 6

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	318	LYS
1	A	317	GLY
1	A	339	ASN
1	A	738	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	332	THR
1	A	484	ASP
1	A	376	MET
1	A	432	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	605/605 (100%)	549 (91%)	56 (9%)	11 4

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	LYS
1	A	59	SER
1	A	62	ILE
1	A	91	LEU
1	A	92	LYS
1	A	126	THR
1	A	146	SER
1	A	156	LEU
1	A	158	LYS
1	A	159	LEU
1	A	160	LEU
1	A	170	THR
1	A	171	GLU
1	A	189	GLN
1	A	193	LYS
1	A	202	LEU
1	A	212	VAL
1	A	215	VAL
1	A	217	HIS
1	A	260	ARG
1	A	263	ILE
1	A	274	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	278	LEU
1	A	298	LEU
1	A	314	GLU
1	A	318	LYS
1	A	333	VAL
1	A	339	ASN
1	A	355	LYS
1	A	358	LEU
1	A	364	ARG
1	A	368	ASN
1	A	384	ARG
1	A	390	ARG
1	A	394	ARG
1	A	419	GLU
1	A	435	SER
1	A	467	ARG
1	A	476	LYS
1	A	477	GLU
1	A	478	ARG
1	A	483	ASP
1	A	497	LEU
1	A	500	ASN
1	A	505	GLU
1	A	523	LYS
1	A	528	LYS
1	A	531	LYS
1	A	532	ASP
1	A	597	ASN
1	A	603	VAL
1	A	608	GLN
1	A	667	LYS
1	A	687	LEU
1	A	736	LYS
1	A	738	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	105	ASN
1	A	257	GLN
1	A	266	ASN
1	A	267	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	306	GLN
1	A	368	ASN
1	A	490	ASN
1	A	509	ASN
1	A	550	ASN
1	A	597	ASN
1	A	608	GLN
1	A	619	GLN
1	A	656	GLN
1	A	668	ASN
1	A	688	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	752	1	14,14,15	0.49	0	15,19,21	0.91	0
2	NAG	A	753	1	14,14,15	0.60	0	15,19,21	0.74	0
2	NAG	A	754	1	14,14,15	0.45	0	15,19,21	1.13	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	I20	A	755	3	31,39,39	3.55	7 (22%)	32,54,54	1.49	3 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	752	1	-	0/6/23/26	0/1/1/1
2	NAG	A	753	1	-	0/6/23/26	0/1/1/1
2	NAG	A	754	1	-	0/6/23/26	0/1/1/1
4	I20	A	755	3	1/1/11/13	0/34/56/56	0/2/2/2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	755	I20	P4-C7	-16.27	1.64	1.79
4	A	755	I20	CD-CE	-7.65	1.34	1.48
4	A	755	I20	CG-CD	-4.72	1.47	1.53
4	A	755	I20	CD-N	2.31	1.49	1.46
4	A	755	I20	CB-CA	2.88	1.61	1.51
4	A	755	I20	CB-CG	3.53	1.66	1.51
4	A	755	I20	C-N	3.56	1.42	1.34

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	754	NAG	C2-N2-C7	-2.83	119.41	123.04
2	A	754	NAG	C4-C3-C2	-2.19	107.83	111.23
4	A	755	I20	C35-N34-C10	-2.09	120.14	123.04
4	A	755	I20	O6-P4-O5	3.54	119.16	113.72
4	A	755	I20	CG-CD-CE	6.05	122.24	112.45

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	755	I20	CD

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	755	I20	11	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	696/696 (100%)	0.05	16 (2%) 64 70	24, 36, 51, 59	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	432	ALA	3.6
1	A	187	ILE	3.3
1	A	334	ASN	3.1
1	A	319	PRO	3.1
1	A	531	LYS	2.9
1	A	317	GLY	2.8
1	A	222	ARG	2.8
1	A	736	LYS	2.8
1	A	309	ASN	2.6
1	A	384	ARG	2.6
1	A	532	ASP	2.6
1	A	260	ARG	2.6
1	A	735	ARG	2.5
1	A	318	LYS	2.3
1	A	670	GLU	2.2
1	A	743	GLU	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NAG	A	753	14/15	0.89	0.19	3.20	51,51,53,53	0
2	NAG	A	754	14/15	0.87	0.33	2.48	48,51,52,52	0
4	I20	A	755	38/38	0.91	0.13	1.15	23,30,46,46	0
3	ZN	A	1	1/1	1.00	0.05	-2.46	29,29,29,29	0
2	NAG	A	752	14/15	0.82	0.34	-	46,50,52,53	0

6.5 Other polymers [i](#)

There are no such residues in this entry.